


Secure Coding Lab-2

AKASH P
18BCN7078
L29+L30

1) Installing Software silently using CMD



2) Whoami

```
AKS7078>whoami  
desktop-09qdk8\91938
```

It will show our user name. We can know in which user account we are currently operating.

3) Net User


```
AKS7078>net user

User accounts for \\DESKTOP-09QDKA8

-----
91938          Administrator          DefaultAccount
Guest          WDAGUtilityAccount
The command completed successfully.
```

It lists out no of users present in our PC and their account type.

4) Assoc



```
AKS7078>popd

AKS7078>pushd e
The system cannot find the path specified.

AKS7078>Assoc
.386=vxdfile
.3g2=WMP11.AssocFile.3G2
.3gp=WMP11.AssocFile.3GP
.3gp2=WMP11.AssocFile.3G2
.3gpp=WMP11.AssocFile.3GP
.5vw=wireshark-capture-file
.AAC=WMP11.AssocFile.ADTS
.accountpicture-ms=accountpicturefile
.acp=wireshark-capture-file
.ADT=WMP11.AssocFile.ADTS
.ADTS=WMP11.AssocFile.ADTS
.aif=WMP11.AssocFile.AIFF
.aifc=WMP11.AssocFile.AIFF
.aiff=WMP11.AssocFile.AIFF
.ani=anifile
.apc=wireshark-capture-file
.appcontent-ms=ApplicationContent
.application=Application.Manifest
.appref-ms=Application.Reference
.asa=aspfile
.asf=WMP11.AssocFile.ASF
```

It will list out a lot of formats like these.

6) Creating and deleting a Folder using CMD

```
AKS7078>mkdir 18BCn7078_fol

AKS7078>del 18BCn7078_fol
C:\Users\91938\Downloads\18BCn7078_fol\*, Are you sure (Y/N)? Y

AKS7078>
```

Here, I created a Folder and deleted it using cmd

7) Time

```
AKS7078>time
The current time is: 11:37:00.91
```

Here, using this command, we can see our current time and can change it.

8) Tree

```
C:\Users\JAVVADI>tree
Folder PATH listing
Volume serial number is DE2F-8358
C:.
|-- .android
|   |-- avd
|   |   |-- Pixel_3a_API_30_x86.avd
|   |   |   |-- hardware-qemu.ini.lock
|   |   |   |-- snapshot.lock.lock
|   |   |   |-- snapshots
|   |   |       |-- default_boot
|   |-- breakpad
|   |-- cache
|   |-- studio
|   |   |-- installer
|   |-- .eclipse
|   |   |-- org.eclipse.oomph.jreinfo
|   |   |-- org.eclipse.oomph.p2
|   |   |   |-- cache
|   |   |-- org.eclipse.oomph.setup
|   |   |   |-- cache
|   |   |   |-- setups
|   |   |-- org.eclipse.oomph.setup.installer
|   |   |-- org.eclipse.tips.state
|   |   |   |-- org.eclipse.tips.ide.state
|   |-- .gradle
|   |   |-- caches
|   |   |   |-- 6.5
|   |   |   |   |-- executionHistory
|   |   |   |   |-- file-changes
|   |   |   |   |-- fileContent
|   |   |   |   |-- fileHashes
|   |   |   |   |-- generated-gradle-jars
|   |   |   |   |-- javaCompile
|   |   |   |   |-- md-rule
|   |   |   |   |-- md-supplier
```

Submitted By
AKASH P
18BCN7078