SOURCE CODE :

inline_css.html

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-         scale=1.0">
    <title>Inline CSS Example</title>
    <style>
        body {
            background-image: url('background.jpg');
            background-size: cover;
            background-repeat: no-repeat;
            text-align: center;
            color: white;
            font-family: Arial, sans-serif;
        }
    </style>
</head>
<body>
    <h1 style="color: yellow; margin-top: 50px;">Hello, Inline CSS!</h1>
    <p style="background-color: rgba(0, 0, 0, 0.5); padding: 20px; display:         inline-block;">
        Inline CSS allows you to apply styles directly within HTML elements        using                    the
<code>style</code> attribute.
        It's useful for quick changes or single elements, but it can become    cumbersome for larger projects.
    </p>
</body>
</html>
```

internal_css.html

```html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Internal CSS Example</title>
  <style>
    body {
      background-image: url('background.jpg');
      background-size: cover;
      background-repeat: no-repeat;
      text-align: center;
      color: white;
      font-family: Arial, sans-serif;
    }
    h1 {
      color: yellow;
      margin-top: 50px;
    }
    p {
      background-color: rgba(0, 0, 0, 0.5);
      padding: 20px;
      display: inline-block;
    }
  </style>
</head>
<body>
  <h1>Hello, Internal CSS!</h1>
  <p>
    Internal CSS allows you to define styles within the <code>&lt;style&gt;</code> tag inside the HTML
    document's <code>&lt;head&gt;</code> section.
    This method is useful for applying styles to a single document and keeps the styles centralized.
  </p>
</body>
</html>
```

external_css.html

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>External CSS Example</title>
    <link rel="stylesheet" href="styles.css">
</head>
<body>
    <h1>Hello, External CSS!</h1>
    <p>
      External CSS involves linking an HTML document to an external stylesheet using the
      <code>&lt;link&gt;</code> element.
      This method allows you to apply styles to multiple pages, ensuring consistency and easier maintenance.
    </p>
</body>
</html>
```

styles.css

```css
body {
    background-image: url('background.jpg');
    background-size: cover;
    background-repeat: no-repeat;
    text-align: center;
    color: white;
    font-family: Arial, sans-serif;
}
h1 {
    color: yellow;
    margin-top: 50px;
}p {
    background-color: rgba(0, 0, 0, 0.5);
    padding: 20px;
    display: inline-block;
}
```