PHP Array Functions – Smart Summary Guide

A concise and practical guide to the most commonly used PHP array functions with syntax, explanations, and examples.

count()

Counts all elements in an array.

```
$arr = ["apple", "banana", "cherry"];
echo count($arr); // Output: 3
```

array_push()

Adds one or more elements to the end of an array.

```
$arr = ["a", "b"];
array_push($arr, "c", "d");
print_r($arr); // Output: [a, b, c, d]
```

array_pop()

Removes the last element of an array.

```
$arr = ["a", "b", "c"];
array_pop($arr);
print_r($arr); // Output: [a, b]
```

array_shift()

Removes the first element of an array.

```
$arr = ["x", "y", "z"];
array_shift($arr);
print_r($arr); // Output: [y, z]
```

array_unshift()

Adds elements to the beginning of an array.

```
$arr = ["b", "c"];
array_unshift($arr, "a");
print_r($arr); // Output: [a, b, c]
```

in_array()

Checks if a value exists in an array.

```
$arr = ["php", "js", "html"];
echo in_array("php", $arr); // Output: 1 (true)
```

array_key_exists()

Checks if a key exists in an array.

```
$arr = ["name" => "Akash", "age" => 21];
```

```
echo array_key_exists("name", $arr); // Output: 1
```

array_merge()

Merges one or more arrays.

```
$a = ["x", "y"];
$b = ["z"];
print_r(array_merge($a, $b)); // Output: [x, y, z]
```

array_combine()

Creates an array by using one array for keys and another for values.

```
$keys = ["name", "age"];
$values = ["Akash", 21];
print_r(array_combine($keys, $values));
```

array_slice()

Extracts a portion of an array.

```
$arr = ["a", "b", "c", "d"];
print_r(array_slice($arr, 1, 2)); // Output: [b, c]
```

array_splice()

Removes and replaces elements from an array.

```
$arr = ["red", "green", "blue"];
array_splice($arr, 1, 1, ["yellow"]);
print_r($arr); // Output: [red, yellow, blue]
```

array_keys()

Returns all the keys of an array.

```
$arr = ["name" => "Akash", "age" => 21];
print_r(array_keys($arr));
```

array_values()

Returns all the values of an array.

```
$arr = ["name" => "Akash", "age" => 21];
print_r(array_values($arr));
```

sort()

Sorts an indexed array in ascending order.

```
$arr = [3, 1, 2];
sort($arr);
print_r($arr); // Output: [1, 2, 3]
```

rsort()

Sorts an indexed array in descending order.

```
$arr = [3, 1, 2];
rsort($arr);
print_r($arr); // Output: [3, 2, 1]
```

asort()

Sorts an associative array by values (ascending).

```
$arr = ["b" => 2, "a" => 1];
asort($arr);
print_r($arr);
```

ksort()

Sorts an associative array by keys (ascending).

```
$arr = ["b" => 2, "a" => 1];
ksort($arr);
print_r($arr);
```

array_reverse()

Returns an array with elements in reverse order.

```
$arr = [1, 2, 3];
print_r(array_reverse($arr));
```

array_unique()

Removes duplicate values from an array.

```
$arr = [1, 2, 2, 3];
print_r(array_unique($arr));
```