

PHP File Handling – Smart Summary Guide

A practical guide to PHP file handling functions with syntax and examples.

fopen()

Opens a file or URL.

```
$file = fopen("test.txt", "r");
```

fclose()

Closes an open file.

```
$file = fopen("test.txt", "r");  
fclose($file);
```

fread()

Reads specified number of bytes.

```
$file = fopen("test.txt", "r");  
echo fread($file, filesize("test.txt"));  
fclose($file);
```

fwrite()

Writes data to a file.

```
$file = fopen("test.txt", "w");  
fwrite($file, "Hello PHP!");  
fclose($file);
```

file_get_contents()

Reads entire file into a string.

```
$data = file_get_contents("test.txt");  
echo $data;
```

file_put_contents()

Writes a string to a file.

```
file_put_contents("test.txt", "Learning PHP File Handling");
```

fgets()

Reads a single line from file.

```
$file = fopen("test.txt", "r");  
echo fgets($file);  
fclose($file);
```

feof()

Checks if end of file reached.

```
$file = fopen("test.txt", "r");
while(!feof($file)) {
    echo fgets($file);
}
fclose($file);
```

fseek()

Moves file pointer to a specified position.

```
$file = fopen("test.txt", "r");
fseek($file, 5);
echo fgets($file);
fclose($file);
```

ftell()

Returns current position of file pointer.

```
$file = fopen("test.txt", "r");
echo ftell($file);
fclose($file);
```

rewind()

Moves file pointer to beginning.

```
$file = fopen("test.txt", "r");
fread($file, 10);
rewind($file);
```

unlink()

Deletes a file.

```
unlink("oldfile.txt");
```

copy()

Copies a file.

```
copy("source.txt", "backup.txt");
```

rename()

Renames or moves a file.

```
rename("oldname.txt", "newname.txt");
```

file_exists()

Checks if file exists.

```
if(file_exists("test.txt")) echo "File found";
```

is_readable()

Checks if file is readable.

```
if(is_readable("test.txt")) echo "Readable";
```

is_writable()

Checks if file is writable.

```
if(is_writable("test.txt")) echo "Writable";
```

filesize()

Returns file size in bytes.

```
echo filesize("test.txt");
```

readfile()

Reads file and writes to output buffer.

```
readfile("test.txt");
```

opendir()

Opens a directory handle.

```
$dir = opendir(".");
```

readdir()

Reads entries from directory handle.

```
while(($file = readdir($dir)) !== false) echo "$file\n";
```

closedir()

Closes directory handle.

```
closedir($dir);
```