A
Project report on

# Campus AI Chatbot

**Submitted To :**

**G H Raisoni International Skill Tech University.**
**PUNE-412207**

For: **BBA CA**

**Submitted By :**

**Akash Rana (ISTU25010120004)**
**Shreyash Katke (ISTU25010120003)**

**Semester III**
**Year 2026-27**

**Under the Guidance of :**

Asst. Prof. Sheela Satav

**G H Raisoni International Skill Tech University.**
**PUNE-412207**

# CERTIFICATE

This is to certify that **Mr. Akash Rana (Roll No: ISTU25010120004)** and **Mr. Shreyash Katke (Roll No: ISTU25010120003)**, students of **SY BBA CA**, have satisfactorily completed their Project entitled **"Campus AI Chatbot"** and submitted this project report in partial fulfillment of the requirements for the award of the degree of **BBA CA** for the academic Year **2026-27**.

Date: _____

**Asst. Prof. Sheela Satav**
Project Guide

_____
**Internal Examiner**

_____
**External Examiner**

_____
**HOD**

_____
**Dean**

# ACKNOWLEDGEMENT

A successful project is always the result of sincere teamwork, persistent dedication, and the collective guidance of esteemed mentors who provided technical insights and inspiration throughout our development journey.

First and foremost, we would like to express our deepest gratitude to our **Honourable Vice Chancellor DR. R. D. KHARADKAR** for providing us the opportunity and state-of-the-art technological infrastructure to study and innovate at **G H Raisoni International Skill Tech University, Pune**.

We are immensely grateful and indebted to our project guide, **Asst. Prof. Sheela Satav**, for her invaluable advice, constant encouragement, rigorous scrutiny, and technical assistance during the design and implementation of the *Campus AI Chatbot*. Her profound insights into software engineering standards and conversational system architectures helped us overcome key challenges in knowledge modeling and voice processing.

We also extend our sincere appreciation to the **Head of Department (HOD)**, respected faculty members, laboratory staff, and academic coordinators for their sustained cooperation and resources during the project lifecycle.

Last but not least, we express our heartfelt gratitude to the Almighty and our parents for their unconditional blessings, patience, and moral support, without which this academic endeavor would not have been possible.

**Signature of Students:**

**Akash Rana (ISTU25010120004)**
**Shreyash Katke (ISTU25010120003)**

# ABSTRACT

In modern collegiate ecosystems, academic administrations are perpetually flooded with repetitive, high-volume student inquiries concerning admissions eligibility, fee payment deadlines, examination timetables, course curricula, and campus facilities. Traditional inquiry channels—such as physical inquiry counters, telephone switchboards, and static bulletin boards—suffer from acute operating-hour restrictions, prolonged queues, and poor mobile searchability.

To resolve these operational bottlenecks, this project presents **CampusAI (Group 2)**, an intelligent, 24/7 autonomous conversational assistant engineered specifically for higher educational institutions. Built using Python (Flask), an ACID-compliant Third Normal Form (3NF) SQLite relational database, HTML5, CSS3, and asynchronous ES6 JavaScript, CampusAI delivers deterministic, sub-second responses to student queries while guaranteeing absolute factual integrity.

CampusAI introduces an innovative **Dual-Tier Hybrid Response Architecture**: Tier-1 executes deterministic local NLP matching (text normalization, domain stop-word filtering, domain synonym expansion, and Jaccard similarity scoring) against verified institutional FAQ records in SQLite; Tier-2 invokes a context-bounded Generative AI layer (Google Gemini 2.5 Flash) only when conversational flexibility is required. A strict **Zero-Hallucination Policy** ensures that the bot never fabricates dates, fees, or policy rules. Enhanced with Web Speech voice synthesis and recognition, dynamic category quick-filters, and an administrative CRUD portal with salted PBKDF2 authentication, CampusAI achieves a 100% pass rate across 23 automated tests.

**Keywords: Dual-Tier NLP, Jaccard Similarity, Google Gemini API, Zero-Hallucination, Flask, SQLite 3NF, BBA CA.**

# TABLE OF CONTENT


| Sr No | Topic | Page No |
|---|---|---|
| 1 | Introduction | 1 |
| 2 | Problem Definition | 2 |
| 3 | Existing System & Need for New System | 3 |
| 4 | Scope of System | 4 |
| 5 | Feasibility Study | 5 |
| 6 | Hardware Requirements | 6 |
| 7 | Software Requirements | 7 |
| 8 | Requirement Analysis | 8 |
| 9 | Decision Tree | 9 |
| 10 | Decision Table | 10 |
| 11 | Normalized Database Design (3NF) — Admins & Sessions Tables | 11 |
| 12 | College Info (FAQs) & Knowledge Base Tables | 12 |
| 13 | Chat History & Query Logs Tables | 13 |
| 14 | ER Diagram | 14 |
| 15 | Use Case Diagram | 15 |
| 16 | Class Diagram | 16 |
| 17 | Object Diagram | 17 |
| 18 | Sequence Diagram | 18 |
| 19 | Activity Diagram | 19 |
| 20 | Component Diagram | 20 |
| 21 | Data Flow Diagram (DFD Level 0 & Level 1) | 21 |
| 22 | Home Screen UI | 22 |
| 23 | Student Portal & Chatbot Assistant UI | 23 |
| 24 | Admin Command Center & Management UI | 24 |
| 25 | Testing & Implementation (23 Automated Test Cases) | 25 |
| 26 | Drawbacks & Limitations | 26 |
| 27 | Proposed Enhancements | 27 |
| 28 | Conclusion | 28 |
| 29 | Bibliography | 29 |

# INTRODUCTION

In modern higher education, dynamic communication between college administrations and students is essential. With thousands of enrolled students and prospective applicants seeking timely information, conventional administrative channels frequently face severe bottlenecks.

**CampusAI: Intelligent AI-Powered College Assistant Chatbot** is specifically engineered for G H Raisoni International Skill Tech University, Pune. It serves as an autonomous digital front desk and centralized knowledge engine across eight core academic domains: Admissions, Courses & Syllabus, Fee Structures, Examination Schedules, Campus Facilities, Placements & Training, Scholarships & Freeships, and Student Helpdesk Services.

## Key Architectural Pillars:

- **Dual-Tier Hybrid Response Engine:** Combines deterministic local NLP string-similarity matching with a context-bounded Generative AI layer (Google Gemini 2.5 Flash API).
- **Zero-Hallucination Policy:** Ensures the bot never invents dates, fees, or policy rules. Out-of-domain or unverified queries are gracefully referred to official college personnel.
- **ACID-Compliant 3NF Database:** Relational SQLite schema engineered in Third Normal Form to eliminate data redundancy and support sub-second query lookups (< 20ms).
- **Administrative Governance Portal:** Protected interface with salted PBKDF2 password hashing enabling staff to manage FAQs in real time and audit chat interaction logs.
- **Automated Verification Suite:** 23 unit and integration tests executing with a 100% pass rate in 1.18 seconds.

# PROBLEM DEFINITION

Modern university ecosystems manage diverse academic operations simultaneously. During peak operational periods—such as admission cycles, fee payment windows, and semester examination weeks—the volume of repetitive inquiries exceeds the capacity of administrative staff, creating significant friction.

## Core Problem Dimensions:

1. **Office Hour Bottlenecks:** Administrative inquiry windows are limited to weekdays (9:00 AM – 4:00 PM). Students studying late or prospective outstation applicants cannot access immediate verification after hours.
2. **Severe Counter Congestion:** Repetitive questions regarding fee installment deadlines, exam form submissions, and syllabus copies cause long queues at college counters, diverting staff from critical administrative work.
3. **Static Website Search Limitations:** University portal notices are typically published as lengthy unstructured PDF circulars. Mobile users find searching and extracting specific deadlines cumbersome.
4. **Risk of LLM Hallucinations:** Generic conversational AI systems frequently generate plausible-sounding but factually incorrect fee figures or examination dates, which can severely mislead students.
5. **Decentralized Information Dissemination:** Critical updates scattered across department notice boards, emails, and WhatsApp groups often lead to confusion and conflicting information.

# EXISTING SYSTEM & NEED FOR NEW SYSTEM

The current information dissemination framework at collegiate institutions relies primarily on traditional channels: physical reception counters, telephone switchboards, email inquiry inboxes, and static website notice boards.

## Limitations of the Existing System:

- **High Operational Latency:** Email inquiry turnarounds typically range from 24 to 72 hours. Telephone lines remain frequently busy during peak admission windows.
- **Human Dependency & Overhead:** Staff members spend hours manually repeating standard instructions regarding fee amounts, document requirements, and office timings.
- **Zero Analytics or Audit Trail:** There is no central tracking of which questions students ask most frequently, making it impossible to identify systemic administrative bottlenecks.

## NEED FOR THE NEW SYSTEM (CampusAI):

- **24/7/365 Autonomous Availability:** Instant answers delivered anytime, including weekends and public holidays.
- **Sub-Second Latency (< 20ms):** Deterministic local database matching provides verified institutional data instantly.
- **Zero-Hallucination Integrity:** Bounded AI responses grounded exclusively in verified college records.
- **Live Telemetry & Administrative Governance:** Real-time KPI dashboard tracking total inquiries, categories, and system health.

# SCOPE OF SYSTEM

The primary scope of CampusAI is to establish a secure, authoritative, and responsive conversational portal for students, faculty, and prospective applicants of G H Raisoni International Skill Tech University, Pune.

## Functional Scope Domains:

1. **Admissions & Eligibility:** Clarifies criteria, online registration forms, merit list schedules, and required documentation for BBA (CA) and related undergraduate programs.
2. **Courses & Academic Curriculum:** Provides semester-wise subject breakdowns, credit allocations, and practical examination patterns.
3. **Fee Structures & Deadlines:** Delivers transparent breakdowns of tuition, library deposits, examination fees, installment options, and scholarship policies.
4. **Examinations & Schedules:** Answers queries on theory/practical schedules, hall ticket distributions, revaluation rules, and grading systems.
5. **Campus Facilities & Amenities:** Outlines central library timings, computer labs, hostel accommodation, and sports facilities.
6. **Placements & Training:** Details corporate recruiters, placement packages, interview workshops, and internship drives.
7. **Scholarships & Concessions:** Outlines government post-matric concessions, university freeships, and EWS assistance.
8. **Administrative Management Portal:** Enables staff to add, update, and delete FAQs and export chat interaction transcripts.

# FEASIBILITY STUDY

Before software development, a comprehensive four-dimensional feasibility study was conducted to evaluate the viability, cost, and long-term sustainability of the CampusAI platform.

## 1. Technical Feasibility:

The system is built on proven, cross-platform technologies: Python 3.11, Flask 3.1.3 microframework, and SQLite 3. The lightweight architecture requires zero complex cloud infrastructure, while the integration of Google Gemini API operates via standard REST calls. The technical risk is negligible.

## 2. Economic & Financial Feasibility:

CampusAI utilizes 100% open-source software (Python, Flask, SQLite, Semantic HTML5/CSS3). It can run on low-cost hardware (512 MB RAM VPS or local college server). Cloud LLM calls utilize Google AI Studio free-tier quotas. The return on investment (ROI) is immediate through reduced counter congestion and staff hours.

## 3. Operational Feasibility:

The user interface requires zero training for students—it functions like standard messaging apps. For college staff, the administrative portal offers intuitive CRUD forms requiring no technical or programming expertise.

## 4. Legal, Security & Schedule Feasibility:

The project complies fully with university data policies. Student chats are stored locally without third-party data tracking. Password hashes use PBKDF2:SHA256. The project was completed on schedule within Semester III.

# HARDWARE REQUIREMENTS

The CampusAI architecture is engineered to be lightweight and accessible, imposing minimal hardware requirements on both client workstations and server infrastructure.

## Server-Side Minimum Hardware Requirements:

| Component | Minimum Specification | Recommended Specification |
|---|---|---|
| **Processor (CPU)** | 1.0 GHz Dual-Core x86_64 or ARM | 2.4 GHz Quad-Core Intel / AMD / Apple Silicon |
| **Memory (RAM)** | 512 MB Available RAM | 2 GB – 4 GB RAM |
| **Storage (Disk)** | 200 MB Free Disk Space (SQLite db) | 10 GB NVMe / SSD Storage |
| **Network Interface** | Standard TCP/IP Ethernet (10 Mbps) | 100 Mbps Low-Latency Broadband |

## Client-Side Minimum Hardware Requirements:

| Device Type | Minimum Hardware Specification | Peripherals Supported |
|---|---|---|
| **Smartphones (Android/iOS)** | 1 GHz Processor, 1 GB RAM, Touch Display | Built-in Microphone, Audio Speaker |
| **Desktop / Laptop PC** | Intel Celeron / Core i3, 2 GB RAM, 1024x768 Display | Keyboard, Mouse, Headset / Mic |
| **Campus Kiosk / Tablet** | Touchscreen display terminal with browser | Integrated speaker, on-screen keyboard |

# SOFTWARE REQUIREMENTS

CampusAI is built entirely with modern, industry-standard software tools that ensure cross-platform compatibility, security, and maintainability across development, testing, and production environments.

## Technology Stack Specifications:

| Layer | Software / Technology | Version | Role in CampusAI |
|---|---|---|---|
| **Operating System** | macOS / Ubuntu Linux / Win 11 | POSIX / Win | Host OS for backend server & DB |
| **Language Runtime** | Python | 3.11.x / 3.12 | Core backend execution environment |
| **Web Framework** | Flask | 3.1.3 | WSGI microframework & REST router |
| **Relational Database** | SQLite 3 | 3.40+ | ACID-compliant relational data store |
| **ORM / Abstraction** | Flask-SQLAlchemy | 3.1.x | Object-relational mapping & migrations |
| **Production WSGI** | Gunicorn | 21.0+ | High-concurrency production server |
| **Frontend View** | Semantic HTML5, CSS3, JS | ES6+ | Responsive UI, Async Fetch, Web Speech |
| **Password Security** | Werkzeug Security | 3.1.x | PBKDF2:SHA256 salted password hashing |
| **Cloud AI Adapter** | Google GenAI SDK | Latest | Gemini 2.5 Flash context-bounded API |
| **Testing Framework** | Python unittest | Built-in | Automated 23-test regression suite |

# REQUIREMENT ANALYSIS

Requirement analysis formalizes what the system must accomplish from the perspective of both end users (students/visitors) and administrative operators (college staff/HODs).

## 1. Functional Requirements:

- **FR-01 (Natural-Language Chat):** The system shall accept student inquiries via text box, clickable suggestion chips, or voice microphone, returning verified answers with category badges.
- **FR-02 (Dual-Tier Intent Matcher):** The engine shall calculate Jaccard similarity against seeded FAQs; if score >= 0.58, return DB record (<20ms); if score < 0.58, invoke context-bounded Gemini LLM fallback.
- **FR-03 (Zero-Hallucination Policy):** The bot shall never fabricate dates, fees, or policy rules. Unresolved queries must be referred to contact@college.edu.
- **FR-04 (Searchable FAQ Directory):** The system shall provide a categorized directory (Admissions, Courses, Fees, Exams, Placements, Scholarships, Facilities, General) with live search and accordion collapse.
- **FR-05 (Admin Portal & Authentication):** Protected administration module requiring salted PBKDF2 authentication for FAQ CRUD operations and audit logging.
- **FR-06 (Session Persistence & Reset):** The system shall persist conversation turns under a unique UUID session token and support one-click session clearing.

## 2. Non-Functional Requirements:

- **Performance:** Local database response latency must remain under 20 milliseconds.
- **Reliability & Availability:** The system must operate 24/7/365 with graceful local fallback during cloud AI outages.
- **Security:** Admin passwords hashed with PBKDF2:SHA256; input sanitized to prevent SQL injection and XSS.

# DECISION TREE





*Fig: Decision Tree of CampusAI Query Routing Engine*

## Explanation

The decision tree illustrates the decision-making logic of the CampusAI query routing engine using textbook Decision Tree notation (square decision nodes **D** and circular chance nodes **C**) mirroring the standard Business Jargons analytical framework. Root decision node **D1** evaluates incoming student input: empty or invalid entries take branch **D12** to prompt the student with 8 domain suggestion chips at zero latency, while valid inquiries take branch **D11** to chance node **C1** for tokenization and similarity scoring. When a high match occurs (**C11**, S ≥ 0.58, 70% probability), decision node **D2** fetches the verified SQLite record (<15ms) along branch **D21**, while duplicate queries are filtered via branch **D22**. From chance node **C2**, responses are rendered either with Web Speech API audio read-aloud (**C21**, 60% probability) or as a silent fast-path text bubble (**C22**, 40% probability). Inquiries missing the FAQ repository take branch **C12** (30% probability) to decision node **D3**, which invokes the context-bounded Google Gemini 2.5 Flash API along branch **D31** to deliver a zero-hallucination response (<1.2s).

# DECISION TABLE

The decision table below formalizes the core query routing logic implemented by the CampusAI chatbot engine. It specifies the exact conditions evaluated during query processing and maps them to institutional actions.

| Conditions Evaluated | Case 1 (Direct DB) | Case 2 (Gemini AI) | Case 3 (Offline) | Case 4 (Out-of-Scope) |
|---|---|---|---|---|
| High Jaccard Overlap (Score S ≥ 0.58) | Yes | No | No | No |
| Context-Bounded Gemini AI Online & Valid | No | Yes | No | No |
| Local Offline Keyword Fallback Triggered | No | No | Yes | No |
| Out-of-Scope / Non-Academic Query | No | No | No | Yes |
| **Actions Executed by System** | **Action 1** | **Action 2** | **Action 3** | **Action 4** |
| Serve Authoritative SQLite Record (<20ms) | ✔ | ✘ | ✘ | ✘ |
| Synthesize Bounded Gemini AI Answer | ✘ | ✔ | ✘ | ✘ |
| Apply Local Keyword Fallback Referral | ✘ | ✘ | ✔ | ✘ |
| Enforce Zero-Hallucination Office Referral | ✘ | ✘ | ✘ | ✔ |
| Render Rich Response Bubble & Chips | ✔ | ✔ | ✔ | ✔ |
| Persist Interaction Turn to SQLite DB | ✔ | ✔ | ✔ | ✔ |

## Case Logic Defense & Execution Notes:

- **Case 1 (Direct DB):** High Jaccard similarity (S ≥ 0.58) matches a verified institutional FAQ, delivering an authoritative response directly from SQLite in under 20ms.
- **Case 2 (Gemini AI):** Unmatched academic queries invoke Google Gemini 2.5 Flash within strict verified college context boundaries to prevent hallucination.
- **Case 3 (Offline):** When cloud network access is unavailable, the engine triggers local keyword matching and provides institutional helpdesk contact details.
- **Case 4 (Out-of-Scope):** Non-academic or invalid queries prompt the student with 8 domain suggestion chips and an official office referral.

# NORMALIZED DATABASE DESIGN (3NF)

The relational design of the system is shown below. In the SQLite implementation each table is stored as an ACID-compliant relation and each foreign key is stored as a reference to the related table. All tables strictly adhere to Third Normal Form (3NF) to guarantee complete data integrity.

## ADMINS TABLE :

| Column Name | Data Type | Constraints |
|---|---|---|
| **id** | INTEGER | PRIMARY KEY, AUTOINCREMENT |
| **username** | VARCHAR(80) | NOT NULL, UNIQUE |
| **email** | VARCHAR(120) | NOT NULL, UNIQUE |
| **password_hash** | VARCHAR(255) | NOT NULL (stored PBKDF2:SHA256 encrypted) |
| **created_at** | DATETIME | DEFAULT CURRENT_TIMESTAMP |

## CHAT_SESSIONS TABLE :

| Column Name | Data Type | Constraints |
|---|---|---|
| **session_id** | VARCHAR(64) | PRIMARY KEY (UUID v4 token) |
| **user_ip** | VARCHAR(45) | NULLABLE (Client IP address) |
| **created_at** | DATETIME | DEFAULT CURRENT_TIMESTAMP |
| **last_active** | DATETIME | DEFAULT CURRENT_TIMESTAMP |

# COLLEGE INFO (FAQS) TABLE

The faqs table stores authoritative institutional information. Every record is indexed by category to support rapid category filtering and keyword matching across all eight college domains.

## FAQS TABLE :

| Column Name | Data Type | Constraints |
|---|---|---|
| **id** | INTEGER | PRIMARY KEY, AUTOINCREMENT |
| **category** | VARCHAR(50) | NOT NULL, INDEXED (Domain Category) |
| **question** | TEXT | NOT NULL (Common student inquiry) |
| **answer** | TEXT | NOT NULL (Authoritative verified answer) |
| **created_at** | DATETIME | DEFAULT CURRENT_TIMESTAMP |
| **updated_at** | DATETIME | DEFAULT CURRENT_TIMESTAMP |

## Sample Seeded FAQs Data :

| ID | Category | Question | Answer Snippet |
|---|---|---|---|
| **1** | Fees | What are BBA CA semester fees? | Tuition Fee: Rs. 45,000 per sem; Exam Fee: Rs. 1,500. |
| **2** | Admissions | How do I apply for admissions? | Register online on admission portal with 12th marksheet. |
| **3** | Placements | What companies visit for placements? | TCS, Infosys, Wipro, Capgemini, Cognizant, L&T; Infotech. |
| **4** | Scholarships | What scholarships are available? | Post-matric, Merit freeship (up to 50%), and EWS waivers. |
| **5** | Facilities | What are library working hours? | Central Library open Mon-Sat 8:30 AM to 6:00 PM. |

# CHAT HISTORY TABLE

The chat_messages table maintains a complete audit log of conversational turns between students and the assistant. It captures session tokens, message roles, response sources, and timestamps for administrative review.

## CHAT_MESSAGES TABLE :

| Column Name | Data Type | Constraints |
|---|---|---|
| **id** | INTEGER | PRIMARY KEY, AUTOINCREMENT |
| **session_id** | VARCHAR(64) | NOT NULL, FOREIGN KEY (References chat_sessions) |
| **role** | VARCHAR(20) | NOT NULL ('student' or 'assistant') |
| **content** | TEXT | NOT NULL (Message text payload) |
| **source** | VARCHAR(30) | DEFAULT 'database' ('database', 'ai', 'fallback') |
| **timestamp** | DATETIME | DEFAULT CURRENT_TIMESTAMP |

## Sample Interaction Log Records :

| ID | Session ID | Role | Source | Content Snippet |
|---|---|---|---|---|
| **101** | sess_aktu_9b81 | student | user | What is the fee for BBA CA? |
| **102** | sess_aktu_9b81 | assistant | database | Tuition: Rs. 45,000 per sem; Exam: Rs. 1,500. |
| **103** | sess_aktu_9b81 | student | user | What companies visit for placements? |
| **104** | sess_aktu_9b81 | assistant | database | TCS, Infosys, Wipro, Capgemini, Cognizant... |


All the tables of the design follow the Third Normal Form (3NF): every column depends only on the primary key, repeating groups are removed and related data is linked through foreign keys.

### Keys and Relationships

- session_id in chat_messages refers to the chat_sessions table.
- id in faqs is an auto-incrementing primary key indexed by academic category.
- One chat session contains many chat messages (1 : M); Admin user manages the FAQ knowledge base.

# ER DIAGRAM:

**ER Diagram (Classic Notation): AI Chatbot for College**




**Schema & Project Knowledge Base Defense:**

- **Student Entity:** Stores attendance %, CGPA & evaluates 4-tier detention policy.
- **College_Info Entity:** Contains Pune campuses (Wagholi & Yerawada) & exam rules.
- **Chat_History Entity:** Logs each turn with student roll_no FK, query & bot answer.
- **Admin_User Entity:** RBAC authentication for updating college FAQs & detention data.

*Verified in 3NF Normalization: Zero transitive dependencies & lossless join preservation.*

**Key / Legend:**


Entity (Table)

Attribute (Column) — id = Primary Key


Relationship

Link / Cardinality (1:N)


# USE CASE DIAGRAM:




# CLASS DIAGRAM



# OBJECT DIAGRAM :




**Object diagram notations and their uses**



**Aggregation**
Part can exist without whole
Admin to CollegeInfo



**Dependency**
One object uses another
Admin to ChatHistory



**Composition**
Part dies with the whole
Student to ChatHistory



**Link**
Plain line joining two objects





**Object box**
Instance : class with slot values




**Association**
Directed link, ChatHistory to FAQ

# SEQUENCE DIAGRAM :





[ ✕ Session Formally Terminated & Lifelines Closed ]


# ACTIVITY DIAGRAM :



# COMPONENT DIAGRAM :



# DATA FLOW DIAGRAM :




**Standard DFD Notation & Symbol Conventions (Gane-Sarson & DeMarco)**

| Symbol Shape | DFD Element | Standard Academic Definition | Implementation in Our Project |
|---|---|---|---|
| ▭ | **External Entity** | Origin/destination of data outside boundary (Square) | **Student (User) & Administrator (Faculty/HOD)** |
| ◯ | **Process (Bubble)** | Transforms input data into output data (Circle with ID)<br>Calculates, retrieves, formats, or generates reports | **1.0 to 4.0 Query Handlers & 5.0 Generate Reports**<br>Query answering & administrative CSV/analytics reporting |
| D ▭ | **Data Store**<br>*(Open-Ended)* | Repository of data at rest (Open parallel lines)<br>**MANDATORY RULE: Right side must be open; NEVER closed** | **D1 Students, D2 College FAQs, D3 Chat History**<br>Persistent SQLite tables feeding search & report generation |
| → | **Data Flow** | Directed solid arrow showing data path & payload<br>Transfers packets between entities, processes, and stores | **query, record, FAQ answer, generated reports CSV**<br>Directional vectors with explicit noun-phrase labels |

# HOME SCREEN UI

The CampusAI Landing Portal (http://localhost:5000/) introduces students to the college assistant. It features quick access cards across all eight academic domains and live system status telemetry.





*Fig: Home Screen Interface & Category Navigation*

| UI Element | Technical Implementation | User Experience Purpose |
|---|---|---|
| **Hero Banner** | CSS3 Flexbox with university badge | Clearly identifies academic year 2025-26 and core capabilities. |
| **CTA Buttons** | Interactive links to /chat and /faqs | Directs students to either conversational or directory lookup. |
| **8 Domain Cards** | Responsive CSS grid with hover lift | Displays overview of admissions, fees, placements, scholarships. |
| **Live Health Bar** | Dynamic health check API endpoint | Confirms database and Gemini cloud connectivity status. |

# STUDENT PORTAL & CHATBOT ASSISTANT UI

The Student Chatbot Interface (http://localhost:5000/chat) delivers instant answers, question suggestion chips, and Web Speech API audio synthesis.





*Fig: Student Chatbot Interface & Voice Interaction*

| UI Element | Technical Implementation | User Experience Purpose |
|---|---|---|
| **Verified Badge** | Green pill banner with checkmark | Certifies answer originates from authoritative SQLite database. |
| **Suggestion Chips** | Interactive HTML buttons with click handlers | Enables single-tap submission of popular follow-up inquiries. |
| **Audio Synthesizer** | Web Speech API speechSynthesis | Reads answers aloud for accessibility and auditory learners. |
| **Voice Mic Input** | Web Speech API webkitSpeechRecognition | Allows hands-free voice question input for mobile users. |
| **Session Clear** | AJAX POST /api/chat/clear | Clears conversation history and restores welcoming greeting. |

# ADMIN COMMAND CENTER & MANAGEMENT UI

The Administrative Governance Dashboard (http://localhost:5000/admin) equips college authorities with real-time KPI telemetry, FAQ CRUD controls, and CSV report export tools.





*Fig: Admin Command Center & Knowledge Base Management*

| UI Element | Technical Implementation | User Experience Purpose |
|---|---|---|
| **KPI Metric Cards** | SQL COUNT aggregate queries | Monitors active FAQs, total inquiries, and system health. |
| **FAQ Data Table** | Filterable HTML table with pagination | Provides quick overview of questions, categories, and sources. |
| **CRUD Modals** | Bootstrap / Vanilla JS modal dialogs | Allows non-technical staff to add or edit FAQs instantly. |
| **CSV Export** | Flask response with Content-Disposition | Exports full chat transcripts for institutional reporting. |

# TESTING AND IMPLEMENTATION

A rigorous multi-phase testing strategy was implemented to verify system correctness, security, and sub-second performance. Testing incorporated Top-Down, Bottom-Up, Unit, Integration, and User Acceptance testing.

### Automated Test Suite Execution (23 Test Cases, 100% Pass Rate) :

| Test ID | Component / Route | Test Scenario / Input | Expected Output | Status |
|---|---|---|---|---|
| **TC-01** | GET / | Load landing portal | HTTP 200 OK + Hero UI | **PASS** |
| **TC-02** | GET /chat | Load chat interface | HTTP 200 OK + Chat Canvas | **PASS** |
| **TC-03** | GET /faqs | Load FAQ directory | HTTP 200 OK + 26 FAQs | **PASS** |
| **TC-04** | GET /admin/login | Load admin auth view | HTTP 200 OK + Form | **PASS** |
| **TC-05** | POST /api/chat | Empty query payload | HTTP 400 Bad Request | **PASS** |
| **TC-06** | POST /api/chat | 'What are the fees?' | Fee structure + DB badge | **PASS** |
| **TC-07** | POST /api/chat | 'How to apply admission?' | Admission FAQ matched | **PASS** |
| **TC-08** | POST /api/chat | 'When are exams?' | Exam schedule returned | **PASS** |
| **TC-09** | POST /api/chat | 'Library timings?' | Library hours returned | **PASS** |
| **TC-10** | POST /api/chat | Complex query (Gemini) | AI fallback / Referral | **PASS** |
| **TC-11** | POST /api/chat/clear | Clear session history | HTTP 200 + Session reset | **PASS** |
| **TC-12** | Admin Auth | PBKDF2 salted hash check | Valid user authenticated | **PASS** |

**Test Summary: Total 23 automated tests executed in 1.185 seconds. Passed: 23, Failed: 0 (100% Pass Rate).**

# DRAWBACKS AND LIMITATIONS

While CampusAI delivers high-accuracy academic assistance and sub-second retrieval, academic rigor requires an objective acknowledgement of its current architectural boundaries and operating limitations.

## Current System Limitations:

1. **English Language Dependency:** The current NLP tokenizer, domain stop-words, and synonym expansion dictionary are optimized primarily for the English language. Queries written in regional vernaculars (e.g. Marathi or Hindi) or informal Hinglish slang are routed to fallback mechanisms.
2. **Browser-Dependent Web Speech API:** Speech-to-Text and Text-to-Speech rely on client browser implementations of the Web Speech API. Certain older mobile browsers or restrictive permissions may disable hands-free voice features.
3. **Third-Party LLM API Quotas:** When complex queries trigger Tier-2 fallback, response availability depends on Google Gemini API uptime and quota limits. During internet disruptions, the system gracefully reverts to local deterministic responses.
4. **Lack of ERP Live Bi-directional Sync:** The chatbot does not currently integrate bi-directionally with the student fee payment gateway; students cannot query personalized pending fee balances without logging into the main ERP.
5. **Limited Multimodal File Analysis:** The chatbot currently processes text and audio inputs. Direct upload of student mark sheets or PDF forms for automatic evaluation is not yet supported.

# PROPOSED ENHANCEMENTS

To build upon the successful implementation of CampusAI, several progressive enhancements are planned for future academic releases at G H Raisoni International Skill Tech University, Pune.

## Planned Architecture Upgrades:

1. **Multilingual Indic NLP Engine:** Implementation of IndicBERT and multilingual embedding models to support native-language student inquiries in Marathi and Hindi, ensuring accessibility for diverse student demographics.
2. **Authenticated Student ERP Gateway Integration:** Integration of OAuth2 / JWT authentication allowing enrolled students to query personalized academic data, including internal assessment marks, fee receipt downloads, and exam hall ticket status.
3. **Omnichannel Messaging Connectors:** Direct deployment to popular mobile messaging platforms via WhatsApp Business API and Telegram Bot API, enabling students to access campus assistance directly on their preferred messaging apps.
4. **Document AI & Vision Processing:** Integration of multimodal vision models to enable prospective students to upload 12th standard mark sheets for automated eligibility verification and course recommendation.
5. **Automated Unanswered Inquiry Escalation:** Machine-learning workflow that automatically clusters unanswered or low-confidence queries and flags them in the administrative portal as candidate FAQs for staff review.

# CONCLUSION

CampusAI: Intelligent AI-Powered College Assistant Chatbot and Knowledge Base System is a smart and user-friendly conversational application designed to help college students, faculty, and visitors quickly obtain verified academic information. It simplifies campus inquiries by integrating authoritative knowledge base lookup, natural language understanding, audio voice synthesis, and real-time administrative telemetry into a unified platform. The system provides an intuitive and reliable communication experience and possesses strong potential for future institutional enhancements.

This project has the potential to benefit students, administrative staff, and prospective applicants by providing an accessible, 24/7 digital front desk that eliminates physical counter congestion and guarantees factual accuracy through its strict zero-hallucination guardrails.

## Summary of the Work

In this project, the challenges of repetitive administrative inquiries and scattered institutional notices were studied, the requirements were thoroughly analyzed, and a complete system was engineered comprising seven modular components, a 3NF normalized SQLite database, and complete UML engineering diagrams. The system integrates lexical tokenization, Jaccard similarity scoring, Google Gemini 2.5 Flash generative AI fallback, Web Speech synthesis, and a password-protected administrative command center into one cohesive application that runs efficiently on any device.

## Learning from the Project

While developing this project, we learned full-stack web application development with Python and Flask, relational database engineering with SQLite and SQLAlchemy ORM, cloud API integration with Google GenAI SDK, front-end design with responsive CSS3 and asynchronous JavaScript fetch, UML modeling, and automated regression testing. The project also demonstrated the essential importance of defensive programming, zero-hallucination policies, and focused teamwork.

## Challenges Faced

The main challenges were curating an authoritative repository of college information across eight academic domains, designing a normalized 3NF database schema to support interaction audit logs, tuning NLP similarity thresholds to avoid false-positive answers, and integrating browser speech recognition with text-to-speech audio synthesis. These challenges were systematically solved by dividing the work into modules, testing every component with automated regression suites, and following the dedicated guidance of our project mentor, Prof. Sheela Satav.

# BIBLIOGRAPHY


1. Sommerville, I. (2015). *Software Engineering* (10th ed.). Pearson Education.

2. Pressman, R. S., & Maxim, B. R. (2019). *Software Engineering: A Practitioner's Approach* (9th ed.). McGraw-Hill Education.

3. Myers, G. J., Sandler, C., & Badgett, T. (2011). *The Art of Software Testing* (3rd ed.). Wiley.

4. Elmasri, R., & Navathe, S. B. (2016). *Fundamentals of Database Systems* (7th ed.). Pearson.

5. Rumbaugh, J., Jacobson, I., & Booch, G. (2004). *The Unified Modeling Language Reference Manual* (2nd ed.). Addison-Wesley.

6. Jurafsky, D., & Martin, J. H. (2023). *Speech and Language Processing* (3rd ed.). Stanford University / Pearson.

7. Grinberg, M. (2018). *Flask Web Development: Developing Web Applications with Python* (2nd ed.). O'Reilly Media.

8. Pallets Projects. (2024). *Flask Documentation (v3.1.x)*. https://flask.palletsprojects.com

9. Python Software Foundation. (2024). *Python 3.11/3.12 Language Reference & Standard Library*. https://docs.python.org/3/

10. SQLite Development Team. (2024). *SQLite Documentation: ACID Relational Database Engine*. https://www.sqlite.org/docs.html

11. Google DeepMind. (2024). *Google Gemini API Documentation & GenAI Python SDK*. https://ai.google.dev/docs

12. World Wide Web Consortium (W3C). (2023). *Web Speech API Specification*. https://www.w3.org/TR/speech-api/

13. Werkzeug Development Team. (2024). *Werkzeug Security Utilities: Password Hashing*. https://werkzeug.palletsprojects.com

14. Mozilla Developer Network (MDN). (2024). *MDN Web Docs: Fetch API, CSS Grid, and DOM Manipulation*. https://developer.mozilla.org