

Real-Time IoT-Enabled Water Quality Monitoring and Groundwater Availability Analysis Using Machine Learning

Abhishek A Shetty

*Department of Electronics,
and Communication*

PES University

Bangalore - 560085, India

aarunshetty9696@gmail.com

Akash Chanabasu Katate

*Department of Electronics,
and Communication*

PES University

Bangalore - 560085, India

akashkatate2015@gmail.com

Akash Ravi Bhat

*Department of Electronics,
and Communication*

PES University

Bangalore - 560085, India

akashravibhat@gmail.com

Tejas V P

*Department of Electronics,
and Communication*

PES University

Bangalore - 560085, India

tejasvp1@gmail.com

Nagaraj L J

Assistant Professor,

*Department of Electronics,
and Communication*

PES University

Bangalore - 560085, India

nagaraj@pes.edu

Abstract—Abstract

The increasing demand for pure water necessitates innovative solutions for real-time monitoring and effective groundwater management. This research presents an IoT-enabled water quality monitoring and groundwater availability analysis system utilizing machine learning. Historical groundwater level data is analyzed to detect trends and patterns, enabling informed decision-making for sustainable water resource management. IoT sensors continuously monitor key water quality parameters, including temperature, turbidity, total dissolved solids, and pH, providing real-time updates and detecting anomalies such as contamination. By integrating historical data with real-time water quality measurements, the system offers a comprehensive assessment of water availability and potential risks. The results are visually represented through graphs, charts, and reports, making data accessible for policymakers and local communities to facilitate proactive water conservation strategies.

Index Terms—Water quality monitoring, IoT, machine learning, groundwater availability, environmental sensing, pH, turbidity, TDS, sustainable water management

I. INTRODUCTION

Water pollution has become an escalating global problem with severe negative impacts on ecosystems, biodiversity, and human health worldwide. Polluted water sources not only disrupt aquatic life but also pose serious risks to agricultural activities, drinking water supplies, and public health.

Despite these significant dangers, conventional methods of monitoring water quality fail to provide timely data needed to effectively combat pollution incidents. These traditional approaches often rely on periodic sampling and laboratory analysis, resulting in delays in detecting contamination and responding to potential threats.

This paper focuses on the development of an integrated system that utilizes advanced sensor networks to monitor water quality in real-time. Through IoT devices, critical parameters such as pH, turbidity, temperature, and Total Dissolved Solids (TDS) are continuously monitored. This enables real-time identification of pollution incidents, allowing immediate appropriate action to minimize environmental and health impacts.

The project also employs predictive modeling to analyze historical groundwater data and forecast future availability trends. Using machine learning techniques, patterns in groundwater depletion or replenishment are identified, providing a clearer understanding of resource dynamics. The integration of real-time water quality monitoring with groundwater predictions creates a comprehensive solution for water resource management.

This approach directly addresses the limitations of conventional monitoring systems in providing actionable data for stakeholders. Communities and policymakers are empowered with insights that facilitate quicker, better-informed decisions. During pollution events, authorities can immediately implement mitigating measures, reducing long-term damage. Predictive groundwater information can also guide sustainable water use practices, preserving resources for future generations.

With pollution incidents increasing, traditional approaches are no longer sufficient. This integrated system, combining advanced sensor technologies with machine learning, offers a proactive and efficient approach to water quality management and groundwater availability estimation. Such a system is crucial for building resilient communities capable of responding to water challenges and protecting this vital resource for years

to come.

II. MOTIVATION

Water pollution is a critical environmental issue, impacting ecosystems, public health, and sustainable resource management. Traditional water quality monitoring methods are slow, costly, and ineffective for early contamination detection, leading to delayed responses.

Our project addresses this by using a real-time sensor-based system to monitor water quality parameters like turbidity, pH, and TDS. Additionally, we employ machine learning models, including Gradient Boosting and Random Forest, to predict future groundwater availability based on historical data. This dual approach enhances water management by enabling timely interventions and long-term resource planning.

By integrating advanced technology and promoting community awareness through real-time data visualization on the Blynk IoT dashboard, this initiative supports sustainable water conservation and informed decision-making.

III. LITERATURE SURVEY

A comprehensive review of existing research revealed several approaches to water quality monitoring and groundwater analysis. This section highlights key studies and their contributions to the field.

Banerjee et al. [1] examined the correlation between industrial waste discharge and key parameters such as pH and temperature on water quality index. Their IoT-based water pollution monitoring system aimed to improve water quality management by alerting authorities in real-time. However, their system lacked integration with machine learning algorithms for advanced analysis and predictive modeling, limiting its effectiveness in water quality evaluation and decision-making.

Research by Kumar et al. [2] addressed water contamination through an IoT-based system for real-time measurement and alerting of water quality. Their system monitored key parameters like pH, flow, turbidity, and temperature using low-cost sensors, and offered automated processes such as tank cleaning and user alerts for poor water quality. With a 93% success rate in detecting water problems, the system demonstrated functionality and affordability. However, limitations included reduced accuracy due to low-cost components, sensitivity to environmental conditions, limited scalability, and inadequate cybersecurity measures.

Islam and Asaduzzaman [3] developed an IoT-based system for real-time water quality and quantity monitoring. Their system addressed urban water challenges by monitoring parameters such as turbidity, pH, and temperature using cost-effective and scalable components. While promising for wider adoption and future smart city applications, the system's accuracy was compromised by low-cost components and faced cybersecurity threats related to data exchange.

Thalattam et al. [4] created a three-layered water monitoring system consisting of sensors for data collection, GSM/Ethernet for transmission, and IoT for processing. They utilized EXO

Sonde for data collection and server-based monitoring. However, the system faced limitations due to the high cost of EXO Sonde, its inability to monitor certain water quality parameters, and issues with data transmission and connectivity that resulted in inconsistent real-time data availability.

[5] Research on ensemble machine learning models has shown promise in predicting groundwater levels, improving borehole drilling efficiency and hydraulic resource management. By utilizing Boost, AdaBoost, and Gradient Boosting (GB) techniques, these models enhance prediction accuracy through effective data handling. However, their performance is highly dependent on the quality of input data, and inaccuracies may arise if the data is incomplete or unreliable. Additionally, the model's generalizability is limited, as it may not perform well in regions or datasets that were not included during training, underscoring the need for adaptable and region-specific approaches.

Iqbal et al. [8] developed an ensemble machine learning model to predict groundwater levels, improving the efficiency of borehole drilling and hydraulic resource management. Their model employed Boost, AdaBoost, and Gradient Boosting techniques for accurate predictions. While emphasizing data quality for prediction accuracy, the model's effectiveness was limited by dependency on input data quality and potential challenges in generalizability across different geographical areas.

Priyadarshini et al. [6] measured water samples in Bangalore, monitoring parameters such as pH and turbidity. Their study noted that temperature influences Total Dissolved Solids measurement due to its effect on solubility levels. Their AQUASENSE system proved cost-effective and efficient compared to other water monitoring systems, though its efficiency depended on water sources and natural conditions in Bangalore, requiring periodic calibration for reliable results.

[7] A study conducted in Bangalore focused on measuring water quality parameters such as pH, turbidity, and Total Dissolved Solids (TDS), highlighting the influence of temperature on solubility levels. The research utilized AQUASENSE, a cost-effective and efficient system for water quality monitoring. While the system demonstrated advantages over traditional methods, its performance was influenced by natural conditions and water sources in the region. Additionally, periodic calibration was necessary to maintain accuracy and reliability, indicating a need for continuous optimization in real-world applications.

Research by Alam et al. [9] focused on predicting underground water levels using machine learning and deep learning techniques, highlighting the superior performance of Long Short-Term Memory networks for time series forecasting. Their study demonstrated that LSTM models provided the greatest accuracy in predicting underground water levels compared to other ML and DL models, though they acknowledged that incorporating more diverse data could enhance result robustness.

[10] Previous research has explored VM-based models for predicting groundwater levels and water consumption, with

a focus on sustainable resource management. These models analyze geographical and climatic data to assess water availability, particularly in regions facing both water scarcity and population growth. By adopting a data-driven approach, such models provide valuable insights for effective water allocation. However, their reliance on historical data poses limitations, as predictive accuracy may be affected by changing environmental conditions. Additionally, geographical and climatic variations can restrict their applicability, highlighting the need for more adaptive and real-time monitoring solutions.

Our work builds upon these existing approaches while addressing their limitations through a comprehensive, integrated system that combines real-time IoT monitoring with advanced machine learning prediction capabilities.

IV. METHODOLOGY

Our methodology involves a comprehensive approach to water quality monitoring and groundwater availability analysis, integrating hardware sensors, IoT connectivity, and machine learning algorithms.




Fig. 1. Water quality monitoring methodology

A. Sensor Network and Data Collection

The system employs multiple sensors to measure critical water quality parameters. A pH sensor determines the acidity or alkalinity of water, which is crucial for assessing water safety. The turbidity sensor measures water clarity by detecting suspended particles, indicating potential pollution. A TDS (Total Dissolved Solids) sensor evaluates the concentration of dissolved substances in water, providing insight into water purity. Additionally, a DHT sensor captures temperature and humidity data, offering environmental context for water quality analysis.

B. Microcontroller and Data Transmission

The ESP8266 microcontroller serves as the central processing unit, collecting data from all sensors and transmitting it to the cloud or connected devices via Wi-Fi. This real-time data transmission enables immediate processing and analysis,

facilitating prompt responses to changes in water quality conditions.

C. IoT Platform Integration

Blynk is utilized as the IoT platform for real-time monitoring and control. The sensor data is transmitted to the Blynk application, where it is visualized on a dashboard accessible via mobile or PC. The platform allows users to define thresholds for different water quality parameters and receive instant alerts when any deviation occurs, ensuring timely intervention.

D. Data Visualization and Alerts

Real-time data is displayed through graphical elements such as charts, gauges, and meters, making complex data more accessible. Alerts are automatically generated when water quality parameters exceed predefined thresholds, allowing users to take corrective action. This visualization approach ensures that both technical experts and general stakeholders can interpret the data effectively.

E. Groundwater Availability Analysis

To analyze groundwater availability, several machine learning models were implemented. A Linear Regression model was used as a baseline to establish relationships between groundwater levels and influencing factors. The Random Forest Regressor, an ensemble learning method, was applied to capture non-linear relationships and interactions between multiple variables. The Gradient Boosting Regressor, a more advanced technique, built predictive models sequentially, refining errors at each step to improve accuracy. These models were trained using historical groundwater data, including water levels, rainfall patterns, and related environmental factors, to predict future groundwater availability.

F. Integration and Deployment

The final system integrates real-time water quality monitoring with predictive groundwater analysis, offering a holistic view of water resources. Its modular design ensures scalability and adaptability for various environmental contexts and monitoring needs. This approach represents a low-cost yet effective solution for comprehensive water management, leveraging IoT connectivity and advanced analytics to generate actionable insights for sustainable water resource management.

V. IMPLEMENTATION

The implementation of our system involved both hardware and software components, seamlessly integrated to provide real-time water quality monitoring and groundwater availability analysis.

A. Hardware Implementation

The hardware setup included multiple sensors and a microcontroller. The turbidity sensor was used to measure water clarity and detect suspended particles, which contributed to the Water Quality Index (WQI) calculation. A pH sensor recorded water acidity or alkalinity, a key parameter in determining




Fig. 2. Flow Chart of Real-time Monitoring Water Pollution

water safety. The TDS sensor tracked the concentration of dissolved minerals and substances in water. Additionally, a DHT sensor measured temperature and humidity to provide an environmental context for water quality analysis. The ESP32 microcontroller served as the central unit, facilitating real-time data transmission via Wi-Fi and ensuring efficient data collection and processing.

B. Software Implementation

The software implementation included both IoT-based monitoring and machine learning-driven data analysis. The Blynk IoT platform was configured to provide a customized dashboard that displayed real-time sensor readings using interactive graphical elements. The platform also included an alert system, which notified users whenever a water quality parameter exceeded a predefined threshold.

For machine learning-based groundwater analysis, Python was used to process data obtained from sources like Kaggle and Data.gov.in. The implementation involved data cleaning, exploratory data analysis (EDA), and model training.




Fig. 3. Analysis of Ground Water Availability

Three predictive models—Linear Regression, Random Forest, and Gradient Boosting—were employed to analyze historical groundwater data and forecast future availability trends. These models helped identify key factors influencing groundwater depletion and provided insights for sustainable water management strategies.

C. Integration Process

The integration of hardware and software involved three key steps. First, sensor data was collected in real-time using

the ESP32 microcontroller, ensuring continuous monitoring of water quality parameters. Second, the collected data was transmitted to the Blynk IoT platform for visualization and remote access. Finally, predictive analytics were applied to the groundwater dataset using machine learning models, allowing for informed decision-making regarding water resource management. This integrated approach provided a scalable and practical solution for addressing real-world water quality and groundwater availability challenges.

VI. RESULTS AND ANALYSIS

The implementation of our system yielded significant results across both hardware and software components.

A. Machine Learning Model Performance

Three machine learning models were evaluated for groundwater availability prediction. The Linear Regression model (Fig. 4) established a baseline for performance assessment, capturing general trends in the dataset. However, its ability to handle complex relationships between variables was limited. The Random Forest Regressor (Fig. 5) demonstrated improved performance by effectively capturing non-linear interactions among variables, leading to more accurate predictions. The best results were achieved using the Gradient Boosting Regressor (Fig. 6), which sequentially refined prediction errors and provided highly accurate forecasts of groundwater availability.




Fig. 4. Linear Regression Model

B. IoT System Performance

The IoT-based water quality monitoring system demonstrated consistent performance in real-time data collection and visualization. The Blynk IoT dashboard (Fig. ??) provided an intuitive platform for monitoring sensor data, allowing users to track changes in water quality parameters over time. The real-time display of sensor output values (Fig. 7) ensured immediate identification of water quality issues.




Fig. 5. Random Forest Regressor




Fig. 6. Gradient Boosting Regressor




Fig. 7. Display of sensor output values

C. System Effectiveness

The system effectively combined real-time monitoring with predictive analytics, providing a comprehensive solution for water resource management. The response time for detecting changes in water quality was within seconds, enabling immediate action. The machine learning models, particularly the Gradient Boosting Regressor, achieved high accuracy, significantly outperforming traditional forecasting methods. The Blynk IoT dashboard ensured accessibility for both technical and non-technical users, fostering community engagement. Additionally, the hardware components maintained consistent reliability under varying environmental conditions. These findings highlight the system's potential for real-world deployment and its impact on sustainable water management practices.

VII. CONCLUSION

This project successfully demonstrates the integration of real-time water quality monitoring through IoT with machine learning predictive analysis for groundwater availability. Advanced sensors ensure precise tracking of essential water quality parameters including turbidity, pH, temperature, and TDS, with the computed Water Quality Index displayed graphically on a user-friendly Blynk IoT dashboard. Machine learning techniques applied to historical data produced accurate groundwater availability predictions, significantly aiding sustainable water resource management.

The implementation highlights the importance of real-time data for timely pollution event detection, contamination source identification, and targeted interventions. It further emphasizes how predictive analytics can address challenges related to groundwater dynamics, climate change, and growing water demand.

By seamlessly combining IoT-based monitoring with predictive analytics, our system provides a dynamic and adaptive approach to water resource management. The cloud-based platform ensures scalability across larger geographic regions and varying water management needs, while facilitating remote access and real-time visualization for all stakeholders. This enables rapid decision-making during pollution events and offers comprehensive understanding of trends affecting water bodies over time.

The integration of machine learning strengthens the system's predictive capabilities by analyzing patterns in historical and real-time data to forecast groundwater availability and potential pollution events. Models including Linear Regression, Random Forest, and Gradient Boosting evaluate parameters such as rainfall patterns, seasonal variations, and aquifer recharge rates, with Gradient Boosting demonstrating the highest prediction accuracy. These insights allow for proactive measures in water usage optimization, industrial discharge control, and irrigation system planning.

This project not only addresses immediate water quality and availability challenges but also contributes to environmental resilience and resource optimization in the face of climate change. By establishing a robust framework for monitoring

and analysis, it equips communities, industries, and policy-makers with essential tools for safeguarding water resources, paving the way for further advancements in sustainable water management.

REFERENCES

- [1] K. Banerjee et al., "Assessing Water Quality Index Near Industrial Regions and Aiding in Effective Water Management and Controlling Water Pollution Level," 2022 5th International Conference on Contemporary Computing and Informatics (IC3I), Uttar Pradesh, India, 2022, pp. 1987-1991.
- [2] K. S., S. T.V., M. S. Kumaraswamy and V. Nair, "IoT based Water Parameter Monitoring System," 2020 5th International Conference on Communication and Electronics Systems (ICCES), Coimbatore, India, 2020, pp. 1299-1303.
- [3] Md. Jahirul Islam, Asaduzzaman, "Smart Water Quality Monitoring and Controlling System", 5th International Conference on Electrical Information and Communication Technology (EICT), 17-19 December 2021, Khulna, Bangladesh.
- [4] M. N. Vamsi Thalata, P. Lanka and J. N. V. R. S. Kumar, "An IoT Based Smart Water Contamination Monitoring System," 2023 International Conference on Intelligent Systems for Communication, IoT and Security (ICISCoIS), Coimbatore, India, 2023, pp. 387-391.
- [5] V. Singhal and R. Goyal, "A methodology based on spatial distribution of parameters for understanding effect of rainfall and vegetation density on groundwater recharge," European Journal of Sustainable Development, 2022.
- [6] S. H. Priyadarshini, P. S., R. P. B., V. K. V. and A. D. V. A., "AQUASENSE: Sensor Based Water Quality Monitoring Device," 2023 International Conference on Self Sustainable Artificial Intelligence Systems (ICSSAS), Erode, India, 2023, pp. 1786-1789.
- [7] Study on reciprocal relationship among water amount-water quality-water efficiency based on the SWAT_WAQR model," 2021 7th International Conference on Hydraulic and Civil Engineering Smart Water Conservancy and Intelligent Disaster Reduction Forum (ICHCE SWIDR).
- [8] N. Iqbal et al., "Groundwater Level Prediction Model Using Correlation and Difference Mechanisms Based on Boreholes Data for Sustainable Hydraulic Resource Management," in IEEE Access, vol. 9, pp. 96092-96113, 2021.
- [9] M. Jafril Alam, S. Kar, S. Zaman, S. Ahamed and K. Samiya, "Forecasting Underground Water Levels: LSTM Based Model Outperforms GRU and Decision Tree Based Models," 2022 IEEE International Women in Engineering (WIE) Conference on Electrical and Computer Engineering (WIECON-ECE), Naya Raipur, India, 2022, pp. 280-283.
- [10] S. K. T. K, M. Hanumanthappa, S. K. P. S and H. B. V., "Data Driven Approach to Predict Ground Water Level using Support Vector Regression," 2022 International Conference on Applied Artificial Intelligence and Computing (ICAAIC), Salem, India, 2022, pp. 01-06.