Akash Reddy Chaduvu Portfolio

2023-12-14

#Here I have taken a pre-defined dataset, mtcars. And that is given to a dataframe named as ‘df’.And that df dataset can be seen as below with various elements such as mpg, cyl, disp, hp, and manymore. These elements are related to car names, miles per gallon, number of cylinders, display maximum speed, horsepower, and other elements. We can find the relation between those elements using the correlation plot so as to explain relation between each element with other element.

```
df<- mtcars
df
```

```
##                    mpg cyl  disp  hp drat    wt  qsec vs am gear carb
## Mazda RX4         21.0   6 160.0 110 3.90 2.620 16.46  0  1    4    4
## Mazda RX4 Wag     21.0   6 160.0 110 3.90 2.875 17.02  0  1    4    4
## Datsun 710        22.8   4 108.0  93 3.85 2.320 18.61  1  1    4    1
## Hornet 4 Drive    21.4   6 258.0 110 3.08 3.215 19.44  1  0    3    1
## Hornet Sportabout 18.7   8 360.0 175 3.15 3.440 17.02  0  0    3    2
## Valiant           18.1   6 225.0 105 2.76 3.460 20.22  1  0    3    1
## Duster 360        14.3   8 360.0 245 3.21 3.570 15.84  0  0    3    4
## Merc 240D         24.4   4 146.7  62 3.69 3.190 20.00  1  0    4    2
## Merc 230          22.8   4 140.8  95 3.92 3.150 22.90  1  0    4    2
## Merc 280          19.2   6 167.6 123 3.92 3.440 18.30  1  0    4    4
## Merc 280C         17.8   6 167.6 123 3.92 3.440 18.90  1  0    4    4
## Merc 450SE        16.4   8 275.8 180 3.07 4.070 17.40  0  0    3    3
## Merc 450SL        17.3   8 275.8 180 3.07 3.730 17.60  0  0    3    3
## Merc 450SLC       15.2   8 275.8 180 3.07 3.780 18.00  0  0    3    3
## Cadillac Fleetwood  10.4   8 472.0 205 2.93 5.250 17.98  0  0    3    4
## Lincoln Continental 10.4   8 460.0 215 3.00 5.424 17.82  0  0    3    4
## Chrysler Imperial   14.7   8 440.0 230 3.23 5.345 17.42  0  0    3    4
## Fiat 128          32.4   4  78.7  66 4.08 2.200 19.47  1  1    4    1
## Honda Civic       30.4   4  75.7  52 4.93 1.615 18.52  1  1    4    2
## Toyota Corolla    33.9   4  71.1  65 4.22 1.835 19.90  1  1    4    1
## Toyota Corona     21.5   4 120.1  97 3.70 2.465 20.01  1  0    3    1
## Dodge Challenger  15.5   8 318.0 150 2.76 3.520 16.87  0  0    3    2
## AMC Javelin       15.2   8 304.0 150 3.15 3.435 17.30  0  0    3    2
## Camaro Z28        13.3   8 350.0 245 3.73 3.840 15.41  0  0    3    4
## Pontiac Firebird  19.2   8 400.0 175 3.08 3.845 17.05  0  0    3    2
## Fiat X1-9         27.3   4  79.0  66 4.08 1.935 18.90  1  1    4    1
## Porsche 914-2     26.0   4 120.3  91 4.43 2.140 16.70  0  1    5    2
## Lotus Europa      30.4   4  95.1 113 3.77 1.513 16.90  1  1    5    2
## Ford Pantera L    15.8   8 351.0 264 4.22 3.170 14.50  0  1    5    4
## Ferrari Dino      19.7   6 145.0 175 3.62 2.770 15.50  0  1    5    6
## Maserati Bora     15.0   8 301.0 335 3.54 3.570 14.60  0  1    5    8
## Volvo 142E        21.4   4 121.0 109 4.11 2.780 18.60  1  1    4    2
```

Including Plots

#Now in order to be precise and simple and also to get a better understanding of the variables in those dataset. So, that is the reason I have thought to take correlation matrix as the Linear Regression in order to project the visualization and deep understanding of the analysis. It has matrix ranging from 0 to 1, color ranging from Red to Blue, respectively. For that we first need to install ‘corrplot’ package to obtain this and for that, and then df dataset has been put in it.

```
## Warning: package 'corrplot' was built under R version 4.3.2
```

```
## corrplot 0.92 loaded
```



```
##                    mpg cyl  disp  hp drat    wt  qsec vs am gear carb
## Mazda RX4         21.0   6 160.0 110 3.90 2.620 16.46  0  1    4    4
## Mazda RX4 Wag     21.0   6 160.0 110 3.90 2.875 17.02  0  1    4    4
## Datsun 710        22.8   4 108.0  93 3.85 2.320 18.61  1  1    4    1
## Hornet 4 Drive    21.4   6 258.0 110 3.08 3.215 19.44  1  0    3    1
## Hornet Sportabout 18.7   8 360.0 175 3.15 3.440 17.02  0  0    3    2
## Valiant           18.1   6 225.0 105 2.76 3.460 20.22  1  0    3    1
## Duster 360        14.3   8 360.0 245 3.21 3.570 15.84  0  0    3    4
## Merc 240D         24.4   4 146.7  62 3.69 3.190 20.00  1  0    4    2
## Merc 230          22.8   4 140.8  95 3.92 3.150 22.90  1  0    4    2
## Merc 280          19.2   6 167.6 123 3.92 3.440 18.30  1  0    4    4
## Merc 280C         17.8   6 167.6 123 3.92 3.440 18.90  1  0    4    4
## Merc 450SE        16.4   8 275.8 180 3.07 4.070 17.40  0  0    3    3
## Merc 450SL        17.3   8 275.8 180 3.07 3.730 17.60  0  0    3    3
## Merc 450SLC       15.2   8 275.8 180 3.07 3.780 18.00  0  0    3    3
## Cadillac Fleetwood 10.4  8 472.0 205 2.93 5.250 17.98  0  0    3    4
## Lincoln Continental 10.4 8 460.0 215 3.00 5.424 17.82  0  0    3    4
## Chrysler Imperial 14.7   8 440.0 230 3.23 5.345 17.42  0  0    3    4
## Fiat 128          32.4   4  78.7  66 4.08 2.200 19.47  1  1    4    1
## Honda Civic       30.4   4  75.7  52 4.93 1.615 18.52  1  1    4    2
## Toyota Corolla    33.9   4  71.1  65 4.22 1.835 19.90  1  1    4    1
## Toyota Corona     21.5   4 120.1  97 3.70 2.465 20.01  1  0    3    1
## Dodge Challenger  15.5   8 318.0 150 2.76 3.520 16.87  0  0    3    2
## AMC Javelin       15.2   8 304.0 150 3.15 3.435 17.30  0  0    3    2
## Camaro Z28        13.3   8 350.0 245 3.73 3.840 15.41  0  0    3    4
## Pontiac Firebird  19.2   8 400.0 175 3.08 3.845 17.05  0  0    3    2
## Fiat X1-9         27.3   4  79.0  66 4.08 1.935 18.90  1  1    4    1
## Porsche 914-2     26.0   4 120.3  91 4.43 2.140 16.70  0  1    5    2
## Lotus Europa      30.4   4  95.1 113 3.77 1.513 16.90  1  1    5    2
## Ford Pantera L    15.8   8 351.0 264 4.22 3.170 14.50  0  1    5    4
## Ferrari Dino      19.7   6 145.0 175 3.62 2.770 15.50  0  1    5    6
## Maserati Bora     15.0   8 301.0 335 3.54 3.570 14.60  0  1    5    8
## Volvo 142E        21.4   4 121.0 109 4.11 2.780 18.60  1  1    4    2
```

```
library(corrplot)
corrplot(cor(df))
```



#using 70% of dataset as training set and 30% as test set and creating a ML model # Now, we need to get training and test datasets for the linear regression. Linear model is also defined for which only 'mpg' is taken as indpendent variable and all other elements as dependent variables to get expressions related to 'mpg'. And along with it, we have also established predicted regular expression of those variables.

```
sample <- sample(c(TRUE, FALSE), nrow(df), replace=TRUE, prob=c(0.7,0.3))
train  <- df[sample, ]
test   <- df[!sample, ]
reg<- lm(mpg ~ ., data = train )
pre<- predict(reg, data = test )
reg<- lm(mpg ~ ., data = train )
pre<- predict(reg, data = test )
pre
```

```
##           Mazda RX4       Mazda RX4 Wag   Hornet Sportabout          Duster 360
##            21.42567            21.00111            17.65081            14.93229
##           Merc 240D            Merc 280          Merc 450SE          Merc 450SL
##            24.41722            19.39617            14.47499            16.13531
##         Merc 450SLC  Cadillac Fleetwood Lincoln Continental         Honda Civic
##            16.38750            11.39551            10.35463            29.62492
##    Dodge Challenger         AMC Javelin          Camaro Z28    Pontiac Firebird
##            16.61080            17.74245            13.74502            16.25729
##           Fiat X1-9       Porsche 914-2      Ford Pantera L        Ferrari Dino
##            27.86169            26.32482            16.14204            18.81975
```