

Program 1

```
<!DOCTYPE html>

<html>

<head>

<title>My First HTML Page</title>

</head>

<body>

<h1>Welcome to My HTML Page</h1>

<!--Text Formatting-->

<p><b>This is bold text </b></p>

<p><strong>This is strong text</strong></p>

<p><i>This is italic text</i></p>

<p><em>This is emphasized text</em></p>

<p><u>This is underlined text</u></p>

<p><mark>This is highlighted text</mark></p>

<p>This is<sub>subscript </sub>and This is<sub>superscript</sub></p>

<p>This is <del>deleted</del>and this is<ins>inserted</ins></p>

<!--Hyperlink-->

<p>Visit <a href="https://www.google.com" torget="blank">Google</a></p>

<!--Image-->

<h2>Image Example</h2>



</body>

</html>
```

Program 2

```
<!DOCTYPE html>

<html>

<head>

<title>III Sem BCA Time table</title>

</head>

<body>

<h2 align="Center">III Sem BCA Time table</h2>

<table border="5"bgcolor="yellow"cellspacing="0"cellpadding="8"align="center">

<caption>BCA 'B' Section</caption>

<tr align= "center" bgcolor="green">

<th>Day/Time</th>

<th>10:30-11:30</th>

<th>11:30-12:30</th>

<th>12:30-1:30</th>

<th>1:30-2:30</th>

<th>2:30-3:30</th>

<th>3:30-4:30</th>

</tr>

<tr align="center">

<td>Monday</td>

<td>Web Tech</td>

<td>C#.Net</td>

<td>ENG </td>

<td rowspan="6"><b>LUNCH</b></td>
```

```

<td colspan="2">C#.NET Lab</td>
</tr>
<tr align="Center">
<td>Tuesday</td>
<td colspan="2">DBMS Lab</td>
<td>SE</td>
<td>ENG</td>
<td>C#.NET</td>
</tr>
<tr align="Center">
<td>Wednesday</td>
<td colspan="2">Web Tech Lab</td>
<td>DBMS</td>
<td>C#.NET</td>
<td>CC</td></tr>
<tr align="Center">
<td>Thrusday</td>
<td colspan="2">C# Lab</td>
<td>DBMS</td>
<td>KAN</td>
<td>OE</td>
</tr>
<tr align="Center">
<td>Friday</td>
<td colspan="2">DBMS Lab</td>

```

```
<td>Web Tech</td>
<td>C#.NET</td>
<td>OE</td>
</tr>
<tr align="Center">
<td>Saturday</td>
<td colspan="2">Web Tech Lab</td>
<td>DBMS</td>
<td>C#.NET</td>
<td>ENG</td>
</tr>
</table>
</body>
</html>
```

Program 3

```
<!DOCTYPE html>

<html>

<head>

<title>College Course Details</title>

</head>

<body>

<h2>Course Offered:</h2>

<ul>

<li>BCA</li>

<li>BBA</li>

<li>B.COM</li>

<li>BSc</li>

</ul>

<h2>III Sem BCA Subjects</h2>

<ol>

<li>Data Base Managment System</li>

<li>Web Technologies</li>

<li>Software Engineering</li>

<li>Cloud Computing</li>

<li>C#.NET Programming</li>

</ol>

</body>

</html>
```

Program 4

```
<!DOCTYPE html>

<html>

<head>

<title>Form</title>

</head>

<body>

<h1 align="Center">Student Application Form</h1>

<form action="#"method="post">

<font color="White">

<table align="Center"cell padding="7"bgcolor="red">

<!--Full Name-->

<tr>

<td>Full Name:</td>

<td><input type="text"required></td>

</tr>

<!--Date of Birth-->

<tr>

<td>Date of Birth:</td>

<td><input type="date"required></td>

</tr>

<!--Gender-->

<tr>

<td>Gender</td>

<td>
```

```
<input type="radio" name="gender" value="Male" id="male">
<label for="male">Male</label>
<input type="radio" name="gender" value="Female" id="female">
<label for="female">Female</label>
</td>
</tr>
```

```
<!--Email-->
```

```
<tr>
<td>Email:</td>
<td><input type="email" required></td>
</tr>
```

```
<!--Phone number-->
```

```
<tr>
    <td>Phone number:</td>
    <td><input type="phone number" required></td>
</tr>
```

```
<!--Address-->
```

```
<tr>
<td>Address:</td>
<td><textarea rows="3" cols="30" required></textarea></td>
</tr>
```

```
<!--Course-->
```

```
<tr>
<td><label for="course">course:</label></td>
<td><select required>
```

```
<option>--Select--</option>
<option>BCA</option>
<option>B.COM</option>
<option>BSc</option>
<option>BA</option>
</select>
</td>
</tr>
<!--Buttons-->
<tr>
<td colspan="2" align="center">
<input type="submit" value="submit">
<input type="reset" value="Reset">
</td>
</tr>
</table>
</font>
</form>
</body>
</html>
```


Program 5

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>CSS Levels Demo</title>
```

```
<!--External CSS-->
```

```
<Link rel="stylesheet" type="text/css" href="style.css">
```

```
<!--Document Level (Internal)CSS-->
```

```
<style>
```

```
P{
```

```
    color:green;
```

```
    font-size:16px;
```

```
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h1>CSS Style Levels Demo</h1>
```

```
<!--Paragraph with internal style-->
```

```
<p class="internal.style">This paragraph uses document-level(internal)CSS.</p>
```

```
<!--Paragraph with inline style-->
```

```
<p style="color : red; font-size:18px;text-decoration:underline;">This paragraph uses  
inline CSS.</p>
```

```
</body>
```

```
</html>
```

```
body{
    background-color:powderblue;
    font-family:Arial;
}
h1{
    color:dark blue;
    text-align:center;
```

Program 6

```
<!DOCTYPE html>
<html>
<head>
<title>Program 6 in Part-A</title>
<style>
div{
    border:4px solid green;
    padding:100px;
    margin:100px;
    box-shadow:15px 15px 5px;
    font-size:32px;
}
</style>
</head>
<body>
<div>
<h3><u>div tag : </u></h3>
<p>A div element with a shadow.The first value is the horizontal affset and the second
value is the vertical affset.The shadow color will be inherited from the text color.
</p>
</div>
</body>
</html>
```

Program 7

```
<html>
<head>
<title>Program 7 in Part-A</title>
<style>
@keyframes bounce
{
    from{left:100px;top:20px;}
    to{left:100px;top:200px;}
}
div{
    width:200px;
    height:200px;
    border-radius:50%;
    background-color:red;
    position:relative;
    animation:bounce 10s;
    animation-direction:alternate;
    animation-iteration-count:infinite;
}
</style>
</head>
<body>
<div></div>
</body>
</html>
```

Program 8

```
<!DOCTYPE html>
<html>
<head>
<title>College Name</title>
<style>
h1{
    margin:100px;
    padding:40px;
    background-color:blue;
    color:white;
    border-radius:15%;/*Rounded Corners*/
    box-shadow:10px 10px 20px 10px black;/* Box Shadow Effect */
    text-transform:uppercase;/*Text effect*/
    text-shadow:5px 5px 10px black;/* shadow text effects for text */
    text-align:Center;/*Text effect */
}
</style>
</head>
<body>
<h1>Jss College Nanjangud<br><small>ESID:1968</small></h1>
</body>
</html>
```