Polars Cheat Sheet

[Open in Colab]

General

Install

```
pip install polars
```

Import

```
import polars as pl
```

Creating/reading DataFrames

Create DataFrame

nrs	names	random	groups
1	"foo"	0.3	"A"
2	"ham"	0.7	"A"
3	"spam"	0.1	"B"
null	"egg"	0.9	"C"
5	null	0.6	"B"

```
df = pl.DataFrame(
    {
    "nrs": [1, 2, 3, None, 5],
    "names": ["foo", "ham", "spam", "egg", None],
    "random": [0.3, 0.7, 0.1, 0.9, 0.6],
    "groups": ["A", "A", "B", "C", "B"],
    }
)
```

Read CSV

```
df = pl.read_csv("https://j.mp/iriscsv",
                 has_header=True)
```

Read parquet

```
df = pl.read_parquet("path.parquet",
                     columns=["select", "columns"])
```

Expressions

Polars expressions can be performed in sequence.
This improves readability of code.

```
df \
    .filter(pl.col("nrs") < 4) \
    .groupby("groups") \
    .agg(
        pl \
        .all() \
        .sum()
    )
```

Subset Observations - rows

Filter: Extract rows that meet logical criteria.

```
df.filter(pl.col("random") > 0.5)
df.filter(
    (pl.col("groups") == "B")
    & (pl.col("random") > 0.5)
)
```

Sample

```
# Randomly select fraction of rows.
df.sample(frac=0.5)

# Randomly select n rows.
df.sample(n=2)
```

Select first and last rows

```
# Select first n rows
df.head(n=2)

# Select last n rows.
df.tail(n=2)
```

Subset Variables - columns

Select multiple columns with specific names

```
df.select(["nrs", "names"])
```

Select columns whose name matches regex

```
df.select(pl.col("^n.*$"))
```

Subsets - rows and columns

Select rows 2-4

```
df[2:4, :]
```

Select columns in positions 1 and 3 (first column is 0)

```
df[:, [1, 3]]
```

### Select rows meeting logical condition, and only the specific columns

```
df[df["random"] > 0.5, ["names", "groups"]]
```

Reshaping Data – Change layout, sorting, renaming

Append rows of DataFrames

```
pl.concat([df, df2])
```


Append columns of DataFrames

```
pl.concat([df, df3], how="horizontal")
```


Gather columns into rows

```
df.melt(
    id_vars="nrs",
    value_vars=["names", "groups"]
)
```


Spread rows into columns

```
df.pivot(values="nrs", index="groups",
         columns="names")
```

Order rows by values of a column

```
# low to high
df.sort("random")

# high to low
df.sort("random", reverse=True)
```

Rename the columns of a DataFrame

```
df.rename({"nrs": "idx"})
```

Drop columns from DataFrame

```
df.drop(["names", "random"])
```

Summarize Data

Count number of rows with each unique value of variable

```
df["groups"].value_counts()
```

of rows in DataFrame

```
len(df)
# or
df.height
```

Tuple of # of rows, # of columns in DataFrame

```
df.shape
```

of distinct values in a column

```
df["groups"].n_unique()
```


Basic descriptive and statistics for each column

```
df.describe()
```

Aggregation functions

```
df.select(
    [
        # Sum values
        pl.sum("random").alias("sum"),

        # Minimum value
        pl.min("random").alias("min"),

        # Maximum value
        pl.max("random").alias("max"),
        # or
        pl.col("random").max().alias("other_max"),

        # Standard deviation
        pl.std("random").alias("std dev"),

        # Variance
        pl.var("random").alias("variance"),

        # Median
        pl.median("random").alias("median"),

        # Mean
        pl.mean("random").alias("mean"),

        # Quantile
        pl.quantile("random", 0.75) \
            .alias("quantile_0.75"),
        # or
        pl.col("random").quantile(0.75) \
            .alias("other_quantile_0.75"),

        # First value
        pl.first("random").alias("first"),
    ]
)
```

Group Data

Group by values in column named "col", returning GroupBy object ⧉

```python
df.groupby("groups")
```

All of the aggregation functions from above can be applied to a group as well

```python
df.groupby(by="groups").agg(
    [
        # Sum values
        pl.sum("random").alias("sum"),

        # Minimum value
        pl.min("random").alias("min"),

        # Maximum value
        pl.max("random").alias("max"),
        # or
        pl.col("random").max().alias("other_max"),

        # Standard deviation
        pl.std("random").alias("std_dev"),

        # Variance
        pl.var("random").alias("variance"),

        # Median
        pl.median("random").alias("median"),

        # Mean
        pl.mean("random").alias("mean"),

        # Quantile
        pl.quantile("random", 0.75) \
            .alias("quantile_0.75"),
        # or
        pl.col("random").quantile(0.75) \
            .alias("other_quantile_0.75"),

        # First value
        pl.first("random").alias("first"),
    ]
)
```

Additional GroupBy functions

```python
df.groupby(by="groups").agg(
    [
        # Count the number of values in each group
        pl.count("random").alias("size"),

        # Sample one element in each group
        pl.col("names").apply(
            lambda group_df: group_df.sample(1)
        ),
    ]
)
```

Handling Missing Data

Drop rows with any column having a null value ⧉

```python
df.drop_nulls()
```

Replace null values with given value ⧉

```python
df.fill_null(42)
```

Replace null values using forward strategy

```python
df.fill_null(strategy="forward")
```

Other fill strategies are "backward", "min", "max", "mean", "zero" and "one"

Replace floating point NaN values with given value ⧉

```python
df.fill_nan(42)
```

Make New Columns

Add a new columns to the DataFrame ⧉

```python
df.with_column(
    (pl.col("random") * pl.col("nrs")) \
        .alias("product")
)
```

Add several new columns to the DataFrame ⧉

```python
df.with_columns(
    [
        (pl.col("random") * pl.col("nrs")) \
            .alias("product"),
        pl.col("names").str.lengths() \
            .alias("names_lengths"),
    ]
)
```

Add a column at index 0 that counts the rows ⧉

```python
df.with_row_count()
```

Rolling Functions

The following rolling functions are available

```python
df.select(
    [
        # Rolling maximum value
        pl.col("random") \
            .rolling_max(window_size=2) \
            .alias("rolling_max"),

        # Rolling mean value
        pl.col("random") \
            .rolling_mean(window_size=2) \
            .alias("rolling_mean"),

        # Rolling median value
        pl.col("random") \
            .rolling_median(
                window_size=2, min_periods=2) \
            .alias("rolling_median"),

        # Rolling minimum value
        pl.col("random") \
            .rolling_min(window_size=2) \
            .alias("rolling_min"),

        # Rolling standard deviation
        pl.col("random") \
            .rolling_std(window_size=2) \
            .alias("rolling_std"),

        # Rolling sum values
        pl.col("random") \
            .rolling_sum(window_size=2) \
            .alias("rolling_sum"),

        # Rolling variance
        pl.col("random") \
            .rolling_var(window_size=2) \
            .alias("rolling_var"),

        # Rolling quantile
        pl.col("random") \
            .rolling_quantile(
                quantile=0.75, window_size=2,
                min_periods=2
            ) \
            .alias("rolling_quantile"),

        # Rolling skew
        pl.col("random") \
            .rolling_skew(window_size=2) \
            .alias("rolling_skew"),

        # Rolling custom function
        pl.col("random") \
            .rolling_apply(
                function=np.nanstd, window_size=2) \
            .alias("rolling_apply"),
    ]
)
```

Window Functions

Window functions allow to group by several columns simultaneously ⧉

```python
df.select(
    [
        "names",
        "groups",
        pl.col("random").sum().over("names") \
            .alias("sum_by_names"),
        pl.col("random").sum().over("groups") \
            .alias("sum_by_groups"),
    ]
)
```

Combine Data Sets

Inner Join
Retains only rows with a match in the other set. ⧉

```python
df.join(df4, on="nrs")
# or
df.join(df4, on="nrs", how="inner")
```

Left Join
Retains each row from "left" set (df).

```python
df.join(df4, on="nrs", how="left")
```

Outer Join
Retains each row, even if no other matching row exists.

```python
df.join(df4, on="nrs", how="outer")
```

Anti Join
Contains all rows from df that do not have a match in df4.

```python
df.join(df4, on="nrs", how="anti")
```