


The logo features a large, light-orange hexagon with a thick black border, centered on a background of a repeating hexagonal grid. The grid consists of light-blue and light-orange hexagons. Four stylized, winding paths, each marked with small white dots, are positioned around the central hexagon, two on the left and two on the right. The word "HEX" is written in a bold, red, sans-serif font with a thick black outline, positioned above the word "TRAK".


HEX

TRAK


EXPANDED



These are the basic HEX TRAK modules. They include a 248 mm long straight, a 216 mm radius curve and left and right turnouts of 150 mm radius. At 60 degrees the corners will create a 60, 120, 180 or 240 degree corners. Add straights for your basic oval layout.




Possible standard HEX TRAK module track pieces:






The HEX TRAK standard turnouts use:
#20240 left turnout
#20241 right turnout
#20040 62 mm straight track piece
#20121 15 degree 315 mm radius curves
The 33 mm straight track piece
The 29 mm straight track piece

The 150 mm radius curve of the KATO Compact turnouts is the limiting curve of any layout design.




Where will your imagination take you with the HEX TRAK modules you and your friends have for your layout creation?

The individual modules are so small several could be permanently grouped together and dramatic scenery added.



Switch this!

HEX TRAK - A Single Track Main




HEX TRAK modules will create what is essentially a single trak main line railroad. To increase operational interest a passing siding would be required to allow opposing train operations and passing. Passing sidings can be created with the standard turnout module design.

My work with T-TRAK (and TALKIN' T-TRAK) and KATO's Mini Dioramas made me wonder what could be possible with HEX TRAK and the KATO track products beyond the established standard. Using KATO 33 mm track spacing, curved track in multiples of 33 mm radii spacing and track products and assemblies that equal a length of 248 mm what follows is the results of my research to what HEX TRAK could create . . .

Possible standard HEX TRAK module track pieces:




#20000 248 mm straight



#20020 124 mm straight X 2 allows the use of the #24818 Terminal Unjoiners between



#20010 186 mm + #20041 62 mm feeder track




#20010 186 mm + #20041 62 mm straights




If your pile of track pieces includes 4 x #20040 62 mm straights, use them!



#20170 216 mm 45 degree curve track + #20171 216 mm 15 degree curve track (or 4 x #20171 216 mm 15 degree curve track if you want!)




These icons represent many (NOT all!!) of the possible HEX TRAK module track layout possibilities. Based on KATO Unitrack straight track length of 248 mm any Unitrack pieces that add up to 248 mm when added together can be used and positioned on a HEX TRAK module base. The layout puzzle you create with these pieces (modules) is up to you and your imagination. The only limitations are that you can not create 90 degree corners and the sharp curves will limit the locomotives and rolling stock of the consists.





183 mm Curve Options

KATO 183 mm curved track is only available in 45 degree pieces.




For use as a 180 degree corner only 3 dedicated HEX TRAK modules could be constructed with uncut 45 degree track pieces.





Or 2 pieces can be cut into 15 and 30 degree sections and permanently mounted to the HEX TRAK module base allowing the modules to be used independently in layout creation. Flex track rail joiners can be used on the cut ends with unijoiners on the outer ends.

For a 183 mm 180 degree corner cut or uncut makes no difference!





#4 Turnouts Are Possible!

#20230 (left) and #20231 (right) crossovers are 248 mm long. Just right!





#4 Turnout Assemblies . . .




Assembling the #4 turnouts (left # 20220 and right #20221) with their included 60 mm long straight track pieces, their #20160 481 mm radius 15 degree curved track pieces and adding a #20040 62 mm long straight track piece yields a 248 mm long assembly!

Just perfect for a HEX TRAK module!

Using the #20222 Wye Turnout






A #20222 wye turnout with two #20160 481 mm radius 15 degree curved track pieces or two #4 turnout assemblies results in another 248 mm long piece of trackage!




“S” Tracks







Single or double “S” tracks are possible with #20160 481 mm radius 15 degree curved track pieces at 248 mm long.



**Some modules
require
left and right
companions**




**Some
just require
a duplicate
rotated 180
degrees**




**Others
rotated 180
degrees will
create a
new track
“design”**


The proposed use of other KATO track products creates many opportunities . . .




Passing or run around sidings




Add some straight tracks to the modules creating passing and setoff tracks



A 3 track stub yard . . . or . . .



... A 3 track runthrough setup/staging yard




EVERY MODULE HAS SIX ROTATIONS

CREATING 6 DIFFERENT “DESIGNS”


ROTATE AS REQUIRED FOR YOUR

LAYOUT PLAN



Standard Turnouts


All of these
rotated 180
degrees
will create
new track
“designs”



#4

Turnouts

All of these
rotated 180
degrees
will create
new track
“designs”



#4

Turnouts

All of these
rotated 180
degrees
will create
new track
“designs”

“S”

Tracks

ROTATE


ROTATE

ROTATE

ROTATE

ROTATE

ROTATE



Straight Tracks

**POWER
SUPPLY**

ROTATE


ROTATE


ROTATE

ROTATE

ROTATE


ROTATE






Apply your own imagination!

A simple layout with passing sidings, customer sidings,
a station and staging/storage yard for operational fun!



**HEX TRAK can be a single main line railroad or simulate
T-TRAK with two main lines or NTRAK with three main lines!**



But there
are layout
limitations

Layout electrical blocking and power supply bus assignments would be as per other formats.

The logo features a large, light-orange hexagon with a thick black border, centered on a background of a repeating hexagonal grid. The grid consists of light-blue and light-orange hexagons. Four stylized, winding paths, each marked with small white dots, are positioned around the central hexagon, two on the left and two on the right. The word "HEX" is written in a bold, red, sans-serif font with a thick black outline, positioned above the word "TRAK".

HEX

TRAK

EXPANDED