

Athen™ Marine

SECTION 01

Main Grades

Cylinder oils · System oils · Trunk piston engine oils

Cylinder & System Oils

Cylinder oils SAE 50

SAE 50 cylinder oil for low-speed two-stroke crosshead marine diesel engines.

PRODUCT	SAE	BN	APPLICATION
Athen Marine CYL Oil 5025	50	25	Modern low-speed two-stroke engines on fuels with 0.1% sulfur
Athen Marine CYL Oil 5040	50	40	Residual fuels with sulfur up to 0.5%
Athen Marine CYL Oil 5055	50	55	Latest highly rated engines on heavy fuels, sulfur 0.5% to 3.5%
Athen Marine CYL Oil 5070	50	70	Residual fuels with sulfur in excess of 1%
Athen Marine CYL Oil 50100	50	100	Slow-speed engines on residual fuels, sulfur 1.5% to 3.5%
Athen Marine CYL Oil 50140	50	140	Very high sulfur fuels (above 3.5%)

System oils SAE 30

SAE 30 System oil for low-speed two-stroke crosshead marine diesel engines.

PRODUCT	SAE	BN	APPLICATION
Athen Marine SYS Oil 3005	30	05	High-quality system oil for slow-speed two-stroke crosshead engines on low sulfur fuels
Athen Marine SYS Oil 3006	30	06	Crankcase and piston cooling systems; low-sulfur residual or distillate fuels



Trunk Piston Engine Oils

Trunk piston engine oils SAE 30 · SAE 40

Medium-speed four-stroke trunk piston engines, SAE 30 and SAE 40.

PRODUCT	SAE	BN	APPLICATION
Athen Marine MSDO 3030	30	30	Residual and distillate fuels, sulfur up to 3.5%
Athen Marine MSDO 3040	30	40	Medium to high sulfur fuels up to 4.5%
Athen Marine MSDO 3055	30	55	Marine and power plant engines on high-sulfur residual fuels
Athen Marine MSDO 4030	40	30	Medium-speed four-stroke trunk piston engines, fuels up to 3.5% sulfur
Athen Marine MSDO 4040	40	40	Fuels with sulfur up to 4.5%
Athen Marine MSDO 4055	40	55	Modern high-output engines with extended maintenance cycles
Athen Marine MSDO 3012	30	12	Low-sulfur fuels (0.5% or less)
Athen Marine MSDO 3015	30	15	Low to moderate sulfur fuels (up to 1.0%)
Athen Marine MSDO 3020	30	20	Residual or distillate fuels, sulfur up to 1.5%
Athen Marine MSDO 4012	40	12	Low-sulfur fuels (0.5% or less)
Athen Marine MSDO 4015	40	15	Low to moderate sulfur fuels (up to 1.0%)
Athen Marine MSDO 4020	40	20	Residual or distillate fuels, sulfur up to 1.5%





