


Athen Marine
Product Catalogue

Intellectual Engineering. Delivering Trust

www.athenmarine.com

Athen Assure

Technical Consultation & Advisory



Onboard Inspections & Ship Visits

Lube Oil Analysis & Condition Monitoring

Lube Oil Compatibility & Equivalent Chart

01
Technical Consultation & Advisory

Expert guidance to help customers identify the right marine lubrication solution for their operational requirements.

Lubricant Selection • Technical Recommendations • Performance Optimization • OEM Guidance

02
Lube Oil Analysis & Condition Monitoring

Laboratory backed analysis designed to evaluate lubricant condition and flag potential issues before they affect equipment performance.

Oil Health Analysis • Contamination Detection • Performance Evaluation • Preventive Maintenance Support

03
Lube Oil Compatibility & Equivalent Solutions

Compatibility assessments and equivalent lubricant recommendations to help customers identify suitable alternatives without compromising engine warranty or performance.

Equivalent Product Charts • Compatibility Assessment • OEM Compliance • Product Recommendations

04
Onboard Inspections & Ship Visits

Practical onboard support to assess lubrication systems and equipment and identify areas requiring attention.

Onboard Inspection • Lubrication System Assessment • Equipment Evaluation • Maintenance Recommendations



The lubricant that keeps it moving. Athen Marine.



Athen™ Marine

SECTION 01

Main Grades

Cylinder oils · System oils · Trunk piston engine oils

Cylinder & System Oils

Cylinder oils SAE 50

SAE 50 cylinder oil for low-speed two-stroke crosshead marine diesel engines.

PRODUCT	SAE	BN	APPLICATION
Athen Marine CYL Oil 5025	50	25	Modern low-speed two-stroke engines on fuels with 0.1% sulfur
Athen Marine CYL Oil 5040	50	40	Residual fuels with sulfur up to 0.5%
Athen Marine CYL Oil 5055	50	55	Latest highly rated engines on heavy fuels, sulfur 0.5% to 3.5%
Athen Marine CYL Oil 5070	50	70	Residual fuels with sulfur in excess of 1%
Athen Marine CYL Oil 50100	50	100	Slow-speed engines on residual fuels, sulfur 1.5% to 3.5%
Athen Marine CYL Oil 50140	50	140	Very high sulfur fuels (above 3.5%)

System oils SAE 30

SAE 30 System oil for low-speed two-stroke crosshead marine diesel engines.

PRODUCT	SAE	BN	APPLICATION
Athen Marine SYS Oil 3005	30	05	High-quality system oil for slow-speed two-stroke crosshead engines on low sulfur fuels
Athen Marine SYS Oil 3006	30	06	Crankcase and piston cooling systems; low-sulfur residual or distillate fuels




Trunk Piston Engine Oils


Trunk piston engine oils SAE 30 · SAE 40

Medium-speed four-stroke trunk piston engines, SAE 30 and SAE 40.

PRODUCT	SAE	BN	APPLICATION
Athen Marine MSDO 3030	30	30	Residual and distillate fuels, sulfur up to 3.5%
Athen Marine MSDO 3040	30	40	Medium to high sulfur fuels up to 4.5%
Athen Marine MSDO 3055	30	55	Marine and power plant engines on high-sulfur residual fuels
Athen Marine MSDO 4030	40	30	Medium-speed four-stroke trunk piston engines, fuels up to 3.5% sulfur
Athen Marine MSDO 4040	40	40	Fuels with sulfur up to 4.5%
Athen Marine MSDO 4055	40	55	Modern high-output engines with extended maintenance cycles
Athen Marine MSDO 3012	30	12	Low-sulfur fuels (0.5% or less)
Athen Marine MSDO 3015	30	15	Low to moderate sulfur fuels (up to 1.0%)
Athen Marine MSDO 3020	30	20	Residual or distillate fuels, sulfur up to 1.5%
Athen Marine MSDO 4012	40	12	Low-sulfur fuels (0.5% or less)
Athen Marine MSDO 4015	40	15	Low to moderate sulfur fuels (up to 1.0%)
Athen Marine MSDO 4020	40	20	Residual or distillate fuels, sulfur up to 1.5%







Athen™
Marine




SECTION 02

Secondary Grades

Engine · Hydraulic · Gear & transmission · Compressor & refrigerating
Turbine · Coolants · Heat transfer

Engine & Hydraulic Oils



Engine oils

PRODUCT	SAE	APPLICATION
Athen Marine 15W-40	**15W- 40**	High-performance marine engine oil for modern diesel engines on distillate fuels
Athen Marine 10W-30	**10W- 30**	Multigrade diesel oil meeting API CI-4 and SL
Athen Marine 10W-40	**10W- 40**	Multigrade diesel oil meeting API CI-4 and SL
Athen Marine 20W-50	**20W- 50**	Heavy-duty diesel oil exceeding API CI-4/SL
Athen Marine DD 30	**30**	SAE 30 monograde for classic Detroit Diesel two-stroke marine engines and auxiliary power units
Athen Marine DD 40	**40**	SAE 40 monograde for classic Detroit Diesel two-stroke marine engines and auxiliary power units
Athen Marine Outboard 2T	–	Water-cooled outboard engines under high loads and variable speeds

Hydraulic oils ISO 15 TO 150

ANTI-WEAR (HLP)

Athen Marine

AW 15 **AW 22** **AW 32** **AW 46** **AW 68** **AW 100** **AW 150**

Anti-wear hydraulic fluid for mobile and stationary high-pressure hydraulic applications.


HIGH VISCOSITY INDEX (HVLP)

Athen Marine HYD

HVI 15 **HVI 22** **HVI 32** **HVI 46** **HVI 68** **HVI 100** **HVI 150**

Supreme quality high viscosity index hydraulic oil for extreme temperature ranges.

Gear & Transmission Oils



GEAR OILS

Athen Marine

Gear 68 | Gear 100 | Gear 150 | Gear 220 | Gear 320 | Gear 460 | Gear 680

Extra high performance gear oils having outstanding extreme pressure and load-carrying properties, intended for use in all types of enclosed gear drives with circulation or splash lubrication systems.

MANUAL TRANSMISSION GEAR OIL

Athen Marine

Gear 80W-90

High performance gear lubricant for use in heavy-duty manual transmissions and axle drives of commercial vehicles and passenger cars.

TRANSMISSION OILS

Athen Marine

ATF DX III

High-performance automatic transmission fluid formulated to meet the demanding requirements of DEXRON-III and MERCON specifications.

TRANSMISSION OILS

Athen Marine

UTTO 80W

Universal Tractor Transmission Oil (UTTO) engineered to provide outstanding protection and performance in combined transmission, final drive, hydraulic, and wet brake systems of modern agricultural and construction equipment.



Compressor, Turbine & Coolants

COMPRESSOR OILS

Athen Marine

- Comp 46
- Comp 68
- Comp 100
- Comp 150

Mineral-based air compressor oils with oxidation-resistant additives for reciprocating and rotary compressors.

REFRIGERATING OILS

Athen Marine

- REF N Cool Oil 32
- REF N Cool Oil 68

High-quality naphthenic refrigeration compressor oil for ammonia-based systems, delivering excellent low-temperature performance and thermal stability.

TURBINE OILS

Athen Marine

- Turbine 32
- Turbine 46
- Turbine 68
- Turbine 100

Range of high-performance, premium-quality mineral-based turbine lubricants developed for use in marine propulsion turbines, power generation gas turbines, combined cycle gas turbines, turbines with heavily loaded gears, turbo compressors and industrial gas and steam turbines.

COOLANTS

Athen Marine

- Coolant 50

Pre-diluted long-life OAT coolant, ethylene glycol-based and free from amines, phosphates, silicates, borates, and nitrites.

- Coolant 100

Concentrated long-life OAT coolant, ethylene glycol-based and free from amines, phosphates, silicates, borates, and nitrites.

HEAT TRANSFER OILS

Athen Marine

- Thermal 32

Premium-quality heat transfer oil intended for use in closed indirect heating systems. It is formulated from highly refined base stocks to provide excellent oxidation stability and resistance against thermal cracking. It possesses high specific heat and thermal conductivity to provide more rapid heat dissipation, and its ability to flow rapidly at low temperatures ensures quick circulation at start-up and reduces the risk of local overheating.


Athen®
Marine



Athen™ Marine

SECTION 03

Synthetics

PAO & PAG gear oils · Compressor & LPG oils
POE & DAB refrigeration oils

Synthetics

PAO SYNTHETIC GEAR OILS

Athen Marine Gear

- Syn PAO 46
- Syn PAO 68
- Syn PAO 100
- Syn PAO 150
- Syn PAO 220
- Syn PAO 320
- Syn PAO 460
- Syn PAO 680
- Syn PAO 1000

Premium, fully synthetic marine gear and bearing oils formulated with PAO (poly alpha olefin) base fluids and a high-performance, extreme-pressure (EP) additive system. Designed for deck machinery and propulsion systems to heavy-duty gearboxes and offshore equipment.

PAG SYNTHETIC GEAR OILS

Athen Marine Gear

- Syn PAG 220

Fully synthetic PAG (polyalkylene glycol) gear oil for enclosed industrial and marine gears under extreme thermal and mechanical stress.

LPG COMPRESSOR OILS

Athen Marine Comp

- Syn LPG 150

Fully synthetic high-viscosity compressor lubricant, formulated for LPG and hydrocarbon gas compressors.

SYNTHETIC COMPRESSOR OILS

Athen Marine Comp

- Syn PAO 46
- Syn PAO 68
- Syn PAO 100
- Syn PAO 150

Fully synthetic air compressor lubricant formulated with Polyalphaolefin (PAO) base fluids for rotary, reciprocating, and centrifugal compressors.

SYNTHETIC COMPRESSOR OILS

Athen Marine Comp

- Syn DE 100
- Syn DE 150

Premium synthetic diester compressor oil for reciprocating and rotary screw compressors in severe-duty applications.

Synthetic Refrigeration Oils

POE REFRIGERATION COMPRESSOR OILS

Athen Marine

REF Syn POE 32	REF Syn POE 46	REF Syn POE 68
REF Syn POE 100	REF Syn POE 150	REF Syn POE 220


Fully synthetic POE-based refrigeration oil engineered for modern ozone-friendly refrigeration systems using HFC refrigerants such as R-134a, R-23, R-404A, R-407C, R-507, and other blends of HFC refrigerants.


SYNTHETIC REFRIGERATION OILS

Athen Marine

REF Syn DAB 55	REF Syn DAB 100

High-performance, fully synthetic Dialkyl Benzene refrigeration compressor oils designed to meet the stringent requirements of most modern refrigeration and air conditioning systems. Designed for non-hydrofluorocarbon refrigerants such as R-11, R-12, R-13B1, R-22, R-113, R-500, R-501, R-502, R-717 (Ammonia - NH_3), etc.





Athen™ Marine

SECTION 04


Greases

Marine-ready greases by NLGI grade

Greases

Grease range NLGI 0 · 2 · 3

PRODUCT	NLGI	APPLICATION
Athen Marine Grease CS WR	0	Heavy-duty calcium sulfonate complex soap-based grease for use in a wide range of marine, industrial and automotive applications.
Athen Marine Grease CS WR EP 2	2	Heavy-duty, multipurpose calcium sulfonate complex grease for a wide range of marine, industrial and automotive applications.
Athen Marine Grease Li EP2	2	General-purpose lithium hydroxystearate grease formulated to protect against wear, corrosion, and water washout.
Athen Marine Grease HT LC EP2	2	Premium lithium/calcium grease designed for high-temperature, high-load, and marine exposure environments.
Athen Marine Grease HT LC EP3	3	Premium lithium/calcium grease designed for high-temperature, high-load, and marine exposure environments.



Environmentally Acceptable Lubricants

EAL HYDRAULIC FLUIDS

Athen Marine

HYD EAL 32 | HYD EAL 46 | HYD EAL 68 | HYD EAL 100

High-performance Environmentally Acceptable Hydraulic Fluids (EAL) formulated with biodegradable synthetic esters and advanced anti-wear additives. Designed to meet the stringent requirements of marine and offshore applications.

STERN TUBE

Stern EAL

68 | 100 | 220

Range of environmentally sensitive lubricants, formulated from natural and renewable esters, which provide excellent lubrication in both neat and emulsion forms. Recommended for the bearing and seal manufacturers for regular running in the sterntube.

GEAR

Gear EAL

68 | 100 | 150 | 220

A range of environmentally sensitive, high-performance, extreme-pressure (EP) gear oils formulated from fully saturated esters. Designed particularly for marine thruster and CPP applications.

GREASE

Athen Marine Grease EAL

NLGI 0-2

Marine biodegradable grease based on renewable esters, designed for environmentally sensitive applications such as rudder stocks, propeller hubs, and propeller caps.



Athen™
Marine

Our range of high-performance lubricants includes cylinder oils, system oils, and trunk piston engine oils, specially formulated to provide excellent wear protection, reduce friction and deposits, and ensure reliable, efficient engine performance under demanding marine operating conditions.



Athen™

Assure



Athen™ Marine

IN STRATEGIC PARTNERSHIP WITH

Legero International Group B.V.
Global Marine Spares Logistics & Onboard Deliveries

Eleven Energy

GET IN TOUCH
Contact Us

EUROPE
Athen Marine EU BV
+31 10 2660890
orders@athenmarine.eu

SINGAPORE
Athen Marine Pte Ltd
+65 98332876
info@athenmarine.com

UAE
Athen Marine Lubricants LLC
+971 50 210 6852
support.uae@athenmarine.com

INDIA
+91 9512349669
support.ind@athenmarine.com

CORPORATE OFFICE
1802, IFZA Towers
Dubai Silicon Oasis, Dubai, U.A.E.

www.athenmarine.com