
```
In [1]: import cv2
import matplotlib.pyplot as plt
```

Original image

```
In [2]: img = cv2.imread("MyPhoto.jpg")
In [3]: plt.imshow(img)
    plt.show()
```




```
In [4]: img.shape
```

Out[4]: (683, 517, 3)

1024 * 1024 image

```
In [5]: img_1024 = cv2.resize(img, (1024, 1024))
In [6]: plt.imshow(img_1024)
plt.show()
```




In [8]: img_1024.shape

Out[8]: (1024, 1024, 3)

Subsampling


512 * 512 image

```
In [9]: img_512 = cv2.resize(img, (512, 512))
In [10]: plt.imshow(img_512)
   plt.show()
```




256 * 256 image

```
In [11]: img_256 = cv2.resize(img, (256, 256))
In [12]: plt.imshow(img_256)
   plt.show()
```




128 * 128 image

```
In [13]: img_128 = cv2.resize(img, (128, 128))
In [14]: plt.imshow(img_128)
    plt.show()
```




64 * 64 image

```
In [15]: img_64 = cv2.resize(img, (64, 64))
In [16]: plt.imshow(img_64)
    plt.show()
```



32 * 32 image


```
In [17]: img_32 = cv2.resize(img, (32, 32), interpolation=cv2.INTER_AREA)
In [18]: plt.imshow(img_32)
plt.show()
```



Resampling


32 * 32 image

```
In [19]: img_64_resampled = cv2.resize(img_32, (64, 64))
    plt.imshow(img_64_resampled)
    plt.show()
```




64 * 64 image

```
In [20]: img_128_resampled = cv2.resize(img_64_resampled, (128, 128))
    plt.imshow(img_128_resampled)
    plt.show()
```




128 * 128 image

```
In [21]: img_256_resampled = cv2.resize(img_128_resampled, (256, 256))
    plt.imshow(img_256_resampled)
    plt.show()
```




256 * 256 image

```
In [22]: img_512_resampled = cv2.resize(img_256_resampled, (512, 512))
    plt.imshow(img_512_resampled)
    plt.show()
```



512 * 512 image

```
In [23]: img_1024_resampled = cv2.resize(img_512_resampled, (1024, 1024))
    plt.imshow(img_1024_resampled)
    plt.show()
```



Modular code

```
In [26]: def sample_image(image, size, interpolation=None):
    if interpolation is not None:
        subsampled_image = cv2.resize(image, size, interpolation)
    else:
        subsampled_image = cv2.resize(image, size)
    return subsampled_image
```

```
In [30]: # subsampling
sizes = [1024, 512, 256, 128, 64, 32]

for index, size in enumerate(sizes):
    img = cv2.imread("MyPhoto.jpg")
    subsampled_img = sample_image(img, (size, size))
    plt.subplot(1, 6,index+1)
    plt.title(str(size) + "*" + str(size))
    plt.axis('off')
    plt.imshow(subsampled_img)
```

1024*1024512*512 256*256 128*128 64*64 32*32













```
In [31]: # resampling
sizes = [32, 64, 128, 256, 512, 1024]

for index, size in enumerate(sizes):
    if size == 32:
        sampled_img = sample_image(img, (32, 32))
        plt.subplot(1, 6,index+1)
        plt.title(str(size) + "*" + str(size))
        plt.axis('off')
        plt.imshow(sampled_img)
        continue
    plt.subplot(1, 6,index+1)
        plt.title(str(size) + "*" + str(size))
        plt.axis('off')
        plt.axis('off')
        plt.imshow(sampled_img)
        sampled_img = sample_image(sampled_img, (size, size))
```

32*32 64*64 128*128 256*256 512*512 1024*1024











