Reading Order in Two-Column Scientific Documents

Ada Example, Ben Sample and Cy Placeholder

Abstract

This abstract spans the full width of the page. The approach is evaluated on three collections of scanned and digital documents. Each page is rendered once and every later stage works on that rendering. Regions are located first and their content is recognized afterwards. The order in which regions are read follows the columns of the page.

1 Introduction

Introduction opens in the left column. The approach is evaluated on three collections of scanned and digital documents. Each page is rendered once and every later stage works on that rendering. Regions are located first and their content is recognized afterwards. The order in which regions are read follows the columns of the page. A block that spans both columns separates the text above it from the text below it.

Second introduction paragraph stays in the left column. Regions are located first and their content is recognized afterwards. The order in which regions are read follows the columns of the page. A block that spans both columns separates the text above it from the text below it. Captions are attached to the object they describe and are not read a second time. Running headers and page numbers are kept apart from the body of the document. All coordinates are stored in points with the origin at the top left corner.

Third introduction paragraph closes the left column. A block that spans both columns separates the text above it from the text below it. Captions are attached to the object they describe and are not read a second time. Running headers and page numbers are kept apart from the body of the document. All coordinates are stored in points with the origin at the top left corner. The approach is evaluated on three collections of scanned and digital documents. Each page is rendered once and every later stage works on that rendering.

Fourth introduction paragraph starts the right column. Each page is rendered once and every later stage works on that rendering. Regions are located first and their content is recognized afterwards. The order in which regions are read follows the columns of the page. A block that spans both columns separates the text above it from the text below it. Captions are attached to the object they describe and are not read a second time.

2 Related Work

Related work is discussed in the right column. The order in which regions are read follows the columns of the page. A block that spans both columns separates the text above it from the text below it. Captions are attached to the object they describe and are not read a second time. Running headers and page numbers are kept apart from the body of the document. All coordinates are stored in points with the origin at the top left corner. The approach is evaluated on three collections of scanned and digital documents.

Earlier systems sorted regions from top to bottom. Captions are attached to the object they describe and are not read a second time. Running headers and page numbers are kept apart from the body of the document. All coordinates are stored in points with the origin at the top left corner. The approach is evaluated on three collections of scanned and digital documents. Each page is rendered once and every later stage works on that rendering. Regions are located first and their content is recognized afterwards.

3 Methodology

Methodology begins on the second page. Regions are located first and their content is recognized afterwards. The order in which regions are read follows the columns of the page. A block that spans both columns separates the text above it from the text below it.

3.1 Feature Extraction

Features are computed for every region as Running headers and page numbers are kept apart from the body of the document.

$$z = \frac{x + y}{2} \tag{1}$$

The equation above, Eq. (1), stands inside the left column. All coordinates are stored in points with the origin at the top left corner. The approach is evaluated on three collections of scanned and digital documents.

Right column text above the wide figure. Each page is rendered once and every later stage works on that rendering. Regions are located first and their content is recognized afterwards. The order in which regions are read follows the columns of the page. A block that spans both columns separates the text above it from the text below it. Captions are attached to the object they describe and are not read a second time. Running headers and page numbers are kept apart from the body of the document.

More right column text above the wide figure. A block that spans both columns separates the text above it from the text below it. Captions are attached to the object they describe and are not read a second time. Running headers and page numbers are kept apart from the body of the document. All coordinates are stored in points with the origin at the top left corner.



Figure 1: Overview of the processing stages.

3.2 Training Objective

Below Figure 1 the left column continues the method of Section 3.1. The order in which regions are read follows the columns of the page. A block that spans both columns separates the text above it from the text below it. Captions are attached to the object they describe and are not read a second time. Running headers and page numbers are kept apart from the body of the document. All coordinates are stored in points with the origin at the top left corner.

Another left column paragraph below the figure. Running headers and page numbers are kept apart from the body of the document. All coordinates are stored in points with the origin at the top left corner. The approach is evaluated on three collections of scanned and digital documents. Each page is rendered once and every later stage works on that rendering. Regions are located first and their content is recognized afterwards.

The chart below sits inside the right column. Regions are located first and their content is recognized afterwards. The remaining terms of the objective are weighted by a factor that depends on



Figure 2: Error on three datasets.

the number of training steps completed so far. Captions are attached to the object they describe and are not read a second time. The approach is evaluated on three collections of scanned and digital documents.

4 Experiments

Experiments are reported in the left column and in Table 1. Regions are located first and their content is recognized afterwards. The order in which regions are read follows the columns of the page. A block that spans both columns separates the text above it from the text below it. Captions are attached to the object they describe and are not read a second time. Running headers and page numbers are kept apart from the body of the document.

Right column text above the wide table. Captions are attached to the object they describe and are not read a second time. Running headers and page numbers are kept apart from the body of the document. All coordinates are stored in points with the origin at the top left corner. The approach is evaluated on three collections of scanned and digital documents. Each page is rendered once and every later stage works on that rendering. Regions are located first and their content is recognized afterwards.

Last right column paragraph above the table. Each page is rendered once and every later stage works on that rendering. Regions are located first and their content is recognized afterwards.

Table 1: Results on three datasets.

Dataset	Pages	Regions	Accuracy
Alpha	120	1,840	91.2
Beta	310	4,975	88.7
Gamma	95	1,102	93.5

5 Conclusion

The conclusion is the last section of the body. A block that spans both columns separates the text above it from the text below it. Captions are attached to the object they describe and are not read a second time. Running headers and page numbers are kept apart from the body of the document. All coordinates are stored in points with the origin at the top left corner. The approach is evaluated on three collections of scanned and digital documents.

Final remarks end the left column. All coordinates are stored in points with the origin at the top left corner. The approach is evaluated on three collections of scanned and digital documents. Each page is rendered once and every later stage works on that rendering. Regions are located first and their content is recognized afterwards.

References

[1] A. Author and B. Writer. A study of synthetic documents, part 1. Proceedings of the Workshop on Fixtures, pages 10-19, 2021.

[2] A. Author and B. Writer. A study of synthetic documents, part 2. Proceedings of the Workshop on Fixtures, pages 20-29, 2022.

[3] A. Author and B. Writer. A study of synthetic documents, part 3. Proceedings of the Workshop on Fixtures, pages 30-39, 2023.