1. Model

The quantities used in this section are defined by the following display equation, which is set on a line of its own and centred between the margins of the page.

$$y = mx + b$$

Substituting the definition above into the objective gives the next expression. It is referred to in the text by its number, for example as Eq. (1), where it has one.

$$L = -\sum_{i} y_i \log(p_i) \tag{1}$$

A further relation follows directly. The remaining text of the page is an ordinary paragraph that comes after the last displayed equation.

$$z = \frac{x + y}{2} \tag{2}$$

This paragraph closes the page. It contains running text only, so that every equation is surrounded by body text on both sides as it would be in a paper.

2. Notation

The quantities used in this section are defined by the following display equation, which is set on a line of its own and centred between the margins of the page.

$$\sqrt{x^2 + y^2}$$

Substituting the definition above into the objective gives the next expression. It is referred to in the text by its number, for example as Eq. (1), where it has one.

$$\alpha + \beta = \lambda$$

A further relation follows directly. The remaining text of the page is an ordinary paragraph that comes after the last displayed equation.

$$x_i^2$$

This paragraph closes the page. It contains running text only, so that every equation is surrounded by body text on both sides as it would be in a paper.

3. Derivation

The quantities used in this section are defined by the following display equation, which is set on a line of its own and centred between the margins of the page.

$$\int_{a}^{b} f(x)\,dx \tag{3}$$

Substituting the definition above into the objective gives the next expression. It is referred to in the text by its number, for example as Eq. (1), where it has one.

$$E = mc^{2} \tag{4}$$

A further relation follows directly. The remaining text of the page is an ordinary paragraph that comes after the last displayed equation.

$$A = \begin{bmatrix} a & b \\ c & d \end{bmatrix} \tag{5}$$

This paragraph closes the page. It contains running text only, so that every equation is surrounded by body text on both sides as it would be in a paper.

4. Further identities

The quantities used in this section are defined by the following display equation, which is set on a line of its own and centred between the margins of the page.

$$\begin{aligned} f(x) &= (x+1)^2 \\ &= x^2 + 2x + 1 \end{aligned} \tag{6}$$

Substituting the definition above into the objective gives the next expression. It is referred to in the text by its number, for example as Eq. (1), where it has one.

$$x_0 \times l_1 = 10$$

A further relation follows directly. The remaining text of the page is an ordinary paragraph that comes after the last displayed equation.

$$\lambda A = a - \alpha$$

This paragraph closes the page. It contains running text only, so that every equation is surrounded by body text on both sides as it would be in a paper.