TC.LOG.001 - User Want Login using Valid Email and Password

Validation User Succes To Login

SeverityPriorityBehaviorType♠ Critical↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Automated

Status Is Muted

Actual No

Tags

API-Login, Positive-Test-Case

Scenario

Given User set Post Login API endpoint When User send POST HTTPS Request using valid Email and Password Then User receive valid HTTP response code 200 And User receive Success Message

TC.LOG.002 - User Want To Login With Wrong Format Email and Password

Validation User Failed To Login

Severity **Priority Behavior Type** ☆ Critical ↑ High Negative **Functional** Layer Is Flaky Milestone **Automation Automated** API No **Status** Is Muted

......

Actual No

Tags

API-Login, Negative-Test-Case

Scenario

Given User set Post Login API endpoint When User send POST HTTPS Request using Invalid Email and Password Then User receive Invalid HTTP response code 422 And User receive Error Message

TC.LOG.003 - User Want To Login Using SSO Email

Validation User Succes To Login

SeverityPriorityBehaviorType♠ Critical↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Automated

Status Is Muted

Actual No

Tags

API-Login, Positive-Test-Case

Scenario

Given User set Post Login API endpoint When User send POST HTTPS Request using SSO Email Then User receive valid HTTP response code 200 And User receive Success Message No

TC.LOG.004 - User Want To Login With Unregistered Email and Password

Validation User Failed To Login Because Email and Password is Unregistered

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status	Is Muted		

Tags

Actual

API-Login, Negative-Test-Case

Scenario

Given User set Post Login API endpoint When User send POST HTTPS Request using Wrong Unregistered Email and Password Then User receive HTTP response code 401 And User receive Error Message that Email or Password is Incorrect

TC.LOG.005 - User Want To Login Without input Email and Password

Validation User Failed To Login Because User Not Input Email and Password

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status	Is Muted		
Actual	No		

Tags

Negative-Test-Case, API-Login

Scenario

Given User set Post API endpoint When User send POST HTTPS Request Without Input Email and Password Then User receive HTTP response code 422 And User receive Error Message

TC-RG-001 - User register using blank form-data

Ensure user is able to register using valid e-mail and password

No

Severity	Priority	Behavior	Туре
○ Blocker	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
API	No	-	Should be automated
Status	Is Muted		

Post-conditions

User is able to register

Tags

Draft

Register, Positive-Test-Case

Scenario

Given User set Post Login API endpoint When User send blank form-data Email And User send blank form-data Password And User send blank form-data fullname Then User receive valid HTTP response code 422

TC-RG-002 - User want to register using Google SSO

Severity **Priority Behavior Type O** Blocker Positive **Functional** ↑ High Layer Is Flaky Milestone **Automation** API Manual No Status Is Muted Actual No

Tags

Register, API-Register

Parameters

Email: rake.januaryo@binar.co.id

Password: Example123* Fullname: Rake Januaryo

Scenario

Given User set Post Login API endpoint When User send form-data Email And User send form-data Password And User send form-data fullname

Then User receive valid HTTP response code 201

And User receive OTP

TC-RG-003 - User want manually create account to register

Severity **Priority Behavior Type O** Blocker Positive **Functional** ↑ High Layer Is Flaky Milestone **Automation** API Manual No Status Is Muted Actual No

Pre-conditions

endpoint /api/v1/register?oauth=true

Post-conditions

user recieve response 201 and OTP

Tags

Register, API-Register

Parameters

Email: rake.januaryo@binar.co.id

Password: Example23! Fullname: Rake Januaryo

Scenario

Given User set Post Login API endpoint When User send form-data Email And User send form-data Password And User send form-data fullname Then User receive valid HTTP response code 201

And User receive OTP

TC-RG-004 - User want to register using registered email

Severity Priority **Behavior** Type Other O Normal Not set Not set Milestone Layer Is Flaky **Automation** Not set No Manual Status Is Muted Actual No

TC.SRP.001 - User Want To Send Reset Password To Email

User Want To Send Reset Password To Email

SeverityPriorityBehaviorTypeO Normal- Not setPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Automated

Status Is Muted

Actual No

Pre-conditions

Email Already in Login Page

Post-conditions

Email for Reset Password Sent Successfully

Tags

API-Send-Reset-Password, Positive-Test-Case

Scenario

Given User Reset Password and Sent To Email When User Post Reset Password Using API Then API Send Success Message

TC.SRP.002 - User Want To Send Reset Password to Invalid Email

User Want To Send Reset Password To Unregistered Email

Severity	Priority	Behavior	Туре
O Normal	Not set	Negative	Functional
Layer	ls Flaky	Milestone	Automation
API	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

Email Already in Login Page

Post-conditions

Email for Reset Password Sent Successfully

Tags

Negative-Test-Case, API-Send-Reset-Password

Scenario

Given User Reset Password and Sent To Unregistered Email When User Post Reset Password Using API

Then API Send Error Message

TC.SRP.003 - User Want To Send Reset Password without input Email

User Want To Send Reset Password without input Email

No

Severity	Priority	Behavior	Туре
O Normal	Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

Email Already in Login Page

Post-conditions

Email for Reset Password Sent Successfully

Tags

Negative-Test-Case, API-Send-Reset-Password

Scenario

Given User set Post API endpoint When User send POST HTTPS Request without input Email for Reset Password Then User receive HTTP response code 422 And User receive Error Message

TC.RP.001 - User Want To Reset Password With Valid Password

User Want To Reset Password With Correct Password

SeverityPriorityBehaviorTypeO Normal- Not setPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Automated

Status Is Muted

Actual No

Tags

API-Reset-Password, Positive-Test-Case

Scenario

Given User set Post API endpoint When User send POST HTTPS Request using valid password To Reset Password Then User receive HTTP response code 200 And User receive Success Message

TC.RP.002 -User Want To Reset Password With Invalid Password

User Want To Reset Password With Correct Password

SeverityPriorityBehaviorTypeO Normal— Not setNegativeFunctionalLayerIs FlakyMilestoneAutomationAPINo-Automated

Status Is Muted

Actual No

Tags

API-Reset-Password, Negative-Test-Case

Scenario

Given User set Post API endpoint When User send POST HTTPS Request using invalid password To Reset Password Then User receive HTTP response code 422 And User receive Error Message

TC.RP.003 - User Want To Reset Password Without Input Email and Password

User Want To Reset Password Without Input Email and Password

Severity	Priority	Behavior	Туре
O Normal	Not set	Negative	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status	Is Muted		
Actual	No		

Tags

API-Reset-Password, Negative-Test-Case

Scenario

Given User set Post API endpoint When User send POST HTTPS Request To Reset Password Without Input Email and Password Then User receive HTTP response code 422 And User receive Error Message

TC.RP.004 - User Want To Reset Password Without input Email

User Want To Reset Password Without Input Email and Password

SeverityPriorityBehaviorTypeO Normal- Not setNegativeFunctionalLayerIs FlakyMilestoneAutomationAPINo-Automated

Status Is Muted

Actual No

Tags

API-Reset-Password, Negative-Test-Case

Scenario

Given User set Post API endpoint When User send POST HTTPS Request To Reset Password Without input Email Then User receive HTTP response code 422 And User receive Error Message

TC.RP.005 - User Want To Reset Password Without input Password

User Want To Reset Password Without Input Email and Password

Severity **Priority Behavior Type** O Normal - Not set Negative **Functional** Layer Is Flaky Milestone **Automation Automated** API No **Status** Is Muted Actual No

Tags

API-Reset-Password, Negative-Test-Case

Scenario

Given User set Post API endpoint When User send POST HTTPS Request To Reset Password Without input Password Then User receive HTTP response code 422 And User receive Error Message

TC.OTP.001 - User Input OTP and Success Verify Email

User Succes To Verify Email after Input OTP Code

SeverityPriorityBehaviorType♠ Critical↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Automated

Status Is Muted

Actual No

Tags

API-OTP, Positive-Test-Case

Scenario

Given User Input Code OTP When User Post Code OTP Using API Then API Send Success Message

TC.OTP.002 - User Input OTP and Failed To Verify Email

User Failed To Verify Email after Input OTP Code

SeverityPriorityBehaviorType♠ Critical↑ HighNegativeFunctionalLayerIs FlakyMilestoneAutomationAPINo-Automated

Status Is Muted

Actual No

Tags

API-OTP, Negative-Test-Case

Scenario

Given User Input Code OTP When User Post Code OTP Using API Then API Send Error Message

TC.OTP.003 - User Input OTP and Get Error OTP doesnt not exist

User Input OTP and Get Error OTP doesnt not exist

SeverityPriorityBehaviorType♠ Critical↑ HighNegativeFunctionalLayerIs FlakyMilestoneAutomationAPINo-Automated

Status Is Muted

Actual No

Tags

API-OTP, Negative-Test-Case

Scenario

Given User Input Code OTP When User Post Code OTP Using API

Then API Send Failed Message that OTP doenst not exist

TC.FR.001 - User Want To Follow Recommendations With Login

User Succes To Follow Recomendation

SeverityPriorityBehaviorType☆ Critical↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Automated

Status Is Muted

Actual No

Tags

Positive-Test-Case, Follow-Recomendation

Scenario

Given User set API endpoint When User send Get HTTPS Request For Follow Recommendations With Login Then User receive HTTP response code 200 And User receive Success Message

TC.FR.002 - User Want To Follow Recommendations Without Login

User Failed To Follow Recomendation Because User Not Login

Severity	Priority	Behavior	Туре
♠ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Automated
Status	Is Muted		
Actual	No		

Tags

Follow-Recomendation, Negative-Test-Case

Scenario

Given User set API endpoint When User send Get HTTPS Request For Follow Recommendations Without Login Then User receive HTTP response code 401 And User receive Error Message

TC.OUO.001 - Unfollow Other User by User id

User Succes To Follow Other User

SeverityPriorityBehaviorType★ Critical↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Automated

Status Is Muted

Actual No

Tags

Positive-Test-Case, Follow-Recomendation

Scenario

Given User set API endpoint When User send Delete HTTPS Request For Unfollow Another User Then User receive HTTP response code 200 And User receive Success Message

TC.UOU.002 - Unfollow Other User by User id No Auth

User Failed To Follow Other User

SeverityPriorityBehaviorType♠ Critical↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Automated

Status Is Muted

Actual No

Tags

Follow-Recomendation, Negative-Test-Case

Scenario

Given User set API endpoint When User send Delete HTTPS Request For Unfollow Another User No Auth Then User receive HTTP response code 401 And User receive Error Message

TC.FOU.001 - Follow Other User by User id

User Succes To Follow Other User

SeverityPriorityBehaviorType♠ Critical↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Automated

Status Is Muted

Actual No

Tags

Positive-Test-Case, Follow-Recomendation

Scenario

Given User set API endpoint When User send Post HTTPS Request For Follow Another User Then User receive HTTP response code 200 And User receive Success Message

TC.FOU.002 - Follow Other User by User id No Auth

User Failed To Follow Other User

SeverityPriorityBehaviorType☆ Critical↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Automated

Status Is Muted

Actual No

Tags

Follow-Recomendation, Negative-Test-Case

Scenario

Given User set API endpoint When User send Post HTTPS Request For Follow Another User No Auth Then User receive HTTP response code 401 And User receive Error Message

TC.P.001 - User Want To Create New Post

User Want To Create New Post

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
	y	rinestone	Automation

Status Is Muted

Actual No

Tags

API-Post, Positive-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Create New Post Then User receive HTTP response code 201 And User receive Success Message

TC.P.002 - User Want To Create New Post Without Login

User Want To Create New Post Without Login

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Create New Post Without Login Then User receive HTTP response code 401 And User receive Error Message

TC.P.003 - User Want To Create New Post Validation Error

User Want To Create New Post Validation Error

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
•	,		71010111011
API	No	-	Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Create New Post Validation Error Then User receive HTTP response code 422 And User receive Error Message

TC.P.004 - User Want To Comment Post

User Want To Comment Post

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Positive-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Comment Post Then User receive HTTP response code 201 And User receive Success Message

TC.P.005 - User Want To Comment Post Validation Error

User Want To Comment Post Validation Error

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Comment Post Validation Error Then User receive HTTP response code 422 And User receive Error Message

TC.P.006 - User Want To Comment Post Wrong Format

User Want To Comment Post Wrong Format

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint
When User send POST HTTPS Request For Comment Post Wrong Format File
Then User receive HTTP response code 415
And User receive Error Message

TC.P.007 - User Want To Comment Post Many Files

User Want To Comment Post Many Files

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Comment Post Many Files Then User receive HTTP response code 400 And User receive Error Message

TC.P.008 - User Want To Comment Post Large Size

User Want To Comment Post Large Size

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Comment Post Large Size Then User receive HTTP response code 413 And User receive Error Message

TC.P.009 - User Want To Comment Post Data Not Found

User Want To Comment Post Data Not Found

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Comment Post Data Not Found Then User receive HTTP response code 404 And User receive Error Message

TC.P.010 - User Want To Reply Comment Post

User Want To Reply Comment Post

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Positive-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Replay Comment Then User receive HTTP response code 201 And User receive Success Message

TC.P.011 - User Want To Reply Comment Post Validation Error

User Want To Reply Comment Post Validation Error

Priority Behavior Severity **Type** Major ↑ High Positive **Functional** Milestone **Automation** Layer Is Flaky API Manual No **Status** Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Replay Comment Validation Error Then User receive HTTP response code 422 And User receive Error Message

TC.P.012 - User Want To Reply Comment Post Wrong Format

User Want To Reply Comment Post Wrong Format

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Manual
_			

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Replay Comment Wrong Format Then User receive HTTP response code 415 And User receive Error Message

TC.P.013 - User Want To Reply Comment Post Many Files

User Want To Reply Comment Post Many Files

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Replay Comment Many Files Then User receive HTTP response code 400 And User receive Error Message

TC.P.014 - User Want To Reply Comment Post Large Size

User Want To Reply Comment Post Large Size

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Replay Comment Large Size Then User receive HTTP response code 413 And User receive Error Message

TC.P.015 - User Want To Reply Comment Post Not Found

User Want To Reply Comment Post Large Size

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Replay Comment Not Found Then User receive HTTP response code 404 And User receive Error Message

TC.P.016 - User Want To Reply Comment Post No Auth

User Want To Reply Comment Post No Auth

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Replay Comment No Auth Then User receive HTTP response code 401 And User receive Error Message

TC.P.017 - User Want To Report Post

User Want To Report Post

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Positive-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Report Post Then User receive HTTP response code 200 And User receive Success Message

TC.P.018 - User Want To Report Post Validation Error

User Want To Report Post Validation Error

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Report Post Validation Error Then User receive HTTP response code 422 And User receive Error Message

TC.P.019 - User Want To Report Post No Auth

User Want To Report Post No Auth

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Report Post No Auth Then User receive HTTP response code 401 And User receive Error Message

TC.P.020 - User Want To Like Post

User Want To Like Post

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Manual

Status Is Muted

Actual No

Tags

Positive-Test-Case, API-Post

Scenario

Given User set API endpoint When User send POST HTTPS Request For Like Post Then User receive HTTP response code 200 And User receive Success Message

TC.P.021 - User Want To Like Post Not Found

User Want To Like Post Not Found

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Like Post Not Found Then User receive HTTP response code 404 And User receive Error Message

TC.P.022 - User Want To Like Post No Auth

User Want To Like Post No Auth

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Like Post No Auth Then User receive HTTP response code 401 And User receive Error Message

TC.P.023 - User Want To Unlike Post

No

User Want To Unlike Post

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Manual
Status	Is Muted		

Tags

Actual

Positive-Test-Case, API-Post

Scenario

Given User set API endpoint When User send DELETE HTTPS Request For Unlike Post Then User receive HTTP response code 200 And User receive Success Message

TC.P.024 - User Want To Unlike Post Not Found

User Want To Unlike Post Not Found

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	_	Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send DELETE HTTPS Request For Unlike Post Not Found Then User receive HTTP response code 404 And User receive Error Message

TC.P.025 - User Want To Unlike Post No Auth

User Want To Unlike Post No Auth

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send DELETE HTTPS Request For Unlike Post No Auth Then User receive HTTP response code 401 And User receive Error Message

TC.P.026 - User Want To Like Post Comment

User Want To Like Post Comment

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
•			
Layer	Is Flaky	Milestone	Automation
API	No	Milestone -	Automation Manual

Status Is Muted

Actual No

Tags

Positive-Test-Case, API-Post

Scenario

Given User set API endpoint When User send POST HTTPS Request For Like Post Comment Then User receive HTTP response code 200 And User receive Success Message

TC.P.027 - User Want To Like Post Not Found Comment

User Want To Like Post Not Found Comment

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Like Post Not Found Comment Then User receive HTTP response code 404 And User receive Error Message

TC.P.028 - User Want To Like Post No Auth Comment

User Want To Like Post No Auth Comment

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Like Post No Auth Comment Then User receive HTTP response code 401 And User receive Error Message

TC.P.029 - User Want To Unlike Post Comment

User Want To Unlike Post Comment

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
API	No	-	Manual

Status Is Muted

Actual No

Tags

Positive-Test-Case, API-Post

Scenario

Given User set API endpoint When User send DELETE HTTPS Request For Unlike Post Comment Then User receive HTTP response code 200 And User receive Success Message

TC.P.030 - User Want To Unlike Post Not Found Comment

User Want To Unlike Post Not Found Comment

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send DELETE HTTPS Request For Unlike Post Not Found Comment Then User receive HTTP response code 404 And User receive Error Message

TC.P.031 - User Want To Unlike Post No Auth Comment

User Want To Unlike Post No Auth Comment

Priority	Behavior	Туре
↑ High	Positive	Functional
Is Flaky	Milestone	Automation
No	-	Manual
	↑ High Is Flaky	↑ High Positive Is Flaky Milestone

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send DELETE HTTPS Request For Unlike Post No Auth Comment Then User receive HTTP response code 401 And User receive Error Message

TC.P.032 - User Want To Update Post

User Want To Update Post

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

Positive-Test-Case, API-Post

Scenario

Given User set API endpoint When User send PATCH HTTPS Request For Update Post Then User receive HTTP response code 200 And User receive Success Message

TC.P.033 - User Want To Update Post No Auth

User Want To Update Post No Auth

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send PATCH HTTPS Request For Update Post No Auth Then User receive HTTP response code 401 And User receive Error Message

TC.P.034 - User Want To Update Post Not Found

User Want To Update Post Not Found

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send PATCH HTTPS Request For Update Post Not Found Then User receive HTTP response code 404 And User receive Error Message

TC.P.035 - User Want To Repost Post

User Want To Repost Post

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

Positive-Test-Case, API-Post

Scenario

Given User set API endpoint When User send POST HTTPS Request For Repost Post Then User receive HTTP response code 200 And User receive Success Message

TC.P.036 - User Want To Repost Post Not Found

User Want To Repost Post Not Found

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Repost Post Not Found Then User receive HTTP response code 404 And User receive Error Message

TC.P.037 - User Want To Repost Post No Author

User Want To Repost Post No Author

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Repost Post No Author Then User receive HTTP response code 401 And User receive Error Message

TC.P.038 - User Want To Repost Self Post

User Want To Repost Self Post

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
Layer	Is Flaky	Milestone	Automation

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Repost Self Post Then User receive HTTP response code 422 And User receive Error Message

TC.P.039 - User Want To Unrepost Post

User Want To Unrepost Post

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

Positive-Test-Case, API-Post

Scenario

Given User set API endpoint When User send POST HTTPS Request For Unrepost Then User receive HTTP response code 200 And User receive Success Message

TC.P.040 - User Want To Unrepost Post Not Found

User Want To Unrepost Post Not Found

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Unrepost Not Found Then User receive HTTP response code 404 And User receive Error Message

TC.P.041 - User Want To Unrepost Post No Author

User Want To Unrepost Post No Author

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Unrepost No Author Then User receive HTTP response code 401 And User receive Error Message

TC.P.042 - User Want To Upload Image For Create Post

User Want To Upload Image For Create Post

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

Positive-Test-Case, API-Post

Scenario

Given User set API endpoint When User send POST HTTPS Request For Upload Image For Create Post Then User receive HTTP response code 201 And User receive Success Message

TC.P.043 - User Want To Upload Image For Create Post Not Found

User Want To Upload Image For Create Post Not Found

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Manual
Status	Is Muted		
Actual	No		

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Create New Post Not Found Then User receive HTTP response code 404 And User receive Error Message

TC.P.044 - User Want To Upload Image For Create Post Many Image

User Want To Upload Image For Create Post Many Image

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
API	No	-	Manual
Status	Is Muted		
Actual	No		

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Create New Post Many Image Then User receive HTTP response code 400 And User receive Error Message

TC.P.045 - User Want To Upload Image For Create Post Large Size File

User Want To Upload Image For Create Post Large Size File

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Manual
Status	Is Muted		
Actual	No		

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Create New Post Large Size File Then User receive HTTP response code 413 And User receive Error Message

TC.P.046 - User Want To Upload Image For Create Post Wrong Format

User Want To Upload Image For Create Post Wrong Format

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Manual
Status	Is Muted		
Actual	No		

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send POST HTTPS Request For Create New Post Wrong Format Then User receive HTTP response code 415 And User receive Error Message

TC.P.047 - User Want To Update Image For Create Post

User Want To Update Image For Create Post

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

Positive-Test-Case, API-Post

Scenario

Given User set API endpoint When User send PUT HTTPS Request For Upload Image For Create Post Then User receive HTTP response code 200 And User receive Success Message

TC.P.048 - User Want To Update Image For Create Post Not Found

User Want To Update Image For Create Post Not Found

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Manual
Status	Is Muted		
Actual	No		

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send PUT HTTPS Request For Create New Post Not Found Then User receive HTTP response code 404 And User receive Error Message

TC.P.049 - User Want To Update Image For Create Post Many Image

User Want To Update Image For Create Post Many Image

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
API	No	-	Manual
Status	Is Muted		
Actual	No		

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send PUT HTTPS Request For Create New Post Many Image Then User receive HTTP response code 400 And User receive Error Message

TC.P.050 - User Want To Update Image For Create Post Large Size File

User Want To Update Image For Create Post Large Size File

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Manual
Status	Is Muted		
Actual	No		

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send PUT HTTPS Request For Create New Post Large Size File Then User receive HTTP response code 413 And User receive Error Message

TC.P.051 - User Want To Update Image For Create Post Wrong Format

User Want To Update Image For Create Post Wrong Format

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Manual
Status	Is Muted		
Actual	No		

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send PUT HTTPS Request For Create New Post Wrong Format Then User receive HTTP response code 415 And User receive Error Message

TC.P.052 - User Want To Delete Post

User Want To Delete Post

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

Positive-Test-Case, API-Post

Scenario

Given User set API endpoint When User send DELETE HTTPS Request For Delete Post

Then User receive HTTP response code 200

TC.P.053 - User Want To Delete Post Not Found

User Want To Delete Post Not Found

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	_	Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send DELETE HTTPS Request For Delete Post Not Found Then User receive HTTP response code 404 And User receive Error Message

TC.P.054 - User Want To Delete Post No Auth

User Want To Delete Post No Auth

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send DELETE HTTPS Request For Delete Post No Auth Then User receive HTTP response code 401 And User receive Error Message

TC.P.055 - User Want To Get All

User Want To Get All

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Manual

Status Is Muted

Actual No

Tags

API-Post, Positive-Test-Case

Scenario

Given User set API endpoint When User send Get HTTPS Request For Get All Then User receive HTTP response code 200 And User receive Success Message

TC.P.056 - User Want To Get All No Auth

User Want To Get All No Auth

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send Get HTTPS Request For Get All No Auth Then User receive HTTP response code 401 And User receive Error Message

TC.P.057 - User Want To Get All Post Comment

User Want To Get All Post Comment

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Positive-Test-Case

Scenario

Given User set API endpoint When User send Get HTTPS Request For Get All Post Comment Then User receive HTTP response code 200 And User receive Success Message

TC.P.058 -User Want To Get All Post Comment No Auth

User Want To Get All Post Comment No Auth

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send Get HTTPS Request For Get All Post Comment No Auth Then User receive HTTP response code 401 And User receive Error Message

TC.P.059 - User Want To Get All Detail Post

Is Muted

No

User Want To Get All Post Comment

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
<u>-</u>	•		
API	No	-	Manual

Tags

Status

Actual

API-Post, Positive-Test-Case

Scenario

Given User set API endpoint When User send Get HTTPS Request For Get All Detail Post Then User receive HTTP response code 200 And User receive Success Message

TC.P.060 -User Want To Get All Detail Post Not Found

User Want To Get All Detail Post Not Found

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
API	No	-	Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send Get HTTPS Request For Get All Detail Post Not Found Then User receive HTTP response code 404 And User receive Error Message

TC.P.061 - User Want To Get All Reply

User Want To Get All Reply

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Positive-Test-Case

Scenario

Given User set API endpoint When User send Get HTTPS Request For Get All Reply Then User receive HTTP response code 200 And User receive Success Message

TC.P.062 - User Want To Get All Reply No Auth

User Want To Get All Reply No Auth

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Lavor	ls Flaky	Milestone	Automation
Layer	is riaky	Milestone	Automation
API	No	-	Manual

Actual No

Tags

Status

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send Get HTTPS Request For Get All Reply No Auth Then User receive HTTP response code 401 And User receive Error Message

Is Muted

TC.P.063 - User Want To Get All Post By User ID

User Want To Get All Post By User ID

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Positive-Test-Case

Scenario

Given User set API endpoint When User send Get HTTPS Request For Get All Post By User ID Then User receive HTTP response code 200 And User receive Success Message

TC.P.064 - User Want To Get All Post By User ID No Auth

User Want To Get All Post By User ID No Auth

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send Get HTTPS Request For Get All Post By User ID No Auth Then User receive HTTP response code 401 And User receive Error Message

TC.P.065 - User Want To Get All By User ID

User Want To Get All By User ID

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Positive-Test-Case

Scenario

Given User set API endpoint When User send Get HTTPS Request For Get All By User ID Then User receive HTTP response code 200 And User receive Success Message

TC.P.066 - User Want To Get All By User ID No Auth

User Want To Get All By User ID No Auth

SeverityPriorityBehaviorType^ Major^ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationAPINo-Manual

Status Is Muted

Actual No

Tags

API-Post, Negative-Test-Case

Scenario

Given User set API endpoint When User send Get HTTPS Request For Get All By User ID No Auth Then User receive HTTP response code 401 And User receive Error Message