TC.LOG.001 - User Login With Valid Credential

User Want To Login Use Valid Credential

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User access Website Profiln Login Page

Post-conditions

User Direct to Homepage

Tags

Login, Positive-Test-Case

Parameters

Email: fazri.egi@binar.co.id
Password: Coba123!

Scenario

Given User go to Profiln Website
When User Fill Valid Credential
And User Click Login
Then User Should be Directed to Homepage

TC.LOG.002 - User Login With Invalid Credential

User Want To Login Use invalid Credential

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User access Website Profiln Login Page

Post-conditions

User Get Alert Wrong Email or Password

Tags

Negative-Test-Case, Login

Parameters

Email: egi123@mail.com
Password: Coba123!

Scenario

Given User go to Profiln Website
When User Fill Unregistered Email and Password
And User Click Login
Then User Should be get Notification that Email atau Password Salah

TC.LOG.003 - User Login With Empty Field Email

User Want To Login with Empty Field Email

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	Yes	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User access Website Profiln Login Page

Post-conditions

The login button cannot be clicked if the form is not filled out

Tags

Negative-Test-Case, Login

Parameters

Password: 123456

Scenario

Given User go to Profiln Website
When User Fill Password Only
Then The Login Button Remains Disabled
And User Should be get Notification Error For Email

TC.LOG.004 - User Login With Empty Password

User Want To Login with Empty Password

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

User access Website Profiln Login Page

Post-conditions

The login button cannot be clicked if the form is not filled out

Tags

Negative-Test-Case, Login

Parameters

Email: coba@gmail.com

Scenario

Given User go to Profiln Website
When User Fill Email Only
Then The Login Button Remains Disabled
And User Should be get Notification Error For Password

TC.LOG.005 - User Login By Entering Email Without Correct Email Format

User want to Login By Entering Email Without Correct Email Format

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Manual
Status	**Is Muted**		
Actual	No		

Pre-conditions

User already in login page

Post-conditions

get alert that Maaf penulisan email belum tepat. Misal: name@email.com

Tags

Login, Negative-Test-Case

Scenario

Given User go to Profiln Website
When User Fill Email Without Correct Email Format
Then User Should be get Notification Error For Email

TC.LOG.006 - User Login Use a Unregistered Google Account

User Want To Login With a Unregistered Google Account

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	Yes	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User access Website Profiln Login Page

Post-conditions

User Redirect To Google Login Page

Tags

Positive-Test-Case, Login

Parameters

Email: coba@gmail.com
Password: 123456

Scenario

Given User go to Profiln Website
When User Klik Login Using Google
Then User Fill Registered Account Google

TC.LOG.007 - User Want To Hide Password
User Click Eye Icon for Hide or Unhide Password

Severity	**Priority**	**Behavior**	**Type**
O Normal	O Medium	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User access Website Profiln Login Page

Post-conditions

Password can hide or unhide that can be see by user

Tags

Login, Positive-Test-Case

Parameters

Email: coba@gmail.com
Password: 123456

Scenario

Given User go to Profiln Website
When User Fill Registered Email and Password
And User Klik Eye Icon
Then User Can Hide Password

TC.LOG.008 - User Login With input <8 karakter Password

User Want to Login With input <8 karakter Password

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
E2E	Yes	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User access Website Profiln Login Page

Post-conditions

User Get Alert Minimal Password 8 Karakter

Tags

Negative-Test-Case, Login

Parameters

Email: coba@gmail.com
Password: 123456

Scenario

Given User go to Profiln Website
When User Fill User Fill Kurang Dari 8 karakter Password
Then User Should be get Notification that Minimal 8 Karakter

TC.LOG.009 - User Check box " Remember Me ?"

User Want To Login Use Valid Email and Password

Severity	Priority	Behavior	Type
O Normal	O Medium	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	Yes	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User access Website Profiln Login Page

Post-conditions

User Can Click Check box "Remember Me?"

Tags

Login, Positive-Test-Case

Parameters

Email: coba@gmail.com
Password: 123456

Scenario

Given User go to Profiln Website
When User Checked Remember Me? box
Then The Remember Me Box Is Successfully Checked

TC.LOG.010 - User Login By Entering Password Without Any Spesial Characters

User want to Login By Entering Password Without Any Spesial Characters

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
E2E	Yes	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User access Website Profiln Login Page

Post-conditions

User Get Minimal Berisi Satu karakter spesial dan bukan underscore'_'

Tags

Negative-Test-Case, Login

Parameters

Email: coba@gmail.com
Password: 123456

Scenario

Given User go to Profiln Website
When User Fill Password Without Any Spesial Characters
Then User Should be get Notification that Minimal berisi satu karakter spesial dan bukan underscore \'_\'

TC.LOG.011 - User Click Forget Password

User want to forgot password

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
E2E	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User access Website Profiln Login Page

Post-conditions

User Direct To Forgot Password Page

Tags

Login, Positive-Test-Case

Scenario

Given User go to Profiln Website
When User Klik Forgot Password
Then User Should be Directed to Forgot Password Page

TC.LOG.012 - User Click Daftar Di Sini

User want to Registered Account

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
E2E	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User access Website Profiln Login Page

Post-conditions

User Driect To Registration Page

Tags

Login, Positive-Test-Case

Scenario

Given User go to Profiln Website
When User Klik Register now in "haven\'t chosen an account yet? (Register now)"
Then User Should be Directed to Registration Page

TC.LOG.013 - User Want To Unhide Password

User Click Eye Icon for Hide or Unhide Password

Severity	**Priority**	**Behavior**	**Type**
O Normal	O Medium	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User access Website Profiln Login Page

Post-conditions

Password can hide or unhide that can be see by user

Tags

Login, Positive-Test-Case

Parameters

Email: coba@gmail.com
Password: 123456

Scenario

Given User go to Profiln Website
When User Fill Registered Email and Password
And User Klik Eye Icon
Then User Can Unhide Password

TC.LOG.014 - User Uncheck box " Remember Me ?"

User Want To Login Use Valid Email and Password

Severity	**Priority**	**Behavior**	**Type**
O Normal	O Medium	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	Yes	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User access Website Profiln Login Page

Post-conditions

User Can Click Check box "Remember Me?"

Tags

Login, Positive-Test-Case

Parameters

Email: coba@gmail.com
Password: 123456

Scenario

Given User go to Profiln Website
When User unchecked Remember Me? box
Then The Remember Me Box Is Successfully unchecked

TC.LOG.015 - User Login With input <10 karakter Email

User Wan To Login With input <10 karakter Email

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Manual

Status	Is Muted		
Actual	No		

Pre-conditions

User already in login page

Post-conditions

get alert that email minimal 10 karakter

Tags

Login, Negative-Test-Case

Scenario

Given User go to Profiln Website
When User Fill User Fill Kurang Dari 10 karakter Email
Then User Should be get Notification Error For Email

TC.LOG.016 - User Login By Entering Password Without Any Upper Case

User want to Login By Entering Password Without Any Spesial Characters

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
E2E	Yes	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User access Website Profiln Login Page

Post-conditions

Minimal berisi satu karakter huruf besar

Tags

Negative-Test-Case, Login

Parameters

Email: coba@gmail.com
Password: 123456

Scenario

Given User go to Profiln Website
When User Fill Password Without Any Uppercase
Then User Should be get Notification Error For Password

TC.RG001 - User register using valid e-mail and password

Ensure user is able to register using valid e-mail and password

Severity	Priority	Behavior	Type
🚫 Blocker	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Draft	No		

Pre-conditions

User already in login page

Post-conditions

User is able to register

Tags

Register, Positive-Test-Case

Parameters

E-mail: testernj@gmail.com
Password: 1$4mp418

Scenario

Given User already in the login page
When User input e-mail
And User input password
And User click button register
Then User will get OTP
And User input OTP
Then User will redirect to Homepage

TC.RG002 - User register with blank email and password

ensure user won't be able register without typing email and password

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Functional

Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	Yes	-	Should be automated

Status	**Is Muted**		
Draft	No		

Pre-conditions

user don't have account and already in login page

Post-conditions

user get error message

Tags

Register

Scenario

When user click button register
Then user get error message

TC.RG003 - User register with valid e-mail only

ensure user won't be able register just using e-mail

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	Yes	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User already in Login page

Post-conditions

User get error message

Tags

Register

Parameters

E-mail: testernj@gmail.com

Scenario

Given user input e-mail
And user click register
Then then user get error massage

TC.RG004 - User register with valid password only

ensure user can't register without e-mail

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Not set	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in login page

Post-conditions

user will get error message

Tags

Register

Parameters

Password: 1$4mp418

Scenario

Given user input password
And user click register button
Then user get error message

TC.RG005 - User register without e-mail and password

ensure user can't register without e-mail

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Not set	Functional

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in login page

Post-conditions

user will get error message

Tags

Register, Negative-Test-Case

Scenario

Given user click register button
Then user get error message

TC.RG006 - User register with 8 letters password only

User try to register with 8 letters password only

Severity	Priority	Behavior	Type
︿ Major	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Draft	No		

Pre-conditions

user already in register page

Post-conditions

user won't be able to register and**there will be a warning.**

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 8 letters
And user check the register button
And user click register
Then register button disable and there will be a warning

TC.RG007 - User register with 8 numbers password only

user try to register with 8 number passsword only

Severity	Priority	Behavior	Type
∧ Major	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Draft	No		

Pre-conditions

user already in register page

Post-conditions

user won't be able to register and there will be warning

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 8 numbers password
And user check the check box
Then user register button is disable
And there will be warning

TC.RG008 - User register with 8 characters password only

user want to register using 8 characters password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in register page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 8 characters password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG009 - User register with 7 numbers password only

user want to register using 7 numbers password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in register page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 7 number password only
And user click register button
Then user will getwarning massage

TC.RG010 - User register with 7 letters password only

user want to register using 7 letters password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in register page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 7 letters password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG011 - User register with 7 characters password only

user want to register using 7 characters password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Positive	Security
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	Yes	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

user already in register page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 7 characters password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG012 - User register with 6 letters password only

user want to register using 6 letters password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in register page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 6 letters password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG013 - User register with 6 characters password only

user want to register using 6 characters password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in register page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 6 characters password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG014 - User register with 6 numbers password only

user want to register using 6 numbers password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in register page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 6 numbers password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG015 - User register with 5 numbers password only

user want to register using 5 numbers password only when input password field

Severity	Priority	Behavior	Type
ᐱ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in register page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 5 numbers password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG016 - User register with 5 letters password only

user want to register using 5 letters password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in register page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 5 letters password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG017 - User register with 5 characters password only

user want to register using 5 characters password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in register page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 5 characters password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG018 - User register with 4 characters password only

user want to register using 4 characters password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in register page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 4 characters password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG019 - User register with 4 numbers password only

user want to register using 4 numbers password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in register page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 4 numbers password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG020 - User register with 4 letters password only

user want to register using 4 letters password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in letters page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 4 letters password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG021 - User register with 3 letters password only

user want to register using 3 letters password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

user already in letters page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 3 letters password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG022 - User register with 3 numbers password only

user want to register using 3 numbers password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

user already in letters page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 3 numbers password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG023 - User register with 3 characters password only

user want to register using 3 characters password only when input password field

Severity	Priority	Behavior	Type
�A Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in letters page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 3 characters password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG024 - User register with 2 characters password only

user want to register using 2 characters password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in letters page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 2 characters password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG025 - User register with 2 numbers password only

user want to register using 2 numbers password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in letters page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 2 numbers password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG026 - User register with 2 letters password only

user want to register using 2 letters password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in letters page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 2 letters password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG027 - User register with 1 letters password only

user want to register using 1 letters password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

user already in letters page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 1 letters password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG028 - User register with 1 letters password only

user want to register using 1 letters password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

user already in letters page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 1 letters password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG029 - User register with 1 characters password only

user want to register using 1 characters password only when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

user already in letters page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 1 characters password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG030 - User register with 7 numbers and 1 character password

user want to register using 7 numbers and 1 character password when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

user already in letters page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 7 numbers and 1 character password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.RG031 - User register with 7 letters and 1 character password

user want to register using 7 letters and 1 character password when input password field

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Negative	Security

Layer	Is Flaky	Milestone	Automation
Unit	Yes	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

user already in letters page

Post-conditions

user won't be able to register and there will be warning massage

Tags

Register, Negative-Test-Case

Scenario

Given user input valid email address
And user input 7 letters and 1 character password only
And user checked the check box
And user click register button
Then user will getwarning massage

TC.FP.001 - User Reset Password Use Correct Password Terms and Conditions

User want to Fill Email Form with Registered Email and Fill Reset Password Use Correct Password Terms and Conditions

Severity	Priority	Behavior	Type
☆ Critical	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
E2E	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Should have in Forgot Password Page

Post-conditions

User Success to Reset password and Go To Homepage

Tags

Positive-Test-Case, Forgot-Password

Parameters

Email: coba@gmail.com

Scenario

Given User Go To Forgot Password Page
When User Fill Registered Email
And User Klik Reset Password
And User Get The Email to Reset Password
And User Fill Correct Password as Term and Condition
And User Repeat Fill Correct Password as Term and Condition
And User Klik Simpan Password
Then User Should be Direct to Login Page

TC.FP.002 - User Fill Email Form with Unregistered Email in Forget Password Page

User want to fill Email with Unregistered Email

Severity	Priority	Behavior	Type
^ Major	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	Yes	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Should have in Forgot Password Page

Post-conditions

User get Alert that Email tidak terdaftar

Tags

Negative-Test-Case, Forgot-Password

Parameters

Email: coba@gmail.com

Scenario

Given User Go To Forgot Password Page
When User Fill Unregistered Email
And User Klik Reset Password
Then User Should be get Notification that Email is Unregistered

TC.FP.003 - User Reset Password Use Incorrect Password Terms and Conditions

User want to Reset Password Use Incorrect Password Terms and Conditions

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
E2E	Yes	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Should have in Forgot Password Page

Post-conditions

The save button cannot be clicked if using incorrect password terms and codition

Tags

Forgot-Password, Negative-Test-Case

Parameters

Email: coba@gmail.com

Scenario

Given User Go To Forgot Password Page
When User Fill Registered Email
And User Klik Reset Password
And User Get The Email to Reset Password
And User Fill Incorrect Password as Term and Condition
Then The Save Button Remains Disabled
And User Cannot Click The Save Button

TC.FP.004 - User Reset Password With Empty Email Registered

User want to Reset Password With Empty Email Registered

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
E2E	Yes	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Should have in Forgot Password Page

Post-conditions

The Reset Password button cannot be clicked

Tags

Forgot-Password, Negative-Test-Case

Scenario

Given User Go To Forgot Password Page
When User Not Fill Registered Email
Then The Reset Password Button Remains Disabled
And User Cannot Click The Reset Password Button

TC.FP.005 - User Want To Hide or Unhide Password in Reset Password

User Click Eye Icon for Hide or Unhide Password

Severity	Priority	Behavior	Type
⌃ Major	↓ Low	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
E2E	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User have account or dont have account

Post-conditions

Password can hide or unhide that can be see by user

Tags

Positive-Test-Case, Forgot-Password

Parameters

Email: coba@gmail.com
Password: 123456

Scenario

Given User Go To Forgot Password Page
When User Fill Registered Email
And User Klik Reset Password
And User Get The Email to Reset Password
And User Fill Correct Password as Term and Condition
And User Klik Eye Icon
Then User Can Unhide Password

TC.FP.006 - User Fill Reset Password With Different Password

User Fill Reset Password with Different Password

Severity	Priority	Behavior	Type
∧ Major	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
E2E	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Should have in Forgot Password Page

Post-conditions

The save button cannot be clicked if using incorrect password terms and codition

Tags

Forgot-Password, Negative-Test-Case

Scenario

Given User Go To Forgot Password Page
When User Fill Registered Email
And User Klik Reset Password
And User Get The Email to Reset Password
And User Fill Corect Password as Term and Condition
And User Repeat Fill Password With Diferent Password
Then The Save Button Remains Disabled
And User Cannot Click The Save Button

TC.FP.007 - User Want To Go To Reset Password Page

User want To Go Ti Reset password Page

Severity	Priority	Behavior	Type
^ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
E2E	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User already in Profiln Website

Post-conditions

User Direct To Reset Password Page

Tags

Forgot-Password, Positive-Test-Case

Scenario

Given User go to Profiln Website
When User Click Reset Password
And User Get Link Via Email
And User Click Url From Email
Then User Should be Directed to Reset Password Page

TC.DI.001 - User Fill Personal Data in Data Information Page Section Personal Data

User want to Fill Personal Data in Data Information Page

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already in Data Information Page, Email and Name Already Filled

Post-conditions

User Direct to Data Information Page Section About Me

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section Personal Information
And The Field Of Name Has Been Filled
And The Field Of Email Has Been Filled
When User Fill Phone Number With Correct Phone Number Format
And User Choose Gender
And User Add Photos With Correct Format
And User Click Unggah
And User Click Lanjut
Then User Should be Direct to Data Information Section About Me

TC.DI.002 - User Fill About Me in Data Information Page Section About Me

User want to About Me in Data Information Section About Me

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already in Data Information Page Section About Me

Post-conditions

User Direct to Data Information Page Section Working Experience

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section About Me
When Users Fill out About me in the correct format
And User Click Lanjut
Then User Should be Direct to Data Information Section Work Experience

TC.DI.003 - User Fill Work Experience in Data Information Page Section Work Experience With Fill Start and End Work Date

User want to Fill Personal Data in Data Information Page

Severity	Priority	Behavior	Type
︿ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Work Experience

Post-conditions

User Direct to Data Information Page Section Education

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section Work Experience
When Users Fill out Job Name
And User Fill out / Choose Company Name
And User Fill out / Choose Type Job
And User Fill out Location Work
And User Fill out / Choose Type Location Work
And User Fill out Work Start Date
And User Fill out Work End Date
And User Click Lanjut
Then User Should be Direct to Data Information Section Education

TC.DI.004 - User Fill Work Experience in Data Information Page Section Work Experience With Fill Start and Click Working Untill Now

User want to Fill Personal Data in Data Information Page

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Work Experience

Post-conditions

User Direct to Data Information Page Section Education

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section Work Experience
When Users Fill out Job Name
And User Fill out / Choose Company Name
And User Fill out / Choose Type Job
And User Fill out Location Work
And User Fill out / Choose Type Location Work
And User Fill out Work Start Date
And User Click "I am currently doing this job"
And User Click Lanjut
Then User Should be Direct to Data Information Section Education

TC.DI.005 - User Fill Education in Data Information Page Section Education

User want to Fill Education in Data Information Page

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Education

Post-conditions

User Direct to Data Information Page Section Certification

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section Education
When Users Fill out / Choose Education Name
And User Fill out Education Level
And User Fill out Field of Study
And User Fill out IPK/Score
And User Fill out Start Date
And User Fill out End Date
And User Click Lanjut
Then User Should be Direct to Data Information Section Certification

TC.DI.006 - User Fill Certification in Data Information Page Section Certification

User want to Fill Certification in Data Information Page

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Certification

Post-conditions

User Direct to Data Information Page Section Skill

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section Certification
When Users Fill out / Choose Certification Name
And User Fill out Publisher Organization
And User Fill out Credential ID
And User Fill out Issued Date
And User Fill out Expired Date
And User Click Lanjut
Then User Should be Direct to Data Information Section Skill

TC.DI.007 - User Fill Skill in Data Information Page Section Skill

User want to Fill Skill in Data Information Page

Severity	Priority	Behavior	Type
∧ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Skill

Post-conditions

User Direct to Home Page

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section Skill
When Users Fill out / Choose Skill
And User Click Selesai
Then User Should be Direct to Home Page

TC.DI.008 - User Fill Personal Data with Wrong Format Phone Number

User want to Fill Personal Data in Data Information Page using wrong format phone number

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already in Data Information Page, Email and Name Already Filled

Post-conditions

User get Alert that phone number is wrong / phone number < 12

Tags

Data-Information, Negative-Test-Case

Scenario

Given User go to Data Information Page Section Personal Information
And The Field Of Name Has Been Filled
And The Field Of Email Has Been Filled
When User Fill Phone Number With Wrong Phone Number Format
And User Choose Gender
And User Add Photos With Correct Format
Then The Next Button Remains Disabled
And User Should be get Notification Wrong Format Phone Number

TC.DI.009 - User Fill Personal Data with Wrong Format Image

User want to Fill Personal Data in Data Information Page using Wrong Format Image

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already in Data Information Page, Email and Name Already Filled

Post-conditions

User get Alert that Extension is no correct

Tags

Data-Information, Negative-Test-Case

Scenario

Given User go to Data Information Page Section Personal Information
And The Field Of Name Has Been Filled
And The Field Of Email Has Been Filled
When User Fill Phone Number With Correct Phone Number Format
And User Choose Gender
And User Add Photos With Correct Format
Then The Next Button Remains Disabled
And User Should be get Notification Wrong Format Image

TC.DI.010 - User Click Dropdown Code Country for Phone Number

User want to Click Dropdown Code Country to see code Phone Number in each country

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

User Already in Data Information Page, Email and Name Already Filled

Post-conditions

User get see phone number code for another country

Tags

Data-Information, Negative-Test-Case

Scenario

Given User go to Data Information Page Section Personal Information
And The Field Of Name Has Been Filled
And The Field Of Email Has Been Filled
When User Click Dropdown in Phone Number Field
Then User Can See Another Code Phone Number

TC.DI.011 - User Click Dropdown Gender

User want to Click Dropdown Gender to see Another Gender

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already in Data Information Page, Email and Name Already Filled

Post-conditions

User get see another gender

Tags

Data-Information, Negative-Test-Case

Scenario

Given User go to Data Information Page Section Personal Information
And The Field Of Name Has Been Filled
And The Field Of Email Has Been Filled
When User Click Dropdown in Gender Field
Then User Can See Another Gender

TC.DI.012 - User Fill Personal Data with Large photo

User want to Fill Personal Data in Data Information Page using Large photo

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already in Data Information Page, Email and Name Already Filled

Post-conditions

User get Alert that photo is to large

Tags

Data-Information, Negative-Test-Case

Scenario

Given User go to Data Information Page Section Personal Information
And The Field Of Name Has Been Filled
And The Field Of Email Has Been Filled
When User Fill Phone Number With Correct Phone Number Format
And User Choose Gender
And User Add Photos With Correct Format
Then The Next Button Remains Disabled
And User Should be get Notification Wrong Format Image

TC.DI.013 - User Click Upload Without input Photos in the field

User want to Click Upload Without input Photos in the field

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

User Already in Data Information Page, Email and Name Already Filled

Post-conditions

Unggah Button is disabled

Tags

Data-Information, Negative-Test-Case

Scenario

Given User go to Data Information Page Section Personal Information
And The Field Of Name Has Been Filled
And The Field Of Email Has Been Filled
When User Fill Phone Number With Correct Phone Number Format
And User Choose Gender
And User Not Add Photos
Then Unggah Button Remains Disabled

TC.DI.014 - User Click Back in Data Information Page Section About Me

User want to About Me in Data Information Section About Me

Severity	Priority	Behavior	Type
︿ Major	O Medium	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already in Data Information Page Section About Me

Post-conditions

User Direct to Data Information Page Section Personal Data

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section About Me
When Users Fill out About me in the correct format
And User Click Back
Then User Should be Direct to Data Information Section Personal Data

TC.DI.015 - User Click Dropdown Company Name

User want to see Company Name in Work Experience

Severity	Priority	Behavior	Type
︿ Major	O Medium	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

User Already in Data Information Page Section Work Experience

Post-conditions

User get see another Company

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section Work Experience
When Users Fill out Job Name
And User Fill out / Choose Company Name
When User Click Dropdown in Company
Then User Can See Another Company

TC.DI.016 - User Click Dropdown Location Working

User want to Compant Name in Work Experience

Severity	Priority	Behavior	Type
^ Major	O Medium	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

User Already in Data Information Page Section Work Experience

Post-conditions

User get see another Company

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section Work Experience
And User Fill out / Choose Type Location Work
When User Click Dropdown in Type Location Work Field
Then User Can See Another Type Location Work

TC.DI.017 - User Click Dropdown Start Work Date and Year

User want to Fill Start Work Date and Year

Severity	Priority	Behavior	Type
⌃ Major	O Medium	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Work Experience

Post-conditions

User Can See Another Date and Year

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section Work Experience
When User Fill out Work Start Date
And User Click Dropdown Month
And User Click Dropdown Year
Then User Should be See Another Year and Month

TC.DI.018 - User Click Dropdown End Work Date and Year

User want to Fill End Work Date and Year

Severity	Priority	Behavior	Type
⌃ Major	O Medium	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Work Experience

Post-conditions

User Can See Another Date and Year

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section Work Experience
When User Fill out Work End Date
And User Click Dropdown Month
And User Click Dropdown Year
Then User Should be See Another Year and Month

TC.DI.019 - User Click Dropdown Month and Year Published

User want to Fill Start Work Date and Year

Severity	Priority	Behavior	Type
⌃ Major	O Medium	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Education

Post-conditions

User Can See Another Date and Year

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section Education
When User Fill out Issue Published
And User Click Dropdown Month
And User Click Dropdown Year
Then User Should be See Another Year and Month

TC.DI.020 - User Click Dropdown Month and Year Issue Expired

User want to Fill Expired Issue Date and Year

Severity	Priority	Behavior	Type
^ Major	O Medium	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Education

Post-conditions

User Can See Another Date and Year

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section Education
When User Fill out Expired Issue Published
And User Click Dropdown Month
And User Click Dropdown Year
Then User Should be See Another Year and Month

TC.DI.021 - User Fill Less Than 3 Skill

User want to Fill Expired Issue Date and Year

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Skill

Post-conditions

User get Alert that Please Input Min 3 Skill

Tags

Data-Information, Negative-Test-Case

Scenario

Given User go to Data Information Page Section Skill
When User Fill Skill Less Than 3 Skill
Then User Get Alert That Input Min 3 Skill

TC.DI.022 - User Fill More Than 10 Skill

User want to Fill More Than 10 Skill

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Skill

Post-conditions

User get Alert that Input Max 10 Skill

Tags

Data-Information, Negative-Test-Case

Scenario

Given User go to Data Information Page Section Skill
When User Fill Skill More Than 10 Skill
Then User Get Alert That Input Max 10 Skill

TC.DI.023 - User Click Dropdown Skill

User want to Fill More Skill

Severity	**Priority**	**Behavior**	**Type**
⌃ Major	O Medium	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Skill

Post-conditions

User Fill Skill

Tags

Data-Information, Negative-Test-Case

Scenario

Given User go to Data Information Page Section Skill
When User Click Dropdown in Skill Field
Then User Can See Another Skill

TC.DI.023 - User Fill Personal Data in Data Information Page Section Personal Data Without Any Input

User want to Fill Personal Data in Data Information Page Without Any Input

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already in Data Information Page, Email and Name Already Filled

Post-conditions

Next Button is Disabled

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section Personal Information
When User Fill Personal Data in Data Information Page Without Any Input
Then The Next Button is Disable

TC.DI.024 - User Fill About Me in Data Information Page Section About Me Without Any Input

User want to Fill About Me in Data Information Section About Me Without Any Input

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already in Data Information Page Section About Me

Post-conditions

The Next Button is Disabled

Tags

Data-Information, Negative-Test-Case

Scenario

Given User go to Data Information Page Section About Me
When Users Fill About Me in Data Information Section About Me Without Any Input
Then The Next Button is Disbale

TC.DI.025 - User Fill Work Experience in Data Information Page Section Work Experience Withou Any Input

User want to Fill Work Experience in Data Information Page Without Any Input

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Work Experience

Post-conditions

The Next Button is Disabled

Tags

Data-Information, Negative-Test-Case

Scenario

Given User go to Data Information Page Section Work Experience
When User Fill Work Experience in Data Information Page Without Any Input
Then The Next Button is Disbale

TC.DI.026 - User Fill Education in Data Information Page Section Education Without Any Input

User want to Fill Education in Data Information Page Without Any Input

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

User Already in Data Information Page Section Education

Post-conditions

The Next Button is Disbale

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section About Me
When Users Fill Education in Data Information Page Without Any Input
Then The Next Button is Disbale

TC.DI.027 - User Fill Certification in Data Information Page Section Certification Without Any Input

User want to Fill Certification in Data Information Page Without Any Input

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Certification

Post-conditions

The Next Button is Disbale

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section About Me
When Users Fill Certification in Data Information Page Without Any Input
Then The Next Button is Disbale

TC.DI.028 - User Fill Skill in Data Information Page Section Skill Without Any Input

User want to Fill Skill in Data Information Page Without Any Input

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Skill

Post-conditions

The Next Button is Disbale

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section Skill
When Users Fill Skill in Data Information Page Without Any Input
Then The Next Button is Disbale

TC.DI.029 - User Click Skip This Test in Data Information Page Section About Me

User want to Click Skip This Test in Data Information Page Section About Me

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already in Data Information Page Section About Me

Post-conditions

User Direct to Data Information Page Section Working Experience

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section About Me
When Users Click Skip This Test in Data Information Page Section About Me
Then User Should be Direct to Data Information Section Work Experience

TC.DI.030 - User Click Skip This Test in Data Information Page Section Working Experience

User want to Click Skip This Test in Data Information Page Section Working Experience

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Working Experience

Post-conditions

User Direct to Data Information Page Section Education

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section About Me
When Users Click Skip This Test in Data Information Page Section Working Experience
Then User Should be Direct to Data Information Section Education

TC.DI.031 - User Click Skip This Test in Data Information Page Section Education

User want to Click Skip This Test in Data Information Page Section Education

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Education

Post-conditions

User Direct to Data Information Page Section Certification

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section Education
When Users Click Skip This Test in Data Information Page Section Education
Then User Should be Direct to Data Information Section Certification

TC.DI.032 - User Click Skip This Test in Data Information Page Section Certification

User want to Click Skip This Test in Data Information Page Section Certification

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Certification

Post-conditions

User Direct to Data Information Page Section Skill

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section Certification
When Users Click Skip This Test in Data Information Page Section Certification
Then User Should be Direct to Data Information Section Skill

TC.DI.033 - User Click Skip This Test in Data Information Page Section Skill

User want to Click Skip This Test in Data Information Page Section Skill

Severity	Priority	Behavior	Type
︿ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already in Data Information Page Section Skill

Post-conditions

User Direct to Home Page

Tags

Data-Information, Positive-Test-Case

Scenario

Given User go to Data Information Page Section Skill
When Users Click Skip This Test in Data Information Page Section Skill
Then User Should be Direct to Home Page

TC.DI.034 - User Fill About Me in Data Information Page Section About Me with > 2500 Character

User want to About Me in Data Information Section About Me with > 2500 Character

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Negative	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already in Data Information Page Section About Me

Post-conditions

User Get Alert That Word > 2500

Tags

Data-Information, Negative-Test-Case

Scenario

Given User go to Data Information Page Section About Me
When Users Fill out About me with more than 2500 words
And User Click Lanjut
Then User Should be get alert that text more than 2500 words

TC.PF001 - User is able to see basic information

Severity	Priority	Behavior	Type
O Normal	O Medium	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Tags

Profile, Positive-Test-Case

Scenario

Given User is already login successfuly

TC.PF002 - User want to hide their contact information

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Manual

Status	Is Muted		
Actual	No		

TC.PF003 User want to save changes on their profile

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Manual

Status	Is Muted
Actual	No

TC.PF004 - User want too choose companies from list

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Manual

Status	Is Muted		
Actual	No		

TC.PF005 - User want to choose shools from list

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Manual

Status	Is Muted
Actual	No

TC.PF006 User want to choose organizations from list

Severity	Priority	Behavior	Type
O Normal	— Not set	Not set	Other

Layer	Is Flaky	Milestone	Automation
Not set	No	-	Manual

Status	Is Muted		
Actual	No		

TC.NP.001 - User Want To Make a New Post To The Private

User Want To Make New Post To The Private

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Login in Already in Homepage

Post-conditions

User Success To Create New Post To The Private

Tags

New-Post, Positive-Test-Case

Scenario

Given User Go To Home Page
When User Click Text Mulai Buat Posting
And User Fill Title
And User Fill Topic
And User Fill Image
And User Set Private
And User Click Posting
Then User Success To Make New Post for Private

TC.NP.002 - User Want To Make a New Post To The Public

User Want To Make New Post To The Public

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login in Already in Homepage

Post-conditions

User Success To Create New Post To The Public

Tags

New-Post, Positive-Test-Case

Scenario

Given User Go To Home Page
When User Click Text Mulai Buat Posting
And User Fill Title
And User Fill Topic
And User Fill Image
And User Set Public
And User Click Posting
Then User Success To Make New Post for Public

TC.NP.003 - User Want To Make a New Post Without Input Any Picture

User Want To Make New Post Without Input Any Picture

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login in Already in Homepage

Post-conditions

User Success To Create New Post

Tags

New-Post, Positive-Test-Case

Scenario

Given User Go To Home Page
When User Click Text Mulai Buat Posting
And User Fill Title
And User Fill Topic
And User Set Public
And User Click Posting
Then User Success To Make New Post

TC.NP.004 - User Want To Make a New Post Without Input Any Topic

User Want To Make New Post Without Input Any Topic

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login in Already in Homepage

Post-conditions

User Success To Create New Post

Tags

New-Post, Positive-Test-Case

Scenario

Given User Go To Home Page
When User Click Text Mulai Buat Posting
And User Fill Title
And User Fill Image
And User Set Public
And User Click Posting
Then User Success To Make New Post

TC.NP.005 - User Want To Make a New Post Without Inpu Title

User Want To Make New Post Without Input Title

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Login in Already in Homepage

Post-conditions

User Success To Create New Post

Tags

New-Post, Positive-Test-Case

Scenario

Given User Go To Home Page
When User Click Text Mulai Buat Posting
And User Fill Topic
And User Fill Image
And User Set Public
And User Click Posting
Then User Success To Make New Post

TC.NP.006 - User Want To Make a New Post Without Input Anything

User Want To Make New Post Without Input Anything

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Login in Already in Homepage

Post-conditions

Submit Button is disabled

Tags

New-Post, Positive-Test-Case

Scenario

Given User Go To Home Page
When User Click Text Mulai Buat Posting
Then Submit Button is Disable

TC.NP.007 - User Want To Make a New Post and Input More Than 10 Image

User Want To Make a New Post and Input More Than 10 Image

Severity	Priority	Behavior	Type
⌃ Critical	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login in Already in Homepage

Post-conditions

User Get Alert That Max Image is 10

Tags

New-Post, Positive-Test-Case

Scenario

Given User Go To Home Page
When User Click Text Mulai Buat Posting
And User Fill Title
And User Fill Topic
And User Fill More Then 10 Image
Then User Get Alert That Max Image is 10
And Button Submit is Disable

TC.MP.001 - User Want To My Post Page

User Want To My Post Page

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Login and Already in Homepage

Post-conditions

User Direct To My Post Page

Tags

My-Post, Positive-Test-Case

Scenario

Given User Go To Home Page
When User Click My Post
Then User Success Direct To My Post Page

TC.MP.002 - Users want to click on dropdown in the Postingan section

User Want To Open Dropdown in Positngan Section

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Login and Already in My Post Page

Post-conditions

User Can See List from Dropdown in Postingan Section

Tags

My-Post, Positive-Test-Case

Scenario

Given User Go To My Post Page
When User Click Dropdown in Positngan Section
Then User Can See List from Dropdown in Postingan Section

TC.MP.003 - Users want to click Like on dropdown in the Postingan section

User Want To See Post that User Like

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Login and Already in My Post Page

Post-conditions

User Can See Post That User Like

Tags

My-Post, Positive-Test-Case

Scenario

Given User Go To My Post Page
When User Click Dropdown in Positngan Section
And User Click Disukai
Then User Can See preferred post

TC.MP.004 - Users want to click Repost on dropdown in the Postingan section

User Want To See Post that User Repost

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

User Already Login and Already in My Post Page

Post-conditions

User Can See Post That User Repost

Tags

My-Post, Positive-Test-Case

Scenario

Given User Go To My Post Page
When User Click Dropdown in Positngan Section
And User Click Report
Then User Can See preferred Report

TC.MP.005 - Users want to click on dropdown in the Postingan section For Close Dropdown

User Want To Close Dropdown in Positngan Section

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Login and Already in My Post Page

Post-conditions

User Can Close List from Dropdown in Postingan Section

Tags

My-Post, Positive-Test-Case

Scenario

Given User Go To My Post Page
When User Click Dropdown in Positngan Section
Then User Can Close List from Dropdown in Postingan Section

TC.MP.006 - Users want to Delete Post in My Post

User Want To Delete Post in My Post

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

User Already Login and Already in My Post Page

Post-conditions

User Success To Delete Post in My Post

Tags

My-Post, Positive-Test-Case

Scenario

Given User Go To My Post Page
When User Click three dots
And User Click Hapus Postingan
And User Click Hapus
Then User Success To Delete Post in My Post Page

TC.MP.007 - Users want to Edit Post in My Post

User Want To Edit Post in My Post

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login and Already in My Post Page

Post-conditions

User Success To Edit Post in My Post

Tags

My-Post, Positive-Test-Case

Scenario

Given User Go To My Post Page
When User Click three dots
And User Click Edit Postingan
And User Edit Post in My Post Page
And User Click Simpan
And User Click Public or Private
Then User Success To Edit Post in My Post Page

TC.MP.008 - Users want to click Portofolio in the Postingan section

User Want To click Portofolio in the Postingan section

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login and Already in My Post Page

Post-conditions

User Can See Portofolio in My Post Page

Tags

My-Post, Positive-Test-Case

Scenario

Given User Go To My Post Page
When User Portofolio in Positngan Section
Then User Can See Portofolio in Positngan Section

TC.DP.001 - User want To Delete Draft Proposal

User Want To Delete Draft Proposal That they Create Before

Severity	Priority	Behavior	Type
∧ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Create Proposal and Save to Draft Proposal

Post-conditions

User Success To Delete Draft Proposal

Tags

Positive-Test-Case, Draft-Proposal

Scenario

Given User Go To Draft Portofolio Page
When User Click Three Dots Beside Portofolio
Then User Click Delete Draft Portofolio
And User Click Hapus
And User Success To Delete Draft Portofolio

TC.P.001 - User want To Go To Draft Portofolio Page

User want To Go To Draft Portofolio Page

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success To Go To Draft Portofolio Page

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Three Dots Side Button Buat Grup Portofolio
Then User Click Draft Portofolio
And User Success To Go To Draft Portofolio

TC.P.002 - User want To Share Portofolio To Whatsapp

User want Share Portofolio That They Create Before

Severity	Priority	Behavior	Type
∧ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success Share Portofolio To Whatsapp

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Three Dots Beside Portofolio
Then User Click Share Portofolio
And User Click Whatsapp Icon
And User Success To Share Portofolio To Whatsapp

TC.P.003 - User want To Share Portofolio To Facebook

User want Share Portofolio That They Create Before

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success Share Portofolio To Facebook

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Three Dots Beside Portofolio
Then User Click Share Portofolio
And User Click Facebook Icon
And User Success To Share Portofolio To Facebook

TC.P.004 - User want To Share Portofolio To Instagram

User want Share Portofolio That They Create Before

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

User Already Login

Post-conditions

User Success Share Portofolio To Instagram

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Three Dots Beside Portofolio
Then User Click Share Portofolio
And User Click Instagram Icon
And User Success To Share Portofolio To Instagram

TC.P.005 - User want To Copy Link To Share Portofolio

User want Share Portofolio That They Create Before

Severity	**Priority**	**Behavior**	**Type**
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success Copy Link For Share Portofolio

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Three Dots Beside Portofolio
Then User Click Share Portofolio
And User Click Copy Link
And User Success To Copy Link For Share Portofolio

TC.P.006 - User want To Add Email To Share Portofolio

User want Share Portofolio That They Create Before

Severity	Priority	Behavior	Type
︿ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success Add Email For Share Portofolio

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Three Dots Beside Portofolio
Then User Click Share Portofolio
And User Fill Emai
And User Click Invite

TC.P.007 - User want To Share Portofolio For Invite Only

User want Share Portofolio That They Create Before For Invite Only

Severity	Priority	Behavior	Type
∧ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

User Already Login

Post-conditions

User Success Add Email For Share Portofolio To Invite Only

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Three Dots Beside Portofolio
Then User Click Share Portofolio
And User Click Invite Only

TC.P.008 - User want To Share Portofolio For Public

User want Share Portofolio That They Create Before For Public

Severity	Priority	Behavior	Type
︿ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

User Already Login

Post-conditions

User Success Add Email For Share Portofolio To IPublic

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Three Dots Beside Portofolio
Then User Click Share Portofolio
And User Click Public

TC.P.009 - User want To Delete Portofolio

User want To Delete Portofolio

Severity	Priority	Behavior	Type
︿ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success Delete Portofolio

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Three Dots Beside Portofolio
Then User Click Delete Portofolio
And User Click Delete
And User Success to Delete Portofolio

TC.P.010 - User want To Create Grup For Portofolio

User want To Create Grup For Portofolio

Severity	Priority	Behavior	Type
∧ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

User Already Login and Already Create two Portofolio

Post-conditions

User Success Create Grup For Portofolio

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Create Grup Portofolio in Portofolio Page
Then User Click Create Grup Create Grup Portofolio in My Portofolio Grup Page
And User Fill Title Grup
And User Fill Description Grup
And User Fill Image For Cover Portofolio Grup
And User Click Simpan

TC.P.011 - User want To Add Portofolio To Grup Portofolio

User want To Add Portofolio To Grup Portofolio

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

User Already Login and Already Create Grup Portofolio

Post-conditions

User Success To Add Portofolio To Grup Portofolio

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
And User Click Grup Portofolio
When User Click Add Portofolio
And User Click Checkbox Beside Portofolio
Then User Click Simpan
And User Success To Add Portofolio to Grup Portofolio

TC.P.0012 - User want To Create New Portofolio

User want To Go To Create New Portofolio

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

User Already Login

Post-conditions

User Success To Create Portofolio

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Add Portofolio
And User Fill Judul Portofolio
And User Fill Cover For Portofolio
And User Click Add Section
And User Fill Sub Judul Portofolio
And User Fill Deskripsi Portofolio
Then User Click Publish
And User Choose For Public or Private
And User Click Publish

TC.P.0013 - User want To Create New Portofolio and Make More Section

User want To Go To Create New Portofolio and Make More Section

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success To Create Portofolio And Make For Section

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Add Portofolio
And User Fill Judul Portofolio
And User Fill Cover For Portofolio
And User Click Add Section
And User Fill Sub Judul Portofolio
And User Fill Deskripsi Portofolio
And User Click Add for Second Section
And User Fill Sub Judul Portofolio Second Section
And User Fill Deskripsi Portofolio Second Section
And User Fill Link Vidio
And User Fill Link Demo
And User Fill Link Pendukung
And User Fill Cover Portofolio
And User Fill Dokumen Pendukung
Then User Click Publish
And User Choose For Public or Private
And User Click Publish

TC.P.0014 - User want To Create New Portofolio And Save To Draft

User want To Go To Create New Portofolio And Save to Draft

Severity	Priority	Behavior	Type
∧ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

User Already Login

Post-conditions

User Success To Create Portofolio And Save To Draft

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Add Portofolio
And User Fill Judul Portofolio
And User Fill Cover For Portofolio
And User Click Add Section
And User Fill Sub Judul Portofolio
And User Fill Deskripsi Portofolio
Then User Click Save To Draft

TC.P.0015 - User want To Preview Portofolio

User want To Go To Preview Portofolio

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success To Preview Portofolio

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Add Portofolio
And User Fill Judul Portofolio
And User Fill Cover For Portofolio
And User Click Add Section
And User Fill Sub Judul Portofolio
And User Fill Deskripsi Portofolio
Then User Click Preview Portofolio
And User Direct To Preview Portofolio Page

TC.P.0016 - User want To Edit Portofolio From Preview Portofolio Page

User want To Go To Edit Portofolio From Preview Portofolio Page

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success To Edit Portofolio From Preview Portofolio Page

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Add Portofolio
And User Fill Judul Portofolio
And User Fill Cover For Portofolio
And User Click Add Section
And User Fill Sub Judul Portofolio
And User Fill Deskripsi Portofolio
Then User Click Preview Portofolio
And User Click Three Dots
And User Click Edit Portofolio

TC.P.0017 - User want To Share Portofolio From Preview Portofolio Page to Whatsapp

User want To Go To Edit Portofolio From Preview Portofolio Page to Whatsapp

Severity	Priority	Behavior	Type
︿ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success To Edit Portofolio From Preview Portofolio Page to Whatsapp

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Add Portofolio
And User Fill Judul Portofolio
And User Fill Cover For Portofolio
And User Click Add Section
And User Fill Sub Judul Portofolio
And User Fill Deskripsi Portofolio
Then User Click Preview Portofolio
And User Click Three Dots
And User Click Share Portofolio
And User Click Whatsapp

TC.P.0018 - User want To Share Portofolio From Preview Portofolio Page to Facebook

User want To Go To Edit Portofolio From Preview Portofolio Page to Facebook

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success To Edit Portofolio From Preview Portofolio Page to Facebook

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Add Portofolio
And User Fill Judul Portofolio
And User Fill Cover For Portofolio
And User Click Add Section
And User Fill Sub Judul Portofolio
And User Fill Deskripsi Portofolio
Then User Click Preview Portofolio
And User Click Three Dots
And User Click Share Portofolio
And User Click Facebook

TC.P.0019 - User want To Share Portofolio From Preview Portofolio Page to Instagram

User want To Go To Edit Portofolio From Preview Portofolio Page to Instagram

Severity	Priority	Behavior	Type
∧ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success To Edit Portofolio From Preview Portofolio Page to Instagram

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Add Portofolio
And User Fill Judul Portofolio
And User Fill Cover For Portofolio
And User Click Add Section
And User Fill Sub Judul Portofolio
And User Fill Deskripsi Portofolio
Then User Click Preview Portofolio
And User Click Three Dots
And User Click Share Portofolio
And User Click Instagram

TC.P.0020 - User want To Share Portofolio From Preview Portofolio Page to Email

User want To Go To Edit Portofolio From Preview Portofolio Page to Email

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success To Edit Portofolio From Preview Portofolio Page to Email

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Add Portofolio
And User Fill Judul Portofolio
And User Fill Cover For Portofolio
And User Click Add Section
And User Fill Sub Judul Portofolio
And User Fill Deskripsi Portofolio
Then User Click Preview Portofolio
And User Click Three Dots
And User Click Share Portofolio
And User Click Email

TC.P.0021 - User want To Copy Link Portofolio From Preview Portofolio Page

User want To Go To Copy Link Portofolio From Preview Portofolio Page to Email

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success To Copy Link Portofolio From Preview Portofolio Page

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Add Portofolio
And User Fill Judul Portofolio
And User Fill Cover For Portofolio
And User Click Add Section
And User Fill Sub Judul Portofolio
And User Fill Deskripsi Portofolio
Then User Click Preview Portofolio
And User Click Three Dots
And User Click Share Portofolio
And User Click Salin Link

TC.P.0022 - User want To Delete Portofolio From Preview Portofolio Page

User want To Go To Delete Portofolio From Preview Portofolio Page to Email

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success To Delete Portofolio From Preview Portofolio Page

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Add Portofolio
And User Fill Judul Portofolio
And User Fill Cover For Portofolio
And User Click Add Section
And User Fill Sub Judul Portofolio
And User Fill Deskripsi Portofolio
Then User Click Preview Portofolio
And User Click Three Dots
And User Click Delete Portofolio

TC.P.0023 - User want To Get Help For Creating Portofolio

User want To Go To Get Help For Creating Portofolio

Severity	**Priority**	**Behavior**	**Type**
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success To Get Help For Creating Portofolio

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Add Portofolio
Then User Click Bantuan Pengisian Portofolio

TC.P.0024 - User want To See Detail Photo In Preview Page

User want To Go To Create New Portofolio and Make More Section

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success To Create Portofolio And Make For Section

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Add Portofolio
And User Fill Judul Portofolio
And User Fill Cover For Portofolio
And User Click Add Section
And User Fill Sub Judul Portofolio
And User Fill Deskripsi Portofolio
And User Click Add for Second Section
And User Fill Sub Judul Portofolio Second Section
And User Fill Deskripsi Portofolio Second Section
And User Fill Link Vidio
And User Fill Link Demo
And User Fill Link Pendukung
And User Fill Cover Portofolio
And User Fill Dokumen Pendukung
Then User Click Preview
And User Click Photo

TC.P.0025 - User want To See Detail Vidio In Preview Page

User want To Go To Create New Portofolio and Make More Section

Severity	Priority	Behavior	Type
∧ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted
Actual	No

Pre-conditions

User Already Login

Post-conditions

User Success To Create Portofolio And Make For Section

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Add Portofolio
And User Fill Judul Portofolio
And User Fill Cover For Portofolio
And User Click Add Section
And User Fill Sub Judul Portofolio
And User Fill Deskripsi Portofolio
And User Click Add for Second Section
And User Fill Sub Judul Portofolio Second Section
And User Fill Deskripsi Portofolio Second Section
And User Fill Link Vidio
And User Fill Link Demo
And User Fill Link Pendukung
And User Fill Cover Portofolio
And User Fill Dokumen Pendukung
Then User Click Preview
And User Click Vidio

TC.P.0026 - User want To See Detail Dokumen Pendukung In Preview Page

User want To Go To Create New Portofolio and Make More Section

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success To Create Portofolio And Make For Section

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Add Portofolio
And User Fill Judul Portofolio
And User Fill Cover For Portofolio
And User Click Add Section
And User Fill Sub Judul Portofolio
And User Fill Deskripsi Portofolio
And User Click Add for Second Section
And User Fill Sub Judul Portofolio Second Section
And User Fill Deskripsi Portofolio Second Section
And User Fill Link Vidio
And User Fill Link Demo
And User Fill Link Pendukung
And User Fill Cover Portofolio
And User Fill Dokumen Pendukung
Then User Click Preview
And User Click Dokumen Pendukung

TC.P.0027 - User want To See Detail Link Pendukung In Preview Page

User want To Go To Create New Portofolio and Make More Section

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success To Create Portofolio And Make For Section

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
When User Click Add Portofolio
And User Fill Judul Portofolio
And User Fill Cover For Portofolio
And User Click Add Section
And User Fill Sub Judul Portofolio
And User Fill Deskripsi Portofolio
And User Click Add for Second Section
And User Fill Sub Judul Portofolio Second Section
And User Fill Deskripsi Portofolio Second Section
And User Fill Link Vidio
And User Fill Link Demo
And User Fill Link Pendukung
And User Fill Cover Portofolio
And User Fill Dokumen Pendukung
Then User Click Preview
And User Click Link Pendukung

TC.GP.001 - User want To Share Portofolio from Grup Portofolio To Whatsapp

User want Share Portofolio That They Create Before

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success Share Portofolio To Whatsapp

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
And User Click Grup Portofolio
When User Click Three Dots Beside Portofolio
Then User Click Share Portofolio
And User Click Whatsapp Icon
And User Success To Share Portofolio To Whatsapp

TC.GP.002 - User want To Share Portofolio from Grup Portofolio To Facebook

User want Share Portofolio That They Create Before

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success Share Portofolio To Facebook

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
And User Click Grup Portofolio
When User Click Three Dots Beside Portofolio
Then User Click Share Portofolio
And User Click Facebook Icon
And User Success To Share Portofolio To Facebook

TC.GP.003 - User want To Share Portofolio from Grup Portofolio To Instagram

User want Share Portofolio That They Create Before

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Should be automated

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success Share Portofolio To Instagram

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
And User Click Grup Portofolio
When User Click Three Dots Beside Portofolio
Then User Click Share Portofolio
And User Click Instagram Icon
And User Success To Share Portofolio To Instagram

TC.GP.004 - User want To Copy Link To Share Portofolio

User want Share Portofolio That They Create Before

Severity	Priority	Behavior	Type
︿ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success Copy Link

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
And User Click Grup Portofolio
When User Click Three Dots Beside Portofolio
Then User Click Share Portofolio
And User Click Copy Link
And User Success To Copy Link Portofolio

TC.GP.005 - User want To Add Email To Share Portofolio

User want Share Portofolio That They Create Before

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success Share Portofolio and Add Email for Share

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
And User Click Grup Portofolio
When User Click Three Dots Beside Portofolio
Then User Click Share Portofolio
And User Fill Email
And User Click Invite

TC.GP.006 - User want To Share Portofolio For Invite Only

User want Share Portofolio That They Create Before

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success Share Portofolio For Invite Only

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
And User Click Grup Portofolio
When User Click Three Dots Beside Portofolio
Then User Click Share Portofolio
And User Click Invite Only

TC.GP.007 - User want To Share Portofolio For Public

User want Share Portofolio That They Create Before

Severity	**Priority**	**Behavior**	**Type**
∧ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success Share Portofolio For Public

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
And User Click Grup Portofolio
When User Click Three Dots Beside Portofolio
Then User Click Share Portofolio
And User Click For Public

TC.GP.008 - User want To Delete Portofolio From Grup Portofolio

User want Share Portofolio That They Create Before

Severity	Priority	Behavior	Type
⌄ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Should be automated
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Login

Post-conditions

User Success Delete Portofolio From Grup Portofolio

Tags

Positive-Test-Case, Portofolio

Scenario

Given User Go To Portofolio Page
And User Click Grup Portofolio
When User Click Three Dots Beside Portofolio
Then User Click Delete Portofolio
And User Click Delete

TC.POT.01 - User Want To See Portofolio Of Others

User Want To See Portofolio Of Others

Severity	**Priority**	**Behavior**	**Type**
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Manual
Status	**Is Muted**		
Actual	No		

Pre-conditions

User have or not Account

Post-conditions

User Can See Post Of Others People

Tags

Portofolio-Of-Others, Positive-Test-Case

Scenario

Given User Open Website
When User Open Homepage
Then User Can See Portofolio Of Others

TC.POT.02 - User Want To See Grup Portofolio

User Want To See Portofolio Of Others and See Grup Portofolio

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Manual
Status	**Is Muted**		
Actual	No		

Pre-conditions

User have or not Account

Post-conditions

User Can See Post Of Others People and see Grup Portofolio

Tags

Portofolio-Of-Others, Positive-Test-Case

Scenario

Given User Open Website
And User Open Homepage
When User Click Dropdown Portofolio
And User Click Grup Portofolio
Then User See List Grup Portofolio

TC.LP.001 - User Want To Scroll Down To See Bottom Page

User Want To Scroll Down To See Bottom Page

Severity	Priority	Behavior	Type
∧ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Manual

Status	Is Muted
Actual	No

Pre-conditions

User Already Open Landing Page

Post-conditions

User Can Scroll In Landing Page

Tags

Landing Page, Positive-Test-Case

Scenario

Given User Open Landing Page
When User Scroll To Bottom Page
Then User Success To See Information In Bottom Page in Landing Page

TC.LP.002 - User Want To Click Get Started In Landing Page

User Want To Scroll Down To Click Get Started In Landing Page

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Manual

Status	Is Muted
Actual	No

Pre-conditions

User Already Open Landing Page

Post-conditions

User Can Get Started In Landing Page

Tags

Landing Page, Positive-Test-Case

Scenario

Given User Open Landing Page
When User Scroll To Get Started Button
Then User Success to Get Started From Landing Page

TC.LP.003 - User Want To Click Daftar Disini In Landing Page

User Want To Scroll Down To Click Daftar Disini In Landing Page

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Manual

Status	Is Muted
Actual	No

Pre-conditions

User Already Open Landing Page

Post-conditions

User Can Daftar Disini In Landing Page

Tags

Landing Page, Positive-Test-Case

Scenario

Given User Open Landing Page
When User Scroll To Daftar Disini Button
Then User Direct To Registration Page

TC.LP.004 - User Want To Registration From Landing Page

User Want To Registration From Landing Page

Severity	Priority	Behavior	Type
∧ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Manual
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Open Landing Page

Post-conditions

User Want To Registration From Landing Page

Tags

Landing Page, Positive-Test-Case

Scenario

Given User Open Landing Page
When User Click Registration Button
Then User Direct To Registration Page

TC.LP.005 - User Want To Login From Landing Page

User Want To LoginFrom Landing Page

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Manual

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Open Landing Page

Post-conditions

User Direct To Login Page

Tags

Landing Page, Positive-Test-Case

Scenario

Given User Open Landing Page
When User Click Login Button
Then User Direct To Login Page

TC.LP.006 - User Click Tentang Kami In Landing Page

User Click Tentang Kami In Landing Page

Severity	**Priority**	**Behavior**	**Type**
︿ Major	↑ High	Positive	Functional
Layer	**Is Flaky**	**Milestone**	**Automation**
Unit	No	-	Manual
Status	**Is Muted**		
Actual	No		

Pre-conditions

User Already Open Landing Page

Post-conditions

User Direct To Tentang Kami Page

Tags

Landing Page, Positive-Test-Case

Scenario

Given User Open Landing Page
When User Click Button Tentang Kami
Then User Direct To Tentang Kami Page

TC.LP.007 - User Click Generate Resume In Landing Page

User Click Generate Resume In Landing Page

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Manual

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Open Landing Page

Post-conditions

User Direct To Generate Resume Page

Tags

Landing Page, Positive-Test-Case

Scenario

Given User Open Landing Page
When User Click Button Generate Resume
Then User Direct To Generate Resume Page

TC.LP.008 - User Click Feature In Landing Page

User Click Feature In Landing Page

Severity	Priority	Behavior	Type
⌃ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Manual

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Open Landing Page

Post-conditions

User Direct To Feature Page

Tags

Landing Page, Positive-Test-Case

Scenario

Given User Open Landing Page
When User Click Button Feature
Then User Direct To Feature Page

TC.LP.009 - User Want To Generate Resume

User Want To Generate Resume

Severity	Priority	Behavior	Type
∧ Major	↑ High	Positive	Functional

Layer	Is Flaky	Milestone	Automation
Unit	No	-	Manual

Status	Is Muted		
Actual	No		

Pre-conditions

User Already Open Landing Page

Post-conditions

User Success To Generate Resume

Tags

Landing Page, Positive-Test-Case

Scenario

Given User Open Landing Page
And User Click Button Generate Resume
When User Direct To Generate Resume Page
And Click Buat Resume
Then User Direct To Create Generate Resume Page