






APPLICATIONS




Door, single leaf
inward
opening




Door, single leaf
outward
opening




Door, single
leaf
two-way



Door, 2 leaves
two-way




Door, 2 leaves
inward
opening



Door, 2 leaves
outward
opening



composite frame
Door, single leaf inward
or outward opening



composite frame
Door, 2-leaf inward or
outward opening

TECHNICAL DESCRIPTION

Application

Non-overlapping door with slot-and-clamp or surface-mounted (anchor bolt) hinges or swing mounted on floor pivot plate made from extruded aluminium (6060T5) with central crimped polyamide strips providing thermal break.

The hinges are adjustable without offsetting the barrels and can thus be realigned without spoiling the perfect looks.

Full range of locks from 1- to 5-point; no machining required on fixed frame.

The only machining operation is for the central lock case on the 3-point lever latch lock.

A recessed door closer can be fitted and is completely hidden by the closed door.

Fixed frame

70mm wide fixed frame with flat bottom or pressed metal groove to accept architraves and shutter pieces. Mitre-cut assembly with screw-on or crimp-on corner cleats.

Various combinations enable composite frames with fanlights in the fixed and opening parts, taken directly from the Espace® 70TH range.

Standard sills or sills with thermal break are available.

Opening frame

Single or double door, inward, outward, or two-way opening. 70mm thickness leaf with thermal break; mitre-cut assembly with screw-on or crimp-on corner cleats. Square-cut kick plate available. Glazing from 24mm to 44mm. Finishing trim on opening and fixed frames.

Weatherproofing

Closed cell EPDM for the weather seal (surround gasket).


Black or grey EPDM gasket for the external glazing seal.

Black or grey TPE gasket for the internal glazing seal.

Surface treatment

Anodizing: Class 20 for satin silver, class 15 for other colours. QUALANOD-EWAA-EU-RAS quality label per standard NFA 91 450. Powder coating: 80µm marine grade, QUALICOAT/QUALIMARINE/QUALIDECO quality label.

PUNCHING TOOLS




570000

Self contained tool comprising:

- Punch ram, force 1740kg at 6 bar
- Punch tools
- 1 blow gun
- Directional valve
- Operating pedal (pedal only 40077)
- Adjustable stop
- Packaging
- Operating instructions



N.B., Read the instruction booklet before starting.
Lubricate the punches regularly with our lubricant 40051.




SPARE DIES AND PUNCHES

Machining operation	Punch		Die	
	Ref.	Item	Ref.	Item
1	5701P1 5702P1	Set of punches, position 1	5700M1	Die position 1
2	5701P2 5702P2	Set of punches, position 2	5700M2	Die position 2
3	5700P3	Set of punches, position 3	5700M3	Die positions 3
4	5701P4 5702P4	Set of punches, position 4	570GM4 570DM4	Die position 4
5	5701P5 5702P5	Set of punches, position 5	570GM5 570DM5	Die position 5



PUNCHING TOOLS

PARTS LIST		
Item & reference	Machining	Sections
Screw-on corner cleat machining OPENING FRAME ref. 560000	 460002 Ø6 Ø6 self-disengaging (weatherproofing) 12 38 12.1 Ø6 12.1 510002 or 510003 or 510012 1	OPENING FRAMES: 510002 - 510003 510012
Screw-on corner cleat machining OPENING FRAMES refs. 560023 & 560028	 Ø8 64.5 12.1 Ø8 12.1 510002 or 510003 or 510012 2	OPENING FRAMES: 510002 - 510003 510012





PUNCHING TOOLS

PARTS LIST		
Item & reference	Machining	Sections
Assembly block machining 460008 - 460012 - 560022	 Ø6 36 11.9 Ø6 410034 or 410033 410036 510005 or 510004 410032 or 410031	RAILS: 410031 - 410032 - 410033 410034 - 410036 FIXED FRAMES: 510004 - 510005




PUNCHING TOOLS

PARTS LIST		
Item & reference	Machining	Sections
Assembly block machining: 460012	 	RAILS: 410031 - 410032 410036 - 510008




PUNCHING TOOLS

PARTS LIST		
Item & reference	Machining	Sections
Machining the screw-on bracket FIXED FRAME: 460034	Ø6 self-disengaging (weatherproofing)  4  410004 510004 or 510005 or 510010 510000 or 510001 or 510013 or 510015	FIXED FRAMES: 410004 - 510000 - 510001 510004 - 510005 - 510010 510013 - 510015
Drainage hole & deflector machining 460110	 5  510004 or 510005 410031 or 410033 or 410036 510008 510002 or 510003 or 510012 410004	FIXED FRAMES: 410004 - 410031 - 410033 410036 - 510004 - 510005 OPENING FRAMES: 510002 - 510003 - 510008 510012





DRILLING TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
 470012 Drilling template for fixed frame corner cleat N.B.: This template can be replaced by tool ref. 570000 	C Machining of assembly blocks 460008-460012 560022 	RAILS: 410031 - 410033 410034 - 410036 FIXED FRAMES: 410031 - 410033 - 410036 510004 - 510005 OPENING FRAME: 510008

DRILLING TEMPLATES




PARTS LIST		
Item & reference	Machining	Sections
 570010 Drilling template for opening frame corner clec ref. 560023 and 560028 assembly blocks ref. 460008, 460012 and 560022 N.B., This template can be replaced by tool ref. 570000	FACE A - POSITION A  510002 or 510003 or 510012	OPENING FRAMES: 510002 - 510003 510012
	FACE B - POSITION B OR B'  460002 Ø6 36 510008	FIXED FRAMES: 510004 - 510005 - 510010 MULLIONS: 410031 - 410032 - 410033 410034 - 410036 - 410037 SILL: 510008

DRILLING TEMPLATES




PARTS LIST		
Item & reference	Machining	Sections
 570019 Drilling template for two-branch corner hinges, ref. A5084	  510003 or 510002 510007 410034 	MULLION: 410034 OPENING FRAMES: 510002 - 510003 ADD-ON CENTRE MULLION: 510007

DRILLING TEMPLATES



PARTS LIST

Item & reference	Machining	Sections
Drilling template for two-branch hinges, ref. A5080  570020 Drilling template for two-branch hinges, ref. A5080	 510002 or 510003 510001 HINGE AXIS 50 17 22 22 = 20 = Ø11 8.5 17 41.5 67	FIXED FRAMES: 510001 OPENING FRAMES: 510002 - 510003
Drilling template for two-branch hinges, ref. A5080	 510002 or 510003 510006 or 510007 HINGE AXIS 50 42 22 22 = 20 = Ø11 8.5 42 41.5 92 510002 or 510003 510004 or 510005	FIXED FRAMES: 510004 - 510005 510006 - 510007 OPENING FRAMES: 510002 - 510003



DRILLING TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
Drilling template for three-branch hinges, ref. A5086  570021 Drilling template for three-branch hinges, ref. A5087		FIXED FRAMES: 510001 OPENING FRAMES: 510002 - 510003
		FIXED FRAMES: 510004 - 510005 510006 - 510007 OPENING FRAMES: 510002 - 510003











DRILLING TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
 570022 Drilling template for corner cleat ref. 460034 corner cleat ref. 460033		FIXED FRAME: 510014



DRILLING TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
 F5008 Drilling template for variable block ref. 460013 + F5011 Drilling template adapter	 12.1 Ø8 12.1 Ø8 510002 510003 510002 510003 58.6 Holes drilled at position B for $45^\circ \leq \alpha < 90^\circ$ 100.6 Holes drilled at position C for $22.5^\circ \leq \alpha < 45^\circ$	OPENING FRAMES: 510002 - 510003

DRILLING TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
 F5007 Drilling template for variable cleat ref. 460014 + F5011 Drilling template adapter	   510001 510000   510005 510004	FIXED FRAMES: 510000 - 510001 510004 - 510005
 F5009 Drilling template for variable block ref. 460015 + F5011 Drilling template adapter	   510005 510004	FIXED FRAMES: 510004 - 510005










COPY TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
 570002 Copy template for locks 550020 - 550022, recessed door closer 550001	 510002 or 510003 or 510012	OPENING FRAMES: 510002 - 510003 510012






COPY TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
570004 570004 Copy template for electric strike 550055	Machining A 67 510000 510003	FIXED FRAME: 510000 OPENING FRAME: 510003
	Machining C 62.5 510000 510003	
	Machining B 62.5 510000 510003	






COPY TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
 570012 Copy template for cantilever arm 5670, lintel pivot 5721, lock cylinder and drain hole	  510012   510012   510012   510013	FIXED FRAME: 510013 OPENING FRAME: 510012





COPY TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
 570015 Copy template for lock 550018	 	OPENING FRAME: 510012
	 	











COPY TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
     570023 Copy template for floor pivot plate assembly ref. 550082 barrel ref. 550086 end piece for pivot plate side ref. 560040 end piece for lock side ref. 560041 SILL: 520015		





COPY TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
 570024 Copy template for semi-fixed lockbolt ref. 550037R	Machining of upright on opening frame edge  510002 or 510003	OPENING FRAMES: 510002 - 510003
	Machining of upright on opening frame with kick plate  510002 or 510003	
	Machining of bottom rail on opening frame edge  510002 or 510003	




COPY TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
 570026 Copy template for A5094, A5095 + actuator for locks A5063N, A5065N	 225 (A) Machining for transformer  510000 or 510001  510002 or 510003	FIXED FRAMES: 510000 - 510001 OPENING FRAMES: 510002 - 510003
	 76 (B) Machining for daytime latch except automatic locks  510000 or 510001  510002 or 510003	FIXED FRAMES: 510000 - 510001 OPENING FRAMES: 510002 - 510003
	 46 (C) Machining for magnet clearance, for automatic locks without daytime latch  510000 or 510001  510002 or 510003	FIXED FRAMES: 510000 - 510001 OPENING FRAMES: 510002 - 510003





COPY TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
 570026 Copy template for A5094, A5095 + actuator for locks A5063N, A5065N	 Machining for daytime latch and magnet clearance for automatic locks  510000 or 510001  510002 or 510003	FIXED FRAMES: 510000 - 510001 OPENING FRAMES: 510002 - 510003





COPY TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
 570027 Copy template biometric scanner	Machining for fingerprint scanner A  510002	510002 510003
	 510003	
	Machining of electronics case B  510002 510003	510002 510003

COPY TEMPLATES

Item & reference	PARTS LIST	Sections
  F5001N Copy template for locks ref. A5023 A5025, A5027	PARTS LIST Machining  Except for ref. A5027 958 FROM FINISHED FLOOR For ref. A5025, A5027 For ref. A5025, A5027 510002 or 510003	OPENING FRAMES: 510002 - 510003 










COPY TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
 F5001N Copy template for locks ref. A5061N, A5062N, A5063N A5065N, A5096	 958 FROM FINISHED FLOOR Ø 7 Ø 16 Ø 18 10 34 43 16.5 31 204 559 197 158 569 214 158 197 158 (A) (B) (C) (F)	OPENING FRAMES: 510002 - 510003  16.5 510002 or 510003  45.5 30 Ø 18 Lock ref. A5062N Locks ref. A5061N, A5063N A5065, A5096

COPY TEMPLATES

Item & reference	PARTS LIST	Sections
F5001N Copy template for lock ref. 550018, rail drainage	510012 510012 510004 or 510005 or 510010 410031 or 410033 or 410036 510002 or 510003 or 510012 510008	OPENING FRAME: 510012 FIXED FRAMES: 510004 - 510005 510010 MULLIONS: 410031 - 410033 410036 OPENING FRAMES: 510002 - 510003 510012 SILL: 510008

SAWING BLOCK

PARTS LIST		
Item & reference	Machining	Sections
 472000 Cutting block kit for 26 mm glazing bead POM	 	420035 - 420038
 472001 Cutting block kit for 29 mm glazing bead POM	 	420034 - 420037
 472002 Cutting block kit for 32 mm glazing bead POM	 	420033 - 420036

