



SLIDING FRAME



Systems

Galaxie® 26TH
Galaxie® 32TH

INSTALLUX



ALUMINIUM
& PARTNERS

CONCEPT

Galaxie® SLIDING FRAME

The Galaxie® ranges of sliding windows or patio doors with thermal break are designed for newbuild, retrofit, conservatories or home extensions and can be integrated with all architectural projects. This sliding frame provides a wide choice of 2- or 3-track fixed frames with mitre cut assembly and crimp-or screw-fastened corner cleats. They come in many different designs from 2 to 6 slide panels. The concept features a reinforced mullion offering a full-height pull grip. The accessories are common to the whole of the slide frame offering and can be customized.

The **Galaxie® 26TH** sliding frame can be integrated with all types of homes and buildings while respecting aesthetics and comfort. It represents a simple solution combining discrete design with energy performance.

Galaxie® 32TH High Performance sliding frame provides a perfect marriage of performance and aesthetics for demanding architectural projects. Its design can be customized, in harmony with Espace® 70TH windows and Comète® 70TH doors (identical reveal liners, weather bars, and architraves). The original design of the handle- and overlapping mullions is enhanced further by the deluxe aspect of the vertical fixed frame's coating (3 visual design choices).

Galaxie® 26TH
Meets French building
regulation DTU 36.5

Galaxie® 32TH Meets
French building
regulation DTU 36.5


Range covered by
official technical
application document
("DTA")

Compliant with
French RT 2012
regulations and
"BBC" low energy
consumption label




PLUS FEATURES


- Punching tools are available for executing the metalwork on each of the ranges
- A range of reveal liner sizes to suit all insulation thicknesses
- Stainless steel or aluminium track
- Adjustable trolleys with polyamide or stainless steel castors
- Sliding gaskets



► WINDOW/PATIO DOOR



► SINGLE TRACK



► POCKET DOOR



RANGES

26TH Galaxie®

COMFORT >

Product plus features

- Reinforced mullion offering a full-height pull grip
- 1, 2, and 3 point locks available
- Pre-cut gasket
- Crimp- or screw-fastened aluminium corner cleats



32TH Galaxie®

< HIGH PERFORMANCE

Product plus features

- Reinforced mullion offering a full-height pull grip
- Specific 3D crimp- or screw-fastened corner-cleats, glue injection possible
- Polyamide centre strip for thermal uniformity
- Concealed drainage
- Grey or black seals
- 5-point lock
- Glazing gasket with high dislodge resistance
- Operating force class 1
- Identical internal and external snap-in grooves

SOLUTIONS

▼ SINGLE TRACK

Product plus features

- Perfect integration with conservatory and home extension (load taken-up under pole plate)
- Assemblies with large dimensions possible
- Inertia reinforced by structure



26TH

▼ POCKET DOOR

Product plus features

- Full range of integration sections
- Large choice of designs (1, 2 or 4 sliding panels)
- Specific solution for roller blind integration
- Two cover cap finish designs



32TH



COMPARISON CHART

	Galaxie® 26TH	Galaxie® 32 TH
Glazing depths	up to 26mm	up to 32mm
Weight of sliding panel	up to 140 kg	up to 200 kg
Architraves	Two styles	Two styles
Top and bottom finishing plugs	•	•
Side frame covers	-	•
Optional anti-warp strip (bimetal effect)	-	•
2, 4 or 6 sliding panel design	•	•
Modern design full-height pull section	One style	Two styles
Concealed drainage	-	•

PERFORMANCE RATINGS

		Galaxie® 26TH			Galaxie® 32 TH		
Configuration		AIR/WIND/WATER					
2-panel patio door		A3	E7B	VA3	A3	E7B	VB3
3-panel patio door		A3	E7B	VA2	A3	E6B	VB3
Single track, 2-panel patio door with fanlight		A4	E5B	VA2	-	-	-
Single track, single-panel patio door with fanlight		-	-	-	A4	E6A	VA3
Single-panel patio pocket door		-	-	-	A3	E7B	VC3
		THERMAL					
Configuration	Dimensions (m)	Ug	Uw	Acotherm class	Ug	Uw	Acotherm class
2-panel sliding window	1.85 x 1.63	1.1	2.1	TH7	-	-	-
2-panel sliding window	1.53 x 1.48	-	-	-	1.1	1.9	TH8
2-panel sliding window	1.53 x 1.48	1.0	2.1	TH7	1.0	1.9	TH8
2-panel patio door	1.85 x 2.18	1.1	2.0	TH8	-	-	-
2-panel patio door	2.35 x 2.18	-	-	-	1.1	1.7	TH9
2-panel patio door	2.35 x 2.18	1.0	1.8	TH9	1.0	1.6	TH10
		ACOUSTIC					
Configuration	Dimensions (m)	Ra,tr (glazing)	Ra,tr (window)	Acotherm class	Ra,tr (glazing)	Ra,tr (window)	Acotherm class
2-panel sliding window	1.48 x 1.47	26.0	27.0	AC0	-	-	-
2-panel sliding window	1.48 x 1.47	34.0	33.0	AC2	-	-	-
2-panel sliding patio door	2.30 x 1.47	26.0	26.0	AC0	-	-	-
2-panel sliding patio door	2.30 x 1.47	34.0	32.0	AC1	-	-	-
2-panel sliding patio door	2.30 x 1.47	32.0	31.0	AC1	-	-	-
2-panel sliding patio door	2.18 x 1.85	-	-	-	26	27	AC0
2-panel sliding patio door	2.18 x 1.85	-	-	-	36	35	AC2
2-panel sliding patio door	2.18 x 1.85	-	-	-	34	32	AC1

Reports available in your Partner Area on the www.installux-aluminium.com website


COMPLETED PROJECTS



Arvival (Ardèche)



ATA Habitat (Rhône)



Wiedemann Jasalu (Moselle) / A.A. Nouari Architecture



Actuel Véranda & Menuiserie (Haute-Savoie)



Delt'Alu (Bouches-du-Rhône)

SUPERCHARGING YOUR PERFORMANCE



Combine our solutions and multiply your creativity



SERVICES

Because being a partner is first and foremost a story of people, where closeness and good service are two key values of the Customer experience! We have the ability and willingness to adapt to each of our customers for personal, bespoke service.



INOV

An innovative, forward looking initiative to assist you on the way to tomorrow's world. Steal a march with Installux!



PROGRAMMES

Specific programmes to assist you in developing your activity and to address your growth, optimization, management, and change issues.



CAMPUS

A 360° service to assist you in developing your business and promote your company through its human capital. Skills could quite well be at the core of you company's development and long-term viability issues.

INSTALLUX
G U L F



**ALUMINIUM
& PARTNERS**

INSTALLUX GULF B.S.C.(C)
P. O. Box: 10229
Manama, Kingdom of Bahrain
T +973 1759 0589
info@installuxgulf.com

installuxgulf.com

INSTALLUX SA
Chemin du Bois Rond
69720 Saint-Bonnet-de-Mure, France
T +33 472 48 31 31

installux-aluminium.com