

TECHNICAL DESCRIPTION AND APPLICATIONS



TECHNICAL DESCRIPTION

Application

Sliding window or patio door with 2, 3, 4, or 6 glide panels; pocket window or door with 1 or 2 glide panels on one track or 2 or 4 glide panels on two tracks; single track fixed + sliding frame with 1 or 2 glide panels, made from extruded aluminium (6060) with crimped strip providing thermal break. Full range of joinery for new-build; also suitable for retrofit.

Fixed frame

Mitre cut, widths 70mm and 124mm. Square bracket assembly. Aluminium or stainless steel rolling track. Adaptable to hinged opening ranges. Fastening by lugs to building shell or any type of support frame.

Opening frame

Glazing pocket type, width 36.6mm, to accept 24mm, 28mm, or 31mm glazing. Square-cut tongue-and-groove assembly. Sliding frame hung from fixed or adjustable

trolley with polyamide or stainless steel rollers and needle bearings; max. tested load: 200kg per panel.

Different locking systems are available with 1- or 3-point locks.

Stiles with added stiffeners depending on the exposure and height of the assemblies.


Weatherproofing

Grey or black EPDM glazing pocket for infills. Either polypropylene double-brush with centre blade or EPDM sliding gasket between the opening and fixed frames.

Surface treatment

Anodizing: class 20 for satin silver, class 15 for other shades (class 20 on request).

Quality: QUALANOD-EWAAEURAS, per standard NFA 91450. Powder coating: 80 microns QUALICOAT/QUALIMARINE label.



470000N

Self-contained hydraulic-pneumatic tool comprising:



- 1500kg punch ram (below 6 bar)
- Punch tools
- 1 blow gun
- Directional valve
- Operating pedal (pedal only **40077**)
- Adjustable stop
- Packaging
- Operating instructions

N.B., Read the instruction booklet before starting.
Lubricate the punches regularly with our lubricant **40051**.



SPARE DIES AND PUNCHES

Machining operation	Punch		Die	
	Ref.	Item	Ref.	Item
1	470015	Fixed frame cutters Ø 6 X 182	470017	Fixed frame die punch position 1
	470018	Fixed frame cutters Ø 6 X 193		
2	470020	Fixed frame cutters Ø 6 X 112	470022	Fixed frame die punch position 2
	470021	Fixed frame cutters Ø 6 X 123		
5	470050	Fixed frame cutters item 5	470051	Fixed frame die punch position 5
6	470060	Fixed frame cutters item 6	470061	Fixed frame int. die punch position 6
			470062	Fixed frame ext. die punch position 6


PUNCHING TOOLS

PARTS LIST		
Item & reference	Machining	Sections
Screw-fastened corner cleat machining ref. 460004 FIXED FRAMES: 910002 - 910004 910006 - 910007 910004	 Ø6 Ø4.5 20 25 460002 460004 Ø 4.5 / Ø 6 29 or 910002 or 910006 or 910007 16.5 Ø 4.5 / Ø 6 910040 7 Ø 4.5 / Ø 6 910004	910002 - 910003 910004 - 910006 910007 - 910040
Screw-fastened corner cleat machining ref. 460003 FIXED FRAME: 910004	 Ø6 Ø4.5 20 25 460002 460003 Ø 4.5 / Ø 6 17.5 910004	910004

PUNCHING TOOLS

PARTS LIST		
Item & reference	Machining	Sections
Machining of drainage hole on rail	5  410031	410031
Paring of inner ribs	6  410031	410031

PUNCHING TOOLS



471000N

Self-contained hydraulic-pneumatic tool comprising:



- 1500kg punch ram (below 6 bar)
- Punch tools
- 1 blow gun
- Directional valve
- Operating pedal (pedal only **40077**)
- Adjustable stop
- Packaging
- Operating instructions

N.B., Read the instruction booklet before starting.
Lubricate the punches regularly with our lubricant **40051**.


SPARE DIES AND PUNCHES

Machining operation	Punch		Die	
	Ref.	Item	Ref.	Item
4	471040	Opening frame cutters Ø 6 X 212.5	4710411	Opening frame die punch position 4

PUNCHING TOOLS

PARTS LIST		
Item & reference	Machining	Sections
Paring of inner ribs	 4  410031	410031

PUNCHING TOOLS



970001A

Self-contained hydraulic-pneumatic tool comprising:




- 2000kg punch ram (below 7 bar)
- Punch tools
- 1 blow gun
- Directional valve
- Operating pedal (pedal only **40077**)
- Adjustable stop
- Packaging
- Operating instructions

N.B., Read the instruction booklet before starting.
Lubricate the punches regularly with our lubricant **40051**.




SPARE DIES AND PUNCHES

Machining operation	Punch		Die	
	Ref.	Item	Ref.	Item
2	970001AP2	Punch item 2	97001AM2	Set of dies item 2
3	970001AP3	Punch item 3	97001AM3	Die item 3
4	970001AP4	Punch item 4	97001AM4	Die item 4
5	970001AP5	Set of punches item 5	97001AM5	Set of dies item 5
6	970001AP6	Set of punches item 6	97001AM6	Set of dies item 6
7	970001AP7	Punch item 7	97001AM7	Die item 7


PUNCHING TOOLS

PARTS LIST		
Item & reference	Machining	Sections
Track cover mullion machining	 920003	920003 - 920006
Under-track drainage hole machining	 910001	910000 - 910001 910002 - 910003 910004 - 910005 910006 - 910007 910008 - 910050 910051 - 910052
Machining of fixed frame bottom rail drainage hole	 910001	910000 - 910001 910002 - 910003 910004 - 910005 910006 - 910007 910040 - 910050 910051 - 910052

PUNCHING TOOLS

PARTS LIST		
Item & reference	Machining	Sections
Screw-fastened corner cleats machining FIXED FRAMES: 910000 - 910001 910005		910000 - 910001 910005 - 910050 910051
Screw-fastened corner cleats machining FIXED FRAMES: 910002 - 910003 910006 - 910007		910002 - 910003 910006 - 910007 910040 - 910052
Machining of fixed frame bottom rail drainage hole		910000 - 910001 910002 - 910003 910004 - 910005 910007 - 910040 910050

PUNCHING TOOLS



970002

Self-contained hydraulic-pneumatic tool comprising:







- 2500kg punch ram (below 7 bar)
- Punch tools
- 1 blow gun
- Directional valve
- Operating pedal (pedal only **40077**)
- Adjustable stop
- Packaging
- Operating instructions

N.B., Read the instruction booklet before starting.
Lubricate the punches regularly with our lubricant **40051**.







SPARE DIES AND PUNCHES

Machining operation	Punch		Die	
	Ref.	Item	Ref.	Item
1	970002P1	Set of punches item 1	970001M1	Die item 1
2	970002P2	Set of punches item 2	970001M2	Die item 2
3	970002P3	Punch item 3	970001M3	Die item 3
4	970002P4	Punch item 4	970001M4	Die item 4
5	970002P5	Set of punches item 5 (right+left)	970001M5	Die item 5


PUNCHING TOOLS

PARTS LIST		
Item & reference	Machining	Sections
Machining for assembly of the end stiles	 910010 or 910010B or 910011 or 910011B or 910012 or 910013 or 910013B or 910014 or 910016B 	1 910010 - 970010B 910011 - 910011B 910012 - 910013 910013B - 910014 910016B
Machining for assembly of the end stiles	 910010 or 910010B or 910011 or 910011B or 910012 or 910013 or 910013B or 910014 or 910016B 	2 910010 - 970010B 910011 - 910011B 910012 - 910013 910013B - 910014 910016B
Machining for assembly of interlocking stiles	 910020 or 910021 or 910022 or 910023 	3 910020 - 910021 910022 - 910023

PUNCHING TOOLS

PARTS LIST		
Item & reference	Machining	Sections
Machining for assembly of interlocking stiles	4  20.8 22 910020 or 910021 or 910022 or 910023 	910020 - 910021 910022 - 910023
Machining for assembly of top, middle, and bottom rail	5  17  18.7 910030  18.7 910031 	910030 - 910031

PUNCHING TOOLS




970002BO

- Rotary tool
- Travel: 14mm
- Weight: 33kg

N.B., Jigs ref. 971K2 and 971K3 for machining the stiffeners, see pages 102-103.

N.B., Read the instruction booklet before starting. Lubricate the punches regularly with our lubricant **40051**.

PUNCHING TOOLS









473000

Ram:




- Dimensions: L x W x H = 350 x 350 x 460mm
- Force: 3 tonnes
- Travel: 30mm
- Weight: 17kg
- Pressure: 6 bar, max. 8 bar
- 1 blow gun
- Operating pedal (pedal only ref. 40078)
- Packaging
- Operating instructions

N.B., Read the instruction booklet before starting. Lubricate the punches regularly with our lubricant **40051**.



PUNCHING TOOLS

PARTS LIST		
Item & reference	Machining	Sections
Machining for assembly of end stiles	 910010 or 910011 or 910012 or 910013 or 910014 or 910010B or 910011B or 910013B or 910016B 	1 910010 - 910011 910012 - 910013 910014 - 910010B 910011B - 910013B 910016B
Machining for assembly of end stiles	 910010 or 910011 or 910012 or 910013 or 910014 or 910010B or 910011B or 910013B or 910016B 	2 910010 - 910011 910012 - 910013 910014 - 910010B 910011B - 910013B 910016B
Machining for assembly of the interlocking stiles	 910020 or 910021 or 910022 or 910023 	3 910020 - 910021 910022 - 910023

PUNCHING TOOLS


PARTS LIST		
Item & reference	Machining	Sections
Machining for assembly of interlocking stiles	 910020 or 910021 or 910022 or 910023	910020 - 910021 910022 - 910023
Machining for assembly of top, middle, and bottom rail	 910030 910031	910030 - 910031
	Machine the right hand part of the stiffeners first  910011 910011B 910021 or 910022 910023	910011 - 910013 910011B - 910013B 910016B

PUNCHING TOOLS



971000


- Rotary tool
- Travel: 18mm
- Weight: 20kg



473000


Ram:

- Dimensions: L x W x H = 350 x 350 x 460mm
- Force: 3 tonnes
- Travel: 30mm
- Weight: 17kg
- Pressure: 6 bar, max. 8 bar
- 1 blow gun
- Operating pedal (pedal only ref. 40078)
- Packaging
- Operating instructions




971K1

Jig w/stiffener for square region
Weight: 4.8kg



971K2

Jig w/stiffener for bevelled region
Weight: 4.8kg






971K3







Jig w/stiffener for rounded region
Weight: 4.8kg

N.B., Read the instruction booklet before starting. Lubricate the punches regularly with our lubricant **40051**.




PUNCHING TOOLS

PARTS LIST		
Item & reference	Machining	Sections
Notching of straight parts of the stiffeners	Machine the right hand part of the stiffeners first  910011 or 910011B 910023 910021 or 910022 910023 910021 or 910022 910023 910021 or 910022 910023	971K1 910011 or 910011B or 910013 or 910013B 910021 or 910022 910023 910021 or 910022 910023
Notching of tapered parts of the stiffeners	 910011 or 910011B 910021	971K2 910011 or 910011B 910021
Notching of rounded parts of the stiffeners	 910013 or 910013B 910022	971K3 910013 or 910013B 910022




DRILLING TEMPLATE

PARTS LIST		
Item & reference	Machining	Sections
 470012 Drilling guide fixed frame corner cleat		910000 - 910001 910005
 470016 Drilling template retrofit fixed frame corner cleat N.B., This template can be replaced by tool ref. 470000		910004
 470016 Drilling template retrofit fixed frame corner cleat N.B., This template can be replaced by tool ref 470000		910004








DRILLING TEMPLATE

PARTS LIST		
Item & reference	Machining	Sections
The 2 x Ø10 holes are used to centre pop the 2 x Ø 7.1 holes  970006 Drilling guide for handles on fittings 950006 – 950008	 2 x Ø7.1 holes Ø13 = 43 = SPINDLE AXIS MACHINING FOR HANDLE  39.5 Ø13 Ø7.1 910010 or 910010B or 910011 or 910011B or 910012 or 910013 or 910013B or 910014 or 910016B	910010 - 910011 910011B - 910012 910013B - 910013 910014B - 910016



DRILLING TEMPLATE

PARTS LIST		
Item & reference	Machining	Sections
 970008 Drilling template for drainage hole on pocket door system	 910000	910000 - 910002
	 910002	



COPY TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
The 2 x Ø10 holes are used to centre pop the 2 x Ø 7.1 holes  FACE B 970004 The 2 x Ø10 holes are used to centre pop the 2 x Ø 7.1 holes  FACE A 970004 970004 Copy template for fittings 950006 – 950008	 SPINDLE AXIS 170 109 = 78 = 910010 or 910010B or 910011 or 910011B or 910012 or 910013 or 910013B or 910014 or 910016B   2 x Ø7.1 Ø14 43 = 170 9 25.5 Ø18 Ø11 SPINDLE AXIS MACHINING FOR HANDLE  MACHINING FOR LOCK CYLINDER 	910010 - 910010B 910011 - 910011B 910012 - 910013 910013B - 910014 910016B 910010 - 910010B 910011 - 910011B 910012 - 910013 910013B - 910014 910016B




COPY TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
 970004 Copy template for fittings 950006 to 950008 and Florcile handle	 2 x Ø7.1 holes Ø17 21.5 233 SPINDLE AXIS 39.5 17 7.1 1.5 910010 or 910010B or 910011 or 910011B or 910012 or 910012B or 910013 or 910013B or 910014 or 910014B or 910016B	B 910010 - 910010B 910011 - 910011B 910012 - 910013 910013B - 910014 910016B





COPY TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
 970009 Copy template for security locks 950086 - 950089 - 950093 and 950094		910010 - 910010B 910011 - 910011B 910012 910013 - 910013B 910014 910016B 910010 - 910010B 910011 - 910011B 910012 910013 - 910013B 910014 910016B

COPY TEMPLATES

PARTS LIST		
Item & reference	Machining	Sections
  MACHINING FOR HANDLE  MACHINING FOR LOCK CYLINDER 910010 or 910010B or 910011 or 910011B or 910012 or 910013 or 910013B or 910014 or 910016B	B 910010 - 910010B 910011 - 910011B 910012 910013 - 910013B 910014 910016B	970009 Copy template for security locks 950086 - 950089 - 950093 and 950094 *Ø5: Drill out with Ø7.1 drill for inserts

SETTING BLOCK

PARTS LIST		
Item & reference	Machining	Sections
 970007 Galaxie® 32TH glide frame setting block PEHD 500	910021 930000 	910021 - 910022 930000
	910020 930000 	910020 - 930000
	910011 	910011 - 910012 910013 - 910014

