In what month in [CURRENT YEAR] did you first use LSD?

In what month in [YEAR FROM LS06 or LS07] did you first use LSD?

(LS08, LS09)

		_
L	SDMFU	

### Len: 2 MONTH OF FIRST LSD USE - RECODE

	Freq	Pct
1 = January	24	0.04
2 = February	19	0.03
3 = March	27	0.05
4 = April	22	0.04
5 = May	20	0.03
6 = June	27	0.05
7 = July	30	0.05
8 = August	28	0.05
9 = September	22	0.04
10 = October	11	0.02
11 = November	20	0.03
12 = December	20	0.03
85 = BAD DATA Logically assigned	21	0.04
89 = LEGITIMATE SKIP Logically assigned	12	0.02
91 = NEVER USED LSD	53518	90.60
94 = DON'T KNOW	57	0.10
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	59	0.10
99 = LEGITIMATE SKIP	5099	8.63

How long has it been since you last used LSD?

(LS10)

LSDREC

### Len: 2 TIME SINCE LAST USED LSD

	Freq	Pct
1 = Within the past 30 days	119	0.20
2 = More than 30 days ago but within the past 12 mos	509	0.86
3 = More than 12 months ago	4814	8.15
8 = Used at some point in the past 12 mos LOG ASSN	8	0.01
9 = Used at some point in the lifetime LOG ASSN	47	0.08
91 = NEVER USED LSD	53518	90.60
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	46	0.08

Now think only about PCP. How old were you the first time you used PCP?

(LS11)

<u>PCPAGE</u>

Len: 3 AGE WHEN FIRST USED PCP

	1109	1
RANGE = 5 - 57	795	1.35
991 = NEVER USED PCP	58205	98.54
994 = DON'T KNOW	15	0.03
997 = REFUSED	7	0.01
998 = BLANK (NO ANSWER)	47	0.08

Frea

Pct

Pct

Did you first use PCP in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use PCP in [CURRENT YEAR - 2] OR [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use PCP?

(LS12, LS13, LS14)

<u>PCPYFU</u>

### Len: 4 YEAR OF FIRST PCP USE - RECODE

RANGE = 2020 - 2022	16	0.03
9985 = BAD DATA Logically assigned	1	0.00
9989 = LEGITIMATE SKIP Logically assigned	3	0.01
9991 = NEVER USED PCP	58205	98.54
9994 = DON'T KNOW	14	0.02
9997 = REFUSED	7	0.01
9998 = BLANK (NO ANSWER)	48	0.08
9999 = LEGITIMATE SKIP	775	1.31

In what month in [CURRENT YEAR] did you first use PCP?

In what month in [YEAR FROM LS12 or LS13] did you first use PCP?

(LS14, LS15)

<u>PCPMFU</u>

Len·2	MONTH	OF FIRST	PCP USE -	RECODE

	Freq	Pct
1 = January	1	0.00
2 = February	1	0.00
3 = March	2	0.00
5 = May	2	0.00
6 = June	1	0.00
8 = August	1	0.00
9 = September	2	0.00
11 = November	2	0.00
12 = December	2	0.00
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	3	0.01
91 = NEVER USED PCP	58205	98.54
94 = DON'T KNOW	16	0.03
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	48	0.08
99 = LEGITIMATE SKIP	775	1.31

How long has it been since you last used PCP?

(LS16)

PCPREC Len: 2 TIME SINCE LAST USED PCP

	Freq	Pct
1 = Within the past 30 days	10	0.02
2 = More than 30 days ago but within the past 12 mos	22	0.04
3 = More than 12 months ago	,,,	1.30
8 = Used at some point in the past 12 mos LOG ASSN	1	0.00
9 = Used at some point in the lifetime LOG ASSN	9	0.02
91 = NEVER USED PCP	58205	98.54
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	47	0.08

Now think only about 'Ecstasy or 'Molly.' How old were you the first time you used 'Ecstasy' or 'Molly,' also known as MDMA?

(LS17)

ECSTMOAGE

Len: 3 AGE WHEN FIRST USED ECSTASY OR MOLLY

	Freq	Pct
RANGE = 6 - 67	4633	7.84
985 = BAD DATA Logically assigned	7	0.01
991 = NEVER USED ECSTASY OR MOLLY	54335	91.99
994 = DON'T KNOW	21	0.04
997 = REFUSED	12	0.02
998 = BLANK (NO ANSWER)	61	0.10

Did you first use 'Ecstasy' or 'Molly' in [CURRENT YEAR - 1] or [CURRENT YEAR]?

 $Did\ you\ first\ use\ 'Ecstasy'\ or\ 'Molly'\ in\ [CURRENT\ YEAR-2]\ or\ [CURRENT\ YEAR-1]?$ 

In what month in [CURRENT YEAR] did you first use 'Ecstasy' or 'Molly'?

(LS18, LS19, LS20)

**ECSTMOYFU** 

Len: 4 YEAR OF FIRST ECSTASY OR MOLLY USE - RECODE

	ricq	1 (1
RANGE = 2020 - 2022	220	0.37
9985 = BAD DATA Logically assigned	17	0.03
9989 = LEGITIMATE SKIP Logically assigned	7	0.01
9991 = NEVER USED ECSTASY OR MOLLY		91.99
9994 = DON'T KNOW	23	0.04
9997 = REFUSED	12	0.02
9998 = BLANK (NO ANSWER)	70	0.12
9999 = LEGITIMATE SKIP	4385	7.42

In what month in [CURRENT YEAR] did you first use 'Ecstasy' or 'Molly'?

In what month in [YEAR FROM LS18 or LS19] did you first use 'Ecstasy' or 'Molly'?

In what month in [Y	(EAR FROM LS18 or LS19] did you first use 'Ecstasy' or 'Molly'?		
(LS20, LS21) ECSTMOMFU	Len: 2 MONTH OF FIRST ECSTASY OR MOLLY USE - RECODE	Ewag	Dat
	1 = January	Freq 17	Pct 0.03
	2 = February	12	0.02
	3 = March	23	0.04
	4 = April	14	0.02
	5 = May	18 22	0.03 0.04
	6 = June	16	0.04
	8 = August	14	0.03
	9 = September	25	0.04
	10 = October	17	0.03
	11 = November	13	0.02
	12 = December	13 19	0.02 0.03
	89 = LEGITIMATE SKIP Logically assigned	7	0.03
	91 = NEVER USED ECSTASY OR MOLLY	54335	91.99
	94 = DON'T KNOW	31	0.05
	97 = REFUSED	18	0.03
	98 = BLANK (NO ANSWER)	70	0.12
	99 = LEGITIMATE SKIP	4385	7.42
(LS22)	en since you last used 'Ecstasy' or 'Molly,' also known as MDMA?		
<u>ECSTMOREC</u>	Len: 2 TIME SINCE LAST USED ECSTASY OR MOLLY		ъ.
	1 = Within the past 30 days	Freq 110	<b>Pct</b> 0.19
	2 = More than 30 days ago but within the past 12 mos	417	0.19
	3 = More than 12 months ago	4100	6.94
	8 = Used at some point in the past 12 mos LOG ASSN	6	0.01
	9 = Used at some point in the lifetime LOG ASSN	36	0.06
	91 = NEVER USED ECSTASY OR MOLLY	54335	91.99
	97 = REFUSED	7	0.01
	98 = BLANK (NO ANSWER)	58	0.10
	en since you last used Ketamine?		
(LS33)	I 2 TRUE CRICE I ACT LICER VETAMBLE		
<u>KETMINREC</u>	Len: 2 TIME SINCE LAST USED KETAMINE	Freq	Pct
	1 = Within the past 30 days	53	0.09
	2 = More than 30 days ago but within the past 12 mos	124	0.21
	3 = More than 12 months ago	860	1.46
	8 = Used at some point in the past 12 mos LOG ASSN	3	0.01
	9 = Used at some point in the lifetime LOG ASSN	57020	0.02
	91 = NEVER USED KETAMINE 97 = REFUSED	57939 9	98.09 0.02
	98 = BLANK (NO ANSWER)	72	0.02
	Delivit (No Trio Well)	72	0.12
How long has it bee	en since you last used DMT, AMT or Foxy?		
(LS34)			
<u>DAMTFXREC</u>	Len: 2 TIME SINCE LAST USED DMT/AMT/FOXY	F	D -4
	1 = Within the past 30 days	Freq 27	Pct 0.05
	2 = More than 30 days ago but within the past 12 mos	99	0.03
	3 = More than 12 months ago	767	1.30
	8 = Used at some point in the past 12 mos LOG ASSN	1	0.00
	9 = Used at some point in the lifetime LOG ASSN	13	0.02
	12 = Used >30 days ago but within pst 12 mos LOG ASSN	1	0.00
	91 = NEVER USED DMT/AMT/FOXY	58068	98.31
	97 = REFUSED	9	0.02
	98 = BLANK (NO ANSWER)	84	0.14

How long has it been since you last used Salvia divinorum?

# (LS35) SALVIAREC Len: 2 TIME SINCE LAST USED SALVIA DIVINORUM

	Freq	Pct
1 = Within the past 30 days	3	0.01
2 = More than 30 days ago but within the past 12 mos	29	0.05
3 = More than 12 months ago	1067	1.81
8 = Used at some point in the past 12 mos LOG ASSN	1	0.00
9 = Used at some point in the lifetime LOG ASSN	5	0.01
12 = Used >30 days ago but within pst 12 mos LOG ASSN	3	0.01
91 = NEVER USED SALVIA DIVINORUM	57862	97.96
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	93	0.16

### **INHALANTS**

These next questions are about liquids, sprays, and gases that people sniff or inhale to get high or to make them feel good.

We are not interested in times when you inhaled a substance accidentally — such as when painting, cleaning an oven, or filling a car with gasoline. The questions use the word 'inhalant' to include all the things listed below, as well as any other substances that people sniff or inhale for kicks or to get high. Take a moment to look at the substances listed below so you know what kinds of liquids, sprays, and gases these questions are about.

Amyl nitrite, 'poppers,' locker room odorizers, or 'rush' Correction fluid, degreaser, or cleaning fluid Gasoline or lighter fluid Glue, shoe polish, or toluene Halothane, ether, or other anesthetics Lacquer thinner, or other paint solvents Lighter gases, such as butane or propane Nitrous oxide or 'whippits' Felt-tip pens, felt-tip markers, or magic markers Spray paints Computer keyboard cleaner, also known as air duster Other aerosol sprays

Have you ever, even once, inhaled amyl nitrite, 'poppers,' locker room odorizers, or 'rush' for kicks or to get high?

### (IN01A) **AMYLNIT**

# Len: 2 EVER INHALED AMYL NITRITE, 'POPPERS,' RUSH, ETC.

	rreq	PCI
1 = Yes	1291	2.19
2 = No	4481	7.59
3 = Yes LOGICALLY ASSIGNED	2	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED INHALANTS	53243	90.14
94 = DON'T KNOW	43	0.07
97 = REFUSED	7	0.01

Have you ever, even once, inhaled correction fluid, degreaser, or cleaning fluid for kicks or to get high?

# (IN01B)

# **CLEFLU**

### Len: 2 EVER INHALED CORRECTION FLUID, DEGREASER, ETC.

	Freq	Pct
1 = Yes	364	0.62
$2 = N_0$	5417	9.17
3 = Yes LOGICALLY ASSIGNED	2	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED INHALANTS	53243	90.14
94 = DON'T KNOW	33	0.06
97 = REFUSED	8	0.01

Freq

Pct

Have you ever, even once, inhaled gasoline or lighter fluid for kicks or to get high?

### (IN01C)

**GAS** 

# Len: 2 EVER INHALED GASOLINE OR LIGHTER FLUID

1 = Yes	735	1 24
	133	1.24
2 = No	5053	8.55
3 = Yes LOGICALLY ASSIGNED	1	0.00
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED INHALANTS	53243	90.14
94 = DON'T KNOW	24	0.04
97 = REFUSED	11	0.02

Have you ever, even once, inhaled glue, shoe polish, or toluene for kicks or to get high?

(IN01D) GLUE	Len: 2 EVER INHALED GLUE, SHOE POLISH, OR TOLUENE  1 = Yes	Freq 698 5083 4 2 53243 30 9	Pct 1.18 8.61 0.01 0.00 90.14 0.05 0.02
Have you ever, ev	ven once, inhaled halothane, ether, or other anesthetics for kicks or to get high?		
(IN01E) ETHER	Len: 2 EVER INHALED HALOTHANE, ETHER, OR OTHER ANESTHETIC  1 = Yes	Freq 181 5611 2 53243 28 4	Pct 0.31 9.50 0.00 90.14 0.05 0.01
Have you ever, ev	ven once, inhaled lacquer thinner or other paint solvents for kicks or to get high?		
(IN01F) SOLVENT	Len: 2 EVER INHALED LACQUER THINNER, OTHER PAINT SOLVENTS  1 = Yes	Freq 306 5497 2 53243 18 3	Pct 0.52 9.31 0.00 90.14 0.03 0.01
Have you ever, ev	ven once, inhaled lighter gases, such as butane or propane for kicks or to get high?		
(IN01G) LGAS	Len: 2 EVER INHALED LIGHTER GASES (BUTANE, PROPANE)  1 = Yes	Freq 215 5594 2 53243 10 5	Pct 0.36 9.47 0.00 90.14 0.02 0.01
Have you ever, ev	ven once, inhaled nitrous oxide or 'whippits' for kicks or to get high?		
(IN01H) NITOXID	Len: 2 EVER INHALED NITROUS OXIDE OR 'WHIPPITS'  1 = Yes	Freq 2505 3295 2 53243 21 3	Pct 4.24 5.58 0.00 90.14 0.04 0.01

Have you ever, even once, inhaled felt-tip pens, felt-tip markers, or magic markers for kicks or to get high?

(IN01H1) FELTMARKR	Len: 2 EVER INHALED FELT-TIP PENS/MARKERS	Freq	Pct
	1 = Yes	2046	3.46
	2 = No	3709	6.28
	3 = Yes LOGICALLY ASSIGNED	4	0.01
	85 = BAD DATA Logically assigned	52242	0.00
	91 = NEVER USED INHALANTS 94 = DON'T KNOW	53243 54	90.14 0.09
	97 = REFUSED	11	0.09
	// KLI COLD	11	0.02
Have you ever, eve	en once, inhaled spray paints for kicks or to get high?		
(IN01I) SPPAINT	Len: 2 EVER INHALED SPRAY PAINTS		
<u> STITHIYI</u>	Edit. 2 EVER INTIMEED STRATTAINTS	Freq	Pct
	1 = Yes	495	0.84
	2 = No	5312	8.99
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED INHALANTS	53243	90.14
	94 = DON'T KNOW	15	0.03
	97 = REFUSED	2	0.00
•	en once, inhaled computer keyboard cleaner, also known as air duster, for kicks or to get high?		
(IN01II) <u>AIRDUSTER</u>	Len: 2 EVER INHALED COMPUTER KEYBOARD CLEANER/AIR DUSTER	Етод	Pct
	1 = Yes	Freq 715	1.21
	2 = No	5097	8.63
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED INHALANTS	53243	90.14
	94 = DON'T KNOW	11	0.02
	97 = REFUSED	1	0.00
•	en once, inhaled some other aerosol spray for kicks or to get high?		
<i>(IN01J)</i> OTHAEROS	Len: 2 EVER INHALED OTHER AEROSOL SPRAYS		
OTHALKOS	Leii. 2 EVER INHALED OTHER AEROSOL SFRATS	Freq	Pct
	1 = Yes	307	0.52
	2 = No	5489	9.29
	3 = Yes LOGICALLY ASSIGNED	3	0.01
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED INHALANTS	53243	90.14
	94 = DON'T KNOW	22	0.04
	97 = REFUSED	3	0.01
Have you ever, eve	en once used any other inhalants for kicks or to get high besides the ones that have been listed?		
INHALOTH	Len: 2 EVER USED OTHER INHALANTS		
	<del></del>	Freq	Pct
	1 = Yes	215	0.36
	2 = No	5568	9.43
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED INHALANTS	53243	90.14
	94 = DON'T KNOW	36	0.06
	97 = REFUSED	5	0.01

### (IN01SC1) INHALOT1

# Len: 4 OTHER INHALANT - SPECIFY 1

Len: 4 OTHER INHALANT - SPECIFY 1		ъ.
277 - 41141	Freq	Pct
377 = Albuterol	3	$0.01 \\ 0.01$
e	16	0.01
503 = Other aerosol sprays	5	0.03
505 = Lacquer thinner or other paint solvents	1	0.00
506 = Amyl nitrite, "poppers, "locker room odorizer, "rush"	9	0.00
508 = Nitrous oxide, "whippits," dentist gas	3	0.02
510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED	24	0.04
511 = Markers, felt-tip pens, ink pens	8	0.01
512 = Incense	1	0.00
516 = CHC, chlorofluorocarbon, freon, refrigerant	8	0.01
518 = Acetone, nail polish remover	6	0.01
519 = Helium	18	0.03
520 = Old paint, paint	1	0.00
521 = Propane	1	0.00
524 = White-Out	3	0.01
526 = Nail polish	4	0.01
528 = Whipped-cream can	8	0.01
529 = Moth balls	1	0.00
531 = Candy, powdered candy, sugar	1	0.00
534 = Deodorant	1	0.00
539 = Scotch-Gard	2	0.00
542 = Brasso, lens cleaner, spirits of ammonia	1	0.00
543 = Liquid oxygen, oxygen	1	0.00
548 = Cologne, isopropanol vapors, rubbing alcohol	6	0.01
553 = Pixie sticks	1	0.00
560 = Diswashing detergent, laundry detergent, soap	1	0.00
586 = Carbon from empty soft drink bottle	1	0.00
592 = Computer air duster, computer cleaner, dust-off	6	0.01
594 = Starting fluid	1	0.00
803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed	3	0.01
805 = Cocaine, coca, cocaina, coke, perico	1	0.00
807 = Alcohol, beer, ethanol, EtOH, pink champagne	3	0.01
813 = Cigarettes, tobacco (type unspecified)	1	0.00
900 = Not a drug	1	0.00
5021 = Octane booster	1	0.00
5022 = Carbon dioxide, CO2, dry ice hits, CO2 tank	2	0.00
5028 = Carburetor cleaner, engine cleaner	1	0.00
5035 = Brake cleaner	1	0.00
5049 = Hand sanitizer/cleaner, contents unspecified	7 1	0.01
5053 = Electrical parts cleaner, electronics cleaner		0.00
5055 = PVC	1 1	0.00
	2	0.00
5078 = Axe body spray	1	$0.00 \\ 0.00$
5097 – Lysol, acrosol unspecified	1	0.00
5104 = Shoe cleaner, otherwise unspecified	1	0.00
5116 = Vinegar	1	0.00
5149 = Sanitizer; type unspecified	2	0.00
5159 = Gas/fuel cleaner/treatment	1	0.00
5161 = Smoke from burning wood	1	0.00
5162 = Mold cleaner; contents unspecified.	1	0.00
5165 = Citric acid	1	0.00
5166 = Frosties	1	0.00
8011 = Herb, flower, plant; type unspecified	1	0.00
8024 = Asthma inhaler, asthma medication, bronchial dilator	4	0.00
8056 = Vicks VapoRub/inhaler <otc></otc>	2	0.00
8543 = Nitroglycerine	1	0.00
9985 = BAD DATA Logically assigned	16	0.03
9991 = NEVER USED INHALANTS	53243	90.14
9997 = REFUSED	11	0.02
9998 = BLANK (NO ANSWER)	38	0.06
9999 = LEGITIMATE SKIP	5568	9.43

(IN01SC2) Len: 4 OTHER INHALANT - SPECIFY 2 **INHALOT2** Freq Pct 501 = Gasoline or lighter fluids.... 0.00 503 = Other aerosol sprays..... 2 0.00 504 = Shoeshine liquid, glue, or toluene ..... 2 0.00 505 = Lacquer thinner or other paint solvents..... 0.00 506 = Amyl nitrite, "poppers," locker room odorizer, "rush"..... 1 0.00 510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED..... 4 0.01 516 = CHC, chlorofluorocarbon, freon, refrigerant..... 1 0.00 518 = Acetone, nail polish remover..... 3 0.01 519 = Helium..... 1 0.00 526 = Nail polish..... 0.00 528 = Whipped-cream can ..... 0.00 1 531 = Candy, powdered candy, sugar ..... 1 0.00 534 = Deodorant ..... 0.00 548 = Cologne, isopropanol vapors, rubbing alcohol..... 2 0.00 594 = Starting fluid..... 1 0.00 802 = THC, cannabinol, marinol, tetrahydrocannabinol ..... 1 0.00 803 = Marijuana, MarrJane, Mary Jane, MJ, pot, weed ..... 1 0.00 5044 = Powdered cleansers (e.g. Ajax, Comet, Boraxo)..... 1 0.00 5049 = Hand sanitizer/cleaner, contents unspecified..... 0.00 1 5160 = Smoke from burning paper ..... 1 0.00 5168 = Cigarettes coated with salt..... 0.00 1 8056 = Vicks VapoRub/inhaler <OTC>..... 1 0.00 9985 = BAD DATA Logically assigned 8 0.01 9991 = NEVER USED INHALANTS ..... 90.14 53243 9997 = REFUSED ..... 0.01 9998 = BLANK (NO ANSWER).... 215 0.36 9999 = LEGITIMATE SKIP.... 5568 9.43 (IN01SC3) INHALOT3 Len: 4 OTHER INHALANT - SPECIFY 3 Freq Pct 510 = OTHER Inhalant, NOT OTHERWISE SPECIFIED..... 0.00 518 = Acetone, nail polish remover..... 0.00 1 548 = Cologne, isopropanol vapors, rubbing alcohol..... 0.00 5097 = Lysol, aerosol unspecified..... 0.00 1 9985 = BAD DATA Logically assigned ..... 0.01 9991 = NEVER USED INHALANTS..... 53243 90.14 9997 = REFUSED ..... 0.01 9998 = BLANK (NO ANSWER)..... 245 0.41 9999 = LEGITIMATE SKIP.... 5568 9.43 (IN01SC4) INHALOT4 Len: 4 OTHER INHALANT - SPECIFY 4 Freq Pct 548 = Cologne, isopropanol vapors, rubbing alcohol..... 0.00 5044 = Powdered cleansers (e.g. Ajax, Comet, Boraxo)..... 0.00 9985 = BAD DATA Logically assigned ..... 3 0.01 9991 = NEVER USED INHALANTS ..... 53243 90.14 9997 = REFUSED ..... 5 0.01 9998 = BLANK (NO ANSWER)..... 248 0.42 9999 = LEGITIMATE SKIP.... 5568 9.43 (IN01SC5) Len: 4 OTHER INHALANT - SPECIFY 5 **INHALOT5** Freq Pct 9985 = BAD DATA Logically assigned ..... 0.00 9991 = NEVER USED INHALANTS ..... 53243 90.14 9997 = REFUSED ..... 0.01 5 9998 = BLANK (NO ANSWER)..... 251 0.42 9999 = LEGITIMATE SKIP.... 5568 9.43

The answers that people give us about their use of inhalants are important to this study's success. We know that this information is personal, but remember your answers will be kept confidential.

Please think again about answering this question: Have you ever, even once, used any type of inhalant for kicks or to get high?

NOTE: This variable was coded as 1 if respondents answered yes to the above question and 91 if respondents answered the above question as no (see below). This variable also was coded as 1 if the questions corresponding to any of the following variables were answered as yes: AMYLNIT, CLEFLU, GAS, GLUE, ETHER, SOLVENT, LGAS, NITOXID, FELTMARKR, SPPAINT, AIRDUSTER, OTHAEROS, or INHALOTH. This variable also was coded as 91 if all of the above variables were coded as 91.

(AIRDUSTER, AMYLNIT, CLEFLU, ETHER, FELTMARKR, GAS, GLUE, INHALOTH, INREF, LGAS, NITOXID, OTHAEROS, SOLVENT, SPPAINT)

INHALEVER	Len·2	EVER USED INHALANTS
II VIII LEE VEIC	Lui . L	E VER COLD HAIR LEATING

	rreq	rcı
1 = Yes	5666	9.59
91 = NEVER USED INHALANTS	53243	90.14
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	159	0.27

Eroa

Frea

Dat

Pct

How old were you the first time you used any inhalant for kicks or to get high?

(IN02)

INHALAGE Len: 3 AGE WHEN FIRST USED INHALANTS

ricq	1 (1
5310	8.99
22	0.04
53243	90.14
257	0.44
80	0.14
157	0.27
	5310 22 53243 257 80

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use an inhalant of any kind for kicks or to get high in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

(IN03A, IN03B, IN03C)

INHALYFU

Len: 4 YEAR OF FIRST INHALANT USE - RECODE

	Freq	Pct
RANGE = 2020 - 2022	319	0.54
9985 = BAD DATA Logically assigned	40	0.07
9989 = LEGITIMATE SKIP Logically assigned	36	0.06
9991 = NEVER USED INHALANTS	53243	90.14
9994 = DON'T KNOW	260	0.44
9997 = REFUSED	81	0.14
9998 = BLANK (NO ANSWER)	166	0.28
9999 = LEGITIMATE SKIP	4924	8.34

In what month in [CURRENT YEAR] did you first use an inhalant of any kind for kicks or to get high?

In what month in [YEAR FROM IN03a or IN03b] did you first use an inhalant of any kind for kicks or to get high?

(L	N	0	3	C	,	II	V	0	3	D	)
TX	TT	т	A	т	'n	K	r	т	т		

(IN03C, IN03D) INHALMFU	Len: 2 MONTH OF FIRST INHALANT USE - RECODE		
INTIALIMITU	Len . 2 MONTH OF FIRST INHALANT USE - RECODE	Freq	Pct
	1 = January	26	0.04
	2 = February	33	0.06
	3 = March	28	0.05
	4 = April	27	0.05
	5 = May	15	0.03
	6 = June	35	0.06
	7 = July	23 19	0.04 0.03
	8 = August	29	0.05
	10 = October	30	0.05
	11 = November	12	0.02
	12 = December	16	0.03
	85 = BAD DATA Logically assigned	40	0.07
	89 = LEGITIMATE SKIP Logically assigned	36	0.06
	91 = NEVER USED INHALANTS	53243	90.14
	94 = DON'T KNOW	285	0.48
	97 = REFUSED	82	0.14
	98 = BLANK (NO ANSWER)	166	0.28
	99 = LEGITIMATE SKIP	4924	8.34
How long has it been	since you last used any inhalant for kicks or to get high?		
(INLAST, INRECDK,	,		
INHALREC	Len: 2 TIME SINCE LAST USED INHALANTS	Freq	Pct
	1 = Within the past 30 days	241	0.41
	2 = More than 30 days ago but within the past 12 mos	434	0.73
	3 = More than 12 months ago	4859	8.23
	8 = Used at some point in the past 12 mos LOG ASSN	16	0.03
	9 = Used at some point in lifetime LOG ASSN	116	0.20
	85 = BAD DATA Logically assigned	2	0.00
	91 = NEVER USED INHALANTS	53243	90.14
	97 = REFUSED	1	0.00
	98 = BLANK (NO ANSWER)	157	0.27
(TOTINHAL)			
INHALYFQ	Len: 3 TOTAL # OF DAYS USED INHALANT PAST 12 MONTHS		
		Freq	Pct
	RANGE = 1 - 337	671	1.14
	985 = BAD DATA Logically assigned	7	0.01
	991 = NEVER USED INHALANTS	53243	90.14
	993 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4859	8.23
	994 = DON'T KNOW	14	0.02
	997 = REFUSED	2	0.00
	998 = BLANK (NO ANSWER)	273	0.46
<u>INHTOTFG</u>	Len: 2 TRIMMING INDICATOR FOR INHALYFQ	F.	D 4
	2 - T-i11-ti tth 20 1	Freq	Pct
	2 = Trimmed relative to the 30-day freq	1 59068	0.00 100.0
<u>INHFQFLG</u>	Len: 2 TRIMMED INHALYFQ IF R USED < 12 MOS		ъ.
	1 = Trianged to be consistent with making of 1-t	Freq	Pct
	1 = Trimmed to be consistent with mo/yr of 1st use	49 59020	0.08 99.92

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used an inhalant of any kind for kicks or to get high during the past 12 months.

What would be the easiest way for you to tell us how many days you've done this?

(INFRAME3) INHEASWY

Len: 2 EASIEST WAY TO TELL US # DAYS USED INHALANTS

	Freq	Pct
1 = Prefer to answer in days per week	88	0.15
2 = Prefer to answer in days per month	159	0.27
3 = Prefer to answer in days per year	418	0.71
11 = Prefer to ans in days per wk LOG ASSN	2	0.00
12 = Prefer to ans in days per mo LOG ASSN	4	0.01
13 = Prefer to ans in days per yr LOG ASSN	9	0.02
85 = BAD DATA Logically assigned	7	0.01
91 = NEVER USED INHALANTS	53243	90.14
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4859	8.23
94 = DON'T KNOW	5	0.01
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	273	0.46

On how many days in the past 12 months did you use an inhalant of any kind for kicks or to get high?

(INYRAVE)

**INHDYSYR** 

Len: 3 # DAYS USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 180	425	0.72
985 = BAD DATA Logically assigned	4	0.01
989 = LEGITIMATE SKIP Logically assigned	7	0.01
991 = NEVER USED INHALANTS	53243	90.14
993 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4859	8.23
994 = DON'T KNOW	7	0.01
997 = REFUSED	2	0.00
998 = BLANK (NO ANSWER)	276	0.47
999 = LEGITIMATE SKIP	246	0.42

On average, how many days did you use an inhalant of any kind for kicks or to get high each month during the past 12 months?

(INMONAVE)

**INHDYPMO** 

Len: 2 # DAYS PER MONTH USED INHALANT PAST 12 MONTHS

	rieq	rct
RANGE = 1 - 30	159	0.27
85 = BAD DATA Logically assigned	1	0.00
89 = LEGITIMATE SKIP Logically assigned	2	0.00
91 = NEVER USED INHALANTS	53243	90.14
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4859	8.23
94 = DON'T KNOW	11	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	279	0.47
99 = LEGITIMATE SKIP	513	0.87

On average, how many days did you use an inhalant of any kind for kicks or to get high each week during the past 12 months?

(INWKAVE)

**INHDYPWK** 

Len: 2 # DAYS PER WEEK USED INHALANT PAST 12 MONTHS

	Freq	Pct
RANGE = 1 - 6	87	0.15
85 = BAD DATA Logically assigned	2	0.00
91 = NEVER USED INHALANTS		90.14
93 = DID NOT USE INHALANTS IN THE PAST 12 MOS	4859	8.23
94 = DON'T KNOW	14	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	278	0.47
99 = I EGITIMATE SKIP	584	0.99

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use any inhalant for kicks or to get high?

(IN06)

INHAL30N

### Len: 2 # DAYS USED INHALANT PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 26	236	0.40
85 = BAD DATA Logically assigned	15	0.03
91 = NEVER USED INHALANTS	53243	90.14
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	5293	8.96
94 = DON'T KNOW	5	0.01
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	276	0.47

What is your best estimate of the number of days you used any inhalant for kicks or to get high during the past 30 days?

(IN06DKRE)

INHAL30ES

I an . 2	DECT ECTIMA	TE # DAVE HEED	INHALANTS PAST 30 DAYS
Len·/	BEST ESTIMA	1 LE # DA YS USED	INHALANIS PAST 30 DAYS

	Freq	Pct
1 = 1 or 2 days	1	0.00
2 = 3 to 5 days	1	0.00
4 = 10 to 19 days	1	0.00
91 = NEVER USED INHALANTS	53243	90.14
93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	5293	8.96
94 = DON'T KNOW	2	0.00
97 = REFUSED	1	0.00
98 = BLANK (NO ANSWER)	291	0.49
99 = LEGITIMATE SKIP	236	0.40

### **METHAMPHETAMINE**

Methamphetamine, also known as crank, ice, crystal meth, speed, glass, and many other names, is a stimulant that usually comes in crystal or powder forms. It can be smoked, "snorted," swallowed or injected.

Have you ever, even once, used methamphetamine?

1	1E01.	MEREF)

METHAMEVR Len: 2 EVER USED METHAMPHETAMINE

	Freq	Pct
1 = Yes	2674	4.53
$2 = N_0$	56325	95.35
94 = DON'T KNOW	66	0.11
97 = REFUSED	4	0.01

How old were you the first time you used methamphetamine?

(ME02)

METHAMAGE Len: 3 AGE 1ST USED METHAMPHETAMINE

	Freq	Pct
RANGE = 4 - 60	2649	4.48
985 = BAD DATA Logically assigned	4	0.01
991 = NEVER USED METHAMPHETAMINE	56325	95.35
994 = DON'T KNOW	18	0.03
997 = REFUSED	7	0.01
998 = BLANK (NO ANSWER)	66	0.11

Did you first use methamphetamine in [CURRENT YEAR - 1] or [CURRENT YEAR]?

Did you first use methamphetamine in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

In what month in [CURRENT YEAR] did you first use methamphetamine?

(ME03A, ME03B, ME03C)

METHAMYFU Len: 4 YEAR 1ST USED METHAMPHETAMINE

	Freq	Pct
RANGE = 2020 - 2022	68	0.12
9985 = BAD DATA Logically assigned	11	0.02
9989 = LEGITIMATE SKIP Logically assigned	5	0.01
9991 = NEVER USED METHAMPHETAMINE		95.35
9994 = DON'T KNOW	20	0.03
9997 = REFUSED	7	0.01
9998 = BLANK (NO ANSWER)	66	0.11
9999 = LEGITIMATE SKIP	2567	4.35

In what month in [CURRENT YEAR] did you first use methamphetamine?

In what month in [YEAR FROM ME03a or ME03b] did you first use methamphetamine?

# (ME03C, ME03D)

<u>METHAMMFU</u>	Len: 2 MONTH 1ST USED METHAMPHETAMINE	Freq	Pct
	1 = January	8	0.01
	2 = February	5	0.01
	3 = March	7 2	0.01
	4 = April	4	0.00
	6 = June	7	0.01
	7 = July	8	0.01
	8 = August	6	0.01
	9 = September	6	0.01
	10 = October	5	0.01
	11 = November	3	0.01
	12 = December	3	0.01
	85 = BAD DATA Logically assigned	10	0.02
	89 = LEGITIMATE SKIP Logically assigned	5	0.01
	91 = NEVER USED METHAMPHETAMINE	56325	95.35
	94 = DON'T KNOW	23	0.04
	97 = REFUSED	8	0.01
	98 = BLANK (NO ANSWER)	67	0.11
	99 = LEGITIMATE SKIP	2567	4.35
How long has it be (MELAST3, MERE METHAMREC	en since you last used methamphetamine?  CDK, MERECRE)  Len: 2 TIME SINCE LAST USED METHAMPHETAMINE		
THE THE HITTER		Freq	Pct
	1 = Within the past 30 days	295	0.50
	2 = More than 30 days ago but within the past 12 mos	203	0.34
	3 = More than 12 months ago	2151	3.64
	8 = Used at some point in the past 12 mos LOG ASSN	10	0.02
	9 = Used at some point in lifetime LOG ASSN	13	0.02
	11 = Used in the past 30 days LOGICALLY ASSIGNED	2	0.00
	91 = NEVER USED METHAMPHETAMINE	56325	95.35
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER)	66	0.11
(TOTME) METHAMYFQ	Len: 3 TOTAL # DAYS USED METHAMPHETAMINE PAST 12 MONTHS	Freq	Pct
	RANGE = 1 - 365	495	0.84
	985 = BAD DATA Logically assigned	10	0.02
	991 = NEVER USED METHAMPHETAMINE	56325	95.35
	993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2151	3.64
	994 = DON'T KNOW	2	0.00
	997 = REFUSED	7	0.01
	998 = BLANK (NO ANSWER)	79	0.13
<u>METOTFG</u>	Len: 2 TRIMMING INDICATOR FOR METHAMYFQ	E	D-4
	2 - Trimmod relative to the 20 day from	Freq	Pct
	2 = Trimmed relative to the 30-day freq	50050	0.02
	98 = BLANK (NO ANSWER)	59059	99.98
<u>MEFQFLG</u>	Len: 2 TRIMMED METHAMYFQ IF R USED < 12 MOS		
		Freq	Pct
	1 = Trimmed to be consistent with mo/yr of 1st use	12	0.02
	98 = BLANK (NO ANSWER)	59057	99.98

Now think about the past 12 months, from [DATEFILL] through today. We want to know how many days you've used methamphetamine during the past 12 months.

What would be the	easiest way for you to tell us how many days you've used it?		
(MEFRAME3) METHEASWY	Len: 2 EASIEST WAY TO TELL # DAYS USED METHAMPHETAMINE		
		Freq	Pct
	1 = Prefer to answer in days per week	188	0.32
	2 = Prefer to answer in days per month	141	0.24
	3 = Prefer to answer in days per year	165	0.28
	11 = Prefer to ans in days per wk LOG ASSN	1	0.00
	12 = Prefer to ans in days per mo LOG ASSN	1	0.00
	13 = Prefer to ans in days per yr LOG ASSN	1	0.00
	85 = BAD DATA Logically assigned	10 56325	0.02
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2151	95.35 3.64
	94 = DON'T KNOW	2131	0.00
	97 = REFUSED	5	0.00
	98 = BLANK (NO ANSWER)	79	0.01
		,,	0.15
On how many days	s in the past 12 months did you use methamphetamine?		
(MEYRAVE)			
<u>METHDYSYR</u>	Len: 3 # DAYS USED METHAMPHETAMINE PAST 12 MONTHS	Enag	Dot
	DANCE - 1 265	Freq	Pct
	RANGE = 1 - 365	164	0.28
	985 = BAD DATA Logically assigned	2	0.00
	989 = LEGITIMATE SKIP Logically assigned	7 5(225	0.01
	991 = NEVER USED METHAMPHETAMINE993 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	56325	95.35
	994 = DON'T KNOW	2151	3.64
		3	0.01
	997 = REFUSED	6	0.01
	998 = BLANK (NO ANSWER) 999 = LEGITIMATE SKIP	87 324	0.15 0.55
On average, how n	nany days did you use methamphetamine each month during the past 12 months?	52.	0.00
(MEMONAVE) METHDYPMO	Len: 2 # DAYS PER MO USED METHAMPHETAMINE PAST 12 MONTHS	Ewag	Dot
	RANGE = 1 - 30	Freq	Pct 0.24
	85 = BAD DATA Logically assigned	142 5	0.24
	89 = LEGITIMATE SKIP Logically assigned	1	0.00
	91 = NEVER USED METHAMPHETAMINE	56325	95.35
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2151	3.64
	94 = DON'T KNOW	3	0.01
	97 = REFUSED	6	0.01
	98 = BLANK (NO ANSWER)	84	0.14
	99 = LEGITIMATE SKIP	352	0.60
On average, how n	nany days did you use methamphetamine each week during the past 12 months?		
(MEWKAVE)			
<u>METHDYPWK</u>	Len: 2 # DAYS PER WK USED METHAMPHETAMINE PAST 12 MONTHS	_	-
	DANCE 1 7	Freq	Pct
	RANGE = 1 - 7	189	0.32
	85 = BAD DATA Logically assigned	3	0.01
	91 = NEVER USED METHAMPHETAMINE	56325	95.35
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2151	3.64
	94 = DON'T KNOW	2	0.00

97 = REFUSED .....

98 = BLANK (NO ANSWER) .....

99 = LEGITIMATE SKIP....

0.01

0.15

0.52

86

Think specifically about the past 30 days, from [DATEFILL] up to and including today. During the past 30 days, on how many days did you use methamphetamine?

1	ME	n	6
11	uL	v	$\mathbf{v}$

METHAM30N

Len: 2 # DAYS USED METHAMPHETAMINE PAST 30 DAYS

	Freq	Pct
RANGE = 1 - 30	292	0.49
85 = BAD DATA Logically assigned	1	0.00
91 = NEVER USED METHAMPHETAMINE	56325	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	2354	3.99
94 = DON'T KNOW	2	0.00
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	90	0.15

What is your best estimate of the number of days you used methamphetamine during the past 30 days?

(ME06DKRE)

METHAM30E Len: 2 BEST ESTIMATE # DAYS USED METH PAST 30 DAYS

	Freq	Pct
2 = 3 to 5 days	2	0.00
91 = NEVER USED METHAMPHETAMINE	56325	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 30 DAYS	2354	3.99
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	91	0.15
99 = LEGITIMATE SKIP	292	0.49

#### PAIN RELIEVERS SCREENER

### PAIN RELIEVERS SCREENER

Please look at the names and pictures of the pain relievers shown below.

In the past 12 months, which, if any, of these pain relievers have you used?

(PR021)

OXCNANYYR Len: 2 ANY OXYCONTIN USE PAST 12 MOS

	Freq	Pct
1 = Yes	1359	2.30
2 = No (not entered)	1289	2.18
81 = NEVER USED PAIN RLVRS Logically assigned	127	0.22
85 = BAD DATA Logically assigned	7	0.01
91 = NEVER USED PAIN RELIEVERS	30256	51.22
93 = DID NOT USE IN THE PAST 12 MONTHS	15325	25.94
94 = DON'T KNOW	139	0.24
95 = I have not used any of these Pain Relievers in the past 12 months	10498	17.77
97 = REFUSED	38	0.06
98 = BLANK (NO ANSWER)	31	0.05

Have you ever, even once, used any prescription pain reliever?

Remember, do not report your use of "over-the-counter" pain relievers such as aspirin, Tylenol, Advil, or Aleve.

(PRLANY)

**PNRANYLIF** 

Len: 2 ANY PAIN RELIEVER USE IN LIFETIME

1 = Yes	15082	25.53
2 = No	30383	51.44
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	13086	22.15
94 = DON'T KNOW	445	0.75
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	52	0.09

Eroa

Dat

NOTE: PNRANYREC was created from responses of any use in the past 12 months for specific pain relievers and from PNRANYLIF for any lifetime use of pain relievers.

PNRANYREC Len: 2 RC - MOST RECENT ANY PAIN RELIEVER USE (RECODE)

	Freq	Pct
1 = Within the past 12 months	13086	22.15
2 = More than 12 months ago	14969	25.34
9 = Used at some point in the lifetime LOG ASSN		0.19
83 = DID NOT USE PST 12 MOS (LIFETIME UNK) Log assn	356	0.60
91 = NEVER USED PAIN RELIEVERS		51.44
98 = BLANK (NO ANSWER)	162	0.27

The following variable for any past year use of Fentanyl Products, FENTANYYR, was assigned a positive response if a respondent indicated any past year use of Duragesic, Fentora, or generic fentanyl, or past year misuse of other pain relievers that contain fentanyl.

FENTANYYR Len: 1 RC-FENTANYL PRODUCTS - ANY PAST YEAR USE

	Freq	Pct
. = Missing	132	0.22
0 = N <sub>0</sub>	58398	98.86
1 = Yes (See comment above)	539	0.91

#### PAIN RELIEVERS

### **PAIN RELIEVERS**

The next question asks about using prescription pain relievers in any way a doctor did not direct you to use them.

When you answer these questions, please think only about your use of the drug in any way a doctor did not direct you to use it, including:

- Using it without a prescription of your own
- Using it in greater amounts, more often, or longer than you were told to take it
- Using it in any other way a doctor did not direct you to use it

Have you ever, even once, used any prescription pain reliever in any way a doctor did not direct you to use it?

### (PRL01, PRL02)

PNRNMLIF

# Len: 2 EVER USED PAIN RELIEVER NOT DIRECTED BY DR

	rreq	Pct
1 = Yes	3105	5.26
$2 = N_0$	23092	39.09
5 = Yes LOGICALLY ASSIGNED (from skip pattern)	1743	2.95
85 = BAD DATA Logically assigned	7	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS	30383	51.44
94 = DON'T KNOW	21	0.04
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	705	1.19

Dat

Dot

In the past 12 months, did you use OxyContin in any way a doctor did not direct you to use it?

### (PRY06)

**OXCNNMYR** 

### Len: 2 USED OXYCONTIN NOT DIRECTED BY DR PAST 12 MOS

Zen Z	Freq	Pct
1 = Yes	215	0.36
2 = No	272	0.46
81 = NEVER MISUSED PAIN RLVRS Logically assigned	2	0.00
85 = BAD DATA Logically assigned	5	0.01
91 = NEVER USED/MISUSED PAIN RELIEVERS	53473	90.53
93 = DID NOT USE IN THE PAST 12 MONTHS	4986	8.44
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	110	0.19

Please think about the first time you ever used OxyContin in a way a doctor did not direct you to use it.

How old were you when you first used OxyContin in a way a doctor did not direct you to use it?

### (PRY06A)

**OXCNNMAGE** 

### Len: 3 AGE 1ST USED OXYCONTIN NOT DIRECTED BY DR

	Freq	Pct
RANGE = 1 - 80	210	0.36
981 = NEVER USED PAIN RLVRS Logically assigned	2	0.00
985 = BAD DATA Logically assigned	1	0.00
991 = NEVER USED/MISUSED PAIN RELIEVERS	53473	90.53
993 = DID NOT USE IN THE PAST 12 MONTHS	5258	8.90
994 = DON'T KNOW	4	0.01
997 = REFUSED	1	0.00
998 = BLANK (NO ANSWER)	120	0.20

Did you first use OxyContin in a way a doctor did not direct you to use it in [CURRENT YEAR - 1] or [CURRENT YEAR]? Did you first use OxyContin in a way a doctor did not direct you to use it in [CURRENT YEAR - 2] or [CURRENT YEAR - 1]?

### (PRY06B, PRY06C, PRY06D)

<u>OXCNNMYFU</u>

# Len: 4 YEAR 1ST USED OXYCONTIN NOT DIRECTED BY DR

	Fieq	1 (1
RANGE = 2020 - 2022	42	0.07
9981 = NEVER USED PAIN RLVRS Logically assigned	2	0.00
9989 = LEGITIMATE SKIP Logically assigned		0.00
9991 = NEVER USED/MISUSED PAIN RELIEVERS		90.53
9993 = DID NOT USE IN THE PAST 12 MONTHS	5258	8.90
9998 = BLANK (NO ANSWER)	127	0.22
9999 = LEGITIMATE SKIP	166	0.28

Codebook Creation Date: 10/19/2023 ......145

#### PAIN RELIEVERS

Earlier, you reported that you first used OxyContin in a way a doctor did not direct you to use it when you were [FILL] years old. Based on your date of birth, you turned [FILL] in [FILL].

In what month in [FILL] did you first use OxyContin in a way a doctor did not direct you to use it?

### (PRY06D)

### **OXCNNMMFU**

#### Len: 2 MONTH 1ST USED OXYCONTIN NOT DIRECTED BY DR

	Freq	Pct
1 = January	1	0.00
2 = February	3	0.01
3 = March	6	0.01
4 = April	7	0.01
5 = May	3	0.01
6 = June	6	0.01
8 = August	3	0.01
9 = September	2	0.00
10 = October	2	0.00
11 = November	3	0.01
12 = December	4	0.01
81 = NEVER USED PAIN RLVRS Logically assigned	2	0.00
89 = LEGITIMATE SKIP Logically assigned	1	0.00
91 = NEVER USED/MISUSED PAIN RELIEVERS	53473	90.53
93 = DID NOT USE IN THE PAST 12 MONTHS	5258	8.90
94 = DON'T KNOW	2	0.00
98 = BLANK (NO ANSWER)	127	0.22
99 = LEGITIMATE SKIP	166	0.28

NOTE: The variable PNRNMREC is a recoded variable that was created from PNRNMLIF, the 12-month misuse variables of specific pain relievers, and PNRLVNM30DY.

#### PNRNMREC

### Len: 2 RC - MOST RECENT PAIN RELIEVER MISUSE (RECODE)

Freq	Pct
489	0.83
1240	2.10
3061	5.18
13	0.02
44	0.07
1	0.00
518	0.88
53475	90.53
228	0.39
	489 1240 3061 13 44 1 518 53475

NOTE: PNRNMINIT is "reverse coded" from the answers in PRL03. PRL03=1 (yes) was recoded to 2 in PNRNMINIT because this answer means that the respondent misused pain relievers before the past 12 months (and therefore is not a past year initiate for misuse of pain relievers). PRL03=2 (no) was recoded to 1 in PNRNMINIT because this answer means that the respondent did not misuse pain relievers before the past 12 months (and therefore is a past year initiate for misuse of pain relievers).

Earlier questions were about the past 12 months. This question is about any time before then, that is, any time in your life before [DATEFILL].

At any time before [DATEFILL], did you ever use any prescription pain reliever in a way a doctor did not direct you to use it?

# (PRL03)

# <u>PNRNMINIT</u>

# Len: 2 PAST YEAR INITIATE FOR ANY PAIN RELIEVER MISUSE

	Freq	Pct
1 = Past year initiate	338	0.57
2 = Not a past year initiate	116	0.20
4 = Not past yr initiate LOG ASSN (from skip pattern)	1277	2.16
83 = NOT PAST YR INITIATE (AT-RISK STATUS UNKNOWN)		0.88
91 = NEVER USED/MISUSED PAIN RELIEVERS	53475	90.53
93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 12 MOS	3061	5.18
94 = DON'T KNOW	9	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	272	0.46

# PAIN RELIEVERS

NOTE: The variables PNRNMAGE, PNRNMYFU, and PNRNMMFU show the age, year, and month of first misuse, respectively, for respondents who initiated misuse of pain relievers in the 12 months prior to being interviewed (PNRNMINIT=1).

PNRNMAGE	Len: 3 RC - AGE AT 1ST MISUSE FOR PAST YR PNRLV INITIATES		
INNIMAGE	Edil. 5 RC - AGE AT 131 WIISOSE FOR FAST TR TINKEV INTITATES	Freq	Pct
	RANGE = 12 - 82	245	0.41
	983 = NOT A PAST YEAR INITIATE Log assn	518	0.88
	991 = NEVER USED/MISUSED PAIN RELIEVERS	53475	90.53
	993 = NOT A PAST YEAR INITIATE	4454	7.54
	998 = BLANK (NO ANSWER)	377	0.64
	770 BB12 II (1.0.12.6.)	377	0.0.
PNRNMYFU	Len: 4 RC - YR 1ST MISUSED FOR PAST YR PAIN RLVR INITIATES		
		Freq	Pct
	RANGE = 2021 - 2022	243	0.41
	9983 = NOT A PAST YEAR INITIATE Logically assigned	518	0.88
	9991 = NEVER USED/MISUSED PAIN RELIEVERS	53475	90.53
	9993 = NOT A PAST YEAR INITIATE	4454	7.54
	9998 = BLANK (NO ANSWER)	379	0.64
<u>PNRNMMFU</u>	Len: 2 RC - MO 1ST MISUSED FOR PAST YR PAIN RLVR INITIATES	Freq	Pct
	1 = January	19	0.03
	2 = February	20	0.03
	3 = March	20	0.03
	4 = April	23	0.04
	5 = May	22	0.04
	6 = June	22	0.04
	7 = July	13	0.02
	8 = August	22	0.04
	9 = September	25	0.04
	10 = October	19	0.04
	11 = November	15	0.03
	12 = December	18	0.03
	83 = NOT A PAST YEAR INITIATE Logically assigned	518 52475	0.88
	91 = NEVER USED/MISUSED PAIN RELIEVERS	53475	90.53
	93 = NOT A PAST YEAR INITIATE 98 = BLANK (NO ANSWER)	4454 384	7.54 0.65
In the past 30 days, use [PRNUMFILL]	, that is, from [DATEFILL] up to and including today, did you use [PRNAMEFILL] in any way a ]?	ı doctor did not d	lirect you to
(PRM01) PNRNM30D	Len: 2 USED PAIN RLVR NOT DIRECTED BY DR PAST 30 DAYS		
		Freq	Pct
	1 = Yes	455	0.77
	2 = No	1241	2.10
	5 = Yes LOGICALLY ASSIGNED (from PR30ANYINIT=1)	34	0.06
	83 = DID NOT MISUSE PAIN RELIEVERS PST 30 DYS Log assn	124	0.21
	85 = BAD DATA Logically assigned	3	0.01
	91 = NEVER USED/MISUSED PAIN RELIEVERS	53475	90.53
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	3455	5.85
	94 = DON'T KNOW	6	0.01
	97 = REFUSED	3	0.01
	98 = BLANK (NO ANSWER)	273	0.46
During the past 30	days, on how many days did you use [PRNAMEFILL] in any way a doctor did not direct you to	ase [PRNUMFIL	.L]?
(PRM02) PNRNM30FQ	Len: 2 # DAYS USED PAIN RLVR NOT DIRECTD BY DR PST 30 DYS		
	201.2 Ditto cold itm. Rd (Rich Director) Dr Dr 101 30 D 10	Freq	Pct
	RANGE = 1 - 30	483	0.82
	83 = DID NOT USE PAIN REL IN THE PAST 12 MOS Log assn	28	0.05
	85 = BAD DATA Logically assigned	1	0.00
	91 = NEVER USED/MISUSED PAIN RELIEVERS	53475	90.53
	93 = DID NOT MISUSE PAIN RELIEVERS IN THE PAST 30 DAYS	33473 4791	8.11
	94 = DON'T KNOW		0.01
		6	0.01
	98 = BLANK (NO ANSWER)	285	U. <del>1</del> 0