During the past 12 months, were there many times when you ended up using methamphetamine in larger amounts or for a longer time than you meant to?

(DPMELRGR)			
<u>UDMELRGAMTS</u>	Len: 2 USED METH LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 M		
		Freq	Pct
	1 = Yes	255	0.43
	2 = No	245	0.41
	85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
	91 = NEVER USED METHAMPHETAMINE	56322	95.35
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	4	0.01
	98 = BLANK (NO ANSWER)	98	0.17
0 1	nonths, were there times when you wanted to use methamphetamine so badly that you couldn't thin	ık of anything	else?
<i>(DPMEBDLY)</i> <u>UDMEWANTBAD</u>	Len: 2 WANTED TO USE METH SO BADLY IN PAST 12 MOS		
		Freq	Pct
	1 = Yes	188	0.32
	2 = No	310	0.52
	85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
	91 = NEVER USED METHAMPHETAMINE	56322	95.35
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER)	98	0.17
During the past 12 n (DPMEURGE)	nonths, were there times when you had a strong urge to use methamphetamine?		
UDMESTRURGE	Len: 2 STRONG URGE TO USE METH IN PAST 12 MOS	-	
	1. V	Freq	Pct
	1 = Yes	112	0.19
	2 = N ₀	199	0.34
	91 = NEVER USED METHAMPHETAMINE	56322	95.35
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	4	0.01

97 = REFUSED

98 = BLANK (NO ANSWER)

99 = LEGITIMATE SKIP....

Do you need to use a lot more methamphetamine than you used to in order to get the feeling you want?

(DPMEMORE)

<u>UDMENEEDMOR</u> Len: 2 NEEDED A LOT MORE METH TO GET FEELING YOU WANT

1 = Yes	186	0.31
2 = No		0.53
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	56322	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	98	0.17

0.01

0.17

0.32

Pct

99

188

Freq

Does using the same amount of methamphetamine have much less effect on you than it used to?

(DPMELESS)

<u>UDMELESSEFF</u> Len: 2 SAME AMT METH HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes	40	0.07
$2 = N_0$	273	0.46
91 = NEVER USED METHAMPHETAMINE	56322	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	99	0.17
99 = LEGITIMATE SKIP	186	0.31

During the past 12 months, did you try to cut down or try to stop using methamphetamine?

(DPMESTOP)

<u>UDMETRYSTOP</u> Len: 2 TRY TO CUT DOWN/STOP METH USE IN PAST 12 MOS

	Freq	Pct
1 = Yes	306	0.52
2 = No	193	0.33
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	56322	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	98	0.17

Some people who use methamphetamine try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using methamphetamine?

(DPMECANT)

<u>UDMENOTSTOP</u>

Len: 2 UNABLE TO CUT/STOP METH MORE THAN ONE TIME PAST 12 MOS

	Fieq	1 (1
1 = Yes	177	0.30
2 = No	128	0.22
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	56322	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
94 = DON'T KNOW	1	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	100	0.17
99 = LEGITIMATE SKIP	193	0.33

Pct

In the past 12 months, did you often wish that you could cut down or stop using methamphetamine?

(DPMEWISH)

<u>UDMEWSHSTOP</u> Len: 2 OFTEN WISH CUT DOWN OR STOP METH USE PAST 12 MOS

	Freq	Pct
1 = Yes	36	0.06
2 = No	157	0.27
91 = NEVER USED METHAMPHETAMINE	56322	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	99	0.17
99 = LEGITIMATE SKIP	306	0.52

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using methamphetamine?

(DPMEPHYS)

UDMEHLTHPRB

Len: 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY METH PST 12 MOS

	Freq	Pct
1 = Yes	136	0.23
2 = No	363	0.61
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	56322	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
94 = DON'T KNOW	1	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	99	0.17

Did you continue to use methamphetamine even though it was causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPMEPCNT)

<u>UDMEHLTHCTD</u> Len: 2 CONTD TO USE METH DESPITE METH CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes	122	0.21
$2 = N_0$	12	0.02
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	56322	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
94 = DON'T KNOW	1	0.00
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	100	0.17
99 = LEGITIMATE SKIP	363	0.61

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using methamphetamine?

(DPMEMNTL)

<u>UDMEMNTLPRB</u> Len: 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY METH PAST 12 MOS

	Freq	Pct
1 = Yes	92	0.16
2 = No	284	0.48
91 = NEVER USED METHAMPHETAMINE	56322	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	100	0.17
99 = LEGITIMATE SKIP	122	0.21

Did you continue to use methamphetamine even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPMEMCNT)

<u>UDMEMNTLCTD</u> Len: 2 CONTD METH USE DESPITE METH CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes	67	0.11
2 = No	25	0.04
91 = NEVER USED METHAMPHETAMINE	56322	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	102	0.17
99 = LEGITIMATE SKIP	406	0.69

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of methamphetamine?

(DPMEACTV)

UDMESTOPACT

Len: 2 LESS ACTIVITIES B/C OF METH USE PAST 12 MOS

	rreq	rct
1 = Yes	212	0.36
$2 = N_0$	286	0.48
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	56322	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	99	0.17

Sometimes people who use methamphetamine have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of methamphetamine?

(DPMESERI)

<u>UDMEWORKPRB</u> Len: 2 METH CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	rreq	rcı
1 = Yes	182	0.31
2 = No	316	0.53
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	56322	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	99	0.17

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of methamphetamine?

(DPMEARGU)

UDMEFMLYPRB

Len: 2 METH CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes	207	0.35
$2 = N_0$	291	0.49
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	56322	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
94 = DON'T KNOW	2	0.00
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	99	0.17

Codebook Creation Date: 10/19/2023319

Did you continue to use methamphetamine even though it often caused arguments or problems with family or friends?

(DPMEACNT)

<u>UDMEFMLYCTD</u> Len: 2 CONTD METH USE DESPITE METH CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes	182	0.31
2 = No	24	0.04
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	56322	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	101	0.17
99 = LEGITIMATE SKIP	291	0.49

During the past 12 months, did you repeatedly get into situations where using methamphetamine increased your chances of getting physically hurt?

(DPMEHURT)

<u>UDMEGETHURT</u>

Len: 2 METH INCREASED CHANCE GETTING HURT PST 12 MOS

	rieq	rct
1 = Yes	134	0.23
$2 = N_0$	363	0.61
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	56322	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
94 = DON'T KNOW	1	0.00
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	99	0.17

Dot

Frea

Pct

People may experience withdrawal symptoms when they use less or stop using methamphetamine.

During the past 12 months, have you felt kind of blue or down after you used less or stopped using methamphetamine for a while?

(DPMEBLUE)

UDMEWDFLBLU Len: 2 FELT BLUE OR DOWN AFTER USING LESS OR STOPPING METH

	Freq	Pct
1 = Yes	244	0.41
2 = No	253	0.43
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	56322	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
94 = DON'T KNOW	2	0.00
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	99	0.17

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using methamphetamine for a while?

Feeling tired or exhausted

(DPMEWD 1)

<u>UDMEWDTIRED</u> Len: 2 FEELING TIRED/EXHAUSTED - METH WITHDRAWAL SYMPTOM PST 12 MOS

	Fitq	1 (1
1 = Yes	233	0.39
2 = No	11	0.02
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	56322	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	101	0.17
99 = LEGITIMATE SKIP	253	0.43

Codebook Creation Date: 10/19/2023320

Having bad dreams

(DPMEWD_2) UDMEWDDREAM	Len: 2 HAVING BAD DREAMS - METH WITHDRAWAL SYMPTOM PST 12 MOS		
		Freq	Pct
	1 = Yes	134	0.23
	2 = No	110	0.19
	85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
	91 = NEVER USED METHAMPHETAMINE	56322	95.35
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER)	101 253	0.17 0.43
	7) EEGITIMATE SKII	233	0.43
Having trouble sleep	ing or sleeping more than you normally do		
(DPMEWD_3) UDMEWDSLEEP	Len: 2 TROUBLE/MORE SLEEP - METH WITHDRAWAL SYMPTOM PST 12 MOS		
		Freq	Pct
	1 = Yes.	214	0.36
	2 = No	29	0.05
	85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
	91 = NEVER USED METHAMPHETAMINE	56322	95.35
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	5	0.01
	99 = LEGITIMATE SKIP.	101 253	0.17 0.43
(DPMEWD_4) UDMEWDHNGRY	Len: 2 FEELING HUNGRY - METH WITHDRAWAL SYMPTOM PST 12 MOS	Freq	Pct
	1 = Yes	170	0.29
	2 = No	73	0.12
	85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
	91 = NEVER USED METHAMPHETAMINE	56322	95.35
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER)	101	0.17
	99 = LEGITIMATE SKIP	253	0.43
Feeling either very s	lowed down or like you couldn't sit still		
(DPMEWD_5) UDMEWDSITST	Len: 2 FEELING SLOWED DOWN/RESTLESS -MTH W/DRAWL SYMPTOM PST 12 N	MOS	
		Freq	Pct
	1 = Yes	196	0.33
	2 = N ₀	47	0.08
	85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
	91 = NEVER USED METHAMPHETAMINE	56322	95.35
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
	94 = DON'T KNOW	1	0.00
	97 = REFUSED	5 101	0.01 0.17
	99 = LEGITIMATE SKIP	253	0.17
	// EDGITHETTE SIXI	233	013

During the past 12 r	months, did you use methamphetamine or another drug to get over or avoid having methamphetamine	withdrawa	l symptoi
(DPMEOVER) UDMEAVOIDWD	Len: 2 USE METH TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS		
ODMLA VOID WD	Edit. 2 OSE METH TO GET OVERVAVOID METH WITHDRAWAE IN 151 12 MOS	Freq	Pct
	1 = Yes	145	0.25
	2 = No	352	0.60
	85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
	91 = NEVER USED METHAMPHETAMINE	56322	95.35
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
	94 = DON'T KNOW	2	0.00
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER)	99	0.17
Which of the follow	ving did you use to get over or avoid having methamphetamine withdrawal symptoms during the past	12 months?	,
Methamphetamine			
(DDI (ELIGE 1)			
(DPMEUSE_1) UDMEAVWMETH	H Len: 2 USED METH TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS		
CDIVIERTY WINIER	Edit 2 ODED METH TO GET O VERON VOID METH WITHDROX WAE IN 151 12 MOS	Freq	Pct
	1 = Yes	114	0.19
	2 = No	31	0.05
	85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
	91 = NEVER USED METHAMPHETAMINE	56322	95.35
	93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
	97 = REFUSED	5	0.01
	98 = BLANK (NO ANSWER)	101	0.17
	99 = LEGITIMATE SKIP	352	0.60
Cocaine or crack			
Cocume of clack			
(DPMEUSE_2)			
<u>UDMEAVWCOCN</u>	Len: 2 USED COC/CRK TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS		
		Freq	Pct
	1 = Yes	19	0.03
	2 = No	126	0.21
	85 = BAD DATA LOGICALLY ASSIGNED	5(222	0.00
	91 = NEVER USED METHAMPHETAMINE93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	56322 2143	95.35 3.63
	97 = REFUSED	2143 5	0.01
	98 = BLANK (NO ANSWER)	101	0.01
	99 = LEGITIMATE SKIP	352	0.60
Prescription stimula	ants or uppers		
(DPMEUSE_3)	A VIGED STOLEN CONTROL VIGEN V		
<u>UDMEAVWSTIM</u>	Len: 2 USED STM TO GET OVER/AVOID METH WITHDRAWAL IN PST 12 MOS	Frac	Pct
	1 = Yes	Freq 39	0.07
	1 – 1 es	106	0.07
	85 = BAD DATA LOGICALLY ASSIGNED	100	0.18
	91 = NEVER USED METHAMPHETAMINE	56322	95.35
	,	2 3322	, 5.55

93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS.....

97 = REFUSED

98 = BLANK (NO ANSWER)

99 = LEGITIMATE SKIP....

2143

5

101

352

3.63

0.01

0.17

0.60

Something else

$(DPMEUSE_4)$

<u>UDMEAVWOTHR</u> Len: 2 USED SOMTHING ELSE TO GET OVR/AVD METH WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes	61	0.10
2 = No	84	0.14
85 = BAD DATA LOGICALLY ASSIGNED	1	0.00
91 = NEVER USED METHAMPHETAMINE	56322	95.35
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MOS	2143	3.63
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	101	0.17
99 = LEGITIMATE SKIP	352	0.60

Think about your use of prescription pain relievers during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription pain relievers, feeling their effects, or getting over the effects of any prescription pain relievers?

(DPPRFEEL)

<u>UDPRTIMEUSE</u>

Len: 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF PN RLVR PST 12 MO

	1109	1
1 = Yes	783	1.33
$2 = N_0$	12067	20.43
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
85 = BAD DATA LOGICALLY ASSIGNED		0.02
91 = NEVER USED PAIN RELIEVERS	30383	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
94 = DON'T KNOW	38	0.06
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	438	0.74

Frea

Pct

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription pain relievers?

(DPPRGET)

UDPRTIMEGET

Len: 2 SPENT GREAT DEAL TIME TRY TO GET/GETTING PR IN PST 12 MOS

	ricq	1 (1
1 = Yes	86	0.15
2 = No	12004	20.32
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
85 = BAD DATA LOGICALLY ASSIGNED		0.01
91 = NEVER USED PAIN RELIEVERS	30383	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
94 = DON'T KNOW	22	0.04
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	445	0.75
99 = LEGITIMATE SKIP	783	1.33

During the past 12 months, were there many times when you ended up using any prescription pain relievers in larger amounts or for a longer time than you meant to?

(DPPRLRGR)

<u>UDPRLRGAMTS</u>

Len: 2 USED PR LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes	378	0.64
$2 = N_0$	12499	21.16
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
85 = BAD DATA LOGICALLY ASSIGNED		0.02
91 = NEVER USED PAIN RELIEVERS	30383	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
94 = DON'T KNOW	21	0.04
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	439	0.74

During the past 12 months, were there times when you wanted to use any prescription pain relievers so badly that you couldn't think of anything

<i>(DPPRBDLY)</i> UDPRWANTBAD	Len: 2 WANTED TO USE PN RLVR SO BADLY IN PAST 12 MOS		
<u>CDIRWARTBAD</u>	Len. 2 WANTED TO COLITIVE VICTOR DIABET INTROT 12 MOS	Freq	Pct
	1 = Yes	375	0.63
	2 = No	12495	21.15
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
	85 = BAD DATA LOGICALLY ASSIGNED	14	0.02
	91 = NEVER USED PAIN RELIEVERS	30383	51.44
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
	94 = DON'T KNOW	23	0.04
	97 = REFUSED	14	0.02
	98 = BLANK (NO ANSWER)	440	0.74
During the past 12 m (DPPRURGE)	onths, were there times when you had a strong urge to use any prescription pain relievers?		
<u>UDPRSTRURGE</u>	Len: 2 STRONG URGE TO USE PN RLVR IN PAST 12 MOS		
		Freq	Pct
	1 = Yes	606	1.03
	2 = No	11890	20.13
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
	85 = BAD DATA LOGICALLY ASSIGNED	7	0.01
	91 = NEVER USED PAIN RELIEVERS	30383	51.44
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
	94 = DON'T KNOW	20	0.03
	97 = REFUSED	12	0.02
	98 = BLANK (NO ANSWER)	451	0.76
	99 = LEGITIMATE SKIP	375	0.63
Do you need to use a	lot more of any prescription pain relievers than you used to in order to get the feeling you want?		
(DPPRMORE) UDPRNEEDMOR	Len: 2 NEEDED A LOT MORE PN RLVR TO GET FEELING YOU WANT		
		Freq	Pct
	1 = Yes	385	0.65
	2 = No	12473	21.12
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
	85 = BAD DATA LOGICALLY ASSIGNED	14	0.02
	91 = NEVER USED PAIN RELIEVERS	30383	51.44
	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
	94 = DON'T KNOW	29	0.05
	97 = REFUSED	14	0.02
	98 = BLANK (NO ANSWER)	446	0.76
Does using the same	amount of any prescription pain relievers have much less effect on you than it used to?		
(DPPRLESS)			
UDPRLESSEFF	Len: 2 SAME AMT PN RLVR HAS LESS EFFECT THAN IT USED TO		
		Freq	Pct
	1 = Yes	469	0.79
	2 = N ₀	11937	20.21

83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn.....

85 = BAD DATA LOGICALLY ASSIGNED....

91 = NEVER USED PAIN RELIEVERS

93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS

94 = DON'T KNOW....

97 = REFUSED

98 = BLANK (NO ANSWER)

99 = LEGITIMATE SKIP....

356

30383

14969

94

16

452

385

0.60

0.01

51.44

25.34

0.16

0.03

0.77

0.65

Codebook Creation Date:	10/19/2023	324

During the past 12 months, did you try to cut down or try to stop using any prescription pain relievers?

(DPPRSTOP)

<u>UDPRTRYSTOP</u>

Len: 2 TRY TO CUT DOWN/STOP PN RLVR IN PAST 12 MOS

	Freq	PCt
1 = Yes	2055	3.48
2 = No	10,01	18.12
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
85 = BAD DATA LOGICALLY ASSIGNED		0.02
91 = NEVER USED PAIN RELIEVERS	30383	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
94 = DON'T KNOW	103	0.17
97 = REFUSED	41	0.07
98 = BLANK (NO ANSWER)	447	0.76

Some people who use prescription pain relievers try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription pain relievers?

(DPPRCANT)

UDPRNOTSTOP

Len: 2 UNABLE TO CUT/STOP PN RLVR MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes	345	0.58
$2 = N_0$	1705	2.89
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
85 = BAD DATA LOGICALLY ASSIGNED	6	0.01
91 = NEVER USED PAIN RELIEVERS	30383	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
94 = DON'T KNOW	3	0.01
97 = REFUSED	43	0.07
98 = BLANK (NO ANSWER)	558	0.94
99 = LEGITIMATE SKIP	10701	18.12

Dat

In the past 12 months, did you often wish that you could cut down or stop using any prescription pain relievers?

(DPPRWISH)

<u>UDPRWSHSTOP</u>

Len: 2 OFTEN WISH CUT DOWN OR STOP PN RLVR PAST 12 MOS

	Fieq	1 (1
1 = Yes	491	0.83
$2 = N_0$	10211	17.29
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
85 = BAD DATA LOGICALLY ASSIGNED		0.01
91 = NEVER USED PAIN RELIEVERS	30383	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
94 = DON'T KNOW	93	0.16
97 = REFUSED	49	0.08
98 = BLANK (NO ANSWER)	454	0.77
99 = LEGITIMATE SKIP	2055	3.48

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription pain reliever?

(DPPRPHYS)

<u>UDPRHLTHPRB</u>

Len: 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY PR PST 12 MOS

	Freq	Pct
1 = Yes	246	0.42
2 = No	12583	21.30
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
85 = BAD DATA LOGICALLY ASSIGNED		0.02
91 = NEVER USED PAIN RELIEVERS	30383	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
94 = DON'T KNOW	40	0.07
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	451	0.76

Did you continue to use any prescription pain relievers even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPPRPCNT)

<u>UDPRHLTHCTD</u>

Len: 2 CONTD TO USE PN RLVR DESPITE PN RLVR CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes	134	0.23
2 = No	112	0.19
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
85 = BAD DATA LOGICALLY ASSIGNED		0.01
91 = NEVER USED PAIN RELIEVERS	30383	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
97 = REFUSED	27	0.05
98 = BLANK (NO ANSWER)	498	0.84
99 = LEGITIMATE SKIP	12583	21.30

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription pain reliever?

(DPPRMNTL)

<u>UDPRMNTLPRB</u> Len: 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY PN RLVR PAST 12 MOS

1 = Yes 180 0.30 2 = No 12529 21.21 83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn 356 0.60 85 = BAD DATA LOGICALLY ASSIGNED 8 0.01 91 = NEVER USED PAIN RELIEVERS 30383 51.44 93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS 14969 25.34 94 = DON'T KNOW 31 0.05 97 = REFUSED 21 0.04 98 = BLANK (NO ANSWER) 458 0.78 99 = LEGITIMATE SKIP 134 0.23		Freq	Pct
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn 356 0.60 85 = BAD DATA LOGICALLY ASSIGNED 8 0.01 91 = NEVER USED PAIN RELIEVERS 30383 51.44 93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS 14969 25.34 94 = DON'T KNOW 31 0.05 97 = REFUSED 21 0.04 98 = BLANK (NO ANSWER) 458 0.78	1 = Yes	180	0.30
85 = BAD DATA LOGICALLY ASSIGNED 8 0.01 91 = NEVER USED PAIN RELIEVERS 30383 51.44 93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS 14969 25.34 94 = DON'T KNOW 31 0.05 97 = REFUSED 21 0.04 98 = BLANK (NO ANSWER) 458 0.78	2 = No	12529	21.21
91 = NEVER USED PAIN RELIEVERS 30383 51.44 93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS 14969 25.34 94 = DON'T KNOW 31 0.05 97 = REFUSED 21 0.04 98 = BLANK (NO ANSWER) 458 0.78	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS 14969 25.34 94 = DON'T KNOW 31 0.05 97 = REFUSED 21 0.04 98 = BLANK (NO ANSWER) 458 0.78	85 = BAD DATA LOGICALLY ASSIGNED	8	0.01
94 = DON'T KNOW 31 0.05 97 = REFUSED 21 0.04 98 = BLANK (NO ANSWER) 458 0.78	91 = NEVER USED PAIN RELIEVERS	30383	51.44
97 = REFUSED	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
98 = BLANK (NO ANSWER)	94 = DON'T KNOW	31	0.05
	97 = REFUSED	21	0.04
99 = LEGITIMATE SKIP	98 = BLANK (NO ANSWER)	458	0.78
	99 = LEGITIMATE SKIP	134	0.23

Did you continue to use any prescription pain relievers even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPPRMCNT)

<u>UDPRMNTLCTD</u>

Len: 2 CONTD PN RLVR USE DESPITE PR CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes	76	0.13
2 = No		0.17
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
91 = NEVER USED PAIN RELIEVERS		51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
94 = DON'T KNOW	1	0.00
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	497	0.84
99 = LEGITIMATE SKIP	12663	21.44

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription pain relievers?

(DPPRACTV)

UDPRSTOPACT Len: 2 LESS ACTIVITIES B/C OF PN RLVR USE PAST 12 MOS

	rreq	rcı
1 = Yes	334	0.57
2 = No	12512	21.18
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
85 = BAD DATA LOGICALLY ASSIGNED	13	0.02
91 = NEVER USED PAIN RELIEVERS	30383	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
94 = DON'T KNOW	28	0.05
97 = REFUSED	20	0.03
98 = BLANK (NO ANSWER)	454	0.77

Sometimes people who use prescription pain relievers have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription pain relievers?

(DPPRSERI)

UDPRWORKPRB

Len: 2 PN RLVR CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	ricq	1 (1
1 = Yes	220	0.37
2 = No	12622	21.37
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
85 = BAD DATA LOGICALLY ASSIGNED		0.02
91 = NEVER USED PAIN RELIEVERS	30383	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
94 = DON'T KNOW	28	0.05
97 = REFUSED	20	0.03
98 = BLANK (NO ANSWER)	458	0.78

Pct

Frea

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription pain reliever?

(DPPRARGU)

<u>UDPRFMLYPRB</u>

Len: 2 PN RLVR CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes	231	0.39
2 = No	12609	21.35
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
85 = BAD DATA LOGICALLY ASSIGNED		0.02
91 = NEVER USED PAIN RELIEVERS	30383	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
94 = DON'T KNOW	32	0.05
97 = REFUSED	18	0.03
98 = BLANK (NO ANSWER)	458	0.78

Codebook Creation Date: 10/19/2023327

Did you continue to use any prescription pain relievers even though they often caused arguments or problems with family or friends?

(DPPRACNT)

<u>UDPRFMLYCTD</u> Len: 2 CONTD PN RLVR USE DESPITE PR CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes	157	0.27
$2 = N_0$	74	0.13
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
85 = BAD DATA LOGICALLY ASSIGNED	6	0.01
91 = NEVER USED PAIN RELIEVERS	30383	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
97 = REFUSED	18	0.03
98 = BLANK (NO ANSWER)	497	0.84
99 = LEGITIMATE SKIP	12609	21.35

During the past 12 months, did you repeatedly get into situations where using a prescription pain reliever increased your chances of getting physically hurt?

(DPPRHURT) <u>UDPRGETHURT</u>

Len: 2 PN RLVR INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes	144	0.24
2 = No	12701	21.50
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
85 = BAD DATA LOGICALLY ASSIGNED	13	0.02
91 = NEVER USED PAIN RELIEVERS	30383	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
94 = DON'T KNOW	26	0.04
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	460	0.78

People may experience withdrawal symptoms when they use less or stop using prescription pain relievers.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using any prescription pain relievers for a while?

Feeling kind of blue or down

(DPPRWD 1)

UDPRWDFLBLU Len: 2 FEELING BLUE/DOWN - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

85 = BAD DATA LOGICALLY ASSIGNED 13 0.0 91 = NEVER USED PAIN RELIEVERS 30383 51.4 93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS 14969 25. 94 = DON'T KNOW 48 0.0 97 = REFUSED 34 0.0		ricq	1 (1
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn. 356 0.0 85 = BAD DATA LOGICALLY ASSIGNED 13 0.0 91 = NEVER USED PAIN RELIEVERS 30383 51.4 93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS 14969 25.7 94 = DON'T KNOW 48 0.0 97 = REFUSED 34 0.0	1 = Yes	727	1.23
85 = BAD DATA LOGICALLY ASSIGNED 13 0.0 91 = NEVER USED PAIN RELIEVERS 30383 51. 93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS 14969 25. 94 = DON'T KNOW 48 0.0 97 = REFUSED 34 0.0	2 = No	12075	20.44
85 = BAD DATA LOGICALLY ASSIGNED 13 0.0 91 = NEVER USED PAIN RELIEVERS 30383 51. 93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS 14969 25. 94 = DON'T KNOW 48 0.0 97 = REFUSED 34 0.0	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS 14969 25 94 = DON'T KNOW 48 0.0 97 = REFUSED 34 0.0			0.02
94 = DON'T KNOW	91 = NEVER USED PAIN RELIEVERS	30383	51.44
97 = REFUSED	93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
, -=	94 = DON'T KNOW	48	0.08
98 = BLANK (NO ANSWER)	97 = REFUSED	34	0.06
	98 = BLANK (NO ANSWER)	464	0.79

Vomiting or feeling nauseous

(DPPRWD 2)

<u>UDPRWDVOMIT</u> Len: 2 VOMITING/NAUSEOUS - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes	519	0.88
2 = No	12286	20.80
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
85 = BAD DATA LOGICALLY ASSIGNED		0.02
91 = NEVER USED PAIN RELIEVERS	30383	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
94 = DON'T KNOW	46	0.08
97 = REFUSED	33	0.06
98 = BLANK (NO ANSWER)	464	0.79

Having cramps or muscle aches

(DPPRWD_3) UDPRWDCRAMP	Len: 2 MUSCLE CRAMPS/ACHES - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS 1 = Yes	Freq 858 11953 356 13 30383 14969 44 29 464	Pct 1.45 20.24 0.60 0.02 51.44 25.34 0.07 0.05 0.79
Having teary eyes or	a runny nose		
(DPPRWD_4) UDPRWDRUNNY	Len: 2 TEARY EYES/RUNNY NOSE - PR WITHDRAWAL SYMPTOM PST 12 MOS 1 = Yes	Freq 652 12158	Pct 1.10 20.58
	83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn. 85 = BAD DATA LOGICALLY ASSIGNED. 91 = NEVER USED PAIN RELIEVERS. 93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS. 94 = DON'T KNOW. 97 = REFUSED	356 13 30383 14969 44 30 464	0.60 0.02 51.44 25.34 0.07 0.05 0.79
(DPPRWD_5)	ng enlarged eye pupils, or having body hair standing up on your skin	101	0.75
UDPRWDSWEAT	Len: 2 SWEATY/LRG PUPILS/HAIR STNDING UP-PR W/DRAWL SYMP PST 12 MOS 1 = Yes	Freq 508 12305 356 13 30383 14969 43 28 464	Pct 0.86 20.83 0.60 0.02 51.44 25.34 0.07 0.05 0.79
Having diarrhea			
(DPPRWD_6) UDPRWDDIARR	Len: 2 HAVING DIARRHEA - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS 1 = Yes	Freq 586 12226 356 13 30383 14969	Pct 0.99 20.70 0.60 0.02 51.44 25.34
	94 = DON'T KNOW	44 28 464	0.07 0.05 0.79

Yawning

(DPPRWD_7) UDPRWDYAWNS	Len: 2 YAWNING - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS 1 = Yes	Freq 930 11879 356 13 30383 14969 46 29	Pct 1.57 20.11 0.60 0.02 51.44 25.34 0.08 0.05 0.79
Having a fever			0.77
(DPPRWD_8) UDPRWDFEVER	Len: 2 HAVING FEVER - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS 1 = Yes	Freq 341 12467 356 13 30383 14969 46 30 464	Pct 0.58 21.11 0.60 0.02 51.44 25.34 0.08 0.05 0.79
Having trouble sleep	oing		
(DPPRWD_9) UDPRWDSLEEP	Len: 2 HAVING TRBL SLEEPING - PN RLVR WITHDRAWAL SYMPTOM PST 12 MOS 1 = Yes	Freq 1075 11730 356 13 30383 14969 49 30 464	Pct 1.82 19.86 0.60 0.02 51.44 25.34 0.08 0.05 0.79
During the past 12 m withdrawal symptom	nonths, did you use any prescription pain relievers or other drugs to get over or avoid having prescris?	iption pain re	liever
(DPPROVER) UDPRAVOIDWD	Len: 2 USE PN RLVR TO GET OVER/AVOID PR WITHDRAWAL IN PST 12 MOS 1 = Yes	Freq 294 12546 356 14 30383 14969 23	Pct 0.50 21.24 0.60 0.02 51.44 25.34 0.04
	94 = DON 1 KNOW	19 465	0.04 0.03 0.79

Which of the following did you use to get over or avoid having prescription pain reliever withdrawal symptoms during the past 12 months?

Prescription pain relievers

(DPPRUSE 1)

<u>UDPRAVWPNRL</u> Len: 2 USED PN RLVR TO GET OVER/AVOID PR WITHDRAWAL IN PST 12 MOS

	rieq	rcı
1 = Yes	178	0.30
2 = No	97	0.16
3 = Yes LOGICALLY ASSIGNED	16	0.03
13 = Yes LOG ASSN (not applicable to criterion 11b)	3	0.01
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn		0.60
85 = BAD DATA LOGICALLY ASSIGNED	5	0.01
91 = NEVER USED PAIN RELIEVERS	30383	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	497	0.84
99 = LEGITIMATE SKIP	12546	21.24

Frea

Frea

From

Dot

Pct

Pct

Heroin

(DPPRUSE 2)

UDPRAVWHERN Len: 2 USED HEROIN TO GET OVER/AVOID PR WITHDRAWAL IN PST 12 MOS

	ricq	1 (1
1 = Yes	56	0.09
$2 = N_0$	238	0.40
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
85 = BAD DATA LOGICALLY ASSIGNED	5	0.01
91 = NEVER USED PAIN RELIEVERS	30383	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	497	0.84
99 = LEGITIMATE SKIP	12546	21.24

Something else

(DPPRUSE_3)

Len: 2 USED SOMETHING ELSE TO GET OVR/AVD PR WITHDRAWAL PST 12 MOS <u>UDPRAVWOTHR</u>

	Freq	Pct
1 = Yes	123	0.21
$2 = N_0$	168	0.28
83 = DID NOT USE PAIN RELIEVERS PST 12 MOS Log assn	356	0.60
85 = BAD DATA LOGICALLY ASSIGNED	5	0.01
91 = NEVER USED PAIN RELIEVERS	30383	51.44
93 = DID NOT USE PAIN RELIEVERS IN THE PAST 12 MOS	14969	25.34
94 = DON'T KNOW	3	0.01
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	497	0.84
99 = LEGITIMATE SKIP	12546	21.24

Think about your use of prescription tranquilizers during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription tranquilizers, feeling their effects, or getting over the effects of any prescription tranquilizers?

(DPTRFEEL)

UDTRTIMEUSE

Len: 2 SPENT GREAT DEAL OF TIME USING/FEEL EFF OF TRN PST 12 MOS

	rreq	rcı
1 = Yes	275	0.47
2 = No	5363	9.08
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED		0.04
91 = NEVER USED TRANQUILIZERS	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
94 = DON'T KNOW	16	0.03
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	280	0.47

Codebook Creation Date: 10/19/2023331

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription tranquilizers?

DI	T	DI	^{2}E	T
DI	1.	nc	JL.	IJ

<u>UDTRTIMEGET</u>	Len: 2	SPENT GREAT DEAL TIME TRY TO GET/GETTING TRN IN PST 12 MC)S

	Freq	Pct
1 = Yes	27	0.05
2 = No	5345	9.05
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED	16	0.03
91 = NEVER USED TRANQUILIZERS	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
94 = DON'T KNOW	6	0.01
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	286	0.48
99 = LEGITIMATE SKIP	275	0.47

During the past 12 months, were there many times when you ended up using any prescription tranquilizers in larger amounts or for a longer time than you meant to?

(DPTRLRGR)

<u>UDTRLRGAMTS</u> Len: 2 USED TRN LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	ricq	1 (1
1 = Yes	132	0.22
2 = No	5514	9.33
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED	22	0.04
91 = NEVER USED TRANQUILIZERS	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
94 = DON'T KNOW	10	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	280	0.47

During the past 12 months, were there times when you wanted to use any prescription tranquilizers so badly that you couldn't think of anything else?

(DPTRBDLY)

<u>UDTRWANTBAD</u> Len: 2 WANTED TO USE TRN SO BADLY IN PAST 12 MOS

	Fitq	1 (1
1 = Yes	121	0.20
2 = No	5526	9.36
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED	22	0.04
91 = NEVER USED TRANQUILIZERS	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
94 = DON'T KNOW	9	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	280	0.47

Pct

Pct

Frea

During the past 12 months, were there times when you had a strong urge to use any prescription tranquilizers?

(DPTRURGE)

<u>UDTRSTRURGE</u> Len: 2 STRONG URGE TO USE TRN IN PAST 12 MOS

	Fitq	1 (1
1 = Yes	273	0.46
2 = No	5251	8.89
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED	17	0.03
91 = NEVER USED TRANQUILIZERS	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
94 = DON'T KNOW	9	0.02
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	285	0.48
99 = LEGITIMATE SKIP	121	0.20

Do you need to use	a lot more of any prescription tranquilizers than you used to in order to get the feeling you want?		
(DPTRMORE) UDTRNEEDMOR	Len: 2 NEEDED A LOT MORE TRN TO GET FEELING YOU WANT		
		Freq	Pct
	1 = Yes	121	0.20
	2 = No	5524	9.35
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
	85 = BAD DATA LOGICALLY ASSIGNED	22	0.04
	91 = NEVER USED TRANQUILIZERS	48570	82.23
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
	94 = DON'T KNOW	8	0.01
	97 = REFUSED	9	0.02
	98 = BLANK (NO ANSWER)	280	0.47
Does using the same	e amount of any prescription tranquilizers have much less effect on you than it used to?		
(DPTRLESS)			
<u>UDTRLESSEFF</u>	Len: 2 SAME AMT TRN HAS LESS EFFECT THAN IT USED TO	_	_
		Freq	Pct
	1 = Yes	193	0.33
	2 = No	5308	8.99
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
	85 = BAD DATA LOGICALLY ASSIGNED	15	0.03
	91 = NEVER USED TRANQUILIZERS	48570	82.23
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
	94 = DON'T KNOW	27	0.05
	97 = REFUSED	12	0.02
	98 = BLANK (NO ANSWER)	288	0.49
	99 = LEGITIMATE SKIP	121	0.20
• .	nonths, did you try to cut down or try to stop using any prescription tranquilizers?		
(DPTRSTOP) UDTRTRYSTOP	Len: 2 TRY TO CUT DOWN/STOP TRN USE IN PAST 12 MOS		
		Freq	Pct
	1 = Yes	695	1.18
	2 = No	4925	8.34
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
	85 = BAD DATA LOGICALLY ASSIGNED	22	0.04
	91 = NEVER USED TRANQUILIZERS	48570	82.23
	93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
	94 = DON'T KNOW	19	0.03
	97 = REFUSED	21	0.04
	98 = BLANK (NO ANSWER)	282	0.48
	se prescription tranquilizers try to cut down or stop but find they can't. Was there more than one time	ne in the past	12 mont
when you tried but v	were unable to cut down or stop using any prescription tranquilizers?		
(DPTRCANT)			
<u>UDTRNOTSTOP</u>	Len: 2 UNABLE TO CUT/STOP TRN MORE THAN ONE TIME PAST 12 MOS		
		Freq	Pct
	1 = Yes	106	0.18
	2 = No	588	1.00
	83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40

Ech : 2 Civible to CCI/STOT THEY MORE THAN ONE THREE THOS		
	Freq	Pct
1 = Yes	106	0.18
2 = No	588	1.00
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED		0.01
91 = NEVER USED TRANQUILIZERS	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS		7.28
94 = DON'T KNOW	1	0.00
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	315	0.53
99 = LEGITIMATE SKIP	4925	8.34

In the past 12 months, did you often wish that you could cut down or stop using any prescription tranquilizers?

(DPTRWISH)

<u>UDTRWSHSTOP</u>

Len: 2 OFTEN WISH CUT DOWN OR STOP TRN PAST 12 MOS

	Freq	Pct
1 = Yes	181	0.31
$2 = N_0$	4738	8.02
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED		0.02
91 = NEVER USED TRANQUILIZERS	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
94 = DON'T KNOW	25	0.04
97 = REFUSED	21	0.04
98 = BLANK (NO ANSWER)	290	0.49
99 = LEGITIMATE SKIP	695	1.18

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription tranquilizer?

(DPTRPHYS)

<u>UDTRHLTHPRB</u>

Len: 2 ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY TRN PST 12 MO

	Freq	Pct
1 = Yes	63	0.11
$2 = N_0$	5571	9.43
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED		0.04
91 = NEVER USED TRANQUILIZERS	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
94 = DON'T KNOW	13	0.02
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	282	0.48

Did you continue to use any prescription tranquilizers even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPTRPCNT)

<u>UDTRHLTHCTD</u> Len: 2 CONTD TO USE TRN DESPITE TRN CAUSE/WORSEN PHYS PRBS

	rieq	rcı
1 = Yes	37	0.06
2 = No	26	0.04
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED		0.01
91 = NEVER USED TRANQUILIZERS	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
97 = REFUSED	13	0.02
98 = BLANK (NO ANSWER)	311	0.53
99 = LEGITIMATE SKIP	5571	9.43

Pct

Frea

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription tranquilizer?

(DPTRMNTL)

UDTRMNTLPRB

Len: 2 ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY TRN PAST 12 MOS

	Freq	Pct
1 = Yes	98	0.17
2 = N ₀	5498	9.31
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED		0.03
91 = NEVER USED TRANQUILIZERS	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
94 = DON'T KNOW	11	0.02
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	288	0.49
99 = LEGITIMATE SKIP	37	0.06

Did you continue to use any prescription tranquilizers even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPTRMCNT)

<u>UDTRMNTLCTD</u> Len: 2 CONTD TRN DESPITE TRN CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes	47	0.08
$2 = N_0$	51	0.09
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED		0.00
91 = NEVER USED TRANQUILIZERS	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	314	0.53
99 = LEGITIMATE SKIP	5535	9.37

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription tranquilizers?

(DPTRACTV)

UDTRSTOPACT

Len: 2 LESS ACTIVITIES B/C OF TRN USE PAST 12 MOS

	Freq	Pct
1 = Yes	134	0.23
$2 = N_0$	5500	9.31
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED	22	0.04
91 = NEVER USED TRANQUILIZERS	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
94 = DON'T KNOW	10	0.02
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	283	0.48

Sometimes people who use prescription tranquilizers have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription tranquilizers?

(DPTRSERI)

<u>UDTRWORKPRB</u> Len: 2 TRN CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	1104	1 (1
1 = Yes	86	0.15
2 = No	5546	9.39
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED		0.04
91 = NEVER USED TRANQUILIZERS	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
94 = DON'T KNOW	11	0.02
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	284	0.48

Frea

Pct

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription tranquilizer?

(DPTRARGU)

UDTRFMLYPRB

Len: 2 TRN CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes	82	0.14
$2 = N_0$	5551	9.40
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED		0.04
91 = NEVER USED TRANQUILIZERS	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
94 = DON'T KNOW	11	0.02
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	284	0.48

Did you continue to use any prescription tranquilizers even though they often caused arguments or problems with family or friends?

(DPTRACNT)

<u>UDTRFMLYCTD</u>

Len: 2 CONTD TRN USE DESPITE TRN CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes	55	0.09
2 = No	27	0.05
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED		0.01
91 = NEVER USED TRANQUILIZERS	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
97 = REFUSED	14	0.02
98 = BLANK (NO ANSWER)	309	0.52
99 = LEGITIMATE SKIP	5551	9.40

During the past 12 months, did you repeatedly get into situations where using a prescription tranquilizer increased your chances of getting physically hurt?

(DPTRHURT)

<u>UDTRGETHURT</u>

Len: 2 TRN USE INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes	67	0.11
2 = No	5566	9.42
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED	22	0.04
91 = NEVER USED TRANQUILIZERS	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
94 = DON'T KNOW	8	0.01
97 = REFUSED	15	0.03
98 = BLANK (NO ANSWER)	286	0.48

People may experience withdrawal symptoms when they use less or stop using prescription tranquilizers.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using any prescription tranquilizers for a while?

Sweating or feeling that your heart was beating fast

(DPTRWD 1)

<u>UDTRWDSWEAT</u> Len: 2 SWEATY/FAST HEARTBEAT - TRN WITHDRAWAL SYMPTOM PST 12 MO

	Freq	Pct
1 = Yes	281	0.48
2 = No	5344	9.05
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED	22	0.04
91 = NEVER USED TRANQUILIZERS	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS	4301	7.28
94 = DON'T KNOW	15	0.03
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	286	0.48