Having your hands tremble

(DPTRWD_2)
UDTRWDTRMBL   Len : 2   HANDS TREMBLE -TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes..	247	0.42
2 = No...	5378	9.10
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED...	22	0.04
91 = NEVER USED TRANQUILIZERS...	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS..................................	4301	7.28
94 = DON'T KNOW	15	0.03
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	286	0.48

Having trouble sleeping

(DPTRWD_3)
UDTRWDSLEEP   Len : 2   TROUBLE SLEEPING - TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes..	552	0.93
2 = No...	5074	8.59
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED...	22	0.04
91 = NEVER USED TRANQUILIZERS...	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS..................................	4301	7.28
94 = DON'T KNOW	13	0.02
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	286	0.48

Vomiting or having an upset stomach

(DPTRWD_4)
UDTRWDVOMIT   Len : 2   VOMITING/UPSET STOMACH - TRN WITHDRAWAL SYMPTOM PST 12 MO

	Freq	Pct
1 = Yes..	210	0.36
2 = No...	5418	9.17
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED...	22	0.04
91 = NEVER USED TRANQUILIZERS...	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS..................................	4301	7.28
94 = DON'T KNOW	12	0.02
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	286	0.48

Seeing, hearing, or feeling things that weren't really there

(DPTRWD_5)
UDTRWDHALUC   Len : 2   SEE/HEAR/FEEL THINGS - TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes..	144	0.24
2 = No...	5483	9.28
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED...	22	0.04
91 = NEVER USED TRANQUILIZERS...	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS..................................	4301	7.28
94 = DON'T KNOW	12	0.02
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	286	0.48

Feeling like you couldn't sit still

(DPTRWD_6)
UDTRWDSITST   Len : 2   COULDN'T SIT STILL - TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes...	294	0.50
2 = No..	5333	9.03
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED..	22	0.04
91 = NEVER USED TRANQUILIZERS..	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS...................................	4301	7.28
94 = DON'T KNOW	12	0.02
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	286	0.48

Feeling anxious

(DPTRWD_7)
UDTRWDFLANX   Len : 2   FEELING ANXIOUS - TRN WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes...	619	1.05
2 = No..	5007	8.48
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED..	22	0.04
91 = NEVER USED TRANQUILIZERS..	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS...................................	4301	7.28
94 = DON'T KNOW	14	0.02
97 = REFUSED	16	0.03
98 = BLANK (NO ANSWER)	286	0.48

During the past 12 months, did you use any prescription tranquilizers or other drugs to get over or avoid having prescription tranquilizer withdrawal symptoms?

(DPTROVER)
UDTRAVOIDWD   Len : 2   USE TRN TO GET OVER/AVOID TRN WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes...	87	0.15
2 = No..	5552	9.40
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED..	22	0.04
91 = NEVER USED TRANQUILIZERS..	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS...................................	4301	7.28
94 = DON'T KNOW	6	0.01
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	286	0.48

Which of the following did you use to get over or avoid having prescription tranquilizer withdrawal symptoms during the past 12 months?

Prescription tranquilizers, sedatives, downers, or sleeping pills

(DPTRUSE_1)
UDTRAVWSVTR   Len : 2   USED TRN/SED TO GET OVER/AVOID TRN WITHDRWL IN PST 12 MOS

	Freq	Pct
1 = Yes...	57	0.10
2 = No..	30	0.05
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED..	7	0.01
91 = NEVER USED TRANQUILIZERS..	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS...................................	4301	7.28
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	307	0.52
99 = LEGITIMATE SKIP..	5552	9.40

Alcohol

(DPTRUSE_2)
UDTRAVWALCO   Len : 2   USED ALC TO GET OVER/AVOID TRN WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes..	28	0.05
2 = No...	59	0.10
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED..	7	0.01
91 = NEVER USED TRANQUILIZERS...	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS....................................	4301	7.28
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	307	0.52
99 = LEGITIMATE SKIP...	5552	9.40

Something else

(DPTRUSE_3)
UDTRAVWOTHR   Len : 2   USED SOMETHING ELSE TO GET OVR/AVD TRN WTHDRWAL PST 12 MOS

	Freq	Pct
1 = Yes..	35	0.06
2 = No...	52	0.09
83 = DID NOT USE TRANQUILIZERS PST 12 MOS Log assn	234	0.40
85 = BAD DATA LOGICALLY ASSIGNED..	7	0.01
91 = NEVER USED TRANQUILIZERS...	48570	82.23
93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MOS....................................	4301	7.28
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	307	0.52
99 = LEGITIMATE SKIP...	5552	9.40

Think about your use of prescription stimulants during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription stimulants, feeling their effects, or getting over the effects of any prescription stimulants?

(DPSTFEEL)
UDSTTIMEUSE   Len : 2   SPENT GREAT DEAL OF TIME USING/FEEL EFF OF STM PST 12 MOS

	Freq	Pct
1 = Yes..	726	1.23
2 = No...	3993	6.76
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED..	13	0.02
91 = NEVER USED STIMULANTS...	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS..	3123	5.29
94 = DON'T KNOW	48	0.08
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	286	0.48

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription stimulants?

(DPSTGET)
UDSTTIMEGET   Len : 2   SPENT GREAT DEAL TIME TRY TO GET/GETTING STM IN PST 12 MOS

	Freq	Pct
1 = Yes..	35	0.06
2 = No...	3990	6.75
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED..	9	0.02
91 = NEVER USED STIMULANTS...	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS..	3123	5.29
94 = DON'T KNOW	17	0.03
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	291	0.49
99 = LEGITIMATE SKIP...	726	1.23

During the past 12 months, were there many times when you ended up using any prescription stimulants in larger amounts or for a longer time than you meant to?

(DPSTLRGR)
UDSTLRGAMTS   Len : 2   USE STM LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes...	200	0.34
2 = No..	4556	7.71
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED...	13	0.02
91 = NEVER USED STIMULANTS..	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS...	3123	5.29
94 = DON'T KNOW	13	0.02
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	287	0.49

During the past 12 months, were there times when you wanted to use any prescription stimulants so badly that you couldn't think of anything else?

(DPSTBDLY)
UDSTWANTBAD   Len : 2   WANTED TO USE STM SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes...	128	0.22
2 = No..	4630	7.84
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED...	13	0.02
91 = NEVER USED STIMULANTS..	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS...	3123	5.29
94 = DON'T KNOW	7	0.01
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	287	0.49

During the past 12 months, were there times when you had a strong urge to use any prescription stimulants?

(DPSTURGE)
UDSTSTRURGE   Len : 2   STRONG URGE TO USE STM IN PAST 12 MOS

	Freq	Pct
1 = Yes...	252	0.43
2 = No..	4379	7.41
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED...	8	0.01
91 = NEVER USED STIMULANTS..	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS...	3123	5.29
94 = DON'T KNOW	8	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	292	0.49
99 = LEGITIMATE SKIP...	128	0.22

Do you need to use a lot more of any prescription stimulants than you used to in order to get the feeling you want?

(DPSTMORE)
UDSTNEEDMOR   Len : 2   NEEDED A LOT MORE STM TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes...	211	0.36
2 = No..	4539	7.68
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED...	13	0.02
91 = NEVER USED STIMULANTS..	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS...	3123	5.29
94 = DON'T KNOW	17	0.03
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	287	0.49

Does using the same amount of any prescription stimulants have much less effect on you than it used to?

(DPSTLESS)
UDSTLESSEFF   Len : 2   SAME AMT STM HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes	266	0.45
2 = No	4247	7.19
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED	8	0.01
91 = NEVER USED STIMULANTS	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	3123	5.29
94 = DON'T KNOW	42	0.07
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	292	0.49
99 = LEGITIMATE SKIP	211	0.36

During the past 12 months, did you try to cut down or try to stop using any prescription stimulants?

(DPSTSTOP)
UDSTTRYSTOP   Len : 2   TRY TO CUT DOWN/STOP STM USE IN PAST 12 MOS

	Freq	Pct
1 = Yes	632	1.07
2 = No	4091	6.93
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED	13	0.02
91 = NEVER USED STIMULANTS	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	3123	5.29
94 = DON'T KNOW	31	0.05
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	287	0.49

Some people who use prescription stimulants try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription stimulants?

(DPSTCANT)
UDSTNOTSTOP   Len : 2   UNABLE TO CUT/STOP STM USE MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes	118	0.20
2 = No	512	0.87
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED	6	0.01
91 = NEVER USED STIMULANTS	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	3123	5.29
94 = DON'T KNOW	2	0.00
97 = REFUSED	19	0.03
98 = BLANK (NO ANSWER)	325	0.55
99 = LEGITIMATE SKIP	4091	6.93

In the past 12 months, did you often wish that you could cut down or stop using any prescription stimulants?

(DPSTWISH)
UDSTWSHSTOP   Len : 2   OFTEN WISH CUT DOWN OR STOP STM USE PAST 12 MOS

	Freq	Pct
1 = Yes	156	0.26
2 = No	3940	6.67
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED	7	0.01
91 = NEVER USED STIMULANTS	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS	3123	5.29
94 = DON'T KNOW	28	0.05
97 = REFUSED	17	0.03
98 = BLANK (NO ANSWER)	293	0.50
99 = LEGITIMATE SKIP	632	1.07

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription stimulant?

(DPSTPHYS)
UDSTHLTHPRB   Len : 2   ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY STM PST 12 MOS

	Freq	Pct
1 = Yes..	154	0.26
2 = No...	4594	7.78
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED...	13	0.02
91 = NEVER USED STIMULANTS...	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS..	3123	5.29
94 = DON'T KNOW	17	0.03
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	287	0.49

Did you continue to use any prescription stimulants even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPSTPCNT)
UDSTHLTHCTD   Len : 2   CONTD TO USE STM DESPITE STM CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes..	97	0.16
2 = No...	56	0.09
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED...	6	0.01
91 = NEVER USED STIMULANTS...	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS..	3123	5.29
94 = DON'T KNOW	1	0.00
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	311	0.53
99 = LEGITIMATE SKIP...	4594	7.78

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription stimulant?

(DPSTMNTL)
UDSTMNTLPRB   Len : 2   ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY STM PAST 12 MOS

	Freq	Pct
1 = Yes..	220	0.37
2 = No...	4426	7.49
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED...	7	0.01
91 = NEVER USED STIMULANTS...	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS..	3123	5.29
94 = DON'T KNOW	22	0.04
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	293	0.50
99 = LEGITIMATE SKIP...	97	0.16

Did you continue to use any prescription stimulants even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPSTMCNT)
UDSTMNTLCTD   Len : 2   CONTD STM USE DESPITE STM CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes..	111	0.19
2 = No...	106	0.18
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
91 = NEVER USED STIMULANTS...	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS..	3123	5.29
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	322	0.55
99 = LEGITIMATE SKIP...	4523	7.66

SUBSTANCE USE DISORDER

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription stimulants?

(DPSTACTV)
UDSTSTOPACT　　Len : 2　LESS ACTIVITIES B/C OF STM USE PAST 12 MOS

	Freq	Pct
1 = Yes..	131	0.22
2 = No...	4626	7.83
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED..	13	0.02
91 = NEVER USED STIMULANTS..	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS..	3123	5.29
94 = DON'T KNOW...	9	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	288	0.49

Sometimes people who use prescription stimulants have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription stimulants?

(DPSTSERI)
UDSTWORKPRB　　Len : 2　STM CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes..	104	0.18
2 = No...	4654	7.88
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED..	13	0.02
91 = NEVER USED STIMULANTS..	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS..	3123	5.29
94 = DON'T KNOW...	7	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	289	0.49

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription stimulant?

(DPSTARGU)
UDSTFMLYPRB　　Len : 2　STM CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes..	152	0.26
2 = No...	4598	7.78
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED..	13	0.02
91 = NEVER USED STIMULANTS..	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS..	3123	5.29
94 = DON'T KNOW...	15	0.03
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	289	0.49

SUBSTANCE USE DISORDER

Did you continue to use any prescription stimulants even though they often caused arguments or problems with family or friends?

(DPSTACNT)
UDSTFMLYCTD   Len : 2   CONTD STM DESPITE STM CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes..	105	0.18
2 = No...	47	0.08
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED...	6	0.01
91 = NEVER USED STIMULANTS..	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS...	3123	5.29
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	311	0.53
99 = LEGITIMATE SKIP..	4598	7.78

During the past 12 months, did you repeatedly get into situations where using a prescription stimulant increased your chances of getting physically hurt?

(DPSTHURT)
UDSTGETHURT   Len : 2   STM INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes..	65	0.11
2 = No...	4692	7.94
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED...	13	0.02
91 = NEVER USED STIMULANTS..	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS...	3123	5.29
94 = DON'T KNOW	8	0.01
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	289	0.49

People may experience withdrawal symptoms when they use less or stop using prescription stimulants.

During the past 12 months, have you felt kind of blue or down after you used less or stopped using any prescription stimulants for a while?

(DPSTBLUE)
UDSTWDFLBLU   Len : 2   FELT BLUE OR DOWN AFTER USING LESS OR STOPPING STM

	Freq	Pct
1 = Yes..	463	0.78
2 = No...	4280	7.25
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED...	13	0.02
91 = NEVER USED STIMULANTS..	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS...	3123	5.29
94 = DON'T KNOW	18	0.03
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	289	0.49

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using prescription stimulants for a while?

Feeling tired or exhausted

(DPSTWD_1)
UDSTWDTIRED   Len : 2   FEELING TIRED/EXHAUSTED - STM WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes..	397	0.67
2 = No...	64	0.11
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED...	6	0.01
91 = NEVER USED STIMULANTS..	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS...	3123	5.29
94 = DON'T KNOW	1	0.00
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	315	0.53
99 = LEGITIMATE SKIP..	4280	7.25

Having bad dreams

(DPSTWD_2)
UDSTWDDREAM   Len : 2   HAVING BAD DREAMS - STM WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes...	149	0.25
2 = No...	310	0.52
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED...	6	0.01
91 = NEVER USED STIMULANTS...	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS..	3123	5.29
94 = DON'T KNOW	2	0.00
97 = REFUSED	11	0.02
98 = BLANK (NO ANSWER)	315	0.53
99 = LEGITIMATE SKIP..	4280	7.25

Having trouble sleeping or sleeping more than you normally do

(DPSTWD_3)
UDSTWDSLEEP   Len : 2   TROUBLE/MORE SLEEPING - STM WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes...	332	0.56
2 = No...	128	0.22
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED...	6	0.01
91 = NEVER USED STIMULANTS...	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS..	3123	5.29
94 = DON'T KNOW	2	0.00
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	315	0.53
99 = LEGITIMATE SKIP..	4280	7.25

Feeling hungry more often

(DPSTWD_4)
UDSTWDHNGRY   Len : 2   FEELING HUNGRY - STM WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes...	261	0.44
2 = No...	199	0.34
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED...	6	0.01
91 = NEVER USED STIMULANTS...	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS..	3123	5.29
94 = DON'T KNOW	2	0.00
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	315	0.53
99 = LEGITIMATE SKIP..	4280	7.25

Feeling either very slowed down or like you couldn't sit still

(DPSTWD_5)
UDSTWDSITST   Len : 2   FEELING SLOWED DOWN/ - STM W/DRAWL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes...	330	0.56
2 = No...	131	0.22
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED...	6	0.01
91 = NEVER USED STIMULANTS...	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS..	3123	5.29
94 = DON'T KNOW	1	0.00
97 = REFUSED	10	0.02
98 = BLANK (NO ANSWER)	315	0.53
99 = LEGITIMATE SKIP..	4280	7.25

During the past 12 months, did you use any prescription stimulants or other drugs to get over or avoid having prescription stimulant withdrawal symptoms?

(DPSTOVER)
UDSTAVOIDWD   Len : 2   USE STM TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes..	124	0.21
2 = No...	4623	7.83
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED..	13	0.02
91 = NEVER USED STIMULANTS...	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS..	3123	5.29
94 = DON'T KNOW	14	0.02
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	290	0.49

Which of the following did you use to get over or avoid having prescription stimulant withdrawal symptoms during the past 12 months?

Prescription stimulants or uppers

(DPSTUSE_1)
UDSTAVWSTIM   Len : 2   USED STM TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes..	75	0.13
2 = No...	48	0.08
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED..	5	0.01
91 = NEVER USED STIMULANTS...	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS..	3123	5.29
94 = DON'T KNOW	1	0.00
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	312	0.53
99 = LEGITIMATE SKIP..	4623	7.83

Cocaine or crack

(DPSTUSE_2)
UDSTAVWCOCN   Len : 2   USED COC/CRK TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes..	26	0.04
2 = No...	97	0.16
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED..	5	0.01
91 = NEVER USED STIMULANTS...	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS..	3123	5.29
94 = DON'T KNOW	1	0.00
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	312	0.53
99 = LEGITIMATE SKIP..	4623	7.83

Methamphetamine

(DPSTUSE_3)
UDSTAVWMETH   Len : 2   USED METH TO GET OVER/AVOID STM WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes..	28	0.05
2 = No...	95	0.16
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED..	5	0.01
91 = NEVER USED STIMULANTS...	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS..	3123	5.29
94 = DON'T KNOW	1	0.00
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	312	0.53
99 = LEGITIMATE SKIP..	4623	7.83

Something else

(DPSTUSE_4)
UDSTAVWOTHR   Len : 2   USED SOMETHING ELSE TO GET OVR/AVD STM WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes..	47	0.08
2 = No...	74	0.13
83 = DID NOT USE STIMULANTS PST 12 MOS Log assn	116	0.20
85 = BAD DATA LOGICALLY ASSIGNED..	5	0.01
91 = NEVER USED STIMULANTS..	50757	85.93
93 = DID NOT USE STIMULANTS IN THE PAST 12 MOS..	3123	5.29
94 = DON'T KNOW	3	0.01
97 = REFUSED	9	0.02
98 = BLANK (NO ANSWER)	312	0.53
99 = LEGITIMATE SKIP...	4623	7.83

Think about your use of prescription sedatives during the past 12 months as you answer these next questions.

During the past 12 months, did you spend a great deal of your time using any prescription sedatives, feeling their effects, or getting over the effects of any prescription sedatives?

(DPSVFEEL)
UDSVTIMEUSE   Len : 2   SPENT GREAT DEAL OF TIME USING/FEEL EFF OF SED PST 12 MOS

	Freq	Pct
1 = Yes..	126	0.21
2 = No...	2288	3.87
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn...	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	17	0.03
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW	14	0.02
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	327	0.55

During the past 12 months, did you spend a great deal of your time getting or trying to get any prescription sedatives?

(DPSVGET)
UDSVTIMEGET   Len : 2   SPENT GREAT DEAL TIME TRY TO GET/GETTING SED IN PST 12 MOS

	Freq	Pct
1 = Yes..	9	0.02
2 = No...	2287	3.87
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn...	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	11	0.02
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW	7	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	333	0.56
99 = LEGITIMATE SKIP...	126	0.21

During the past 12 months, were there many times when you ended up using any prescription sedatives in larger amounts or for a longer time than you meant to?

(DPSVLRGR)
UDSVLRGAMTS   Len : 2   USED SED LARGER AMTS OR LONGER TIME THAN MEANT TO PST 12 MOS

	Freq	Pct
1 = Yes..	59	0.10
2 = No...	2363	4.00
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn...	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	17	0.03
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW	7	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	327	0.55

SUBSTANCE USE DISORDER

During the past 12 months, were there times when you wanted to use any prescription sedatives so badly that you couldn't think of anything else?

(DPSVBDLY)
UDSVWANTBAD   Len : 2   WANTED TO USE SED SO BADLY IN PAST 12 MOS

	Freq	Pct
1 = Yes...	50	0.08
2 = No...	2372	4.02
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn...	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	17	0.03
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW..	9	0.02
97 = REFUSED	2	0.00
98 = BLANK (NO ANSWER)	327	0.55

During the past 12 months, were there times when you had a strong urge to use any prescription sedatives?

(DPSVURGE)
UDSVSTRURGE   Len : 2   STRONG URGE TO USE SED IN PAST 12 MOS

	Freq	Pct
1 = Yes...	82	0.14
2 = No...	2289	3.88
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn...	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	11	0.02
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW..	9	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	333	0.56
99 = LEGITIMATE SKIP...	50	0.08

Do you need to use a lot more of any prescription sedatives than you used to in order to get the feeling you want?

(DPSVMORE)
UDSVNEEDMOR   Len : 2   NEEDED A LOT MORE SED TO GET FEELING YOU WANT

	Freq	Pct
1 = Yes...	65	0.11
2 = No...	2358	3.99
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn...	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	17	0.03
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW..	7	0.01
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	327	0.55

Does using the same amount of any prescription sedatives have much less effect on you than it used to?

(DPSVLESS)
UDSVLESSEFF   Len : 2   SAME AMT SED HAS LESS EFFECT THAN IT USED TO

	Freq	Pct
1 = Yes...	96	0.16
2 = No...	2251	3.81
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn...	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	10	0.02
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW..	16	0.03
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	334	0.57
99 = LEGITIMATE SKIP...	65	0.11

SUBSTANCE USE DISORDER

During the past 12 months, did you try to cut down or try to stop using any prescription sedatives?

(DPSVSTOP)
UDSVTRYSTOP   Len : 2   TRY TO CUT DOWN/STOP SED USE IN PAST 12 MOS

	Freq	Pct
1 = Yes	301	0.51
2 = No	2113	3.58
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED	17	0.03
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW	13	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	327	0.55

Some people who use prescription sedatives try to cut down or stop but find they can't. Was there more than one time in the past 12 months when you tried but were unable to cut down or stop using any prescription sedatives?

(DPSVCANT)
UDSVNOTSTOP   Len : 2   UNABLE TO CUT/STOP SED MORE THAN ONE TIME PAST 12 MOS

	Freq	Pct
1 = Yes	41	0.07
2 = No	258	0.44
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED	7	0.01
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW	2	0.00
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	350	0.59
99 = LEGITIMATE SKIP	2113	3.58

In the past 12 months, did you often wish that you could cut down or stop using any prescription sedatives?

(DPSVWISH)
UDSVWSHSTOP   Len : 2   OFTEN WISH CUT DOWN OR STOP SED USE PAST 12 MOS

	Freq	Pct
1 = Yes	129	0.22
2 = No	1981	3.35
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED	10	0.02
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW	15	0.03
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	334	0.57
99 = LEGITIMATE SKIP	301	0.51

During the past 12 months, did you have any long-lasting or repeated physical health problems that were caused or made worse by using a prescription sedative?

(DPSVPHYS)
UDSVHLTHPRB   Len : 2   ANY LONG-LASTING PHYS PRBS CAUSED/WORSND BY SED PST 12 MO

	Freq	Pct
1 = Yes	40	0.07
2 = No	2376	4.02
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED	17	0.03
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW	14	0.02
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	327	0.55

Did you continue to use any prescription sedatives even though they were causing long-lasting or repeated physical health problems or making your physical health problems worse?

(DPSVPCNT)
UDSVHLTHCTD   Len : 2   CONTD TO USE SED DESPITE SED CAUSE/WORSEN PHYS PRBS

	Freq	Pct
1 = Yes..	18	0.03
2 = No...	22	0.04
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn...	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	7	0.01
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
97 = REFUSED	3	0.01
98 = BLANK (NO ANSWER)	351	0.59
99 = LEGITIMATE SKIP..	2376	4.02

During the past 12 months, did you have any long-lasting or repeated problems with emotions or mental health that were caused or made worse by using a prescription sedative?

(DPSVMNTL)
UDSVMNTLPRB   Len : 2   ANY EMOT/MNTL HLTH PRBS CAUSED/WORSND BY SED PAST 12 MOS

	Freq	Pct
1 = Yes..	53	0.09
2 = No...	2347	3.97
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn...	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	12	0.02
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW	11	0.02
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	332	0.56
99 = LEGITIMATE SKIP..	18	0.03

Did you continue to use any prescription sedatives even though they were causing long-lasting or repeated problems with your emotions or mental health or making your emotions or mental health worse?

(DPSVMCNT)
UDSVMNTLCTD   Len : 2   CONTD SED USE DESPITE SED CSE/WRSN EMOT/MNTL HLTH PRBS

	Freq	Pct
1 = Yes..	24	0.04
2 = No...	29	0.05
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn...	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	1	0.00
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	354	0.60
99 = LEGITIMATE SKIP..	2365	4.00

SUBSTANCE USE DISORDER

This question is about important activities such as:

- Spending time with friends and family
- Attending special events at work or school
- Participating in hobbies and sports
- Attending religious services and events

During the past 12 months, did you give up or spend a lot less time doing any of these types of important activities because of your use of any prescription sedatives?

(DPSVACTV)
UDSVSTOPACT   Len : 2   LESS ACTIVITIES B/C OF SED USE PAST 12 MOS

	Freq	Pct
1 = Yes..	64	0.11
2 = No...	2354	3.99
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn..	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	17	0.03
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW..	8	0.01
97 = REFUSED	7	0.01
98 = BLANK (NO ANSWER)	327	0.55

Sometimes people who use prescription sedatives have serious problems at work, school, or home—such as:

- missing a lot of work or school
- getting demoted, having your hours cut, or losing a job
- not being able to get a job or keep a job
- getting suspended, expelled, or dropping out of school
- failing to take care of family

During the past 12 months, did you have any serious problems like these at work, school, or home because of your use of any prescription sedatives?

(DPSVSERI)
UDSVWORKPRB   Len : 2   SED CAUSE SERIOUS PRBS AT HOME/WORK/SCH PST 12 MOS

	Freq	Pct
1 = Yes..	47	0.08
2 = No...	2371	4.01
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn..	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	17	0.03
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW..	7	0.01
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	327	0.55

During the past 12 months, did you often have arguments or other problems with family or friends that were caused or made worse by your use of a prescription sedative?

(DPSVARGU)
UDSVFMLYPRB   Len : 2   SED CAUSE ARGUMENTS/PROBS W/FAMILY/FRIENDS PST 12 MOS

	Freq	Pct
1 = Yes..	41	0.07
2 = No...	2377	4.02
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn..	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	17	0.03
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW..	9	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	327	0.55

Did you continue to use any prescription sedatives even though they often caused arguments or problems with family or friends?

(DPSVACNT)
UDSVFMLYCTD　　　Len : 2　　CONTD SED DESPITE SED CAUSE ARGUMENTS W/FAM/FRNDS

	Freq	Pct
1 = Yes..	32	0.05
2 = No...	9	0.02
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn..	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	6	0.01
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	347	0.59
99 = LEGITIMATE SKIP..	2377	4.02

During the past 12 months, did you repeatedly get into situations where using a prescription sedative increased your chances of getting physically hurt?

(DPSVHURT)
UDSVGETHURT　　　Len : 2　　SED INCREASED CHANCE GETTING HURT PST 12 MOS

	Freq	Pct
1 = Yes..	44	0.07
2 = No...	2372	4.02
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn..	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	17	0.03
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW	8	0.01
97 = REFUSED	8	0.01
98 = BLANK (NO ANSWER)	328	0.56

People may experience withdrawal symptoms when they use less or stop using prescription sedatives.

During the past 12 months, did you have the following withdrawal symptoms after you used less or stopped using any prescription sedatives for a while?

Sweating or feeling that your heart was beating fast

(DPSVWD_1)
UDSVWDSWEAT　　　Len : 2　　SWEATY/FAST HEARTBEAT - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes..	106	0.18
2 = No...	2309	3.91
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn..	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	17	0.03
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW	11	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	328	0.56

Having your hands tremble

(DPSVWD_2)
UDSVWDTRMBL　　　Len : 2　　HANDS TREMBLE - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes..	93	0.16
2 = No...	2324	3.93
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn..	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	17	0.03
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW	10	0.02
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	328	0.56

Having trouble sleeping

(DPSVWD_3)
UDSVWDSLEEP   Len : 2   TROUBLE SLEEPING - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes..	381	0.65
2 = No...	2035	3.45
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn..	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED...	17	0.03
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW	11	0.02
97 = REFUSED	5	0.01
98 = BLANK (NO ANSWER)	328	0.56

Vomiting or having an upset stomach

(DPSVWD_4)
UDSVWDVOMIT   Len : 2   VOMITING/UPSET STOMACH - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes..	94	0.16
2 = No...	2320	3.93
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn..	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED...	17	0.03
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW	12	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	328	0.56

Seeing, hearing, or feeling things that weren't really there

(DPSVWD_5)
UDSVWDHALUC   Len : 2   SEE/HEAR/FEEL THINGS - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes..	83	0.14
2 = No...	2333	3.95
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn..	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED...	17	0.03
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW	10	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	328	0.56

Feeling like you couldn't sit still

(DPSVWD_6)
UDSVWDSITST   Len : 2   COULDN'T SIT STILL - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes..	148	0.25
2 = No...	2269	3.84
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn..	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED...	17	0.03
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW	9	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	328	0.56

Feeling anxious

(DPSVWD_7)
UDSVWDFLANX   Len : 2   FEELING ANXIOUS - SED WITHDRAWAL SYMPTOM PST 12 MOS

	Freq	Pct
1 = Yes...	249	0.42
2 = No..	2167	3.67
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn..	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	17	0.03
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW..	10	0.02
97 = REFUSED	6	0.01
98 = BLANK (NO ANSWER)	328	0.56

During the past 12 months, did you use any prescription sedatives or other drugs to get over or avoid having prescription sedative withdrawal symptoms?

(DPSVOVER)
UDSVAVOIDWD   Len : 2   USE SED TO GET OVER/AVOID SED WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes...	36	0.06
2 = No..	2384	4.04
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn..	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	17	0.03
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
94 = DON'T KNOW..	8	0.01
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	328	0.56

Which of the following did you use to get over or avoid having prescription sedative withdrawal symptoms during the past 12 months?

Prescription sedatives, tranquilizers, sleeping pills, or downers

(DPSVUSE_1)
UDSVAVWSVTR   Len : 2   USED SED/TR TO GET OVER/AVOID SED WITHDRWL IN PST 12 MOS

	Freq	Pct
1 = Yes...	19	0.03
2 = No..	16	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn..	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	5	0.01
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	349	0.59
99 = LEGITIMATE SKIP...	2384	4.04

Alcohol

(DPSVUSE_2)
UDSVAVWALCO   Len : 2   USED ALC TO GET OVER/AVOID SED WITHDRAWAL IN PST 12 MOS

	Freq	Pct
1 = Yes...	15	0.03
2 = No..	20	0.03
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn..	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	5	0.01
91 = NEVER USED SEDATIVES	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	349	0.59
99 = LEGITIMATE SKIP...	2384	4.04

Something else

(DPSVUSE_3)
UDSVAVWOTHR   Len : 2   USED SOMETHING ELSE TO GET OVR/AVD SED WITHDRAWAL PST 12 MOS

	Freq	Pct
1 = Yes..	12	0.02
2 = No...	23	0.04
83 = DID NOT USE SEDATIVES PST 12 MOS Log assn..	174	0.29
85 = BAD DATA LOGICALLY ASSIGNED..	5	0.01
91 = NEVER USED SEDATIVES...	53028	89.77
93 = DID NOT USE SEDATIVES IN THE PAST 12 MOS	3090	5.23
97 = REFUSED	4	0.01
98 = BLANK (NO ANSWER)	349	0.59
99 = LEGITIMATE SKIP..	2384	4.04

The next set of variables are substance use disorder measures for alcohol and drugs and are based on the criteria in the *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition. Drugs include marijuana, cocaine, heroin, hallucinogens, inhalants, methamphetamine, and the use of prescription psychotherapeutic drugs (i.e., pain relievers, tranquilizers, stimulants, and sedatives). These variables include missing values, while the imputation-revised versions of these variables in which missing values are replaced with valid response categories are described in the "Imputed Substance Use Disorder" section.The construction of all SUD variables is described in more detail in the Nicotine Dependence and Substance Use Disorder appendix.

NOTE: Respondents who reported past year alcohol use but indicated use of alcohol on 5 or fewer days in the past year were not asked the questions on alcohol use disorder. However, respondents who reported past year alcohol use and had a missing value for the number of days they used alcohol in the past year were asked the questions on alcohol use disorder. Therefore, it is possible for a respondent to have used alcohol on 5 or fewer days in the past year according to IRALCFY but to be classified as having a past year substance use disorder of alcohol.

(ALCYR, UDALAVWALCO, UDALAVWOTHR, UDALAVWSVTR, UDALBLCKCTD, UDALFMLYCTD, UDALFMLYPRB, UDALGETHURT, UDALHLTHCTD, UDALLESSEFF, UDALLRGAMTS, UDALMNTLCTD, UDALNEEDMOR, UDALNOTSTOP, UDALSTOPACT, UDALSTRURGE, UDALTIMEGET, UDALTIMEUSE, UDALWANTBAD, UDALWDFLANX, UDALWDHALUC, UDALWDSITST, UDALWDSLEEP, UDALWDSWEAT, UDALWDTRMBL, UDALWDVOMIT, UDALWORKPRB, UDALWSHSTOP)
PYUD5ALC   Len : 2   ALCOHOL USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed..	579	0.98
0 = No..	22413	37.94
1 = Yes...	6215	10.52
91 = NEVER USED ALCOHOL..	17234	29.18
93 = DID NOT USE ALCHOHOL PAST 12 MONTHS OR USED <6 DAYS	12628	21.38

NOTE: Respondents who reported past year marijuana use but indicated use of marijuana on 5 or fewer days in the past year were not asked the questions on marijuana use disorder. However, respondents who reported past year marijuana use and had a missing value for the number of days they used marijuana in the past year were asked the questions on marijuana use disorder. Therefore, it is possible for a respondent to have used marijuana on 5 or fewer days in the past year according to IRMJFY but to be classified as having a past year substance use disorder of marijuana.

(MRJYR, UDMJAVWMARJ, UDMJAVWOTHR, UDMJFMLYCTD, UDMJFMLYPRB, UDMJGETHURT, UDMJHLTHCTD, UDMJLESSEFF, UDMJLRGAMTS, UDMJMNTLCTD, UDMJNEEDMOR, UDMJNOTSTOP, UDMJSTOPACT, UDMJSTRURGE, UDMJTIMEGET, UDMJTIMEUSE, UDMJWANTBAD, UDMJWDANGRY, UDMJWDAPPET, UDMJWDCHILL, UDMJWDDEPRS", UDMJWDFEVER, UDMJWDFLANX, UDMJWDHEDAC, UDMJWDSHAKE, UDMJWDSITST, UDMJWDSLEEP, UDMJWDSTMCH, UDMJWDSWEAT, UDMJWORKPRB, UDMJWSHSTOP)
PYUD5MRJ   Len : 2   MARIJUANA USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed..	295	0.50
0 = No..	6116	10.35
1 = Yes...	4978	8.43
91 = NEVER USED MARIJUANA	32976	55.83
93 = DID NOT USE MARIJUANA PAST 12 MONTHS OR USED <6 DAYS...............	14704	24.89

NOTE: Respondents who reported lifetime but not past year use of cocaine, but were past year users of cocaine according to the variable CONDLREC, were asked the questions on cocaine use disorder. Because the editing and imputation procedures for cocaine recency do not incorporate CONDLREC, it is possible for a respondent to be a lifetime but not a past year user of cocaine according to IRCOCRC, but to be classified as having past year substance use disorder of cocaine. The few respondents who were lifetime but not past year users of cocaine according to IRCOCRC but were missing for CONDLREC were considered past year nonusers.

(COCYR, CONDLREC, UDCCAVWCOCN, UDCCAVWMETH, UDCCAVWOTHR, UDCCAVWSTIM, UDCCFMLYCTD, UDCCFMLYPRB, UDCCGETHURT, UDCCHLTHCTD, UDCCLESSEFF, UDCCLRGAMTS, UDCCMNTLCTD, UDCCNEEDMOR, UDCCNOTSTOP, UDCCSTOPACT, UDCCSTRURGE, UDCCTIMEGET, UDCCTIMEUSE, UDCCWANTBAD, UDCCWDDREAM, UDCCWDFLBLU, UDCCWDHNGRY, UDCCWDSITST, UDCCWDSLEEP, UDCCWDTIRED, UDCCWORKPRB, UDCCWSHSTOP)
PYUD5COC   Len : 2   COCAINE USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	42	0.07
0 = No	849	1.44
1 = Yes	273	0.46
91 = NEVER USED COCAINE	52334	88.60
93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS	5571	9.43

NOTE: Respondents who reported lifetime but not past year use of heroin, but were past year users of heroin according to the variables HRNDLREC, HRSMKREC, or HRSNFREC were asked the questions on heroin use disorder. Because the editing and imputation procedures for heroin recency do not incorporate HRNDLREC, HRSMKREC, or HRSNFREC, it is possible for a respondent to be a lifetime but not a past year user of heroin according to IRHERRC, but to be classified as having past year substance use disorder of heroin. The few respondents who were lifetime but not past year users of heroin according to IRHERRC but were missing for HRNDLREC, HRSMKREC, or HRSNFREC were considered past year nonusers.

(HERYR, HRNDLREC, HRSMKREC, HRSNFREC, UDHEAVWHERN, UDHEAVWOTHR, UDHEAVWPNRL, UDHEFMLYCTD, UDHEFMLYPRB, UDHEGETHURT, UDHEHLTHCTD, UDHELESSEFF, UDHELRGAMTS, UDHEMNTLCTD, UDHENEEDMOR, UDHENOTSTOP, UDHESTOPACT, UDHESTRURGE, UDHETIMEGET, UDHETIMEUSE, UDHEWANTBAD, UDHEWDCRAMP, UDHEWDDIARR, UDHEWDFEVER, UDHEWDFLBLU, UDHEWDRUNNY, UDHEWDSLEEP, UDHEWDSWEAT, UDHEWDVOMIT, UDHEWDYAWNS, UDHEWORKPRB, UDHEWSHSTOP)
PYUD5HER   Len : 2   HEROIN USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	18	0.03
0 = No	56	0.09
1 = Yes	147	0.25
91 = NEVER USED HEROIN	57895	98.01
93 = DID NOT USE HEROIN IN THE PAST 12 MONTHS	953	1.61

(HALLUCYR, UDHAFMLYCTD, UDHAFMLYPRB, UDHAGETHURT, UDHAHLTHCTD, UDHALESSEFF, UDHALRGAMTS, UDHAMNTLCTD, UDHANEEDMOR, UDHANOTSTOP, UDHASTOPACT, UDHASTRURGE, UDHATIMEGET, UDHATIMEUSE, UDHAWANTBAD, UDHAWORKPRB, UDHAWSHSTOP)
PYUD5HAL   Len : 2   HALLUCINOGEN USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	83	0.14
0 = No	1995	3.38
1 = Yes	165	0.28
91 = NEVER USED HALLUCINOGENS	49718	84.17
93 = DID NOT USE HALLUCINOGENS IN THE PAST 12 MONTHS	7108	12.03

(INHALYR, UDINFMLYCTD, UDINFMLYPRB, UDINGETHURT, UDINHLTHCTD, UDINLESSEFF, UDINLRGAMTS, UDINMNTLCTD, UDINNEEDMOR, UDINNOTSTOP, UDINSTOPACT, UDINSTRURGE, UDINTIMEGET, UDINTIMEUSE, UDINWANTBAD, UDINWORKPRB, UDINWSHSTOP)
PYUD5INH   Len : 2   INHALANT USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed	51	0.09
0 = No	595	1.01
1 = Yes	74	0.13
91 = NEVER USED INHALANTS	53381	90.37
93 = DID NOT USE INHALANTS IN THE PAST 12 MONTHS	4968	8.41

NOTE: Respondents who reported lifetime but not past year use of methamphetamine, but were past year users of methamphetamine according to the variable METHNDLRC, were asked the questions on methamphetamine use disorder. Because the editing and imputation procedures for methamphetamine recency do not incorporate METHNDLRC, it is possible for a respondent to be a lifetime but not a past year user of methamphetamine according to IRMETHAMREC, but to be classified as having past year substance use disorder of methamphetamine. The few respondents who were lifetime but not past year users of methamphetamine according to IRMETHAMREC but were missing for METHNDLRC were considered past year nonusers.

(METHAMYR, METHNDLRC, UDMEAVWCOCN, UDMEAVWMETH, UDMEAVWOTHR, UDMEAVWSTIM, UDMEFMLYCTD, UDMEFMLYPRB, UDMEGETHURT, UDMEHLTHCTD, UDMELESSEFF, UDMELRGAMTS, UDMEMNTLCTD, UDMENEEDMOR, UDMENOTSTOP, UDMESTOPACT, UDMESTRURGE, UDMETIMEGET, UDMETIMEUSE, UDMEWANTBAD, UDMEWDDREAM, UDMEWDFLBLU, UDMEWDHNGRY, UDMEWDSITST, UDMEWDSLEEP, UDMEWDTIRED, UDMEWORKPRB, UDMEWSHSTOP)
PYUD5MTH   Len : 2   METHAMPHETAMINE USE DISORDER IN THE PAST YEAR

	Freq	Pct
. = Missing: Past year use known or imputed...	28	0.05
0 = No..	154	0.26
1 = Yes...	343	0.58
91 = NEVER USED METHAMPHETAMINE	56390	95.46
93 = DID NOT USE METHAMPHETAMINE IN THE PAST 12 MONTHS....................	2154	3.65

NOTE: EDUD5PNRMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription pain relievers.

(PNRNMYR, UDPRAVWHERN, UDPRAVWOTHR, UDPRAVWPNRL, UDPRFMLYCTD, UDPRFMLYPRB, UDPRGETHURT, UDPRHLTHCTD, UDPRLESSEFF, UDPRLRGAMTS, UDPRMNTLCTD, UDPRNEEDMOR, UDPRNOTSTOP, UDPRSTOPACT, UDPRSTRURGE, UDPRTIMEGET, UDPRTIMEUSE, UDPRWANTBAD, UDPRWDCRAMP, UDPRWDDIARR, UDPRWDFEVER, UDPRWDFLBLU, UDPRWDRUNNY, UDPRWDSLEEP, UDPRWDSWEAT, UDPRWDVOMIT, UDPRWDYAWNS, UDPRWORKPRB, UDPRWSHSTOP)
EDUD5PNRMIS   Len : 2   PAIN RELIEVER USE DISORDER, PY MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed...	83	0.14
0 = No..	1278	2.16
1 = Yes...	413	0.70
91 = NEVER MISUSED PAIN RELIEVERS	54182	91.73
93 = DID NOT MISUSE PAIN RELIEVER IN THE PAST 12 MOS...............................	3113	5.27

NOTE: EDUD5PNRUNM was created using the DSM-5 based SUD variables that do not include use disorder data from past year misusers of prescription pain relievers.

(PNRANYYR, PNRNMYR, UDPRFMLYCTD, UDPRFMLYPRB, UDPRGETHURT, UDPRHLTHCTD, UDPRLRGAMTS, UDPRMNTLCTD, UDPRNOTSTOP, UDPRSTOPACT, UDPRSTRURGE, UDPRTIMEGET, UDPRTIMEUSE, UDPRWANTBAD, UDPRWORKPRB, UDPRWSHSTOP)
EDUD5PNRUNM   Len : 2   PAIN RELIEVER USE DISORDER, PY USERS BUT NOT MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed...	332	0.56
0 = No..	10569	17.89
1 = Yes...	509	0.86
91 = NEVER USED PAIN RELIEVERS	30778	52.11
93 = DID NOT USE IN THE PAST 12 MON OR MISUSED IN THE PAST 12 MON	16881	28.58

NOTE: EDUD5TRQMIS was created using the DSM-5 based SUD variables that do not include use disorder data from past year users but not misusers of prescription tranquilizers.

(TRQNMYR, UDTRAVWALCO, UDTRAVWOTHR, UDTRAVWSVTR, UDTRFMLYCTD, UDTRFMLYPRB, UDTRGETHURT, UDTRHLTHCTD, UDTRLESSEFF, UDTRLRGAMTS, UDTRMNTLCTD, UDTRNEEDMOR, UDTRNOTSTOP, UDTRSTOPACT, UDTRSTRURGE, UDTRTIMEGET, UDTRTIMEUSE, UDTRWANTBAD, UDTRWDFLANX, UDTRWDHALUC, UDTRWDSITST, UDTRWDSLEEP, UDTRWDSWEAT, UDTRWDTRMBL, UDTRWDVOMIT, UDTRWORKPRB, UDTRWSHSTOP)
EDUD5TRQMIS   Len : 2   TRANQUILIZER USE DISORDER, PY MISUSERS

	Freq	Pct
. = Missing: Past year use known or imputed...	38	0.06
0 = No..	719	1.22
1 = Yes...	167	0.28
91 = NEVER MISUSED TRANQUILIZERS..	56918	96.36
93 = DID NOT MISUSE TRANQUILIZERS IN THE PAST 12 MOS............................	1227	2.08