

INSU: Facility is included in the substance use I-TF

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 1 | Yes | 20,898 | 67.4% |
| M | Missing Data | 10,112 | 32.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

INMH: Facility is included in the mental health I-TF

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 1 | Yes | 15,624 | 50.4% |
| M | Missing Data | 15,386 | 49.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LOCATIONSTATE: Facility state

| Value | Label | Frequency | % |
|-------|----------------------|-----------|-------|
| AK | Alaska | 184 | 0.6% |
| AL | Alabama | 351 | 1.1% |
| AR | Arkansas | 382 | 1.2% |
| AZ | Arizona | 894 | 2.9% |
| CA | California | 3,201 | 10.3% |
| CO | Colorado | 559 | 1.8% |
| CT | Connecticut | 408 | 1.3% |
| DC | District of Columbia | 83 | 0.3% |
| DE | Delaware | 101 | 0.3% |
| FL | Florida | 1,389 | 4.5% |
| GA | Georgia | 609 | 2.0% |
| HI | Hawaii | 199 | 0.6% |
| IA | Iowa | 328 | 1.1% |
| ID | Idaho | 292 | 0.9% |
| IL | Illinois | 1,217 | 3.9% |
| IN | Indiana | 678 | 2.2% |
| KS | Kansas | 300 | 1.0% |
| KY | Kentucky | 777 | 2.5% |
| LA | Louisiana | 445 | 1.4% |
| MA | Massachusetts | 860 | 2.8% |
| MD | Maryland | 849 | 2.7% |
| ME | Maine | 408 | 1.3% |
| MI | Michigan | 798 | 2.6% |
| MN | Minnesota | 827 | 2.7% |
| MO | Missouri | 534 | 1.7% |
| MS | Mississippi | 307 | 1.0% |
| MT | Montana | 246 | 0.8% |
| NC | North Carolina | 1,060 | 3.4% |
| ND | North Dakota | 125 | 0.4% |
| NE | Nebraska | 254 | 0.8% |
| NH | New Hampshire | 204 | 0.7% |
| NJ | New Jersey | 822 | 2.7% |
| NM | New Mexico | 264 | 0.9% |
| NV | Nevada | 231 | 0.7% |
| NY | New York | 1,847 | 6.0% |
| OH | Ohio | 1,374 | 4.4% |
| OK | Oklahoma | 354 | 1.1% |
| OR | Oregon | 474 | 1.5% |
| PA | Pennsylvania | 1,278 | 4.1% |
| PR | Puerto Rico | 167 | 0.5% |
| RI | Rhode Island | 125 | 0.4% |
| SC | South Carolina | 253 | 0.8% |
| SD | South Dakota | 108 | 0.3% |
| TN | Tennessee | 590 | 1.9% |
| TX | Texas | 1,099 | 3.5% |
| UT | Utah | 594 | 1.9% |
| VA | Virginia | 610 | 2.0% |
| VT | Vermont | 124 | 0.4% |

LOCATIONSTATE: Facility state

| Value | Label | Frequency | % |
|-------|---------------------|-----------|------|
| WA | Washington | 827 | 2.7% |
| WI | Wisconsin | 658 | 2.1% |
| WV | West Virginia | 236 | 0.8% |
| WY | Wyoming | 83 | 0.3% |
| ZZ | Other Jurisdictions | 23 | 0.1% |
| Total | | 31,010 | 100% |

Variable Type: character

FOCUS: Primary treatment focus (Q.1)

| Value | Label | Frequency | % |
|-------|--|-----------|-------|
| 1 | Substance use treatment services | 6,995 | 22.6% |
| 2 | Mental health services | 6,166 | 19.9% |
| 3 | Mix mental health & substance use treatment services | 9,134 | 29.5% |
| 4 | No mental health or substance use treatment services | 570 | 1.8% |
| M | Missing Data | 8,145 | 26.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

SUTRTMNTALSO: Offered substance use treatment also (Q.1a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,206 | 16.8% |
| 1 | Yes | 960 | 3.1% |
| L | Logical Skip | 16,697 | 53.8% |
| M | Missing Data | 8,147 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

JAIL: Jail, prison, or other (Q.2)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 22,274 | 71.8% |
| L | Logical Skip | 570 | 1.8% |
| M | Missing Data | 8,166 | 26.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OTHNONTX: Offered intake/assessment/referral (Q.A1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 575 | 1.9% |
| 1 | Yes | 16,491 | 53.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,158 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

DETOX: Offered detoxification (Q.A1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 13,524 | 43.6% |
| 1 | Yes | 3,554 | 11.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,146 | 26.3% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

TREATMT_SU: Offered substance use treatment (Q.A1)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 272 | 0.9% |
| 1 | Yes | 16,807 | 54.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,145 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SMISEDSD_SU: Offered co-occurring serious mental illness (SMI)/serious emotional disturbance (SED) and substance use disorder (SUD) (Q.A1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,437 | 20.8% |
| 1 | Yes | 10,634 | 34.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,153 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ADMIN: Any other substance use services offered (Q.A1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,515 | 21.0% |
| 1 | Yes | 10,549 | 34.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,160 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHTXSA: Offers mental health treatment to substance use clients (Q.A1a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,021 | 6.5% |
| 1 | Yes | 14,868 | 47.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,335 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHTXNONSA: Offers mental health treatment to non-substance use clients (Q.A1a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,124 | 23.0% |
| 1 | Yes | 9,737 | 31.4% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,363 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOMHTX: Offers no mental health treatment (Q.A1a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,104 | 48.7% |
| 1 | Yes | 1,803 | 5.8% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,317 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

DETXALC: Detoxify from alcohol (Q.A2)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 926 | 3.0% |
| 1 | Yes | 2,651 | 8.5% |
| L | Logical Skip | 5,856 | 18.9% |
| M | Missing Data | 21,577 | 69.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

DETXBEN: Detoxify from benzodiazepines (Q.A2)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,105 | 3.6% |
| 1 | Yes | 2,471 | 8.0% |
| L | Logical Skip | 5,856 | 18.9% |
| M | Missing Data | 21,578 | 69.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

DETXCOC: Detoxify from cocaine (Q.A2)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,409 | 4.5% |
| 1 | Yes | 2,167 | 7.0% |
| L | Logical Skip | 5,856 | 18.9% |
| M | Missing Data | 21,578 | 69.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

DETXMET: Detoxify from methamphetamines (Q.A2)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,357 | 4.4% |
| 1 | Yes | 2,219 | 7.2% |
| L | Logical Skip | 5,856 | 18.9% |
| M | Missing Data | 21,578 | 69.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

DETXOP: Detoxify from opioids (Q.A2)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 194 | 0.6% |
| 1 | Yes | 3,382 | 10.9% |
| L | Logical Skip | 5,856 | 18.9% |
| M | Missing Data | 21,578 | 69.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

DETXOTH: Detoxify from other substances (Q.A2)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,869 | 9.3% |
| 1 | Yes | 681 | 2.2% |
| L | Logical Skip | 5,856 | 18.9% |
| M | Missing Data | 21,604 | 69.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

DETXMED: Routinely uses detoxification with medications (Q.A2a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 461 | 1.5% |
| 1 | Yes | 3,252 | 10.5% |
| L | Logical Skip | 5,856 | 18.9% |
| M | Missing Data | 21,441 | 69.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LOC15_SU: Solo practice (Q.A3)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 16,192 | 52.2% |
| 1 | Yes | 834 | 2.7% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,198 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CTYPE4: Hospital inpatient substance use care offered currently (Q.A4)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,933 | 51.4% |
| 1 | Yes | 1,130 | 3.6% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,161 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CTYPEHI1: Hospital inpatient detoxification care offered (Q.A4a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 256 | 0.8% |
| 1 | Yes | 874 | 2.8% |
| L | Logical Skip | 21,718 | 70.0% |
| M | Missing Data | 8,162 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CTYPEHI2: Hospital inpatient treatment care offered (Q.A4a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 161 | 0.5% |
| 1 | Yes | 967 | 3.1% |
| L | Logical Skip | 21,718 | 70.0% |
| M | Missing Data | 8,164 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CTYPE7: Non-hospital residential substance use care offered currently (Q.A5)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 13,279 | 42.8% |
| 1 | Yes | 3,785 | 12.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,160 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CTYPERC1: Non-hospital residential detoxification care offered (Q.A5a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,428 | 7.8% |
| 1 | Yes | 1,356 | 4.4% |
| L | Logical Skip | 19,063 | 61.5% |
| M | Missing Data | 8,163 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CTYPERC3: Non-hospital residential short-term treatment offered (Q.A5a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,327 | 4.3% |
| 1 | Yes | 2,456 | 7.9% |
| L | Logical Skip | 19,063 | 61.5% |
| M | Missing Data | 8,164 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CTYPERC4: Non-hospital residential long-term treatment offered (Q.A5a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 912 | 2.9% |
| 1 | Yes | 2,871 | 9.3% |
| L | Logical Skip | 19,063 | 61.5% |
| M | Missing Data | 8,164 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CTYPE1: Any outpatient substance use care offered currently (Q.A6)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,966 | 9.6% |
| 1 | Yes | 14,102 | 45.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,156 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CTYPE6: Outpatient detoxification offered (Q.A6a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 12,251 | 39.5% |
| 1 | Yes | 1,849 | 6.0% |
| L | Logical Skip | 8,751 | 28.2% |
| M | Missing Data | 8,159 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CTYPEML: Outpatient methadone maintenance offered (Q.A6a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,297 | 23.5% |
| 1 | Yes | 6,796 | 21.9% |
| L | Logical Skip | 8,751 | 28.2% |
| M | Missing Data | 8,166 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CTYPEOP: Day treatment/partial hospitalization offered (Q.A6a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,780 | 38.0% |
| 1 | Yes | 2,311 | 7.5% |
| L | Logical Skip | 8,751 | 28.2% |
| M | Missing Data | 8,168 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CTYPE2: Intensive outpatient treatment offered (Q.A6a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,095 | 22.9% |
| 1 | Yes | 6,999 | 22.6% |
| L | Logical Skip | 8,751 | 28.2% |
| M | Missing Data | 8,165 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CTYPE3: Regular outpatient treatment offered (Q.A6a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 949 | 3.1% |
| 1 | Yes | 13,150 | 42.4% |
| L | Logical Skip | 8,751 | 28.2% |
| M | Missing Data | 8,160 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC89: Assessment screening substance use (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 385 | 1.2% |
| 1 | Yes | 16,475 | 53.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,364 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC90: Assessment screening mental disorders (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,633 | 8.5% |
| 1 | Yes | 14,200 | 45.8% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,391 | 27.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC1: Assessment comprehensive substance use (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 957 | 3.1% |
| 1 | Yes | 15,894 | 51.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,373 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC2: Assessment mental health (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,957 | 19.2% |
| 1 | Yes | 10,868 | 35.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,399 | 27.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCCOMPEXAM: Complete medical history and physical examination done (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,965 | 32.1% |
| 1 | Yes | 6,835 | 22.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,424 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC107: Assessment screening tobacco use (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,164 | 10.2% |
| 1 | Yes | 13,658 | 44.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,402 | 27.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC91: Assessment outreach (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,366 | 17.3% |
| 1 | Yes | 11,439 | 36.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,419 | 27.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC93: Assessment interim services (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,358 | 27.0% |
| 1 | Yes | 8,422 | 27.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,444 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCEDCON: Assessment professional consultant (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,840 | 38.2% |
| 1 | Yes | 4,941 | 15.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,443 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOPRETXSRVC: None of the above assessment or pretreatment services (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 16,806 | 54.2% |
| 1 | Yes | 65 | 0.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,353 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCORAL: Testing drug/alcohol oral fluid (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,933 | 32.0% |
| 1 | Yes | 6,469 | 20.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,822 | 28.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC10: Testing blood/alcohol (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,445 | 20.8% |
| 1 | Yes | 9,979 | 32.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,800 | 28.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC11: Testing drug/alcohol urine screen (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,918 | 6.2% |
| 1 | Yes | 14,548 | 46.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,758 | 28.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC73: Testing Hepatitis B (HBV) (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,389 | 36.7% |
| 1 | Yes | 5,011 | 16.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,824 | 28.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC74: Testing Hepatitis C (HCV) (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,768 | 34.7% |
| 1 | Yes | 5,634 | 18.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,822 | 28.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC14: Testing HIV (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,670 | 34.4% |
| 1 | Yes | 5,732 | 18.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,822 | 28.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC15: Testing sexually transmitted disease (STD) (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,524 | 37.2% |
| 1 | Yes | 4,875 | 15.7% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,825 | 28.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC16: Testing tuberculosis (TB) screen (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,937 | 28.8% |
| 1 | Yes | 7,471 | 24.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,816 | 28.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCMETA: Testing metabolic syndrome (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 12,268 | 39.6% |
| 1 | Yes | 4,132 | 13.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,824 | 28.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOTESTINGSRVC: None of the above testing services (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,158 | 48.9% |
| 1 | Yes | 1,330 | 4.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,736 | 28.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCHAV: Medical Hepatitis A (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,970 | 38.6% |
| 1 | Yes | 2,164 | 7.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 11,090 | 35.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCHBV: Medical Hepatitis B (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,932 | 38.5% |
| 1 | Yes | 2,202 | 7.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 11,090 | 35.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOMEDSRVC: None of the above medical services (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,280 | 7.4% |
| 1 | Yes | 11,941 | 38.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 11,003 | 35.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC37: Transitional discharge plan (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 981 | 3.2% |
| 1 | Yes | 15,872 | 51.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,371 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC27: Transitional aftercare (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,417 | 7.8% |
| 1 | Yes | 14,425 | 46.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,382 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCODED: Transitional naloxone and overdose education (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,926 | 15.9% |
| 1 | Yes | 11,897 | 38.4% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,401 | 27.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCOUTCM: Transitional outcome follow-up after discharge (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,934 | 15.9% |
| 1 | Yes | 11,871 | 38.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,419 | 27.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOTRANSSRVC: None of the above transitional services (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 16,608 | 53.6% |
| 1 | Yes | 271 | 0.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,345 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC97: Recovery mentoring/peer support (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,370 | 17.3% |
| 1 | Yes | 11,070 | 35.7% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,784 | 28.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC102: Recovery self-help groups (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,832 | 28.5% |
| 1 | Yes | 7,601 | 24.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,791 | 28.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC39: Recovery housing assist (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,065 | 16.3% |
| 1 | Yes | 11,372 | 36.7% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,787 | 28.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC38: Recovery employment (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,684 | 28.0% |
| 1 | Yes | 7,736 | 24.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,804 | 28.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC36: Recovery assistance social services (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,119 | 13.3% |
| 1 | Yes | 12,330 | 39.8% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,775 | 28.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCCOACH: Recovery coach (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,795 | 34.8% |
| 1 | Yes | 5,621 | 18.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,808 | 28.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NORSSRVC: None of the above recovery support services (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,077 | 48.6% |
| 1 | Yes | 1,421 | 4.6% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,726 | 28.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC24: Education and counseling HIV/AIDS education (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,730 | 21.7% |
| 1 | Yes | 10,077 | 32.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,417 | 27.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC104: Education and counseling Hepatitis education (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,502 | 24.2% |
| 1 | Yes | 9,299 | 30.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,423 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC99: Education and counseling health education (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,726 | 21.7% |
| 1 | Yes | 10,083 | 32.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,415 | 27.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC100: Education and counseling substance use education (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 571 | 1.8% |
| 1 | Yes | 16,300 | 52.6% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,353 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC105: Education and counseling smoking/tobacco cessation (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,304 | 17.1% |
| 1 | Yes | 11,519 | 37.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,401 | 27.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC6: Education and counseling individual (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 667 | 2.2% |
| 1 | Yes | 16,203 | 52.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,354 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC5: Education and counseling group (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,512 | 4.9% |
| 1 | Yes | 15,345 | 49.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,367 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC4: Education and counseling family (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,186 | 13.5% |
| 1 | Yes | 12,644 | 40.8% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,394 | 27.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC103: Education and counseling marital/couples (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,202 | 26.4% |
| 1 | Yes | 8,610 | 27.8% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,412 | 27.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCVOCED: Education and counseling vocational (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 12,901 | 41.6% |
| 1 | Yes | 3,888 | 12.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,435 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOEDSRVC: None of the above education and counseling services (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 16,842 | 54.3% |
| 1 | Yes | 42 | 0.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,340 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC49: Ancillary services case management (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,775 | 8.9% |
| 1 | Yes | 13,979 | 45.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,470 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCPRIMCARE: Ancillary services integrated primary care (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,829 | 38.1% |
| 1 | Yes | 4,880 | 15.7% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,515 | 27.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC96: Ancillary social skills (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,597 | 14.8% |
| 1 | Yes | 12,131 | 39.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,496 | 27.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC50: Ancillary child care (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,934 | 51.4% |
| 1 | Yes | 752 | 2.4% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,538 | 27.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC52: Ancillary domestic violence (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,003 | 35.5% |
| 1 | Yes | 5,706 | 18.4% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,515 | 27.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC98: Ancillary intervention HIV (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 13,131 | 42.3% |
| 1 | Yes | 3,561 | 11.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,532 | 27.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC59: Ancillary transportation assistance (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,534 | 27.5% |
| 1 | Yes | 8,186 | 26.4% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,504 | 27.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC101: Ancillary mental health services (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,191 | 13.5% |
| 1 | Yes | 12,576 | 40.6% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,457 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCSUICIDEPREV: Ancillary suicide prevention services (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,266 | 23.4% |
| 1 | Yes | 9,464 | 30.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,494 | 27.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC48: Ancillary acupuncture (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,840 | 51.1% |
| 1 | Yes | 849 | 2.7% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,535 | 27.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC75: Ancillary residential beds for children (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 16,259 | 52.4% |
| 1 | Yes | 429 | 1.4% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,536 | 27.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOANCSRVC: None of the above ancillary services (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 16,445 | 53.0% |
| 1 | Yes | 353 | 1.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,426 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC117: Other gambling disorder (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,979 | 32.2% |
| 1 | Yes | 4,645 | 15.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 10,600 | 34.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC119: Other non-substance use addiction disorder (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,016 | 25.8% |
| 1 | Yes | 6,618 | 21.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 10,590 | 34.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOOTHSRVC: None of the above other (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,471 | 24.1% |
| 1 | Yes | 7,225 | 23.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 10,528 | 34.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC70: Pharmacotherapies disulfiram (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 12,678 | 40.9% |
| 1 | Yes | 4,224 | 13.6% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,322 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC71: Pharmacotherapies naltrexone (oral) (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,523 | 30.7% |
| 1 | Yes | 7,405 | 23.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,296 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC108: Pharmacotherapies naltrexone (extended-release, injectable) (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,376 | 33.5% |
| 1 | Yes | 6,540 | 21.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,308 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC88: Pharmacotherapies acamprosate (campral) (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 12,200 | 39.3% |
| 1 | Yes | 4,705 | 15.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,319 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC94: Pharmacotherapies nicotine replacement (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,321 | 33.3% |
| 1 | Yes | 6,602 | 21.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,301 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC106: Pharmacotherapies non-nicotine cessation (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,085 | 35.7% |
| 1 | Yes | 5,823 | 18.8% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,316 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC95: Pharmacotherapies psychiatric disorders (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,424 | 23.9% |
| 1 | Yes | 9,513 | 30.7% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,287 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC85: Pharmacotherapies methadone (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 14,545 | 46.9% |
| 1 | Yes | 2,347 | 7.6% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,332 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC87: Pharm buprenorphine with naloxone (suboxone, bunavail, zubsolv, cassipa) (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,733 | 28.2% |
| 1 | Yes | 8,199 | 26.4% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,292 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC86: Pharmacotherapies buprenorphine without naloxone (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,860 | 35.0% |
| 1 | Yes | 6,053 | 19.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,311 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC129: Pharmacotherapies buprenorphine sub-dermal implant (probuphine) (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,945 | 51.4% |
| 1 | Yes | 940 | 3.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,339 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC130: Pharmacotherapies buprenorphine (extended-release, injectable, for example, sublocade) (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 13,437 | 43.3% |
| 1 | Yes | 3,460 | 11.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,327 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCMEDHIV: Pharmacotherapies for HIV treatment (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 14,864 | 47.9% |
| 1 | Yes | 2,031 | 6.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,329 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCMEDPREEXP: Pharmacotherapies for pre-exposure prophylaxis (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,663 | 50.5% |
| 1 | Yes | 1,231 | 4.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,330 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCMEDHCV: Pharmacotherapies for Hepatitis C (HCV) treatment (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 14,564 | 47.0% |
| 1 | Yes | 2,331 | 7.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,329 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCMEDLOFE: Pharmacotherapies lofexidine (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,614 | 50.4% |
| 1 | Yes | 1,272 | 4.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,338 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCCLON: Pharmacotherapies clonidine (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,052 | 35.6% |
| 1 | Yes | 5,735 | 18.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,437 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCMEDOTHCOND: Pharmacotherapies for other medical conditions (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 14,390 | 46.4% |
| 1 | Yes | 2,504 | 8.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,330 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOPHARMSRVC: None of the above pharmacotherapies (Q.A7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 12,420 | 40.1% |
| 1 | Yes | 4,577 | 14.8% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,227 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OTXNOMED: Drugs may originate at another site (Q.A8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,523 | 24.3% |
| 1 | Yes | 9,453 | 30.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,248 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OTXNAL: Uses naltrexone to treat opioid use disorder (Q.A8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,814 | 31.6% |
| 1 | Yes | 7,141 | 23.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,269 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OTXBUP: Uses buprenorphine to treat opioid use disorder (Q.A8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,220 | 29.7% |
| 1 | Yes | 7,735 | 24.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,269 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OTXFEDOTP: Federally-certified Opioid Treatment Program (OTP) (Q.A8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 14,775 | 47.6% |
| 1 | Yes | 2,152 | 6.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,297 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OTXFREE: Treats opioid addiction, but without methadone, buprenorphine, and/or naltrexone (Q.A8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 16,020 | 51.7% |
| 1 | Yes | 909 | 2.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,295 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OTXPAIN: Uses methadone or buprenorphine for other purposes (Q.A8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,876 | 51.2% |
| 1 | Yes | 1,045 | 3.4% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,303 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OTXNONE: Does not treat opioid use disorder (Q.A8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,300 | 49.3% |
| 1 | Yes | 1,731 | 5.6% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,193 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OUDWNET: Opioid use disorder medication source, prescribing entity in network (Q.A8a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,912 | 19.1% |
| 1 | Yes | 3,503 | 11.3% |
| L | Logical Skip | 13,412 | 43.3% |
| M | Missing Data | 8,183 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OUDWBUSREL: Opioid use disorder medication source, referral relationship with prescribing entity (Q.A8a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,297 | 17.1% |
| 1 | Yes | 4,118 | 13.3% |
| L | Logical Skip | 13,412 | 43.3% |
| M | Missing Data | 8,183 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OUDWPERPROV: Opioid use disorder medication source, personal physician/health care provider (Q.A8a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,923 | 9.4% |
| 1 | Yes | 6,492 | 20.9% |
| L | Logical Skip | 13,412 | 43.3% |
| M | Missing Data | 8,183 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ONLYOUD: Serve only opioid use disorder clients (Q.A8b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 13,016 | 42.0% |
| 1 | Yes | 1,389 | 4.5% |
| L | Logical Skip | 8,444 | 27.2% |
| M | Missing Data | 8,161 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPIOIDMAINT: Maintenance services with methadone or buprenorphine (Q.A8c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,616 | 8.4% |
| 1 | Yes | 6,711 | 21.6% |
| L | Logical Skip | 13,386 | 43.2% |
| M | Missing Data | 8,297 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPIOIDWDRAW: Maintenance services with medical supervised withdrawal after period of stabilization (Q.A8c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,965 | 16.0% |
| 1 | Yes | 4,355 | 14.0% |
| L | Logical Skip | 13,386 | 43.2% |
| M | Missing Data | 8,304 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPIOIDDETOX: Detoxification from opioids of use with methadone or buprenorphine (Q.A8c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,924 | 22.3% |
| 1 | Yes | 2,387 | 7.7% |
| L | Logical Skip | 13,386 | 43.2% |
| M | Missing Data | 8,313 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPIOIDDLOFE: Detoxification from opioids of use with lofexidine or clonidine (Q.A8c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,866 | 25.4% |
| 1 | Yes | 1,441 | 4.6% |
| L | Logical Skip | 13,386 | 43.2% |
| M | Missing Data | 8,317 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPIOIDNAL: Relapse prevention with naltrexone (Q.A8c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,764 | 12.1% |
| 1 | Yes | 5,559 | 17.9% |
| L | Logical Skip | 13,386 | 43.2% |
| M | Missing Data | 8,301 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPIOIDOTH: Medication services other (Q.A8c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,082 | 22.8% |
| 1 | Yes | 1,426 | 4.6% |
| L | Logical Skip | 13,386 | 43.2% |
| M | Missing Data | 9,116 | 29.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOOPIOIDMEDSRVC: None of the above medication services (Q.A8c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,399 | 27.1% |
| 1 | Yes | 936 | 3.0% |
| L | Logical Skip | 13,386 | 43.2% |
| M | Missing Data | 8,289 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

AUDTXMEDELSE: Alcohol use disorder treatment but drugs may originate at another site (Q.A9)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,966 | 25.7% |
| 1 | Yes | 9,007 | 29.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,251 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

AUDTXDIS: Alcohol use disorder treatment with disulfiram (Q.A9)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 12,853 | 41.4% |
| 1 | Yes | 4,093 | 13.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,278 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

AUDTXNAL: Alcohol use disorder treatment with naltrexone (Q.A9)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,131 | 32.7% |
| 1 | Yes | 6,831 | 22.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,262 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

AUDTXACAM: Alcohol use disorder treatment with acamprosate (Q.A9)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 12,566 | 40.5% |
| 1 | Yes | 4,381 | 14.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,277 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

AUDTXFREE: Alcohol use disorder treatment without medication-assisted treatment (Q.A9)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,003 | 48.4% |
| 1 | Yes | 1,938 | 6.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,283 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

AUDTXNONE: Does not treat alcohol use disorder (Q.A9)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 14,831 | 47.8% |
| 1 | Yes | 2,199 | 7.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,194 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

AUDWNET: Alcohol use disorder medication source, prescribing entity in network (Q.A9a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,128 | 23.0% |
| 1 | Yes | 5,759 | 18.6% |
| L | Logical Skip | 9,956 | 32.1% |
| M | Missing Data | 8,167 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

AUDWBUSREL: Alcohol use disorder medication source, referral relationship with prescribing entity (Q.A9a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,959 | 25.7% |
| 1 | Yes | 4,928 | 15.9% |
| L | Logical Skip | 9,956 | 32.1% |
| M | Missing Data | 8,167 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

AUDWPERPROV: Alcohol use disorder medication source, personal physician/health care provider (Q.A9a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,932 | 15.9% |
| 1 | Yes | 7,955 | 25.7% |
| L | Logical Skip | 9,956 | 32.1% |
| M | Missing Data | 8,167 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ONLYAUD: Serve only alcohol use disorder clients (Q.A9b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 14,717 | 47.5% |
| 1 | Yes | 109 | 0.4% |
| L | Logical Skip | 8,034 | 25.9% |
| M | Missing Data | 8,150 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SACOUNOPIOID: Frequently uses substance use counseling for opioid use (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,156 | 3.7% |
| 1 | Yes | 14,869 | 47.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 9,199 | 29.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SACOUNOTHSUB: Frequently uses substance use counseling for other substances (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,226 | 4.0% |
| 1 | Yes | 14,800 | 47.7% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 9,198 | 29.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

_12STEPOPIOID: Frequently uses 12-step facilitation for opioid use (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 638 | 2.1% |
| 1 | Yes | 7,290 | 23.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 17,296 | 55.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

_12STEPOTHSUB: Frequently uses 12-step facilitation for other substances (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 428 | 1.4% |
| 1 | Yes | 7,505 | 24.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 17,291 | 55.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

BRIEFOPIOID: Frequently uses brief intervention for opioid use (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,037 | 3.3% |
| 1 | Yes | 10,366 | 33.4% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 13,821 | 44.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

BRIEFOTHSUB: Frequently uses brief intervention for other substances (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 730 | 2.4% |
| 1 | Yes | 10,675 | 34.4% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 13,819 | 44.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

COGBTOPIOID: Frequently uses cognitive behavior therapy for opioid use (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,197 | 3.9% |
| 1 | Yes | 13,606 | 43.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 10,421 | 33.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

COGBTOTHSUB: Frequently uses cognitive behavior therapy for other substances (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 908 | 2.9% |
| 1 | Yes | 13,897 | 44.8% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 10,419 | 33.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CONMGMTOPID: Frequently uses contingency management/motivational incentives for opioid use (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 643 | 2.1% |
| 1 | Yes | 6,765 | 21.8% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 17,816 | 57.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CONMGMTOTHSUB: Frequently uses contingency management/motivational incentives for other substances (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 638 | 2.1% |
| 1 | Yes | 6,762 | 21.8% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 17,824 | 57.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MOTIVATEOPIOID: Frequently uses motivational interviewing for opioid use (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,061 | 3.4% |
| 1 | Yes | 13,864 | 44.7% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 10,299 | 33.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MOTIVATEOTHSUB: Frequently uses motivational interviewing for other substances (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,011 | 3.3% |
| 1 | Yes | 13,909 | 44.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 10,304 | 33.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TRAUMACOPIOID: Frequently uses trauma-related counseling for opioid use (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,026 | 3.3% |
| 1 | Yes | 12,160 | 39.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 12,038 | 38.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TRAUMACOTHSUB: Frequently uses trauma-related counseling for other substances (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 764 | 2.5% |
| 1 | Yes | 12,418 | 40.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 12,042 | 38.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ANGERMOPIOID: Frequently uses anger management for opioid use (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,010 | 3.3% |
| 1 | Yes | 10,184 | 32.8% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 14,030 | 45.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ANGERMOTHSUB: Frequently uses anger management for other substances (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 621 | 2.0% |
| 1 | Yes | 10,575 | 34.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 14,028 | 45.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MATRIXMOPIOID: Frequently uses matrix model for opioid use (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 541 | 1.7% |
| 1 | Yes | 5,991 | 19.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 18,692 | 60.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MATRIXMOTHSUB: Frequently uses matrix model for other substances (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 466 | 1.5% |
| 1 | Yes | 6,067 | 19.6% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 18,691 | 60.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CRVOUCHEROPIOID: Frequently uses community reinforcement plus vouchers for opioid use (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 271 | 0.9% |
| 1 | Yes | 1,406 | 4.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 23,547 | 75.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CRVOUCHEROTHSUB: Frequently uses community reinforcement plus vouchers for other substances (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 216 | 0.7% |
| 1 | Yes | 1,461 | 4.7% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 23,547 | 75.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RELPREVOPIOID: Frequently uses relapse prevention for opioid use (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 988 | 3.2% |
| 1 | Yes | 14,078 | 45.4% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 10,158 | 32.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RELPREVOTHSUB: Frequently uses relapse prevention for other substances (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,229 | 4.0% |
| 1 | Yes | 13,835 | 44.6% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 10,160 | 32.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TELEMEDOPIOID: Frequently uses telemedicine/telehealth therapy for opioid use (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,033 | 3.3% |
| 1 | Yes | 11,958 | 38.6% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 12,233 | 39.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TELEMEDOTHSUB: Frequently uses telemedicine/telehealth therapy for other substances (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,103 | 3.6% |
| 1 | Yes | 11,884 | 38.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 12,237 | 39.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

APPRCHOTHOPiOID: Frequently uses other treatment approach for opioid use (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 300 | 1.0% |
| 1 | Yes | 2,255 | 7.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 22,669 | 73.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

APPRCHOTHOTHSUB: Frequently uses other treatment approach for other substances (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 207 | 0.7% |
| 1 | Yes | 2,349 | 7.6% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 22,668 | 73.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOAPPRCHOPIOID: No clinical/therapeutic approaches for opioid use (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,636 | 50.4% |
| 1 | Yes | 18 | 0.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 9,570 | 30.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOAPPRCHOTHSUB: No clinical/therapeutic approaches for other substances (Q.A10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,459 | 49.9% |
| 1 | Yes | 161 | 0.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 9,604 | 31.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

DUI_DWI: Program for clients driving under the influence/driving while intoxicated (DUI/DWI)/other offenders (Q.A11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 13,883 | 44.8% |
| 1 | Yes | 3,148 | 10.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,193 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ONLYDUI: All substance use treatment for clients driving under the influence/driving while intoxicated (DUI/DWI) (Q.A11a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,058 | 9.9% |
| 1 | Yes | 83 | 0.3% |
| L | Logical Skip | 19,716 | 63.6% |
| M | Missing Data | 8,153 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MARIJUANA: All substance use treatment services for marijuana (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 831 | 2.7% |
| 1 | Yes | 12,479 | 40.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 11,914 | 38.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

STIMULANTS: All substance use treatment services for stimulants (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 818 | 2.6% |
| 1 | Yes | 12,491 | 40.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 11,915 | 38.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OTHSUB: All substance use treatment services for other substances (Q.A12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,297 | 26.8% |
| 1 | Yes | 5,010 | 16.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 11,917 | 38.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SIGNLANG_SU: Substance use treatment in sign language (Q.A13)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,145 | 32.7% |
| 1 | Yes | 6,880 | 22.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,199 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG_SU: Substance use treatment in language other than English (Q.A14)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,676 | 24.8% |
| 1 | Yes | 9,337 | 30.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,211 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANGPROV_SU: Substance use treatment language provided by staff counselor/interpreter/both (Q.A14a)

| Value | Label | Frequency | % |
|-------|--|-----------|-------|
| 1 | Staff counselor who speaks a language other than English | 1,526 | 4.9% |
| 2 | On-call interpreter brought in when needed | 5,063 | 16.3% |
| 3 | Both staff counselor and on-call interpreter | 2,731 | 8.8% |
| L | Logical Skip | 13,528 | 43.6% |
| M | Missing Data | 8,162 | 26.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

LANG16_SU: Staff counselors provide substance use treatment in Spanish (Q.A14a1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 540 | 1.7% |
| 1 | Yes | 3,701 | 11.9% |
| L | Logical Skip | 18,607 | 60.0% |
| M | Missing Data | 8,162 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG_B_SU: Staff counselors provide substance use treatment in any other language (Q.A14a2)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,688 | 8.7% |
| 1 | Yes | 997 | 3.2% |
| L | Logical Skip | 19,147 | 61.7% |
| M | Missing Data | 8,178 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG1_SU: Substance use treatment in Hopi (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,107 | 3.6% |
| 1 | Yes | 18 | 0.1% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG2_SU: Substance use treatment in Lakota (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,109 | 3.6% |
| 1 | Yes | 16 | 0.1% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG3_SU: Substance use treatment in Navajo (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,071 | 3.5% |
| 1 | Yes | 54 | 0.2% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

LANG21_SU: Substance use treatment in Ojibwa (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,112 | 3.6% |
| 1 | Yes | 13 | 0.0% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

LANG4_SU: Substance use treatment in Yupik (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,111 | 3.6% |
| 1 | Yes | 14 | 0.0% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

LANG5_SU: Substance use treatment in other American Indian/Alaska Native (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,092 | 3.5% |
| 1 | Yes | 30 | 0.1% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,562 | 27.6% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

LANG6_SU: Substance use treatment in Arabic (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,023 | 3.3% |
| 1 | Yes | 102 | 0.3% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

LANG7_SU: Substance use treatment in Chinese (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,013 | 3.3% |
| 1 | Yes | 112 | 0.4% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

LANG8_SU: Substance use treatment in Creole (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 966 | 3.1% |
| 1 | Yes | 159 | 0.5% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

LANG24_SU: Substance use treatment in Farsi (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,049 | 3.4% |
| 1 | Yes | 76 | 0.2% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG9_SU: Substance use treatment in French (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 977 | 3.2% |
| 1 | Yes | 148 | 0.5% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

LANG10_SU: Substance use treatment in German (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,064 | 3.4% |
| 1 | Yes | 61 | 0.2% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG22_SU: Substance use treatment in Greek (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,086 | 3.5% |
| 1 | Yes | 39 | 0.1% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG25_SU: Substance use treatment in Hebrew (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,062 | 3.4% |
| 1 | Yes | 63 | 0.2% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

LANG26_SU: Substance use treatment in Hindi (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,009 | 3.3% |
| 1 | Yes | 116 | 0.4% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG11_SU: Substance use treatment in Hmong (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,071 | 3.5% |
| 1 | Yes | 54 | 0.2% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

LANG19_SU: Substance use treatment in Italian (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,059 | 3.4% |
| 1 | Yes | 66 | 0.2% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG23_SU: Substance use treatment in Japanese (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,079 | 3.5% |
| 1 | Yes | 46 | 0.1% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG12_SU: Substance use treatment in Korean (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,055 | 3.4% |
| 1 | Yes | 70 | 0.2% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG13_SU: Substance use treatment in Polish (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,034 | 3.3% |
| 1 | Yes | 91 | 0.3% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG14_SU: Substance use treatment in Portuguese (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 975 | 3.1% |
| 1 | Yes | 150 | 0.5% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG15_SU: Substance use treatment in Russian (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 959 | 3.1% |
| 1 | Yes | 166 | 0.5% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG20_SU: Substance use treatment in Tagalog (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,038 | 3.3% |
| 1 | Yes | 87 | 0.3% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG17_SU: Substance use treatment in Vietnamese (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,048 | 3.4% |
| 1 | Yes | 77 | 0.2% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,559 | 27.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG18_SU: Substance use treatment in other language (Q.A14b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 623 | 2.0% |
| 1 | Yes | 501 | 1.6% |
| L | Logical Skip | 21,326 | 68.8% |
| M | Missing Data | 8,560 | 27.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FEMALESRV: Females served by this facility (Q.A15)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 928 | 3.0% |
| 1 | Yes | 16,108 | 51.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,188 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MALESRV: Males served by this facility (Q.A15)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 838 | 2.7% |
| 1 | Yes | 16,218 | 52.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,168 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FEMALEMINYRS: Females lowest age served (Q.A15)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0-12 | 0-12 | 2,240 | 7.2% |
| 13-17 | 13-17 | 1,598 | 5.2% |
| 18-25 | 18-25 | 8,809 | 28.4% |
| 26-64 | 26-64 | 31 | 0.1% |
| L | Logical Skip | 10,029 | 32.3% |
| M | Missing Data | 8,303 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FEMALENOMIN: Females no minimum age served (Q.A15)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | Minimum Age | 12,677 | 40.9% |
| 1 | No Minimum Age | 3,272 | 10.6% |
| L | Logical Skip | 6,757 | 21.8% |
| M | Missing Data | 8,304 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FEMALEMAXYRS: Females highest age served (Q.A15)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0-12 | 0-12 | 10 | 0.0% |
| 13-17 | 13-17 | 194 | 0.6% |
| 18-25 | 18-25 | 542 | 1.7% |
| 26-64 | 26-64 | 148 | 0.5% |
| 65 + | 65 + | 409 | 1.3% |
| L | Logical Skip | 21,249 | 68.5% |
| M | Missing Data | 8,458 | 27.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

FEMALENOMAX: Females no maximum age served (Q.A15)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | Maximum Age | 1,303 | 4.2% |
| 1 | No Maximum Age | 14,494 | 46.7% |
| L | Logical Skip | 6,757 | 21.8% |
| M | Missing Data | 8,456 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MALEMINYRS: Males lowest age served (Q.A15)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0-12 | 0-12 | 2,263 | 7.3% |
| 13-17 | 13-17 | 1,616 | 5.2% |
| 18-25 | 18-25 | 8,885 | 28.7% |
| 26-64 | 26-64 | 32 | 0.1% |
| L | Logical Skip | 9,904 | 31.9% |
| M | Missing Data | 8,310 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MALENOMIN: Males no minimum age served (Q.A15)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | Minimum Age | 12,794 | 41.3% |
| 1 | No Minimum Age | 3,257 | 10.5% |
| L | Logical Skip | 6,647 | 21.4% |
| M | Missing Data | 8,312 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MALEMAXYRS: Males highest age served (Q.A15)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0-12 | 0-12 | 8 | 0.0% |
| 13-17 | 13-17 | 210 | 0.7% |
| 18-25 | 18-25 | 540 | 1.7% |
| 26-64 | 26-64 | 145 | 0.5% |
| 65 + | 65 + | 477 | 1.5% |
| L | Logical Skip | 21,200 | 68.4% |
| M | Missing Data | 8,430 | 27.2% |
| Total | | 31,010 | 100% |

Variable Type: numeric

MALENOMAX: Males no maximum age served (Q.A15)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | Maximum Age | 1,380 | 4.5% |
| 1 | No Maximum Age | 14,555 | 46.9% |
| L | Logical Skip | 6,647 | 21.4% |
| M | Missing Data | 8,428 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC30: Specific program/group for adolescents (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 12,616 | 40.7% |
| 1 | Yes | 4,127 | 13.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,481 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC120: Specific program/group for young adults (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,547 | 34.0% |
| 1 | Yes | 6,209 | 20.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,468 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC34: Specific program/group for adult women (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,858 | 25.3% |
| 1 | Yes | 8,920 | 28.8% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,446 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC33: Specific program/group for pregnant/postpartum women (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,448 | 36.9% |
| 1 | Yes | 5,305 | 17.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,471 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC64: Specific program/group for adult men (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,975 | 25.7% |
| 1 | Yes | 8,802 | 28.4% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,447 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC63_SU: Specific program/group for seniors or older adults (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,308 | 36.5% |
| 1 | Yes | 5,454 | 17.6% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,462 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC62_SU: Specific program/group for lesbian, gay, bisexual, transgender, queer/questioning (LGBTQ) (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,021 | 35.5% |
| 1 | Yes | 5,737 | 18.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,466 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC113_SU: Specific program/group for Veterans (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,439 | 36.9% |
| 1 | Yes | 5,318 | 17.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,467 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC114_SU: Specific program/group for active duty military (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 13,375 | 43.1% |
| 1 | Yes | 3,367 | 10.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,482 | 27.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC115_SU: Specific program/group for members of military families (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 12,922 | 41.7% |
| 1 | Yes | 3,823 | 12.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,479 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC61_SU: Specific program/group for criminal justice clients (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,621 | 31.0% |
| 1 | Yes | 7,139 | 23.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,464 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC31_SU: Specific program/group for clients with co-occurring disorders (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,509 | 21.0% |
| 1 | Yes | 10,267 | 33.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,448 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVCPAINSA: Specific program/group for clients with co-occurring pain and substance use (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,637 | 37.5% |
| 1 | Yes | 5,115 | 16.5% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,472 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC32_SU: Specific program/group for clients with HIV or AIDS (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 12,095 | 39.0% |
| 1 | Yes | 4,653 | 15.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,476 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC121: Specific program/group for clients who have experienced sexual abuse (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,542 | 34.0% |
| 1 | Yes | 6,218 | 20.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,464 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC122_SU: Specific program/group for clients who have experienced domestic violence (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,591 | 34.2% |
| 1 | Yes | 6,170 | 19.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,463 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC116_SU: Specific program/group for clients who have experienced trauma (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,048 | 26.0% |
| 1 | Yes | 8,719 | 28.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,457 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC35_SU: Specific program/group for other groups (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,085 | 48.6% |
| 1 | Yes | 1,642 | 5.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,497 | 27.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOSPECGRP_SU: None of the above are offered specifically tailored programs (Q.A15a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 13,771 | 44.4% |
| 1 | Yes | 3,061 | 9.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,392 | 27.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

EARMARK: Receive any federal, state, county, or local funds (Q.A16)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 1 | Yes | 8,214 | 26.5% |
| 2 | No | 7,540 | 24.3% |
| 3 | Don't Know | 1,178 | 3.8% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,292 | 26.7% |
| Total | | 31,010 | 100% |

Variable Type: numeric

REVCHK3: Free treatment to all clients (Q.A17)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 16,582 | 53.5% |
| 1 | Yes | 324 | 1.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,318 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

REVCHK1_SU: Substance use-accepts cash or self-payment (Q.A17)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,881 | 6.1% |
| 1 | Yes | 15,022 | 48.4% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,321 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

REVCHK8_SU: Accepts Medicare payments (Q.A17)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,663 | 27.9% |
| 1 | Yes | 8,240 | 26.6% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,321 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

REVCHK5_SU: Accepts Medicaid payments (Q.A17)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,100 | 13.2% |
| 1 | Yes | 12,803 | 41.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,321 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

REVCHK10_SU: Accepts state financed health insurance (Q.A17)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,470 | 27.3% |
| 1 | Yes | 8,433 | 27.2% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,321 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

REVCHK15_SU: Accepts federal military insurance such as uniformed services health care program (TRICARE) (Q.A17)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 9,816 | 31.7% |
| 1 | Yes | 7,087 | 22.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,321 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

REVCHK2_SU: Accepts private health insurance (Q.A17)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,146 | 13.4% |
| 1 | Yes | 12,757 | 41.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,321 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

REVCHK4_SU: Accepts SAMHSA funding/block grant (Q.A17)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 12,884 | 41.5% |
| 1 | Yes | 4,019 | 13.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,321 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

REVCHK17_SU: Accepts Indian Health Service (IHS)/Tribal/Urban (ITU) funds (Q.A17)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,006 | 48.4% |
| 1 | Yes | 1,897 | 6.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,321 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

REVCHK2A_SU: Accepts other payments (Q.A17)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,601 | 50.3% |
| 1 | Yes | 1,160 | 3.7% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,463 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

HOSPITAL: Located in/operated by hospital (Q.A18)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,479 | 49.9% |
| 1 | Yes | 1,564 | 5.0% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,181 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LOCS: Hospital type (Q.A18a)

| Value | Label | Frequency | % |
|-------|-----------------|-----------|-------|
| 1 | General | 1,092 | 3.5% |
| 2 | Psychiatric | 394 | 1.3% |
| 3 | Other specialty | 66 | 0.2% |
| L | Logical Skip | 21,300 | 68.7% |
| M | Missing Data | 8,158 | 26.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

SNF: Provide skilled nursing facility (Q.A19)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 16,611 | 53.6% |
| 1 | Yes | 256 | 0.8% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,357 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LOC5: Transitional, halfway or sober housing (Q.A20)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,605 | 50.3% |
| 1 | Yes | 1,451 | 4.7% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,168 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LICENSED_SU: Licensed/certified by state substance use agency (Q.A21)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,000 | 16.1% |
| 1 | Yes | 11,583 | 37.4% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,641 | 27.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LICENMH_SU: Licensed/certified by mental health department (Q.A21)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,067 | 32.5% |
| 1 | Yes | 6,492 | 20.9% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,665 | 27.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LICENPH_SU: Licensed/certified by state health department (Q.A21)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,914 | 28.7% |
| 1 | Yes | 7,655 | 24.7% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,655 | 27.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LICENHOS_SU: Licensed/certified by hospital authority (Q.A21)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,818 | 51.0% |
| 1 | Yes | 713 | 2.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,693 | 28.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

JCAHO_SU: Accredited by the Joint Commission (JC) (Q.A21)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 12,281 | 39.6% |
| 1 | Yes | 4,264 | 13.8% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,679 | 28.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CARF_SU: Accredited by Commission on Accreditation of Rehabilitation Facilities (CARF) (Q.A21)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,186 | 36.1% |
| 1 | Yes | 5,372 | 17.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,666 | 27.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NCQA: Accredited by National Committee for Quality Assurance (NCQA) (Q.A21)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 16,184 | 52.2% |
| 1 | Yes | 348 | 1.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,692 | 28.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

COA_SU: Accredited by Council on Accreditation (COA) (Q.A21)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,802 | 51.0% |
| 1 | Yes | 728 | 2.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,694 | 28.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

HFAP: Accredited by Healthcare Facilities Accreditation Program (HFAP) (Q.A21)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 16,398 | 52.9% |
| 1 | Yes | 132 | 0.4% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,694 | 28.0% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

OTP: Accredited by SAMHSA certification for opioid treatment program (OTP) (Q.A21)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 14,478 | 46.7% |
| 1 | Yes | 2,066 | 6.7% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,680 | 28.0% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

DEA: Accredited by Drug Enforcement Agency (DEA) (Q.A21)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 14,344 | 46.3% |
| 1 | Yes | 2,195 | 7.1% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,685 | 28.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OTHSTATE_SU: Accredited by other federal/state/local agency (Q.A21)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,083 | 48.6% |
| 1 | Yes | 1,462 | 4.7% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,679 | 28.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOLICEN_SU: Not licensed, certified or accredited for substance use services (Q.A21)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 15,927 | 51.4% |
| 1 | Yes | 726 | 2.3% |
| L | Logical Skip | 5,786 | 18.7% |
| M | Missing Data | 8,571 | 27.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHINTAKE: Offered mental health intake (Q.B1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 802 | 2.6% |
| 1 | Yes | 9,805 | 31.6% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,145 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHDIAGEVAL: Offered mental health diagnostic evaluation (Q.B1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 810 | 2.6% |
| 1 | Yes | 9,797 | 31.6% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,145 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHREFERRAL: Offered mental health information and/or referral (Q.B1)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,397 | 4.5% |
| 1 | Yes | 9,210 | 29.7% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,145 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MENTALHTHSERV: Offered mental health treatment (Q.B1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7 | 0.0% |
| 1 | Yes | 10,586 | 34.1% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,159 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SMISEDSD_MH: Offered co-occurring serious mental illness (SMI)/serious emotional disturbance (SED) and substance use disorder (SUD) (Q.B1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,186 | 7.0% |
| 1 | Yes | 8,401 | 27.1% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,165 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TREATMT_MH: Offered substance use treatment (Q.B1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,275 | 13.8% |
| 1 | Yes | 6,332 | 20.4% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,145 | 26.3% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

ADMINSERV: Offered administrative or operational services for mental health treatment facilities (Q.B1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,346 | 17.2% |
| 1 | Yes | 5,261 | 17.0% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,145 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SETTINGIP: 24-hour hospital inpatient (Q.B2)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,274 | 29.9% |
| 1 | Yes | 1,318 | 4.3% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,160 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SETTINGRC: 24-hour residential (Q.B2)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,897 | 28.7% |
| 1 | Yes | 1,694 | 5.5% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,161 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SETTINGDTPH: Partial hospitalization/day treatment (Q.B2)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,098 | 29.3% |
| 1 | Yes | 1,493 | 4.8% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,161 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SETTINGOP: Outpatient (Q.B2)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,151 | 6.9% |
| 1 | Yes | 8,441 | 27.2% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,160 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FACILITYTYPE: Facility type (Q.B3)

| Value | Label | Frequency | % |
|--------------|---|---------------|-------------|
| 1 | Psychiatric hospital | 454 | 1.5% |
| 2 | Separate inpatient psychiatric unit of a general hospital | 627 | 2.0% |
| 3 | State hospital | 35 | 0.1% |
| 4 | Residential treatment center for children | 456 | 1.5% |
| 5 | Residential treatment center for adults | 717 | 2.3% |
| 6 | Other type of residential treatment facility | 78 | 0.3% |
| 7 | VAMC or other VA health care facility | 394 | 1.3% |
| 8 | Community Mental Health Center (CMHC) | 1,979 | 6.4% |
| 9 | Certified Community Behavioral Health Clinic (CCBHC) | 523 | 1.7% |
| 10 | Partial hospitalization/day treatment facility | 370 | 1.2% |
| 11 | Outpatient mental health facility | 4,158 | 13.4% |
| 12 | Multi-setting mental health facility | 317 | 1.0% |
| 13 | Other | 479 | 1.5% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,165 | 26.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

LOC15_MH: Either a solo or small group practice (Q.B4)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,951 | 22.4% |
| 1 | Yes | 868 | 2.8% |
| L | Logical Skip | 15,018 | 48.4% |
| M | Missing Data | 8,173 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LICCLINIC: Licensed or accredited facility (Q.B4a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 106 | 0.3% |
| 1 | Yes | 764 | 2.5% |
| L | Logical Skip | 21,966 | 70.8% |
| M | Missing Data | 8,174 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ASSTLIVNURSHC: Assisted living or nursing home care (Q.B5)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,228 | 33.0% |
| 1 | Yes | 96 | 0.3% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,428 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

GRPHOME: Group homes (Q.B5)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,814 | 31.6% |
| 1 | Yes | 512 | 1.7% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,426 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CLBHOUSESERV: Clubhouse services (Q.B5)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,115 | 32.6% |
| 1 | Yes | 210 | 0.7% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,427 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SHELTER: Emergency shelter (Q.B5)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,214 | 32.9% |
| 1 | Yes | 109 | 0.4% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,429 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

DEVDIS: Care for individuals with developmental disability (Q.B5)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,659 | 31.1% |
| 1 | Yes | 667 | 2.2% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,426 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOSRVCS: None of these services (Q.B5)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,403 | 4.5% |
| 1 | Yes | 8,984 | 29.0% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,365 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TREATPSYCHOTHRPY: Facility provides individual psychotherapy (Q.B6)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 804 | 2.6% |
| 1 | Yes | 9,742 | 31.4% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,206 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TREATFAMTHRPY: Facility provides couples/family therapy (Q.B6)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,807 | 9.1% |
| 1 | Yes | 7,717 | 24.9% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,228 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TREATGRPTHRPY: Facility provides group therapy (Q.B6)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,645 | 5.3% |
| 1 | Yes | 8,885 | 28.7% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,222 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TREATCOGTHRPY: Facility provides cognitive behavioral therapy (Q.B6)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,021 | 3.3% |
| 1 | Yes | 9,525 | 30.7% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,206 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TREATDIALTHRPY: Facility provides dialectical behavior therapy (Q.B6)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,163 | 13.4% |
| 1 | Yes | 6,359 | 20.5% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,230 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TREATCOGREM: Facility provides cognitive remediation therapy (Q.B6)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,997 | 32.2% |
| 1 | Yes | 496 | 1.6% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,259 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TREATDUALMHSA: Facility provides integrated mental health and substance use treatment (Q.B6)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,101 | 13.2% |
| 1 | Yes | 6,424 | 20.7% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,227 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TREATACTVTYTHRPY: Facility provides activity therapy (Q.B6)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,591 | 18.0% |
| 1 | Yes | 4,921 | 15.9% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,240 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TREATELECTRO: Facility provides electroconvulsive therapy (Q.B6)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,178 | 32.8% |
| 1 | Yes | 313 | 1.0% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,261 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TREATTMS: Facility provides Transcranial Magnetic Stimulation (TMS) (Q.B6)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,306 | 33.2% |
| 1 | Yes | 185 | 0.6% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,261 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TREATKIT: Facility provides Ketamine Infusion Therapy (KIT) (Q.B6)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,391 | 33.5% |
| 1 | Yes | 97 | 0.3% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,264 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TREATEMDR: Facility provides Eye Movement Desensitization and Reprocessing (EDMR) therapy (Q.B6)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,583 | 27.7% |
| 1 | Yes | 1,920 | 6.2% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,249 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TREATTELEMEDINCE: Facility provides telemedicine/telehealth therapy (Q.B6)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 2,268 | 7.3% |
| 1 | Yes | 8,263 | 26.6% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,221 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TREATAIMS: Facility provides Abnormal Involuntary Movement Scale (AIMS) Test (Q.B6)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,635 | 24.6% |
| 1 | Yes | 2,867 | 9.2% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,250 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TREATOTH: Facility provides other mental health treatment approach (Q.B6)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,357 | 30.2% |
| 1 | Yes | 1,135 | 3.7% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,260 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOTREAT: None of these mental health treatment modalities are offered (Q.B6)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 10,434 | 33.6% |
| 1 | Yes | 123 | 0.4% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,195 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ANTIPSYCH: Antipsychotics for the treatment of serious mental illness (SMI) (Q.B7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,498 | 11.3% |
| 1 | Yes | 6,886 | 22.2% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,368 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CHLOR_NO: Chlorpromazine, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 5,417 | 17.5% |
| 1 | Yes | 1,312 | 4.2% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,302 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CHLOR_ORAL: Chlorpromazine, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,697 | 11.9% |
| 1 | Yes | 3,031 | 9.8% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,303 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CHLOR_INJ: Chlorpromazine, injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,849 | 18.9% |
| 1 | Yes | 866 | 2.8% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,316 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CHLOR_REC: Chlorpromazine, rectal (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,702 | 21.6% |
| 1 | Yes | 10 | 0.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,319 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CHLOR_DK: Chlorpromazine, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,456 | 14.4% |
| 1 | Yes | 2,273 | 7.3% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,302 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

DROPE_NO: Droperidol, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,180 | 10.3% |
| 1 | Yes | 3,408 | 11.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,443 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

DROPE_INJ: Droperidol, injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,376 | 20.6% |
| 1 | Yes | 210 | 0.7% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,445 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

DROPE_DK: Droperidol, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,939 | 12.7% |
| 1 | Yes | 2,646 | 8.5% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,446 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FLUPH_NO: Fluphenazine, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,514 | 17.8% |
| 1 | Yes | 1,175 | 3.8% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,342 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FLUPH_ORAL: Fluphenazine, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,680 | 11.9% |
| 1 | Yes | 3,007 | 9.7% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,344 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FLUPH_INJ: Fluphenazine, injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,435 | 17.5% |
| 1 | Yes | 1,246 | 4.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,350 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FLUPH_DK: Fluphenazine, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,395 | 14.2% |
| 1 | Yes | 2,294 | 7.4% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,342 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

HALOP_NO: Haloperidol, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,178 | 19.9% |
| 1 | Yes | 570 | 1.8% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,283 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

HALOP_ORAL: Haloperidol, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,684 | 8.7% |
| 1 | Yes | 4,063 | 13.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,284 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

HALOP_INJ: Haloperidol, injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,219 | 13.6% |
| 1 | Yes | 2,521 | 8.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,291 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

HALOP_DK: Haloperidol, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,904 | 15.8% |
| 1 | Yes | 1,844 | 5.9% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,283 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LOXAP_NO: Loxapine, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,724 | 15.2% |
| 1 | Yes | 1,974 | 6.4% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,333 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LOXAP_ORAL: Loxapine, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,607 | 14.9% |
| 1 | Yes | 2,089 | 6.7% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,335 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LOXAP_INJ: Loxapine, injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,523 | 21.0% |
| 1 | Yes | 168 | 0.5% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,340 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LOXAP_INH: Loxapine, inhalation (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,675 | 21.5% |
| 1 | Yes | 16 | 0.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,340 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LOXAP_DK: Loxapine, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,153 | 13.4% |
| 1 | Yes | 2,546 | 8.2% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,332 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PERPH_NO: Perphenazine, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,143 | 16.6% |
| 1 | Yes | 1,572 | 5.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,316 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PERPH_ORAL: Perphenazine, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,176 | 13.5% |
| 1 | Yes | 2,538 | 8.2% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,317 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PERPH_INJ: Perphenazine, injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,457 | 20.8% |
| 1 | Yes | 244 | 0.8% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,330 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PERPH_DK: Perphenazine, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,209 | 13.6% |
| 1 | Yes | 2,506 | 8.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,316 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PIMOZ_NO: Pimozide, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,844 | 12.4% |
| 1 | Yes | 2,823 | 9.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,364 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PIMOZ_ORAL: Pimozide, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,676 | 18.3% |
| 1 | Yes | 990 | 3.2% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,365 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PIMOZ_TOP: Pimozide, topical (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,654 | 21.5% |
| 1 | Yes | 8 | 0.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,369 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PIMOZ_DK: Pimozide, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,923 | 12.7% |
| 1 | Yes | 2,743 | 8.8% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,365 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PROCH_NO: Prochlorperazine, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,009 | 12.9% |
| 1 | Yes | 2,669 | 8.6% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,353 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PROCH_ORAL: Prochlorperazine, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,453 | 17.6% |
| 1 | Yes | 1,224 | 3.9% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,354 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PROCH_INJ: Prochlorperazine, injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,457 | 20.8% |
| 1 | Yes | 217 | 0.7% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,357 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PROCH_REC: Prochlorperazine, rectal (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,587 | 21.2% |
| 1 | Yes | 86 | 0.3% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,358 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PROCH_DK: Prochlorperazine, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,994 | 12.9% |
| 1 | Yes | 2,685 | 8.7% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,352 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

THIOT_NO: Thiothixene, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,364 | 14.1% |
| 1 | Yes | 2,306 | 7.4% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,361 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

THIOT_ORAL: Thiothixene, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,093 | 16.4% |
| 1 | Yes | 1,576 | 5.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,362 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

THIOT_INJ: Thiothixene, injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,563 | 21.2% |
| 1 | Yes | 102 | 0.3% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,366 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

THIOT_DK: Thiothixene, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,999 | 12.9% |
| 1 | Yes | 2,678 | 8.6% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,354 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

THIOR_NO: Thioridazine, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,187 | 13.5% |
| 1 | Yes | 2,511 | 8.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,333 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

THIOR_ORAL: Thioridazine, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,183 | 16.7% |
| 1 | Yes | 1,513 | 4.9% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,335 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

THIOR_DK: Thioridazine, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,114 | 13.3% |
| 1 | Yes | 2,586 | 8.3% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,331 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TRIFL_NO: Trifluoperazine, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,248 | 13.7% |
| 1 | Yes | 2,459 | 7.9% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,324 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TRIFL_ORAL: Trifluoperazine, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,278 | 17.0% |
| 1 | Yes | 1,428 | 4.6% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,325 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TRIFL_INJ: Trifluoperazine, injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,570 | 21.2% |
| 1 | Yes | 133 | 0.4% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,328 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TRIFL_DK: Trifluoperazine, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,974 | 12.8% |
| 1 | Yes | 2,736 | 8.8% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,321 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FSTGENOTH_NO: Other first-generation antipsychotics, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 104 | 0.3% |
| 1 | Yes | 6,782 | 21.9% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,145 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FSTGENOTH_ORAL: Other first-generation antipsychotics, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,792 | 21.9% |
| 1 | Yes | 93 | 0.3% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FSTGENOTH_INJ: Other first-generation antipsychotics, injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,851 | 22.1% |
| 1 | Yes | 34 | 0.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FSTGENOTH_LAI: Other first-generation antipsychotics, long-acting injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,864 | 22.1% |
| 1 | Yes | 21 | 0.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FSTGENOTH_REC: Other first-generation antipsychotics, rectal (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,884 | 22.2% |
| 1 | Yes | 1 | 0.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FSTGENOTH_TOP: Other first-generation antipsychotics, topical (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,884 | 22.2% |
| 1 | Yes | 1 | 0.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FSTGENOTH_INH: Other first-generation antipsychotics, inhalation (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,883 | 22.2% |
| 1 | Yes | 1 | 0.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,147 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FSTGENOTH_DK: Other first-generation antipsychotics, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,886 | 22.2% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,145 | 26.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

ARIPR_NO: Aripiprazole, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,420 | 20.7% |
| 1 | Yes | 334 | 1.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,277 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ARIPR_ORAL: Aripiprazole, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,642 | 8.5% |
| 1 | Yes | 4,112 | 13.3% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,277 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ARIPJ_INJ: Aripiprazole, injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,525 | 17.8% |
| 1 | Yes | 1,215 | 3.9% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,291 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ARIP_LAI: Aripiprazole, long-acting injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,901 | 15.8% |
| 1 | Yes | 1,839 | 5.9% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,291 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ARIPR_DK: Aripiprazole, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,606 | 14.9% |
| 1 | Yes | 2,149 | 6.9% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,276 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ASENA_NO: Asenapine, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,965 | 16.0% |
| 1 | Yes | 1,711 | 5.5% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,355 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ASENA_ORAL: Asenapine, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,612 | 14.9% |
| 1 | Yes | 2,064 | 6.7% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,355 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ASENA_TOP: Asenapine, topical (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,515 | 21.0% |
| 1 | Yes | 51 | 0.2% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,465 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ASENA_DK: Asenapine, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,847 | 12.4% |
| 1 | Yes | 2,832 | 9.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,352 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

BREXP_NO: Brexpiprazole, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,084 | 16.4% |
| 1 | Yes | 1,577 | 5.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,370 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

BREXP_ORAL: Brexpiprazole, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,431 | 14.3% |
| 1 | Yes | 2,230 | 7.2% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,370 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

BREXP_DK: Brexpiprazole, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,892 | 12.6% |
| 1 | Yes | 2,773 | 8.9% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,366 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CARIP_NO: Cariprazine, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,125 | 16.5% |
| 1 | Yes | 1,541 | 5.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,365 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CARIP_ORAL: Cariprazine, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,385 | 14.1% |
| 1 | Yes | 2,281 | 7.4% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,365 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CARIP_DK: Cariprazine, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,923 | 12.7% |
| 1 | Yes | 2,744 | 8.8% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,364 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CLOZA_NO: Clozapine, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,009 | 19.4% |
| 1 | Yes | 697 | 2.2% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,325 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CLOZA_ORAL: Clozapine, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,768 | 8.9% |
| 1 | Yes | 3,938 | 12.7% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,325 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CLOZA_DK: Clozapine, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,710 | 15.2% |
| 1 | Yes | 1,996 | 6.4% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,325 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ILOPE_NO: Iloperidone, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,711 | 15.2% |
| 1 | Yes | 1,951 | 6.3% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,369 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ILOPE_ORAL: Iloperidone, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,953 | 16.0% |
| 1 | Yes | 1,709 | 5.5% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,369 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ILOPE_DK: Iloperidone, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,755 | 12.1% |
| 1 | Yes | 2,911 | 9.4% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,365 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LURAS_NO: Lurasidone, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,792 | 18.7% |
| 1 | Yes | 882 | 2.8% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,357 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LURAS_ORAL: Lurasidone, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,583 | 11.6% |
| 1 | Yes | 3,090 | 10.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,358 | 27.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LURAS_DK: Lurasidone, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,056 | 13.1% |
| 1 | Yes | 2,618 | 8.4% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,357 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OLANZ_NO: Olanzapine, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,430 | 20.7% |
| 1 | Yes | 312 | 1.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,289 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OLANZ_ORAL: Olanzapine, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,414 | 7.8% |
| 1 | Yes | 4,327 | 14.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,290 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OLANZ_INJ: Olanzapine, injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,675 | 18.3% |
| 1 | Yes | 1,053 | 3.4% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,303 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OLANZ_LAI: Olanzapine, long-acting injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,233 | 20.1% |
| 1 | Yes | 490 | 1.6% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,308 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OLANZ_DK: Olanzapine, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,724 | 15.2% |
| 1 | Yes | 2,020 | 6.5% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,287 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OLANZFLU_NO: Olanzapine/Fluoxetine combination, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,846 | 15.6% |
| 1 | Yes | 1,840 | 5.9% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,345 | 26.9% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

OLANZFLU_ORAL: Olanzapine/Fluoxetine combination, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 4,565 | 14.7% |
| 1 | Yes | 2,121 | 6.8% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,345 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OLANZFLU_DK: Olanzapine/Fluoxetine combination, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,044 | 13.0% |
| 1 | Yes | 2,645 | 8.5% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,342 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PALIP_NO: Paliperidone, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,059 | 19.5% |
| 1 | Yes | 663 | 2.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,309 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PALIP_ORAL: Paliperidone, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,586 | 11.6% |
| 1 | Yes | 3,130 | 10.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,315 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PALIP_INJ: Paliperidone, injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,719 | 18.4% |
| 1 | Yes | 984 | 3.2% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,328 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PALIP_LAI: Paliperidone, long-acting injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,938 | 15.9% |
| 1 | Yes | 1,773 | 5.7% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,320 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PALIP_DK: Paliperidone, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,236 | 13.7% |
| 1 | Yes | 2,485 | 8.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,310 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

QUETI_NO: Quetiapine, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,357 | 20.5% |
| 1 | Yes | 360 | 1.2% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,314 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

QUETI_ORAL: Quetiapine, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,536 | 8.2% |
| 1 | Yes | 4,180 | 13.5% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,315 | 26.8% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

QUETI_DK: Quetiapine, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,630 | 14.9% |
| 1 | Yes | 2,087 | 6.7% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,314 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RISPE_NO: Risperidone, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,556 | 21.1% |
| 1 | Yes | 199 | 0.6% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,276 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RISPE_ORAL: Risperidone, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,021 | 6.5% |
| 1 | Yes | 4,734 | 15.3% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,276 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RISPE_INJ: Risperidone, injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,487 | 17.7% |
| 1 | Yes | 1,252 | 4.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,292 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RISPE_LAI: Risperidone, long-acting injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,079 | 16.4% |
| 1 | Yes | 1,663 | 5.4% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,289 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RISPE_DK: Risperidone, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,029 | 16.2% |
| 1 | Yes | 1,727 | 5.6% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,275 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ZIPRA_NO: Ziprasidone, not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,062 | 19.5% |
| 1 | Yes | 629 | 2.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,340 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ZIPRA_ORAL: Ziprasidone, oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,210 | 10.4% |
| 1 | Yes | 3,481 | 11.2% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,340 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ZIPRA_INJ: Ziprasidone, injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,904 | 19.0% |
| 1 | Yes | 769 | 2.5% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,358 | 27.0% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

ZIPRA_DK: Ziprasidone, do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,261 | 13.7% |
| 1 | Yes | 2,431 | 7.8% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,339 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECGEN10TH_NO: Other second-generation antipsychotics (A), not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 223 | 0.7% |
| 1 | Yes | 6,663 | 21.5% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,145 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECGEN10TH_ORAL: Other second-generation antipsychotics (A), oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,696 | 21.6% |
| 1 | Yes | 190 | 0.6% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,145 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECGEN10TH_INJ: Other second-generation antipsychotics (A), injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,865 | 22.1% |
| 1 | Yes | 20 | 0.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECGEN10TH_LAI: Other second-generation antipsychotics (A), long-acting injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,851 | 22.1% |
| 1 | Yes | 34 | 0.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECGEN10TH_REC: Other second-generation antipsychotics (A), rectal (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,884 | 22.2% |
| 1 | Yes | 1 | 0.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECGEN10TH_TOP: Other second-generation antipsychotics (A), topical (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,884 | 22.2% |
| 1 | Yes | 1 | 0.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECGEN10TH_DK: Other second-generation antipsychotics (A), do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,884 | 22.2% |
| 1 | Yes | 1 | 0.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECGEN20TH_NO: Other second-generation antipsychotics (B), not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 41 | 0.1% |
| 1 | Yes | 6,845 | 22.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,145 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECGEN20TH_ORAL: Other second-generation antipsychotics (B), oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,855 | 22.1% |
| 1 | Yes | 30 | 0.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECGEN20TH_INJ: Other second-generation antipsychotics (B), injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,882 | 22.2% |
| 1 | Yes | 3 | 0.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECGEN20TH_LAI: Other second-generation antipsychotics (B), long-acting injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,879 | 22.2% |
| 1 | Yes | 6 | 0.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECGEN20TH_REC: Other second-generation antipsychotics (B), rectal (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,885 | 22.2% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

SECGEN20TH_TOP: Other second-generation antipsychotics (B), topical (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,884 | 22.2% |
| 1 | Yes | 1 | 0.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECGEN2OTH_DK: Other second-generation antipsychotics (B), do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,884 | 22.2% |
| 1 | Yes | 1 | 0.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECGEN30TH_NO: Other second-generation antipsychotics (C), not used at this facility (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 29 | 0.1% |
| 1 | Yes | 6,857 | 22.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,145 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECGEN30TH_ORAL: Other second-generation antipsychotics (C), oral (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,865 | 22.1% |
| 1 | Yes | 20 | 0.1% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECGEN30TH_INJ: Other second-generation antipsychotics (C), injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,880 | 22.2% |
| 1 | Yes | 5 | 0.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECGEN30TH_LAI: Other second-generation antipsychotics (C), long-acting injectable (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,877 | 22.2% |
| 1 | Yes | 8 | 0.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECGEN30TH_REC: Other second-generation antipsychotics (C), rectal (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,885 | 22.2% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

SECGEN30TH_TOP: Other second-generation antipsychotics (C), topical (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,885 | 22.2% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

SECGEN30TH_DK: Other second-generation antipsychotics (C), do not know the mode of administration (Q.B7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,884 | 22.2% |
| 1 | Yes | 1 | 0.0% |
| L | Logical Skip | 15,979 | 51.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ASSERTCOMM: Facility provides Assertive Community Treatment (ACT) (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,888 | 28.7% |
| 1 | Yes | 1,623 | 5.2% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,241 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHINTCASEMGMT: Facility provides Intensive Case Management (ICM) (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,112 | 26.2% |
| 1 | Yes | 2,401 | 7.7% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,239 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHCASEMGMT: Facility provides Case Management (CM) (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,025 | 9.8% |
| 1 | Yes | 7,520 | 24.3% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,207 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHCOURTORDERED: Facility provides court-ordered treatment (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,933 | 15.9% |
| 1 | Yes | 5,592 | 18.0% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,227 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHAOT: Facility provides Assisted Outpatient Treatment (AOT) (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,964 | 32.1% |
| 1 | Yes | 545 | 1.8% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,243 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHCHRONIC: Facility provides Chronic Disease/illness Management (CDM) (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,669 | 28.0% |
| 1 | Yes | 1,846 | 6.0% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,237 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ILLNESSMGMT: Facility provides Illness Management and Recovery (IMR) (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,108 | 26.1% |
| 1 | Yes | 2,407 | 7.8% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,237 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PRIMARYCARE: Facility provides integrated primary care services (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,770 | 25.1% |
| 1 | Yes | 2,746 | 8.9% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,236 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

DIETEXERCOUNSEL: Facility provides diet and exercise counseling (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,091 | 22.9% |
| 1 | Yes | 3,424 | 11.0% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,237 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FAMPSYCHED: Facility provides family psychoeducation (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,349 | 10.8% |
| 1 | Yes | 7,182 | 23.2% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,221 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHEDUCATION: Facility provides education services (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,297 | 23.5% |
| 1 | Yes | 3,222 | 10.4% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,233 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHHOUSING: Facility provides housing services (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,006 | 25.8% |
| 1 | Yes | 2,504 | 8.1% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,242 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SUPPHOUSING: Facility provides supported housing (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 8,720 | 28.1% |
| 1 | Yes | 1,787 | 5.8% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,245 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHPSYCHREHAB: Facility provides psychosocial rehabilitation services (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,333 | 20.4% |
| 1 | Yes | 4,183 | 13.5% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,236 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHVOCREHAB: Facility provides vocational rehabilitation services (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 8,713 | 28.1% |
| 1 | Yes | 1,797 | 5.8% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,242 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SUPPEMPLY: Facility provides supported employment (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,467 | 27.3% |
| 1 | Yes | 2,044 | 6.6% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,241 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FOSTERCARE: Facility provides therapeutic foster care (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,025 | 32.3% |
| 1 | Yes | 478 | 1.5% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,249 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHLEGAL: Facility provides legal advocacy (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,876 | 31.8% |
| 1 | Yes | 628 | 2.0% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,248 | 26.6% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

MHEMGCY: Facility provides psychiatric emergency walk-in services (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,644 | 24.7% |
| 1 | Yes | 2,869 | 9.3% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,239 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHSUICIDE: Facility provides suicide prevention services (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,407 | 11.0% |
| 1 | Yes | 7,118 | 23.0% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,227 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHCONSUMER: Facility provides peer support services (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,066 | 19.6% |
| 1 | Yes | 4,452 | 14.4% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,234 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHHBV: Facility provides testing for Hepatitis B (HBV) (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,506 | 30.7% |
| 1 | Yes | 1,010 | 3.3% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,236 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHHCV: Facility provides testing for Hepatitis C (HCV) (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,469 | 30.5% |
| 1 | Yes | 1,048 | 3.4% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,235 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHLAB: Facility provides laboratory testing (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,487 | 24.1% |
| 1 | Yes | 3,036 | 9.8% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,229 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHMETSYNMON: Facility provides metabolic syndrome monitoring (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,452 | 24.0% |
| 1 | Yes | 3,066 | 9.9% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,234 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHHIV: Facility provides HIV testing (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,339 | 30.1% |
| 1 | Yes | 1,180 | 3.8% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,233 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHSTD: Facility provides sexually transmitted disease (STD) testing (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,429 | 30.4% |
| 1 | Yes | 1,084 | 3.5% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,239 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHTB: Facility provides tuberculosis (TB) screening (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,040 | 29.2% |
| 1 | Yes | 1,475 | 4.8% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,237 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHTOBACCOUSE: Facility provides screening for tobacco use (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 3,558 | 11.5% |
| 1 | Yes | 6,969 | 22.5% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,225 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHTOBACCOCESS: Facility provides smoking/vaping/tobacco cessation counseling (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,253 | 16.9% |
| 1 | Yes | 5,266 | 17.0% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,233 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHNICOTINEREP: Facility provides nicotine replacement therapy (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,978 | 22.5% |
| 1 | Yes | 3,541 | 11.4% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,233 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SMOKINGCESSATION: Facility provides non-nicotine smoking/tobacco cessation medications (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,182 | 23.2% |
| 1 | Yes | 3,334 | 10.8% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,236 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHOTH: Facility provides other services (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,084 | 32.5% |
| 1 | Yes | 419 | 1.4% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,249 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

MHNOSVCS: Facility provides none of these services and practices (Q.B8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,295 | 33.2% |
| 1 | Yes | 210 | 0.7% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,247 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

COOCDETOX: Service provided detoxification (medical withdrawal) for co-occurring clients (Q.B9)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,836 | 28.5% |
| 1 | Yes | 860 | 2.8% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 9,056 | 29.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

COOCMATAUD: Service provided medication-assisted treatment (MAT) for Alcohol Use Disorder (AUD) for co-occurring clients (Q.B9)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,056 | 22.8% |
| 1 | Yes | 2,649 | 8.5% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 9,047 | 29.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

COOCMATOUD: Service provided medication-assisted treatment (MAT) for Opioid Use Disorder (OUD) for co-occurring clients (Q.B9)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,726 | 21.7% |
| 1 | Yes | 2,979 | 9.6% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 9,047 | 29.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

COOCIDVCNSL: Service provided individual counseling for co-occurring clients (Q.B9)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,227 | 7.2% |
| 1 | Yes | 7,510 | 24.2% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 9,015 | 29.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

COOCGRPCNSL: Service provided group counseling for co-occurring clients (Q.B9)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,740 | 12.1% |
| 1 | Yes | 5,981 | 19.3% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 9,031 | 29.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

COOC12STEP: Service provided 12-step groups for co-occurring clients (Q.B9)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,650 | 27.9% |
| 1 | Yes | 1,044 | 3.4% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 9,058 | 29.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

COOCCASEMGMT: Service provided co-occurring case management (Q.B9)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,307 | 13.9% |
| 1 | Yes | 5,413 | 17.5% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 9,032 | 29.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

COOCOTH: Service provided, other for co-occurring clients (Q.B9)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,310 | 30.0% |
| 1 | Yes | 379 | 1.2% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 9,063 | 29.2% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

NOCOOSRVCS: Facility provides none of these co-occurring services (Q.B9)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,310 | 26.8% |
| 1 | Yes | 1,376 | 4.4% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 9,066 | 29.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

YNGCHLD: Accept for treatment of young children (0-5) (Q.B10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,669 | 21.5% |
| 1 | Yes | 3,773 | 12.2% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,310 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CHILDREN: Accept for treatment of children (6-12) (Q.B10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,575 | 14.8% |
| 1 | Yes | 5,867 | 18.9% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,310 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ADOLES: Accept for treatment of adolescents (13-17) (Q.B10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,636 | 11.7% |
| 1 | Yes | 6,953 | 22.4% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,163 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

YOUNGADULTS: Accept for treatment of young adults (18-25) (Q.B10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,093 | 3.5% |
| 1 | Yes | 9,496 | 30.6% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,163 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ADULT: Accept for treatment of adults (26-64) (Q.B10)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1,618 | 5.2% |
| 1 | Yes | 8,971 | 28.9% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,163 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SENIORS: Accept for treatment of older adults (65 or older) (Q.B10)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 2,027 | 6.5% |
| 1 | Yes | 8,562 | 27.6% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,163 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SED: Specially designed program/group for children with Serious Emotional Disturbance (SED) (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,540 | 21.1% |
| 1 | Yes | 3,935 | 12.7% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,277 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TAYOUNGADULTS: Specially designed program/group for young adults (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,983 | 22.5% |
| 1 | Yes | 3,494 | 11.3% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,275 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SPMI: Specially designed program/group for serious mental illness (SMI) (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,179 | 16.7% |
| 1 | Yes | 5,305 | 17.1% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,268 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC63_MH: Specially designed program/group for older adults (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,102 | 22.9% |
| 1 | Yes | 3,374 | 10.9% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,276 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ALZHDEMENTIA: Specially designed program/group for Alzheimer or dementia (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 9,672 | 31.2% |
| 1 | Yes | 794 | 2.6% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,286 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC31_MH: Specially designed program/group for co-occurring clients (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,833 | 15.6% |
| 1 | Yes | 5,652 | 18.2% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,267 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SPECGRPEATING: Specially designed program/group for eating disorders (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 8,969 | 28.9% |
| 1 | Yes | 1,499 | 4.8% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,284 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FIRSTEPPSYCH: Specially designed program/group for first-episode psychosis (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,128 | 29.4% |
| 1 | Yes | 1,347 | 4.3% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,277 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC122_MH: Specially designed program/group for domestic violence (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,115 | 29.4% |
| 1 | Yes | 1,356 | 4.4% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,281 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

POSTTRAUM: Specially designed program/group for post-traumatic stress disorder (PTSD) (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,534 | 17.8% |
| 1 | Yes | 4,954 | 16.0% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,264 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC116_MH: Specially designed program/group for who has experienced trauma (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,252 | 16.9% |
| 1 | Yes | 5,237 | 16.9% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,263 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TRAUMATICBRAIN: Specially designed program/group for traumatic brain injury (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 9,326 | 30.1% |
| 1 | Yes | 1,139 | 3.7% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,287 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC113_MH: Specially designed program/group for Veterans (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,103 | 26.1% |
| 1 | Yes | 2,366 | 7.6% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,283 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC114_MH: Specially designed program/group for active duty military (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,207 | 29.7% |
| 1 | Yes | 1,257 | 4.1% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC115_MH: Specially designed program/group for members of military families (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,753 | 28.2% |
| 1 | Yes | 1,711 | 5.5% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC62_MH: Specially designed program/group for lesbian, gay, bisexual, transgender, or queer/questioning (LGBTQ) clients (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,998 | 22.6% |
| 1 | Yes | 3,485 | 11.2% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,269 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC61_MH: Specially designed program/group for forensic clients (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,941 | 25.6% |
| 1 | Yes | 2,528 | 8.2% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,283 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC32_MH: Specially designed program/group for HIV/AIDS (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,899 | 28.7% |
| 1 | Yes | 1,570 | 5.1% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,283 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SRVC35_MH: Specially designed program/group for other groups (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,532 | 30.7% |
| 1 | Yes | 930 | 3.0% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,290 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOSPECGRP_MH: No dedicated, exclusively designed programs or groups are offered (Q.B11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,970 | 28.9% |
| 1 | Yes | 1,560 | 5.0% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,222 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CRISISTEAM2: Crisis intervention treatment team offered by facility (Q.B12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,865 | 18.9% |
| 1 | Yes | 4,702 | 15.2% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,185 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PSYCHON: Services for psychiatric emergencies onsite (Q.B13)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,671 | 21.5% |
| 1 | Yes | 3,308 | 10.7% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,773 | 28.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PSYCHOFF: Mobile/off-site psychiatric crisis services (Q.B14)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,953 | 25.6% |
| 1 | Yes | 2,185 | 7.0% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,614 | 27.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SIGNLANG_MH: Mental health treatment in sign language (Q.B15)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,334 | 14.0% |
| 1 | Yes | 6,242 | 20.1% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,176 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG_MH: Mental health treatment in language other than English (Q.B16)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,074 | 9.9% |
| 1 | Yes | 7,503 | 24.2% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,175 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANGPROV_MH: Mental health treatment language provided by staff/interpreter/both (Q.B16a)

| Value | Label | Frequency | % |
|--------------|--|---------------|-------------|
| 1 | Staff counselor who speaks a language other than English | 648 | 2.1% |
| 2 | On-call interpreter brought in when needed | 4,239 | 13.7% |
| 3 | Both staff counselor and on-call interpreter | 2,602 | 8.4% |
| L | Logical Skip | 15,362 | 49.5% |
| M | Missing Data | 8,159 | 26.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

LANG16_MH: Do staff provide mental health treatment in Spanish (Q.B16a1)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 297 | 1.0% |
| 1 | Yes | 2,945 | 9.5% |
| L | Logical Skip | 19,614 | 63.3% |
| M | Missing Data | 8,154 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG_B_MH: Do staff provide mental health treatment in any other language (Q.B16a2)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,871 | 6.0% |
| 1 | Yes | 1,054 | 3.4% |
| L | Logical Skip | 19,614 | 63.3% |
| M | Missing Data | 8,471 | 27.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG1_MH: Mental health treatment in Hopi (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 894 | 2.9% |
| 1 | Yes | 18 | 0.1% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG2_MH: Mental health treatment in Lakota (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 896 | 2.9% |
| 1 | Yes | 16 | 0.1% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG3_MH: Mental health treatment in Navajo (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 887 | 2.9% |
| 1 | Yes | 25 | 0.1% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG21_MH: Mental health treatment in Ojibwa (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 897 | 2.9% |
| 1 | Yes | 15 | 0.0% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG4_MH: Mental health treatment in Yupik (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 899 | 2.9% |
| 1 | Yes | 13 | 0.0% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG5_MH: Mental health treatment in other American Indian/Alaska Native (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 892 | 2.9% |
| 1 | Yes | 16 | 0.1% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,292 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG6_MH: Mental health treatment in Arabic (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 788 | 2.5% |
| 1 | Yes | 124 | 0.4% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG7_MH: Mental health treatment in any Chinese language (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 722 | 2.3% |
| 1 | Yes | 190 | 0.6% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG8_MH: Mental health treatment in Creole (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 737 | 2.4% |
| 1 | Yes | 175 | 0.6% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG24_MH: Mental health treatment in Farsi (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 777 | 2.5% |
| 1 | Yes | 135 | 0.4% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG9_MH: Mental health treatment in French (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 739 | 2.4% |
| 1 | Yes | 173 | 0.6% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG10_MH: Mental health treatment in German (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 845 | 2.7% |
| 1 | Yes | 67 | 0.2% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG22_MH: Mental health treatment in Greek (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 861 | 2.8% |
| 1 | Yes | 51 | 0.2% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG25_MH: Mental health treatment in Hebrew (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 832 | 2.7% |
| 1 | Yes | 80 | 0.3% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

LANG26_MH: Mental health treatment in Hindi (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 749 | 2.4% |
| 1 | Yes | 163 | 0.5% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG11_MH: Mental health treatment in Hmong (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 834 | 2.7% |
| 1 | Yes | 78 | 0.3% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG19_MH: Mental health treatment in Italian (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 837 | 2.7% |
| 1 | Yes | 75 | 0.2% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG23_MH: Mental health treatment in Japanese (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 848 | 2.7% |
| 1 | Yes | 64 | 0.2% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG12_MH: Mental health treatment in Korean (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 814 | 2.6% |
| 1 | Yes | 98 | 0.3% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG13_MH: Mental health treatment in Polish (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 844 | 2.7% |
| 1 | Yes | 68 | 0.2% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG14_MH: Mental health treatment in Portuguese (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 755 | 2.4% |
| 1 | Yes | 157 | 0.5% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG15_MH: Mental health treatment in Russian (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 756 | 2.4% |
| 1 | Yes | 156 | 0.5% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG20_MH: Mental health treatment in Tagalog (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 767 | 2.5% |
| 1 | Yes | 145 | 0.5% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG17_MH: Mental health treatment in Vietnamese (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 794 | 2.6% |
| 1 | Yes | 118 | 0.4% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,288 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LANG18_MH: Mental health treatment in other language (Q.B16b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 590 | 1.9% |
| 1 | Yes | 316 | 1.0% |
| L | Logical Skip | 21,810 | 70.3% |
| M | Missing Data | 8,294 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CONTEd: Continuing education requirements for staff (Q.B17)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 226 | 0.7% |
| 1 | Yes | 10,341 | 33.3% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,185 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CASEREV: Case review with supervisor (Q.B17)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 619 | 2.0% |
| 1 | Yes | 9,940 | 32.1% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,193 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

QUALREV: Case review by a quality review committee (Q.B17)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,857 | 9.2% |
| 1 | Yes | 7,698 | 24.8% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,197 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OUTFUP: Client outcome follow-up after discharge (Q.B17)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,355 | 14.0% |
| 1 | Yes | 6,193 | 20.0% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,204 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CQIP: Continuous quality improvement processes (Q.B17)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 957 | 3.1% |
| 1 | Yes | 7,227 | 23.3% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 10,568 | 34.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SATSUR: Periodic client satisfaction survey (Q.B17)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 509 | 1.6% |
| 1 | Yes | 10,044 | 32.4% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,199 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CPPR: Clinical Provider Peer Review (CPPR) (Q.B17)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,157 | 13.4% |
| 1 | Yes | 6,162 | 19.9% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,433 | 27.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCA: Root Cause Analysis (RCA) (Q.B17)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,106 | 16.5% |
| 1 | Yes | 5,226 | 16.9% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,420 | 27.2% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

SECNOTUSED: Staff have not used seclusion practices (Q.B18)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,117 | 3.6% |
| 1 | Yes | 8,936 | 28.8% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,699 | 28.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECICHEM: Staff have used chemical seclusion practices (Q.B18)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 9,798 | 31.6% |
| 1 | Yes | 187 | 0.6% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,767 | 28.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SECPHYS: Staff have used physical seclusion practices (Q.B18)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,971 | 28.9% |
| 1 | Yes | 1,013 | 3.3% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,768 | 28.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RESTRNTNOTUSED: Staff have not used restraint practices (Q.B18)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,685 | 5.4% |
| 1 | Yes | 8,276 | 26.7% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,791 | 28.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RESTRNTCHEM: Staff have used chemical restraint practices (Q.B18)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,380 | 30.2% |
| 1 | Yes | 512 | 1.7% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,860 | 28.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RESTRNTPHYS: Staff have used physical restraint practices (Q.B18)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,319 | 26.8% |
| 1 | Yes | 1,578 | 5.1% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,855 | 28.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ADOPTSECLUSION: Facility has policies to minimize seclusion/restraint (Q.B18a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,292 | 7.4% |
| 1 | Yes | 8,215 | 26.5% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,245 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

REVCHK1_MH: Accepts cash or self-payment (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,809 | 5.8% |
| 1 | Yes | 8,798 | 28.4% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,145 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

REVCHK2_MH: Accepts private health insurance (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2,072 | 6.7% |
| 1 | Yes | 8,535 | 27.5% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,145 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

REVCHK8_MH: Accepts Medicare (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,559 | 11.5% |
| 1 | Yes | 7,047 | 22.7% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

REVCHK5_MH: Accepts Medicaid (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,334 | 4.3% |
| 1 | Yes | 9,273 | 29.9% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,145 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

REVCHK10_MH: Accepts state-financed health insurance (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,795 | 15.5% |
| 1 | Yes | 5,811 | 18.7% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FUNDSMHA: Accepts state mental health agency funds (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,563 | 17.9% |
| 1 | Yes | 5,043 | 16.3% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FUNDSTATEWELFARE: Accepts state welfare or child/family services agency funds (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,908 | 22.3% |
| 1 | Yes | 3,698 | 11.9% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FUNDSTATEJUV: Accepts state corrections/juvenile justice agency funds (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,042 | 25.9% |
| 1 | Yes | 2,564 | 8.3% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FUNDSTATEEDUC: Accepts state education agency funds (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,168 | 29.6% |
| 1 | Yes | 1,438 | 4.6% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FUNDOTHSTATE: Accepts other state government funds (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 7,251 | 23.4% |
| 1 | Yes | 3,355 | 10.8% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FUNDLOCALGOV: Accepts county or local government funds (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,333 | 20.4% |
| 1 | Yes | 4,273 | 13.8% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FUNDCSBG: Accepts community service block grants (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,575 | 27.7% |
| 1 | Yes | 2,031 | 6.5% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,146 | 26.3% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

FUNDCMHG: Accepts community mental health block grants (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,419 | 23.9% |
| 1 | Yes | 3,187 | 10.3% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FUNDFEDGRANT: Accepts federal grants (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 10,066 | 32.5% |
| 1 | Yes | 540 | 1.7% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

REVCHK15_MH: Accepts federal military insurance (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,814 | 18.7% |
| 1 | Yes | 4,792 | 15.5% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,146 | 26.3% |
| | <i>Total</i> | <i>31,010</i> | <i>100%</i> |

Variable Type: numeric

FUNDVA: Accepts Veterans Affairs (VA) funds (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,438 | 27.2% |
| 1 | Yes | 2,168 | 7.0% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

REVCHK17_MH: Accepts Indian Health Service (IHS)/Tribal/Urban (ITU) funds (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,734 | 31.4% |
| 1 | Yes | 872 | 2.8% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FUNDPRIVCOMM: Accepts private or community foundation funds (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,888 | 31.9% |
| 1 | Yes | 718 | 2.3% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,146 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

REVCHK2A_MH: Accepts other payments (Q.B19)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,202 | 32.9% |
| 1 | Yes | 321 | 1.0% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,229 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LICENMH_MH: Facility has licensing through state mental health authority (Q.B20)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,591 | 11.6% |
| 1 | Yes | 6,890 | 22.2% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,271 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LICENSED_MH: Facility has licensing through state substance use agency (Q.B20)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,135 | 23.0% |
| 1 | Yes | 3,326 | 10.7% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,291 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LICENPH_MH: Facility has licensing through state department of health (Q.B20)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,475 | 17.7% |
| 1 | Yes | 4,995 | 16.1% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,282 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LICENSEDFCS: Facility has licensing through Department of Family and Children Services (DFCS) (Q.B20)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 8,605 | 27.7% |
| 1 | Yes | 1,848 | 6.0% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,299 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

LICENHOS_MH: Facility has licensing through hospital licensing authority (Q.B20)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 9,335 | 30.1% |
| 1 | Yes | 1,115 | 3.6% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,302 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

JCAHO_MH: Facility has licensing through the Joint Commission (JC) (Q.B20)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 6,879 | 22.2% |
| 1 | Yes | 3,591 | 11.6% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,282 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CARF_MH: Facility has licensing through Commission on Accreditation of Rehabilitation Facilities (CARF) (Q.B20)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,836 | 25.3% |
| 1 | Yes | 2,622 | 8.5% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,294 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

COA_MH: Facility has licensing through Council on Accreditation (COA) (Q.B20)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 9,422 | 30.4% |
| 1 | Yes | 1,031 | 3.3% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,299 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

CMS: Facility has licensing through Centers for Medicare and Medicaid Services (CMS) (Q.B20)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,692 | 18.4% |
| 1 | Yes | 4,770 | 15.4% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,290 | 26.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OTHSTATE_MH: Facility has licensing through other national organization/federal/state/local agencies (Q.B20)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,512 | 30.7% |
| 1 | Yes | 942 | 3.0% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,298 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOLICEN_MH: Facility does not have licensing, certification, or accreditation from any of the listed organizations (Q.B20)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 10,316 | 33.3% |
| 1 | Yes | 197 | 0.6% |
| L | Logical Skip | 12,258 | 39.5% |
| M | Missing Data | 8,239 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FQHC: Federally Qualified Health Center (FQHC) (Q.C1)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 16,371 | 52.8% |
| 1 | Yes | 1,907 | 6.1% |
| D | Don't Know | 3,925 | 12.7% |
| L | Logical Skip | 570 | 1.8% |
| M | Missing Data | 8,237 | 26.6% |
| Total | | 31,010 | 100% |

Variable Type: character

OWNERSHP: Ownership (Q.C2)

| Value | Label | Frequency | % |
|-------|--|---------------|-------------|
| 1 | A private for-profit organization | 7,934 | 25.6% |
| 2 | A private non-profit organization | 11,661 | 37.6% |
| 3 | State government | 801 | 2.6% |
| 4 | Local, county, or community government | 1,100 | 3.5% |
| 5 | Tribal government | 221 | 0.7% |
| 6 | Federal government | 548 | 1.8% |
| L | Logical Skip | 570 | 1.8% |
| M | Missing Data | 8,175 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FEDOWN: Federal government agency (Q.C2a)

| Value | Label | Frequency | % |
|-------|--------------------------------|-----------|-------|
| 1 | Department of Veterans Affairs | 473 | 1.5% |
| 2 | Department of Defense | 41 | 0.1% |
| 3 | Indian Health Service | 20 | 0.1% |
| 4 | Other | 11 | 0.0% |
| L | Logical Skip | 22,315 | 72.0% |
| M | Missing Data | 8,150 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RELIG: Associated with religious/faith-based organizations (Q.C3)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 20,952 | 67.6% |
| 1 | Yes | 1,241 | 4.0% |
| L | Logical Skip | 570 | 1.8% |
| M | Missing Data | 8,247 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

SMOKINGPOLICY: Facility smoking policy for clients (Q.C4)

| Value | Label | Frequency | % |
|-------|--|---------------|-------------|
| 1 | Not permitted to smoke anywhere outside or within any building | 9,558 | 30.8% |
| 2 | Permitted in designated outdoor area(s) | 11,300 | 36.4% |
| 3 | Permitted anywhere outside | 1,338 | 4.3% |
| 4 | Permitted in designated indoor area(s) | 32 | 0.1% |
| 5 | Permitted anywhere inside | 5 | 0.0% |
| 6 | Permitted anywhere without restriction | 5 | 0.0% |
| L | Logical Skip | 570 | 1.8% |
| M | Missing Data | 8,202 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VAPINGPOLICY: Facility vaping policy for clients (Q.C5)

| Value | Label | Frequency | % |
|-------|---|-----------|-------|
| 1 | Not permitted to vape anywhere outside or within any building | 11,133 | 35.9% |
| 2 | Permitted in designated outdoor area(s) | 9,285 | 29.9% |
| 3 | Permitted anywhere outside | 1,621 | 5.2% |
| 4 | Permitted in designated indoor area(s) | 38 | 0.1% |
| 5 | Permitted anywhere inside | 16 | 0.1% |
| 6 | Permitted anywhere without restriction | 49 | 0.2% |
| L | Logical Skip | 570 | 1.8% |
| M | Missing Data | 8,298 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

FEESCALE: Uses sliding fee scale (Q.C6)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 9,482 | 30.6% |
| 1 | Yes | 12,742 | 41.1% |
| L | Logical Skip | 570 | 1.8% |
| M | Missing Data | 8,216 | 26.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

DIRSFS: Sliding fee scale included in online locator (Q.C6a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,227 | 16.9% |
| 1 | Yes | 7,514 | 24.2% |
| L | Logical Skip | 10,122 | 32.6% |
| M | Missing Data | 8,147 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PAYASST: Offers treatment at no charge or minimal payment (Q.C7)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,631 | 37.5% |
| 1 | Yes | 10,561 | 34.1% |
| L | Logical Skip | 570 | 1.8% |
| M | Missing Data | 8,248 | 26.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

DIRAPA: Treatment at no charge or minimal payment included in online locator (Q.C7a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,832 | 18.8% |
| 1 | Yes | 4,721 | 15.2% |
| L | Logical Skip | 12,302 | 39.7% |
| M | Missing Data | 8,155 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

INDRCTRY: List facility in directory (Q.C8)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,668 | 5.4% |
| 1 | Yes | 20,603 | 66.4% |
| L | Logical Skip | 570 | 1.8% |
| M | Missing Data | 8,169 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PUBSTREET: Publish the street address in locator/directory (Q.C8a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 3,364 | 10.8% |
| 1 | Yes | 17,216 | 55.5% |
| L | Logical Skip | 2,262 | 7.3% |
| M | Missing Data | 8,168 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

PUBMAIL: Publish the mailing address in locator/directory (Q.C8a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7,291 | 23.5% |
| 1 | Yes | 10,926 | 35.2% |
| L | Logical Skip | 2,262 | 7.3% |
| M | Missing Data | 10,531 | 34.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

NOPUBADDR: Do not publish street/mailling address in locator/directory (Q.C8a)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 19,210 | 61.9% |
| 1 | Yes | 972 | 3.1% |
| L | Logical Skip | 2,262 | 7.3% |
| M | Missing Data | 8,566 | 27.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

GOOGLE: List facility in online services (Q.C8b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1,201 | 3.9% |
| 1 | Yes | 19,395 | 62.5% |
| L | Logical Skip | 2,262 | 7.3% |
| M | Missing Data | 8,152 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

M1NETWORK: Part of an organization with multiple substance use or mental health sites (Q.C9)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 5,782 | 18.6% |
| 1 | Yes | 15,053 | 48.5% |
| L | Logical Skip | 570 | 1.8% |
| M | Missing Data | 9,605 | 31.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OTHFAC: Client counts for only this facility, this plus others, none (Q.D1)

| Value | Label | Frequency | % |
|-------|--|-----------|-------|
| 1 | Only this facility | 17,450 | 56.3% |
| 2 | This facility plus others | 765 | 2.5% |
| 3 | Another facility will report this facility's client counts | 4,307 | 13.9% |
| L | Logical Skip | 570 | 1.8% |
| M | Missing Data | 7,918 | 25.5% |
| Total | | 31,010 | 100% |

Variable Type: numeric

FACNUM: Number of facilities in client count data (Q.D2)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 1-10 | 1-10 | 732 | 2.4% |
| 11-20 | 11-20 | 31 | 0.1% |
| 31-40 | 31-40 | 1 | 0.0% |
| L | Logical Skip | 22,312 | 72.0% |
| M | Missing Data | 7,934 | 25.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

CNTREP: Number of Facilities Included in Counts

| Value | Label | Frequency | % |
|--------------|-------|---------------|-------------|
| 2 | 2 | 458 | 1.5% |
| 3 | 3 | 549 | 1.8% |
| 4 | 4 | 368 | 1.2% |
| 5 | 5 | 325 | 1.0% |
| 6 | 6 | 240 | 0.8% |
| 7 | 7 | 140 | 0.5% |
| 8 | 8 | 144 | 0.5% |
| 9 | 9 | 90 | 0.3% |
| 10 | 10 | 110 | 0.4% |
| 11 | 11 | 55 | 0.2% |
| 12 | 12 | 36 | 0.1% |
| 13 | 13 | 26 | 0.1% |
| 14 | 14 | 56 | 0.2% |
| 15 | 15 | 60 | 0.2% |
| 17 | 17 | 17 | 0.1% |
| 18 | 18 | 54 | 0.2% |
| 19 | 19 | 38 | 0.1% |
| 35 | 35 | 35 | 0.1% |
| M | M | 28,209 | 91.0% |
| Total | | 31,010 | 100% |

Variable Type: numeric

NOT_UNROLLED_UNABLE_SU: Unable to unroll SU client/bed counts

| Value | Label | Frequency | % |
|-------|-----------------------|---------------|-------------|
| 1 | Unable to be unrolled | 293 | 0.9% |
| M | Missing Data | 30,717 | 99.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TYPE4: Any patients received hospital inpatient substance use services, 3/31/2022 (Q.D4)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 13,312 | 42.9% |
| 1 | Yes | 990 | 3.2% |
| L | Logical Skip | 8,731 | 28.2% |
| M | Missing Data | 7,977 | 25.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

T_CL11_O: Hospital inpatient clients, detoxification (Q.D4a)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 623 | 2.0% |
| 1-10 | 1-10 | 394 | 1.3% |
| 11-20 | 11-20 | 123 | 0.4% |
| 21-30 | 21-30 | 26 | 0.1% |
| 31-40 | 31-40 | 13 | 0.0% |
| 41-50 | 41-50 | 12 | 0.0% |
| 51-75 | 51-75 | 6 | 0.0% |
| 76-100 | 76-100 | 9 | 0.0% |
| 101-250 | 101-250 | 6 | 0.0% |
| 251-500 | 251-500 | 7 | 0.0% |
| 501-1000 | 501-1000 | 5 | 0.0% |
| L | Logical Skip | 19,699 | 63.5% |
| M | Missing Data | 10,087 | 32.5% |
| Total | | 31,010 | 100% |

Variable Type: numeric

T_CL11: Hospital inpatient clients, detoxification, unrolled (Q.D4a)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 622 | 2.0% |
| 1-10 | 1-10 | 403 | 1.3% |
| 11-20 | 11-20 | 119 | 0.4% |
| 21-30 | 21-30 | 26 | 0.1% |
| 31-40 | 31-40 | 13 | 0.0% |
| 41-50 | 41-50 | 12 | 0.0% |
| 51-75 | 51-75 | 6 | 0.0% |
| 76-100 | 76-100 | 9 | 0.0% |
| 101-250 | 101-250 | 6 | 0.0% |
| 251-500 | 251-500 | 7 | 0.0% |
| 501-1000 | 501-1000 | 5 | 0.0% |
| L | Logical Skip | 16,258 | 52.4% |
| M | Missing Data | 13,524 | 43.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

T_CLI2_O: Hospital inpatient clients, treated (Q.D4a)

| Value | Label | Frequency | % |
|-----------|--------------|---------------|-------------|
| 0 | 0 | 491 | 1.6% |
| 1-10 | 1-10 | 313 | 1.0% |
| 11-20 | 11-20 | 166 | 0.5% |
| 21-30 | 21-30 | 84 | 0.3% |
| 31-40 | 31-40 | 42 | 0.1% |
| 41-50 | 41-50 | 39 | 0.1% |
| 51-75 | 51-75 | 38 | 0.1% |
| 76-100 | 76-100 | 21 | 0.1% |
| 101-250 | 101-250 | 19 | 0.1% |
| 251-500 | 251-500 | 7 | 0.0% |
| 501-1000 | 501-1000 | 4 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| L | Logical Skip | 19,699 | 63.5% |
| M | Missing Data | 10,086 | 32.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

T_CLI2: Hospital inpatient clients, treated, unrolled (Q.D4a)

| Value | Label | Frequency | % |
|-----------|--------------|---------------|-------------|
| 0 | 0 | 491 | 1.6% |
| 1-10 | 1-10 | 316 | 1.0% |
| 11-20 | 11-20 | 172 | 0.6% |
| 21-30 | 21-30 | 83 | 0.3% |
| 31-40 | 31-40 | 41 | 0.1% |
| 41-50 | 41-50 | 37 | 0.1% |
| 51-75 | 51-75 | 38 | 0.1% |
| 76-100 | 76-100 | 21 | 0.1% |
| 101-250 | 101-250 | 19 | 0.1% |
| 251-500 | 251-500 | 7 | 0.0% |
| 501-1000 | 501-1000 | 4 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| L | Logical Skip | 16,258 | 52.4% |
| M | Missing Data | 13,522 | 43.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

T_CLIHI_O: Total number of hospital inpatients (Q.D4a)

| Value | Label | Frequency | % |
|-----------|--------------|---------------|-------------|
| 0 | 0 | 261 | 0.8% |
| 1-10 | 1-10 | 381 | 1.2% |
| 11-20 | 11-20 | 237 | 0.8% |
| 21-30 | 21-30 | 112 | 0.4% |
| 31-40 | 31-40 | 49 | 0.2% |
| 41-50 | 41-50 | 41 | 0.1% |
| 51-75 | 51-75 | 62 | 0.2% |
| 76-100 | 76-100 | 30 | 0.1% |
| 101-250 | 101-250 | 31 | 0.1% |
| 251-500 | 251-500 | 10 | 0.0% |
| 501-1000 | 501-1000 | 4 | 0.0% |
| 1001-1500 | 1001-1500 | 6 | 0.0% |
| L | Logical Skip | 19,699 | 63.5% |
| M | Missing Data | 10,087 | 32.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

T_CLIHI: Total number of hospital inpatients, unrolled (Q.D4a)

| Value | Label | Frequency | % |
|-----------|--------------|-----------|-------|
| 0 | 0 | 266 | 0.9% |
| 1-10 | 1-10 | 387 | 1.2% |
| 11-20 | 11-20 | 243 | 0.8% |
| 21-30 | 21-30 | 112 | 0.4% |
| 31-40 | 31-40 | 48 | 0.2% |
| 41-50 | 41-50 | 41 | 0.1% |
| 51-75 | 51-75 | 59 | 0.2% |
| 76-100 | 76-100 | 30 | 0.1% |
| 101-250 | 101-250 | 31 | 0.1% |
| 251-500 | 251-500 | 10 | 0.0% |
| 501-1000 | 501-1000 | 4 | 0.0% |
| 1001-1500 | 1001-1500 | 6 | 0.0% |
| L | Logical Skip | 16,258 | 52.4% |
| M | Missing Data | 13,515 | 43.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

H_AGE1: Hospital inpatient clients under 18 years old (Q.D4b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 1,152 | 3.7% |
| 1-10 | 1-10 | 38 | 0.1% |
| 11-20 | 11-20 | 13 | 0.0% |
| 21-30 | 21-30 | 9 | 0.0% |
| 31-40 | 31-40 | 3 | 0.0% |
| 41-50 | 41-50 | 3 | 0.0% |
| 51-75 | 51-75 | 4 | 0.0% |
| L | Logical Skip | 21,782 | 70.2% |
| M | Missing Data | 8,006 | 25.8% |
| Total | | 31,010 | 100% |

Variable Type: numeric

HIMETNUM: Total methadone inpatients (Q.D4c)

| Value | Label | Frequency | % |
|----------|--------------|---------------|-------------|
| 0 | 0 | 1,093 | 3.5% |
| 1-10 | 1-10 | 118 | 0.4% |
| 11-20 | 11-20 | 13 | 0.0% |
| 21-30 | 21-30 | 7 | 0.0% |
| 31-40 | 31-40 | 1 | 0.0% |
| 41-50 | 41-50 | 4 | 0.0% |
| 51-75 | 51-75 | 2 | 0.0% |
| 76-100 | 76-100 | 2 | 0.0% |
| 101-250 | 101-250 | 1 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| L | Logical Skip | 21,782 | 70.2% |
| M | Missing Data | 7,986 | 25.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

HIBUPNUM: Total buprenorphine inpatients (Q.D4c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 725 | 2.3% |
| 1-10 | 1-10 | 397 | 1.3% |
| 11-20 | 11-20 | 57 | 0.2% |
| 21-30 | 21-30 | 16 | 0.1% |
| 31-40 | 31-40 | 11 | 0.0% |
| 41-50 | 41-50 | 7 | 0.0% |
| 51-75 | 51-75 | 6 | 0.0% |
| 76-100 | 76-100 | 6 | 0.0% |
| 101-250 | 101-250 | 3 | 0.0% |
| 251-500 | 251-500 | 1 | 0.0% |
| 501-1000 | 501-1000 | 2 | 0.0% |
| L | Logical Skip | 21,782 | 70.2% |
| M | Missing Data | 7,997 | 25.8% |
| Total | | 31,010 | 100% |

Variable Type: numeric

HIVIVNUM: Total naltrexone inpatients (Q.D4c)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 934 | 3.0% |
| 1-10 | 1-10 | 256 | 0.8% |
| 11-20 | 11-20 | 19 | 0.1% |
| 21-30 | 21-30 | 7 | 0.0% |
| 31-40 | 31-40 | 3 | 0.0% |
| 41-50 | 41-50 | 3 | 0.0% |
| 51-75 | 51-75 | 2 | 0.0% |
| 76-100 | 76-100 | 1 | 0.0% |
| 101-250 | 101-250 | 3 | 0.0% |
| 251-500 | 251-500 | 1 | 0.0% |
| L | Logical Skip | 21,782 | 70.2% |
| M | Missing Data | 7,999 | 25.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

HIDISNUM: Total alcohol disulfiram inpatients (Q.D4d)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 1,150 | 3.7% |
| 1-10 | 1-10 | 75 | 0.2% |
| 11-20 | 11-20 | 4 | 0.0% |
| 21-30 | 21-30 | 2 | 0.0% |
| 31-40 | 31-40 | 3 | 0.0% |
| 41-50 | 41-50 | 2 | 0.0% |
| 76-100 | 76-100 | 1 | 0.0% |
| 101-250 | 101-250 | 1 | 0.0% |
| L | Logical Skip | 21,782 | 70.2% |
| M | Missing Data | 7,990 | 25.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

HINALNUM: Total alcohol naltrexone inpatients (Q.D4d)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 907 | 2.9% |
| 1-10 | 1-10 | 281 | 0.9% |
| 11-20 | 11-20 | 23 | 0.1% |
| 21-30 | 21-30 | 5 | 0.0% |
| 31-40 | 31-40 | 2 | 0.0% |
| 41-50 | 41-50 | 6 | 0.0% |
| 51-75 | 51-75 | 1 | 0.0% |
| 76-100 | 76-100 | 2 | 0.0% |
| 101-250 | 101-250 | 1 | 0.0% |
| 251-500 | 251-500 | 2 | 0.0% |
| L | Logical Skip | 21,782 | 70.2% |
| M | Missing Data | 7,998 | 25.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

HIACAMNUM: Total alcohol acamprosate inpatients (Q.D4d)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 1,091 | 3.5% |
| 1-10 | 1-10 | 131 | 0.4% |
| 11-20 | 11-20 | 5 | 0.0% |
| 21-30 | 21-30 | 1 | 0.0% |
| 31-40 | 31-40 | 1 | 0.0% |
| 41-50 | 41-50 | 4 | 0.0% |
| 51-75 | 51-75 | 1 | 0.0% |
| 101-250 | 101-250 | 1 | 0.0% |
| 251-500 | 251-500 | 1 | 0.0% |
| L | Logical Skip | 21,782 | 70.2% |
| M | Missing Data | 7,992 | 25.8% |
| Total | | 31,010 | 100% |

Variable Type: numeric

HOSPBED_O: Total beds designated-hospital inpatient

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 140 | 0.5% |
| 1-10 | 1-10 | 186 | 0.6% |
| 11-20 | 11-20 | 219 | 0.7% |
| 21-30 | 21-30 | 155 | 0.5% |
| 31-40 | 31-40 | 79 | 0.3% |
| 41-50 | 41-50 | 56 | 0.2% |
| 51-75 | 51-75 | 56 | 0.2% |
| 76-100 | 76-100 | 31 | 0.1% |
| 101-250 | 101-250 | 35 | 0.1% |
| 251-500 | 251-500 | 1 | 0.0% |
| L | Logical Skip | 19,698 | 63.5% |
| M | Missing Data | 10,354 | 33.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

HOSPBED: Total beds designated-hospital inpatient, unrolled (Q.D4e)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 140 | 0.5% |
| 1-10 | 1-10 | 191 | 0.6% |
| 11-20 | 11-20 | 218 | 0.7% |
| 21-30 | 21-30 | 157 | 0.5% |
| 31-40 | 31-40 | 82 | 0.3% |
| 41-50 | 41-50 | 56 | 0.2% |
| 51-75 | 51-75 | 55 | 0.2% |
| 76-100 | 76-100 | 30 | 0.1% |
| 101-250 | 101-250 | 34 | 0.1% |
| 251-500 | 251-500 | 1 | 0.0% |
| L | Logical Skip | 16,257 | 52.4% |
| M | Missing Data | 13,789 | 44.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TYPE7: Any clients received residential non-hospital substance use services, 3/31/2022 (Q.D5)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 11,394 | 36.7% |
| 1 | Yes | 2,845 | 9.2% |
| L | Logical Skip | 8,734 | 28.2% |
| M | Missing Data | 8,037 | 25.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

T_CLI3_O: Residential clients, detoxification (Q.D5a)

| Value | Label | Frequency | % |
|---------|--------------|-----------|-------|
| 0 | 0 | 2,490 | 8.0% |
| 1-10 | 1-10 | 529 | 1.7% |
| 11-20 | 11-20 | 127 | 0.4% |
| 21-30 | 21-30 | 30 | 0.1% |
| 31-40 | 31-40 | 15 | 0.0% |
| 41-50 | 41-50 | 8 | 0.0% |
| 51-75 | 51-75 | 5 | 0.0% |
| 76-100 | 76-100 | 5 | 0.0% |
| 101-250 | 101-250 | 6 | 0.0% |
| L | Logical Skip | 17,651 | 56.9% |
| M | Missing Data | 10,144 | 32.7% |
| Total | | 31,010 | 100% |

Variable Type: numeric

T_CLI3: Residential clients, detoxification, unrolled (Q.D5a)

| Value | Label | Frequency | % |
|---------|--------------|-----------|-------|
| 0 | 0 | 2,490 | 8.0% |
| 1-10 | 1-10 | 568 | 1.8% |
| 11-20 | 11-20 | 124 | 0.4% |
| 21-30 | 21-30 | 34 | 0.1% |
| 31-40 | 31-40 | 15 | 0.0% |
| 41-50 | 41-50 | 7 | 0.0% |
| 51-75 | 51-75 | 3 | 0.0% |
| 76-100 | 76-100 | 7 | 0.0% |
| 101-250 | 101-250 | 5 | 0.0% |
| L | Logical Skip | 14,314 | 46.2% |
| M | Missing Data | 13,443 | 43.4% |
| Total | | 31,010 | 100% |

Variable Type: numeric

T_CLI9_O: Residential clients, short-term treatment (Q.D5a)

| Value | Label | Frequency | % |
|----------|--------------|-----------|-------|
| 0 | 0 | 1,803 | 5.8% |
| 1-10 | 1-10 | 573 | 1.8% |
| 11-20 | 11-20 | 388 | 1.3% |
| 21-30 | 21-30 | 173 | 0.6% |
| 31-40 | 31-40 | 85 | 0.3% |
| 41-50 | 41-50 | 56 | 0.2% |
| 51-75 | 51-75 | 59 | 0.2% |
| 76-100 | 76-100 | 40 | 0.1% |
| 101-250 | 101-250 | 28 | 0.1% |
| 251-500 | 251-500 | 8 | 0.0% |
| 501-1000 | 501-1000 | 2 | 0.0% |
| L | Logical Skip | 17,651 | 56.9% |
| M | Missing Data | 10,144 | 32.7% |
| Total | | 31,010 | 100% |

Variable Type: numeric

T_CL19: Residential clients, short-term treatment, unrolled (Q.D5a)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 1,800 | 5.8% |
| 1-10 | 1-10 | 652 | 2.1% |
| 11-20 | 11-20 | 403 | 1.3% |
| 21-30 | 21-30 | 171 | 0.6% |
| 31-40 | 31-40 | 83 | 0.3% |
| 41-50 | 41-50 | 49 | 0.2% |
| 51-75 | 51-75 | 60 | 0.2% |
| 76-100 | 76-100 | 39 | 0.1% |
| 101-250 | 101-250 | 29 | 0.1% |
| 251-500 | 251-500 | 11 | 0.0% |
| L | Logical Skip | 14,314 | 46.2% |
| M | Missing Data | 13,399 | 43.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

T_CLI10_O: Residential clients, long-term treatment (Q.D5a)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 1,384 | 4.5% |
| 1-10 | 1-10 | 675 | 2.2% |
| 11-20 | 11-20 | 559 | 1.8% |
| 21-30 | 21-30 | 227 | 0.7% |
| 31-40 | 31-40 | 121 | 0.4% |
| 41-50 | 41-50 | 73 | 0.2% |
| 51-75 | 51-75 | 82 | 0.3% |
| 76-100 | 76-100 | 43 | 0.1% |
| 101-250 | 101-250 | 46 | 0.1% |
| 251-500 | 251-500 | 5 | 0.0% |
| L | Logical Skip | 17,651 | 56.9% |
| M | Missing Data | 10,144 | 32.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

T_CLI10: Residential clients, long-term treatment, unrolled (Q.D5a)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 1,384 | 4.5% |
| 1-10 | 1-10 | 745 | 2.4% |
| 11-20 | 11-20 | 574 | 1.9% |
| 21-30 | 21-30 | 242 | 0.8% |
| 31-40 | 31-40 | 116 | 0.4% |
| 41-50 | 41-50 | 79 | 0.3% |
| 51-75 | 51-75 | 73 | 0.2% |
| 76-100 | 76-100 | 38 | 0.1% |
| 101-250 | 101-250 | 49 | 0.2% |
| 251-500 | 251-500 | 4 | 0.0% |
| L | Logical Skip | 14,314 | 46.2% |
| M | Missing Data | 13,392 | 43.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

T_CLIRC_O: Total number of residential clients (Q.D5a)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 394 | 1.3% |
| 1-10 | 1-10 | 822 | 2.7% |
| 11-20 | 11-20 | 827 | 2.7% |
| 21-30 | 21-30 | 429 | 1.4% |
| 31-40 | 31-40 | 202 | 0.7% |
| 41-50 | 41-50 | 152 | 0.5% |
| 51-75 | 51-75 | 170 | 0.5% |
| 76-100 | 76-100 | 94 | 0.3% |
| 101-250 | 101-250 | 105 | 0.3% |
| 251-500 | 251-500 | 18 | 0.1% |
| 501-1000 | 501-1000 | 2 | 0.0% |
| L | Logical Skip | 17,651 | 56.9% |
| M | Missing Data | 10,144 | 32.7% |
| Total | | 31,010 | 100% |

Variable Type: numeric

T_CLIRC: Total number of residential clients, unrolled (Q.D5a)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 422 | 1.4% |
| 1-10 | 1-10 | 916 | 3.0% |
| 11-20 | 11-20 | 881 | 2.8% |
| 21-30 | 21-30 | 436 | 1.4% |
| 31-40 | 31-40 | 205 | 0.7% |
| 41-50 | 41-50 | 146 | 0.5% |
| 51-75 | 51-75 | 162 | 0.5% |
| 76-100 | 76-100 | 96 | 0.3% |
| 101-250 | 101-250 | 101 | 0.3% |
| 251-500 | 251-500 | 20 | 0.1% |
| L | Logical Skip | 14,314 | 46.2% |
| M | Missing Data | 13,311 | 42.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

R_AGE1: Residential clients under 18 years old (Q.D5b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 2,926 | 9.4% |
| 1-10 | 1-10 | 149 | 0.5% |
| 11-20 | 11-20 | 67 | 0.2% |
| 21-30 | 21-30 | 26 | 0.1% |
| 31-40 | 31-40 | 3 | 0.0% |
| 41-50 | 41-50 | 4 | 0.0% |
| 51-75 | 51-75 | 5 | 0.0% |
| 76-100 | 76-100 | 2 | 0.0% |
| 101-250 | 101-250 | 2 | 0.0% |
| L | Logical Skip | 19,735 | 63.6% |
| M | Missing Data | 8,091 | 26.1% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCMETNUM: Total methadone residential clients (Q.D5c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 2,938 | 9.5% |
| 1-10 | 1-10 | 231 | 0.7% |
| 11-20 | 11-20 | 23 | 0.1% |
| 21-30 | 21-30 | 15 | 0.0% |
| 31-40 | 31-40 | 6 | 0.0% |
| 41-50 | 41-50 | 3 | 0.0% |
| 51-75 | 51-75 | 4 | 0.0% |
| 76-100 | 76-100 | 1 | 0.0% |
| 101-250 | 101-250 | 1 | 0.0% |
| L | Logical Skip | 19,736 | 63.6% |
| M | Missing Data | 8,052 | 26.0% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCBUPNUM: Total buprenorphine residential clients (Q.D5c)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 2,051 | 6.6% |
| 1-10 | 1-10 | 928 | 3.0% |
| 11-20 | 11-20 | 134 | 0.4% |
| 21-30 | 21-30 | 55 | 0.2% |
| 31-40 | 31-40 | 18 | 0.1% |
| 41-50 | 41-50 | 12 | 0.0% |
| 51-75 | 51-75 | 8 | 0.0% |
| 76-100 | 76-100 | 4 | 0.0% |
| 101-250 | 101-250 | 2 | 0.0% |
| 251-500 | 251-500 | 1 | 0.0% |
| L | Logical Skip | 19,736 | 63.6% |
| M | Missing Data | 8,061 | 26.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCVIVNUM: Total naltrexone residential clients (Q.D5c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 2,474 | 8.0% |
| 1-10 | 1-10 | 659 | 2.1% |
| 11-20 | 11-20 | 48 | 0.2% |
| 21-30 | 21-30 | 12 | 0.0% |
| 31-40 | 31-40 | 8 | 0.0% |
| 41-50 | 41-50 | 4 | 0.0% |
| 51-75 | 51-75 | 1 | 0.0% |
| 76-100 | 76-100 | 3 | 0.0% |
| 101-250 | 101-250 | 4 | 0.0% |
| L | Logical Skip | 19,736 | 63.6% |
| M | Missing Data | 8,061 | 26.0% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCDISNUM: Total alcohol disulfiram residential clients (Q.D5d)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 3,082 | 9.9% |
| 1-10 | 1-10 | 126 | 0.4% |
| 11-20 | 11-20 | 7 | 0.0% |
| 21-30 | 21-30 | 1 | 0.0% |
| 51-75 | 51-75 | 1 | 0.0% |
| L | Logical Skip | 19,737 | 63.6% |
| M | Missing Data | 8,056 | 26.0% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCNALNUM: Total alcohol naltrexone residential clients (Q.D5d)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 2,565 | 8.3% |
| 1-10 | 1-10 | 572 | 1.8% |
| 11-20 | 11-20 | 50 | 0.2% |
| 21-30 | 21-30 | 8 | 0.0% |
| 31-40 | 31-40 | 4 | 0.0% |
| 41-50 | 41-50 | 8 | 0.0% |
| 51-75 | 51-75 | 2 | 0.0% |
| 76-100 | 76-100 | 1 | 0.0% |
| 251-500 | 251-500 | 1 | 0.0% |
| L | Logical Skip | 19,736 | 63.6% |
| M | Missing Data | 8,063 | 26.0% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCACAMNUM: Total alcohol acamprosate residential clients (Q.D5d)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 2,979 | 9.6% |
| 1-10 | 1-10 | 223 | 0.7% |
| 11-20 | 11-20 | 6 | 0.0% |
| 21-30 | 21-30 | 4 | 0.0% |
| 31-40 | 31-40 | 2 | 0.0% |
| 41-50 | 41-50 | 1 | 0.0% |
| 101-250 | 101-250 | 1 | 0.0% |
| L | Logical Skip | 19,736 | 63.6% |
| M | Missing Data | 8,058 | 26.0% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RESBED_O: Total beds designated-residential clients

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 79 | 0.3% |
| 1-10 | 1-10 | 507 | 1.6% |
| 11-20 | 11-20 | 793 | 2.6% |
| 21-30 | 21-30 | 447 | 1.4% |
| 31-40 | 31-40 | 303 | 1.0% |
| 41-50 | 41-50 | 191 | 0.6% |
| 51-75 | 51-75 | 211 | 0.7% |
| 76-100 | 76-100 | 136 | 0.4% |
| 101-250 | 101-250 | 122 | 0.4% |
| 251-500 | 251-500 | 7 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| L | Logical Skip | 17,652 | 56.9% |
| M | Missing Data | 10,561 | 34.1% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RESBED: Total beds designated-residential clients, unrolled (Q.D5e)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 79 | 0.3% |
| 1-10 | 1-10 | 573 | 1.8% |
| 11-20 | 11-20 | 857 | 2.8% |
| 21-30 | 21-30 | 471 | 1.5% |
| 31-40 | 31-40 | 317 | 1.0% |
| 41-50 | 41-50 | 191 | 0.6% |
| 51-75 | 51-75 | 201 | 0.6% |
| 76-100 | 76-100 | 127 | 0.4% |
| 101-250 | 101-250 | 114 | 0.4% |
| 251-500 | 251-500 | 7 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| L | Logical Skip | 14,315 | 46.2% |
| M | Missing Data | 13,757 | 44.4% |
| Total | | 31,010 | 100% |

Variable Type: numeric

TYPE1: Any clients received outpatient substance use services, 3/31/2022 (Q.D6)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,012 | 12.9% |
| 1 | Yes | 10,116 | 32.6% |
| L | Logical Skip | 8,735 | 28.2% |
| M | Missing Data | 8,147 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

T_CLI7_O: Outpatient clients, detoxification (Q.D6a)

| Value | Label | Frequency | % |
|----------|--------------|-----------|-------|
| 0 | 0 | 10,731 | 34.6% |
| 1-10 | 1-10 | 338 | 1.1% |
| 11-20 | 11-20 | 54 | 0.2% |
| 21-30 | 21-30 | 28 | 0.1% |
| 31-40 | 31-40 | 11 | 0.0% |
| 41-50 | 41-50 | 13 | 0.0% |
| 51-75 | 51-75 | 5 | 0.0% |
| 76-100 | 76-100 | 12 | 0.0% |
| 101-250 | 101-250 | 20 | 0.1% |
| 251-500 | 251-500 | 4 | 0.0% |
| 501-1000 | 501-1000 | 3 | 0.0% |
| L | Logical Skip | 9,669 | 31.2% |
| M | Missing Data | 10,122 | 32.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

T_CLI7: Outpatient clients, detoxification, unrolled (Q.D6a)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 10,700 | 34.5% |
| 1-10 | 1-10 | 370 | 1.2% |
| 11-20 | 11-20 | 51 | 0.2% |
| 21-30 | 21-30 | 36 | 0.1% |
| 31-40 | 31-40 | 11 | 0.0% |
| 41-50 | 41-50 | 13 | 0.0% |
| 51-75 | 51-75 | 5 | 0.0% |
| 76-100 | 76-100 | 14 | 0.0% |
| 101-250 | 101-250 | 18 | 0.1% |
| 251-500 | 251-500 | 4 | 0.0% |
| 501-1000 | 501-1000 | 3 | 0.0% |
| L | Logical Skip | 6,735 | 21.7% |
| M | Missing Data | 13,050 | 42.1% |
| Total | | 31,010 | 100% |

Variable Type: numeric

T_CLIML_O: Outpatient clients, methadone maintained (Q.D6a)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 7,132 | 23.0% |
| 1-10 | 1-10 | 1,014 | 3.3% |
| 11-20 | 11-20 | 353 | 1.1% |
| 21-30 | 21-30 | 262 | 0.8% |
| 31-40 | 31-40 | 174 | 0.6% |
| 41-50 | 41-50 | 135 | 0.4% |
| 51-75 | 51-75 | 247 | 0.8% |
| 76-100 | 76-100 | 232 | 0.7% |
| 101-250 | 101-250 | 797 | 2.6% |
| 251-500 | 251-500 | 539 | 1.7% |
| 501-1000 | 501-1000 | 287 | 0.9% |
| 1001-1500 | 1001-1500 | 35 | 0.1% |
| 1501 + | 1501 + | 12 | 0.0% |
| L | Logical Skip | 9,667 | 31.2% |
| M | Missing Data | 10,124 | 32.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

T_CLIML: Outpatient clients, methadone maintained, unrolled (Q.D6a)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 7,106 | 22.9% |
| 1-10 | 1-10 | 1,186 | 3.8% |
| 11-20 | 11-20 | 475 | 1.5% |
| 21-30 | 21-30 | 276 | 0.9% |
| 31-40 | 31-40 | 181 | 0.6% |
| 41-50 | 41-50 | 151 | 0.5% |
| 51-75 | 51-75 | 265 | 0.9% |
| 76-100 | 76-100 | 244 | 0.8% |
| 101-250 | 101-250 | 867 | 2.8% |
| 251-500 | 251-500 | 574 | 1.9% |
| 501-1000 | 501-1000 | 274 | 0.9% |
| 1001-1500 | 1001-1500 | 29 | 0.1% |
| 1501 + | 1501 + | 7 | 0.0% |
| L | Logical Skip | 6,733 | 21.7% |
| M | Missing Data | 12,642 | 40.8% |
| Total | | 31,010 | 100% |

Variable Type: numeric

T_CLI8_O: Outpatient clients, day treatment/partial hospitalization (Q.D6a)

| Value | Label | Frequency | % |
|----------|--------------|---------------|-------------|
| 0 | 0 | 10,054 | 32.4% |
| 1-10 | 1-10 | 591 | 1.9% |
| 11-20 | 11-20 | 284 | 0.9% |
| 21-30 | 21-30 | 108 | 0.3% |
| 31-40 | 31-40 | 57 | 0.2% |
| 41-50 | 41-50 | 43 | 0.1% |
| 51-75 | 51-75 | 36 | 0.1% |
| 76-100 | 76-100 | 14 | 0.0% |
| 101-250 | 101-250 | 23 | 0.1% |
| 251-500 | 251-500 | 7 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| 1501 + | 1501 + | 1 | 0.0% |
| L | Logical Skip | 9,667 | 31.2% |
| M | Missing Data | 10,124 | 32.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

T_CLI8: Outpatient clients, day treatment/partial hospitalization, unrolled (Q.D6a)

| Value | Label | Frequency | % |
|----------|--------------|---------------|-------------|
| 0 | 0 | 10,019 | 32.3% |
| 1-10 | 1-10 | 656 | 2.1% |
| 11-20 | 11-20 | 295 | 1.0% |
| 21-30 | 21-30 | 111 | 0.4% |
| 31-40 | 31-40 | 54 | 0.2% |
| 41-50 | 41-50 | 44 | 0.1% |
| 51-75 | 51-75 | 36 | 0.1% |
| 76-100 | 76-100 | 14 | 0.0% |
| 101-250 | 101-250 | 19 | 0.1% |
| 251-500 | 251-500 | 7 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| 1501 + | 1501 + | 1 | 0.0% |
| L | Logical Skip | 6,733 | 21.7% |
| M | Missing Data | 13,020 | 42.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

T_CLI6_O: Outpatient clients, intensive (Q.D6a)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 7,213 | 23.3% |
| 1-10 | 1-10 | 1,663 | 5.4% |
| 11-20 | 11-20 | 957 | 3.1% |
| 21-30 | 21-30 | 477 | 1.5% |
| 31-40 | 31-40 | 245 | 0.8% |
| 41-50 | 41-50 | 196 | 0.6% |
| 51-75 | 51-75 | 205 | 0.7% |
| 76-100 | 76-100 | 114 | 0.4% |
| 101-250 | 101-250 | 110 | 0.4% |
| 251-500 | 251-500 | 24 | 0.1% |
| 501-1000 | 501-1000 | 12 | 0.0% |
| 1001-1500 | 1001-1500 | 2 | 0.0% |
| 1501 + | 1501 + | 1 | 0.0% |
| L | Logical Skip | 9,667 | 31.2% |
| M | Missing Data | 10,124 | 32.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

T_CLI6: Outpatient clients, intensive, unrolled (Q.D6a)

| Value | Label | Frequency | % |
|-----------|--------------|---------------|-------------|
| 0 | 0 | 7,209 | 23.2% |
| 1-10 | 1-10 | 1,878 | 6.1% |
| 11-20 | 11-20 | 1,088 | 3.5% |
| 21-30 | 21-30 | 506 | 1.6% |
| 31-40 | 31-40 | 247 | 0.8% |
| 41-50 | 41-50 | 209 | 0.7% |
| 51-75 | 51-75 | 210 | 0.7% |
| 76-100 | 76-100 | 125 | 0.4% |
| 101-250 | 101-250 | 108 | 0.3% |
| 251-500 | 251-500 | 21 | 0.1% |
| 501-1000 | 501-1000 | 10 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| L | Logical Skip | 6,733 | 21.7% |
| M | Missing Data | 12,665 | 40.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

T_CLI5_O: Outpatient clients, regular outpatient care (Q.D6a)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 3,606 | 11.6% |
| 1-10 | 1-10 | 1,879 | 6.1% |
| 11-20 | 11-20 | 1,042 | 3.4% |
| 21-30 | 21-30 | 837 | 2.7% |
| 31-40 | 31-40 | 512 | 1.7% |
| 41-50 | 41-50 | 463 | 1.5% |
| 51-75 | 51-75 | 648 | 2.1% |
| 76-100 | 76-100 | 495 | 1.6% |
| 101-250 | 101-250 | 1,028 | 3.3% |
| 251-500 | 251-500 | 387 | 1.2% |
| 501-1000 | 501-1000 | 203 | 0.7% |
| 1001-1500 | 1001-1500 | 53 | 0.2% |
| 1501 + | 1501 + | 66 | 0.2% |
| L | Logical Skip | 9,667 | 31.2% |
| M | Missing Data | 10,124 | 32.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

T_CLI5: Outpatient clients, regular outpatient care, unrolled (Q.D6a)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 3,630 | 11.7% |
| 1-10 | 1-10 | 2,221 | 7.2% |
| 11-20 | 11-20 | 1,274 | 4.1% |
| 21-30 | 21-30 | 909 | 2.9% |
| 31-40 | 31-40 | 631 | 2.0% |
| 41-50 | 41-50 | 502 | 1.6% |
| 51-75 | 51-75 | 738 | 2.4% |
| 76-100 | 76-100 | 547 | 1.8% |
| 101-250 | 101-250 | 1,132 | 3.7% |
| 251-500 | 251-500 | 415 | 1.3% |
| 501-1000 | 501-1000 | 228 | 0.7% |
| 1001-1500 | 1001-1500 | 42 | 0.1% |
| 1501 + | 1501 + | 52 | 0.2% |
| L | Logical Skip | 6,733 | 21.7% |
| M | Missing Data | 11,956 | 38.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

T_CLIOP_O: Total number of outpatient clients (Q.D6a)

| Value | Label | Frequency | % |
|-----------|--------------|-----------|-------|
| 0 | 0 | 1,197 | 3.9% |
| 1-10 | 1-10 | 1,489 | 4.8% |
| 11-20 | 11-20 | 1,074 | 3.5% |
| 21-30 | 21-30 | 899 | 2.9% |
| 31-40 | 31-40 | 655 | 2.1% |
| 41-50 | 41-50 | 546 | 1.8% |
| 51-75 | 51-75 | 965 | 3.1% |
| 76-100 | 76-100 | 662 | 2.1% |
| 101-250 | 101-250 | 1,914 | 6.2% |
| 251-500 | 251-500 | 1,065 | 3.4% |
| 501-1000 | 501-1000 | 542 | 1.7% |
| 1001-1500 | 1001-1500 | 109 | 0.4% |
| 1501 + | 1501 + | 100 | 0.3% |
| L | Logical Skip | 9,667 | 31.2% |
| M | Missing Data | 10,126 | 32.7% |
| Total | | 31,010 | 100% |

Variable Type: numeric

T_CLIOP: Total number of outpatient clients, unrolled (Q.D6a)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 1,237 | 4.0% |
| 1-10 | 1-10 | 1,730 | 5.6% |
| 11-20 | 11-20 | 1,337 | 4.3% |
| 21-30 | 21-30 | 1,015 | 3.3% |
| 31-40 | 31-40 | 778 | 2.5% |
| 41-50 | 41-50 | 610 | 2.0% |
| 51-75 | 51-75 | 1,113 | 3.6% |
| 76-100 | 76-100 | 723 | 2.3% |
| 101-250 | 101-250 | 2,107 | 6.8% |
| 251-500 | 251-500 | 1,156 | 3.7% |
| 501-1000 | 501-1000 | 553 | 1.8% |
| 1001-1500 | 1001-1500 | 96 | 0.3% |
| 1501 + | 1501 + | 76 | 0.2% |
| L | Logical Skip | 6,733 | 21.7% |
| M | Missing Data | 11,746 | 37.9% |
| Total | | 31,010 | 100% |

Variable Type: numeric

O_AGE1: Outpatient clients under 18 years old (Q.D6b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 8,436 | 27.2% |
| 1-10 | 1-10 | 1,647 | 5.3% |
| 11-20 | 11-20 | 380 | 1.2% |
| 21-30 | 21-30 | 178 | 0.6% |
| 31-40 | 31-40 | 79 | 0.3% |
| 41-50 | 41-50 | 69 | 0.2% |
| 51-75 | 51-75 | 74 | 0.2% |
| 76-100 | 76-100 | 64 | 0.2% |
| 101-250 | 101-250 | 98 | 0.3% |
| 251-500 | 251-500 | 52 | 0.2% |
| 501-1000 | 501-1000 | 18 | 0.1% |
| 1001-1500 | 1001-1500 | 12 | 0.0% |
| 1501 + | 1501 + | 9 | 0.0% |
| L | Logical Skip | 11,755 | 37.9% |
| M | Missing Data | 8,139 | 26.2% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPMETNUM: Total methadone outpatient (Q.D6c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 9,840 | 31.7% |
| 1-10 | 1-10 | 85 | 0.3% |
| 11-20 | 11-20 | 18 | 0.1% |
| 21-30 | 21-30 | 22 | 0.1% |
| 31-40 | 31-40 | 27 | 0.1% |
| 41-50 | 41-50 | 30 | 0.1% |
| 51-75 | 51-75 | 62 | 0.2% |
| 76-100 | 76-100 | 83 | 0.3% |
| 101-250 | 101-250 | 441 | 1.4% |
| 251-500 | 251-500 | 406 | 1.3% |
| 501-1000 | 501-1000 | 213 | 0.7% |
| 1001-1500 | 1001-1500 | 21 | 0.1% |
| 1501 + | 1501 + | 6 | 0.0% |
| L | Logical Skip | 11,755 | 37.9% |
| M | Missing Data | 8,001 | 25.8% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPBUPNUM: Total buprenorphine outpatient (Q.D6c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 7,389 | 23.8% |
| 1-10 | 1-10 | 1,453 | 4.7% |
| 11-20 | 11-20 | 501 | 1.6% |
| 21-30 | 21-30 | 342 | 1.1% |
| 31-40 | 31-40 | 213 | 0.7% |
| 41-50 | 41-50 | 179 | 0.6% |
| 51-75 | 51-75 | 241 | 0.8% |
| 76-100 | 76-100 | 219 | 0.7% |
| 101-250 | 101-250 | 451 | 1.5% |
| 251-500 | 251-500 | 157 | 0.5% |
| 501-1000 | 501-1000 | 56 | 0.2% |
| 1001-1500 | 1001-1500 | 15 | 0.0% |
| 1501 + | 1501 + | 4 | 0.0% |
| L | Logical Skip | 11,755 | 37.9% |
| M | Missing Data | 8,035 | 25.9% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPVIVNUM: Total naltrexone outpatient (Q.D6c)

| Value | Label | Frequency | % |
|-----------|--------------|---------------|-------------|
| 0 | 0 | 9,092 | 29.3% |
| 1-10 | 1-10 | 1,494 | 4.8% |
| 11-20 | 11-20 | 263 | 0.8% |
| 21-30 | 21-30 | 133 | 0.4% |
| 31-40 | 31-40 | 53 | 0.2% |
| 41-50 | 41-50 | 51 | 0.2% |
| 51-75 | 51-75 | 51 | 0.2% |
| 76-100 | 76-100 | 25 | 0.1% |
| 101-250 | 101-250 | 27 | 0.1% |
| 251-500 | 251-500 | 7 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| 1001-1500 | 1001-1500 | 4 | 0.0% |
| L | Logical Skip | 11,755 | 37.9% |
| M | Missing Data | 8,054 | 26.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPDISNUM: Total alcohol disulfiram outpatient clients (Q.D6d)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 10,612 | 34.2% |
| 1-10 | 1-10 | 566 | 1.8% |
| 11-20 | 11-20 | 40 | 0.1% |
| 21-30 | 21-30 | 15 | 0.0% |
| 31-40 | 31-40 | 2 | 0.0% |
| 41-50 | 41-50 | 12 | 0.0% |
| 51-75 | 51-75 | 2 | 0.0% |
| 76-100 | 76-100 | 2 | 0.0% |
| 101-250 | 101-250 | 2 | 0.0% |
| L | Logical Skip | 11,755 | 37.9% |
| M | Missing Data | 8,002 | 25.8% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPNALNUM: Total alcohol naltrexone outpatient clients (Q.D6d)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 8,652 | 27.9% |
| 1-10 | 1-10 | 1,840 | 5.9% |
| 11-20 | 11-20 | 305 | 1.0% |
| 21-30 | 21-30 | 134 | 0.4% |
| 31-40 | 31-40 | 52 | 0.2% |
| 41-50 | 41-50 | 66 | 0.2% |
| 51-75 | 51-75 | 44 | 0.1% |
| 76-100 | 76-100 | 38 | 0.1% |
| 101-250 | 101-250 | 38 | 0.1% |
| 251-500 | 251-500 | 11 | 0.0% |
| 1501 + | 1501 + | 4 | 0.0% |
| L | Logical Skip | 11,755 | 37.9% |
| M | Missing Data | 8,071 | 26.0% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPACAMNUM: Total alcohol acamprosate outpatient clients (Q.D6d)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 10,341 | 33.3% |
| 1-10 | 1-10 | 749 | 2.4% |
| 11-20 | 11-20 | 91 | 0.3% |
| 21-30 | 21-30 | 23 | 0.1% |
| 31-40 | 31-40 | 13 | 0.0% |
| 41-50 | 41-50 | 12 | 0.0% |
| 51-75 | 51-75 | 7 | 0.0% |
| 76-100 | 76-100 | 5 | 0.0% |
| 101-250 | 101-250 | 4 | 0.0% |
| L | Logical Skip | 11,755 | 37.9% |
| M | Missing Data | 8,010 | 25.8% |
| Total | | 31,010 | 100% |

Variable Type: numeric

B_NUM: Number of clients treated for both alcohol/drug use (Q.D7)

| Value | Label | Frequency | % |
|-----------|----------------|---------------|-------------|
| 0 | 0 | 1,198 | 3.9% |
| 1-10 | 1-10 | 1,943 | 6.3% |
| 11-20 | 11-20 | 749 | 2.4% |
| 21-30 | 21-30 | 383 | 1.2% |
| 31-40 | 31-40 | 186 | 0.6% |
| 41-50 | 41-50 | 165 | 0.5% |
| 51-75 | 51-75 | 199 | 0.6% |
| 76-100 | 76-100 | 143 | 0.5% |
| 101-250 | 101-250 | 188 | 0.6% |
| 251-500 | 251-500 | 80 | 0.3% |
| 501-1000 | 501-1000 | 30 | 0.1% |
| 1001-1500 | 1001-1500 | 14 | 0.0% |
| 1501 + | 1501 + | 7 | 0.0% |
| L | Logical Skip | 8,878 | 28.6% |
| M | Missing Data | 15,096 | 48.7% |
| N | Not Applicable | 1,751 | 5.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

B_PCT: Percent of clients treated for both alcohol/drug use (Q.D7)

| Value | Label | Frequency | % |
|--------------|----------------|---------------|-------------|
| 0 | 0 | 757 | 2.4% |
| 1-10 | 1-10 | 564 | 1.8% |
| 11-20 | 11-20 | 802 | 2.6% |
| 21-30 | 21-30 | 906 | 2.9% |
| 31-40 | 31-40 | 638 | 2.1% |
| 41-50 | 41-50 | 877 | 2.8% |
| 51-60 | 51-60 | 479 | 1.5% |
| 61-70 | 61-70 | 417 | 1.3% |
| 71-80 | 71-80 | 489 | 1.6% |
| 81-90 | 81-90 | 199 | 0.6% |
| 91-99 | 91-99 | 91 | 0.3% |
| 100 | 100 | 465 | 1.5% |
| L | Logical Skip | 8,881 | 28.6% |
| M | Missing Data | 13,694 | 44.2% |
| N | Not Applicable | 1,751 | 5.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

A_NUM: Number of clients treated for only alcohol use (Q.D7)

| Value | Label | Frequency | % |
|-----------|----------------|---------------|-------------|
| 0 | 0 | 1,969 | 6.3% |
| 1-10 | 1-10 | 2,203 | 7.1% |
| 11-20 | 11-20 | 489 | 1.6% |
| 21-30 | 21-30 | 227 | 0.7% |
| 31-40 | 31-40 | 99 | 0.3% |
| 41-50 | 41-50 | 85 | 0.3% |
| 51-75 | 51-75 | 83 | 0.3% |
| 76-100 | 76-100 | 47 | 0.2% |
| 101-250 | 101-250 | 56 | 0.2% |
| 251-500 | 251-500 | 15 | 0.0% |
| 501-1000 | 501-1000 | 3 | 0.0% |
| 1001-1500 | 1001-1500 | 2 | 0.0% |
| 1501 + | 1501 + | 1 | 0.0% |
| L | Logical Skip | 8,878 | 28.6% |
| M | Missing Data | 15,102 | 48.7% |
| N | Not Applicable | 1,751 | 5.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

A_PCT: Percent of clients treated for only alcohol use (Q.D7)

| Value | Label | Frequency | % |
|--------------|----------------|---------------|-------------|
| 0 | 0 | 1,411 | 4.6% |
| 1-10 | 1-10 | 1,439 | 4.6% |
| 11-20 | 11-20 | 1,292 | 4.2% |
| 21-30 | 21-30 | 1,200 | 3.9% |
| 31-40 | 31-40 | 487 | 1.6% |
| 41-50 | 41-50 | 361 | 1.2% |
| 51-60 | 51-60 | 168 | 0.5% |
| 61-70 | 61-70 | 135 | 0.4% |
| 71-80 | 71-80 | 99 | 0.3% |
| 81-90 | 81-90 | 41 | 0.1% |
| 91-99 | 91-99 | 12 | 0.0% |
| 100 | 100 | 38 | 0.1% |
| L | Logical Skip | 8,882 | 28.6% |
| M | Missing Data | 13,694 | 44.2% |
| N | Not Applicable | 1,751 | 5.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

D_NUM: Number of clients treated for only drug use (Q.D7)

| Value | Label | Frequency | % |
|-----------|----------------|---------------|-------------|
| 0 | 0 | 1,242 | 4.0% |
| 1-10 | 1-10 | 1,672 | 5.4% |
| 11-20 | 11-20 | 536 | 1.7% |
| 21-30 | 21-30 | 298 | 1.0% |
| 31-40 | 31-40 | 169 | 0.5% |
| 41-50 | 41-50 | 123 | 0.4% |
| 51-75 | 51-75 | 179 | 0.6% |
| 76-100 | 76-100 | 141 | 0.5% |
| 101-250 | 101-250 | 439 | 1.4% |
| 251-500 | 251-500 | 306 | 1.0% |
| 501-1000 | 501-1000 | 145 | 0.5% |
| 1001-1500 | 1001-1500 | 27 | 0.1% |
| 1501 + | 1501 + | 3 | 0.0% |
| L | Logical Skip | 8,878 | 28.6% |
| M | Missing Data | 15,101 | 48.7% |
| N | Not Applicable | 1,751 | 5.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

D_PCT: Percent of clients treated for only drug use (Q.D7)

| Value | Label | Frequency | % |
|-------|----------------|---------------|-------------|
| 0 | 0 | 798 | 2.6% |
| 1-10 | 1-10 | 836 | 2.7% |
| 11-20 | 11-20 | 909 | 2.9% |
| 21-30 | 21-30 | 1,027 | 3.3% |
| 31-40 | 31-40 | 621 | 2.0% |
| 41-50 | 41-50 | 539 | 1.7% |
| 51-60 | 51-60 | 386 | 1.2% |
| 61-70 | 61-70 | 386 | 1.2% |
| 71-80 | 71-80 | 313 | 1.0% |
| 81-90 | 81-90 | 223 | 0.7% |
| 91-99 | 91-99 | 134 | 0.4% |
| 100 | 100 | 500 | 1.6% |
| 100 + | 100 + | 11 | 0.0% |
| L | Logical Skip | 8,883 | 28.6% |
| M | Missing Data | 13,693 | 44.2% |
| N | Not Applicable | 1,751 | 5.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

COD_PCT_SU_R1: Percent of clients with mental health and substance use diagnosis (Q.D8)

| Value | Label | Frequency | % |
|--------------|----------------|---------------|-------------|
| 0 | 0 | 1,286 | 4.1% |
| 1-10 | 1-10 | 963 | 3.1% |
| 11-20 | 11-20 | 696 | 2.2% |
| 21-30 | 21-30 | 883 | 2.8% |
| 31-40 | 31-40 | 811 | 2.6% |
| 41-50 | 41-50 | 1,199 | 3.9% |
| 51-60 | 51-60 | 666 | 2.1% |
| 61-70 | 61-70 | 784 | 2.5% |
| 71-80 | 71-80 | 1,435 | 4.6% |
| 81-90 | 81-90 | 1,133 | 3.7% |
| 91-99 | 91-99 | 521 | 1.7% |
| 100 | 100 | 1,540 | 5.0% |
| L | Logical Skip | 8,873 | 28.6% |
| M | Missing Data | 8,469 | 27.3% |
| N | Not Applicable | 1,751 | 5.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

TOTADMIS_SU: Total number of admissions for substance use treatment (Q.D9)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 1,251 | 4.0% |
| 1-10 | 1-10 | 905 | 2.9% |
| 11-20 | 11-20 | 726 | 2.3% |
| 21-30 | 21-30 | 661 | 2.1% |
| 31-40 | 31-40 | 566 | 1.8% |
| 41-50 | 41-50 | 666 | 2.1% |
| 51-75 | 51-75 | 1,164 | 3.8% |
| 76-100 | 76-100 | 1,202 | 3.9% |
| 101-250 | 101-250 | 2,923 | 9.4% |
| 251-500 | 251-500 | 1,529 | 4.9% |
| 501-1000 | 501-1000 | 847 | 2.7% |
| 1001-1500 | 1001-1500 | 255 | 0.8% |
| 1501 + | 1501 + | 254 | 0.8% |
| L | Logical Skip | 8,769 | 28.3% |
| M | Missing Data | 9,292 | 30.0% |
| Total | | 31,010 | 100% |

Variable Type: numeric

T_CLI11_O: Total number of substance use clients

| Value | Label | Frequency | % |
|-----------|--------------|-----------|-------|
| 0 | 0 | 1,160 | 3.7% |
| 1-10 | 1-10 | 2,073 | 6.7% |
| 11-20 | 11-20 | 1,663 | 5.4% |
| 21-30 | 21-30 | 1,273 | 4.1% |
| 31-40 | 31-40 | 810 | 2.6% |
| 41-50 | 41-50 | 719 | 2.3% |
| 51-75 | 51-75 | 1,154 | 3.7% |
| 76-100 | 76-100 | 776 | 2.5% |
| 101-250 | 101-250 | 2,088 | 6.7% |
| 251-500 | 251-500 | 1,112 | 3.6% |
| 501-1000 | 501-1000 | 550 | 1.8% |
| 1001-1500 | 1001-1500 | 114 | 0.4% |
| 1501 + | 1501 + | 104 | 0.3% |
| L | Logical Skip | 253 | 0.8% |
| M | Missing Data | 17,161 | 55.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

T_CLI11: Total number of substance use clients, unrolled

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 1,187 | 3.8% |
| 1-10 | 1-10 | 2,396 | 7.7% |
| 11-20 | 11-20 | 1,969 | 6.3% |
| 21-30 | 21-30 | 1,406 | 4.5% |
| 31-40 | 31-40 | 947 | 3.1% |
| 41-50 | 41-50 | 786 | 2.5% |
| 51-75 | 51-75 | 1,310 | 4.2% |
| 76-100 | 76-100 | 836 | 2.7% |
| 101-250 | 101-250 | 2,276 | 7.3% |
| 251-500 | 251-500 | 1,205 | 3.9% |
| 501-1000 | 501-1000 | 562 | 1.8% |
| 1001-1500 | 1001-1500 | 100 | 0.3% |
| 1501 + | 1501 + | 79 | 0.3% |
| L | Logical Skip | 253 | 0.8% |
| M | Missing Data | 15,698 | 50.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

NOT_UNROLLED_UNABLE_MH: Unable to unroll MH client/bed counts

| Value | Label | Frequency | % |
|-------|-----------------------|-----------|-------|
| 1 | Unable to be unrolled | 102 | 0.3% |
| M | Missing Data | 30,908 | 99.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPSERV: Any patients received 24-hour hospital inpatient mental health services, 3/31/2022 (Q.D10)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,941 | 22.4% |
| 1 | Yes | 1,099 | 3.5% |
| L | Logical Skip | 13,597 | 43.8% |
| M | Missing Data | 9,373 | 30.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPTOTAL_O: Total number of 24-hour hospital inpatients (Q.D10a)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 109 | 0.4% |
| 1-10 | 1-10 | 217 | 0.7% |
| 11-20 | 11-20 | 276 | 0.9% |
| 21-30 | 21-30 | 131 | 0.4% |
| 31-40 | 31-40 | 78 | 0.3% |
| 41-50 | 41-50 | 68 | 0.2% |
| 51-75 | 51-75 | 103 | 0.3% |
| 76-100 | 76-100 | 63 | 0.2% |
| 101-250 | 101-250 | 88 | 0.3% |
| 251-500 | 251-500 | 29 | 0.1% |
| 501-1000 | 501-1000 | 6 | 0.0% |
| 1001-1500 | 1001-1500 | 5 | 0.0% |
| 1501 + | 1501 + | 9 | 0.0% |
| L | Logical Skip | 20,478 | 66.0% |
| M | Missing Data | 9,350 | 30.2% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPTOTAL: Total number of 24-hour hospital inpatients, unrolled (Q.D10a)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 109 | 0.4% |
| 1-10 | 1-10 | 220 | 0.7% |
| 11-20 | 11-20 | 276 | 0.9% |
| 21-30 | 21-30 | 132 | 0.4% |
| 31-40 | 31-40 | 82 | 0.3% |
| 41-50 | 41-50 | 68 | 0.2% |
| 51-75 | 51-75 | 102 | 0.3% |
| 76-100 | 76-100 | 62 | 0.2% |
| 101-250 | 101-250 | 88 | 0.3% |
| 251-500 | 251-500 | 29 | 0.1% |
| 501-1000 | 501-1000 | 6 | 0.0% |
| 1001-1500 | 1001-1500 | 5 | 0.0% |
| 1501 + | 1501 + | 9 | 0.0% |
| L | Logical Skip | 18,152 | 58.5% |
| M | Missing Data | 11,670 | 37.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPBEDS_O: Number of hospital inpatient beds set up/staffed at facility (Q.D10b)

| Value | Label | Frequency | % |
|-----------|--------------|---------------|-------------|
| 0 | 0 | 33 | 0.1% |
| 1-10 | 1-10 | 91 | 0.3% |
| 11-20 | 11-20 | 270 | 0.9% |
| 21-30 | 21-30 | 183 | 0.6% |
| 31-40 | 31-40 | 90 | 0.3% |
| 41-50 | 41-50 | 76 | 0.2% |
| 51-75 | 51-75 | 128 | 0.4% |
| 76-100 | 76-100 | 74 | 0.2% |
| 101-250 | 101-250 | 117 | 0.4% |
| 251-500 | 251-500 | 25 | 0.1% |
| 501-1000 | 501-1000 | 5 | 0.0% |
| 1001-1500 | 1001-1500 | 2 | 0.0% |
| L | Logical Skip | 20,478 | 66.0% |
| M | Missing Data | 9,438 | 30.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPBEDS: Number of hospital inpatient beds set up/staffed at facility, unrolled (Q.D10b)

| Value | Label | Frequency | % |
|-----------|--------------|---------------|-------------|
| 0 | 0 | 32 | 0.1% |
| 1-10 | 1-10 | 94 | 0.3% |
| 11-20 | 11-20 | 270 | 0.9% |
| 21-30 | 21-30 | 183 | 0.6% |
| 31-40 | 31-40 | 89 | 0.3% |
| 41-50 | 41-50 | 82 | 0.3% |
| 51-75 | 51-75 | 128 | 0.4% |
| 76-100 | 76-100 | 73 | 0.2% |
| 101-250 | 101-250 | 117 | 0.4% |
| 251-500 | 251-500 | 25 | 0.1% |
| 501-1000 | 501-1000 | 5 | 0.0% |
| 1001-1500 | 1001-1500 | 2 | 0.0% |
| L | Logical Skip | 18,152 | 58.5% |
| M | Missing Data | 11,758 | 37.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPSEXTOTM_O: Total male clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 106 | 0.3% |
| 1-10 | 1-10 | 340 | 1.1% |
| 11-20 | 11-20 | 136 | 0.4% |
| 21-30 | 21-30 | 74 | 0.2% |
| 31-40 | 31-40 | 45 | 0.1% |
| 41-50 | 41-50 | 18 | 0.1% |
| 51-75 | 51-75 | 27 | 0.1% |
| 76-100 | 76-100 | 22 | 0.1% |
| 101-250 | 101-250 | 32 | 0.1% |
| 251-500 | 251-500 | 11 | 0.0% |
| 501-1000 | 501-1000 | 3 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| 1501 + | 1501 + | 2 | 0.0% |
| L | Logical Skip | 20,784 | 67.0% |
| M | Missing Data | 9,409 | 30.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPSEXTOTM: Total male clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 106 | 0.3% |
| 1-10 | 1-10 | 343 | 1.1% |
| 11-20 | 11-20 | 138 | 0.4% |
| 21-30 | 21-30 | 76 | 0.2% |
| 31-40 | 31-40 | 45 | 0.1% |
| 41-50 | 41-50 | 18 | 0.1% |
| 51-75 | 51-75 | 29 | 0.1% |
| 76-100 | 76-100 | 21 | 0.1% |
| 101-250 | 101-250 | 31 | 0.1% |
| 251-500 | 251-500 | 11 | 0.0% |
| 501-1000 | 501-1000 | 3 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| 1501 + | 1501 + | 2 | 0.0% |
| L | Logical Skip | 18,458 | 59.5% |
| M | Missing Data | 11,728 | 37.8% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPSEXPERM: Percent male clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 97 | 0.3% |
| 1-10 | 1-10 | 2 | 0.0% |
| 21-30 | 21-30 | 8 | 0.0% |
| 31-40 | 31-40 | 37 | 0.1% |
| 41-50 | 41-50 | 114 | 0.4% |
| 51-60 | 51-60 | 93 | 0.3% |
| 61-70 | 61-70 | 24 | 0.1% |
| 71-80 | 71-80 | 18 | 0.1% |
| 81-90 | 81-90 | 9 | 0.0% |
| 91-99 | 91-99 | 10 | 0.0% |
| 100 | 100 | 4 | 0.0% |
| L | Logical Skip | 22,416 | 72.3% |
| M | Missing Data | 8,178 | 26.4% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPSEXTOTF_O: Total female clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 108 | 0.3% |
| 1-10 | 1-10 | 355 | 1.1% |
| 11-20 | 11-20 | 155 | 0.5% |
| 21-30 | 21-30 | 74 | 0.2% |
| 31-40 | 31-40 | 30 | 0.1% |
| 41-50 | 41-50 | 28 | 0.1% |
| 51-75 | 51-75 | 38 | 0.1% |
| 76-100 | 76-100 | 12 | 0.0% |
| 101-250 | 101-250 | 14 | 0.0% |
| 1001-1500 | 1001-1500 | 2 | 0.0% |
| 1501 + | 1501 + | 1 | 0.0% |
| L | Logical Skip | 20,784 | 67.0% |
| M | Missing Data | 9,409 | 30.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPSEXTOTF: Total female clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 108 | 0.3% |
| 1-10 | 1-10 | 357 | 1.2% |
| 11-20 | 11-20 | 161 | 0.5% |
| 21-30 | 21-30 | 74 | 0.2% |
| 31-40 | 31-40 | 29 | 0.1% |
| 41-50 | 41-50 | 30 | 0.1% |
| 51-75 | 51-75 | 37 | 0.1% |
| 76-100 | 76-100 | 11 | 0.0% |
| 101-250 | 101-250 | 14 | 0.0% |
| 1001-1500 | 1001-1500 | 2 | 0.0% |
| 1501 + | 1501 + | 1 | 0.0% |
| L | Logical Skip | 18,458 | 59.5% |
| M | Missing Data | 11,728 | 37.8% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPSEXPERF: Percent female clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 99 | 0.3% |
| 1-10 | 1-10 | 16 | 0.1% |
| 11-20 | 11-20 | 12 | 0.0% |
| 21-30 | 21-30 | 15 | 0.0% |
| 31-40 | 31-40 | 77 | 0.2% |
| 41-50 | 41-50 | 117 | 0.4% |
| 51-60 | 51-60 | 60 | 0.2% |
| 61-70 | 61-70 | 12 | 0.0% |
| 71-80 | 71-80 | 4 | 0.0% |
| 81-90 | 81-90 | 2 | 0.0% |
| 100 | 100 | 2 | 0.0% |
| L | Logical Skip | 22,416 | 72.3% |
| M | Missing Data | 8,178 | 26.4% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPAGETOT017_O: Total clients/patients 0-17 years at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 617 | 2.0% |
| 1-10 | 1-10 | 66 | 0.2% |
| 11-20 | 11-20 | 62 | 0.2% |
| 21-30 | 21-30 | 39 | 0.1% |
| 31-40 | 31-40 | 17 | 0.1% |
| 41-50 | 41-50 | 12 | 0.0% |
| 51-75 | 51-75 | 16 | 0.1% |
| 76-100 | 76-100 | 3 | 0.0% |
| 101-250 | 101-250 | 1 | 0.0% |
| L | Logical Skip | 20,777 | 67.0% |
| M | Missing Data | 9,400 | 30.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPAGETOT017: Total clients/patients 0-17 years at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

| Value | Label | Frequency | % |
|---------|--------------|-----------|-------|
| 0 | 0 | 617 | 2.0% |
| 1-10 | 1-10 | 70 | 0.2% |
| 11-20 | 11-20 | 63 | 0.2% |
| 21-30 | 21-30 | 41 | 0.1% |
| 31-40 | 31-40 | 16 | 0.1% |
| 41-50 | 41-50 | 12 | 0.0% |
| 51-75 | 51-75 | 15 | 0.0% |
| 76-100 | 76-100 | 3 | 0.0% |
| 101-250 | 101-250 | 1 | 0.0% |
| L | Logical Skip | 18,451 | 59.5% |
| M | Missing Data | 11,721 | 37.8% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPAGEPER017: Percent clients/patients 0-17 years at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 311 | 1.0% |
| 1-10 | 1-10 | 9 | 0.0% |
| 11-20 | 11-20 | 17 | 0.1% |
| 21-30 | 21-30 | 21 | 0.1% |
| 31-40 | 31-40 | 15 | 0.0% |
| 41-50 | 41-50 | 5 | 0.0% |
| 51-60 | 51-60 | 8 | 0.0% |
| 61-70 | 61-70 | 1 | 0.0% |
| 91-99 | 91-99 | 2 | 0.0% |
| 100 | 100 | 15 | 0.0% |
| L | Logical Skip | 22,422 | 72.3% |
| M | Missing Data | 8,184 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPAGETOT1864_O: Total clients/patients 18-64 years at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|----------|--------------|---------------|-------------|
| 0 | 0 | 182 | 0.6% |
| 1-10 | 1-10 | 188 | 0.6% |
| 11-20 | 11-20 | 174 | 0.6% |
| 21-30 | 21-30 | 77 | 0.2% |
| 31-40 | 31-40 | 50 | 0.2% |
| 41-50 | 41-50 | 35 | 0.1% |
| 51-75 | 51-75 | 48 | 0.2% |
| 76-100 | 76-100 | 17 | 0.1% |
| 101-250 | 101-250 | 41 | 0.1% |
| 251-500 | 251-500 | 15 | 0.0% |
| 501-1000 | 501-1000 | 4 | 0.0% |
| 1501 + | 1501 + | 2 | 0.0% |
| L | Logical Skip | 20,777 | 67.0% |
| M | Missing Data | 9,400 | 30.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPAGETOT1864: Total clients/patients 18-64 years at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

| Value | Label | Frequency | % |
|----------|--------------|---------------|-------------|
| 0 | 0 | 182 | 0.6% |
| 1-10 | 1-10 | 193 | 0.6% |
| 11-20 | 11-20 | 176 | 0.6% |
| 21-30 | 21-30 | 77 | 0.2% |
| 31-40 | 31-40 | 50 | 0.2% |
| 41-50 | 41-50 | 35 | 0.1% |
| 51-75 | 51-75 | 47 | 0.2% |
| 76-100 | 76-100 | 19 | 0.1% |
| 101-250 | 101-250 | 40 | 0.1% |
| 251-500 | 251-500 | 15 | 0.0% |
| 501-1000 | 501-1000 | 4 | 0.0% |
| 1501 + | 1501 + | 2 | 0.0% |
| L | Logical Skip | 18,451 | 59.5% |
| M | Missing Data | 11,719 | 37.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPAGEPER1864: Percent clients/patients 18-64 years at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 119 | 0.4% |
| 1-10 | 1-10 | 4 | 0.0% |
| 11-20 | 11-20 | 6 | 0.0% |
| 21-30 | 21-30 | 2 | 0.0% |
| 31-40 | 31-40 | 12 | 0.0% |
| 41-50 | 41-50 | 19 | 0.1% |
| 51-60 | 51-60 | 19 | 0.1% |
| 61-70 | 61-70 | 40 | 0.1% |
| 71-80 | 71-80 | 55 | 0.2% |
| 81-90 | 81-90 | 48 | 0.2% |
| 91-99 | 91-99 | 37 | 0.1% |
| 100 | 100 | 43 | 0.1% |
| L | Logical Skip | 22,422 | 72.3% |
| M | Missing Data | 8,184 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPAGETOT65_O: Total clients/patients 65 plus years at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 341 | 1.1% |
| 1-10 | 1-10 | 370 | 1.2% |
| 11-20 | 11-20 | 71 | 0.2% |
| 21-30 | 21-30 | 18 | 0.1% |
| 31-40 | 31-40 | 10 | 0.0% |
| 41-50 | 41-50 | 7 | 0.0% |
| 51-75 | 51-75 | 5 | 0.0% |
| 76-100 | 76-100 | 5 | 0.0% |
| 101-250 | 101-250 | 2 | 0.0% |
| 251-500 | 251-500 | 2 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| L | Logical Skip | 20,777 | 67.0% |
| M | Missing Data | 9,401 | 30.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPAGETOT65: Total clients/patients 65 plus years at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 341 | 1.1% |
| 1-10 | 1-10 | 373 | 1.2% |
| 11-20 | 11-20 | 74 | 0.2% |
| 21-30 | 21-30 | 18 | 0.1% |
| 31-40 | 31-40 | 10 | 0.0% |
| 41-50 | 41-50 | 7 | 0.0% |
| 51-75 | 51-75 | 4 | 0.0% |
| 76-100 | 76-100 | 5 | 0.0% |
| 101-250 | 101-250 | 2 | 0.0% |
| 251-500 | 251-500 | 2 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| L | Logical Skip | 18,451 | 59.5% |
| M | Missing Data | 11,722 | 37.8% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPAGEPER65: Percent clients/patients 65 plus years at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 168 | 0.5% |
| 1-10 | 1-10 | 98 | 0.3% |
| 11-20 | 11-20 | 63 | 0.2% |
| 21-30 | 21-30 | 31 | 0.1% |
| 31-40 | 31-40 | 13 | 0.0% |
| 41-50 | 41-50 | 9 | 0.0% |
| 51-60 | 51-60 | 4 | 0.0% |
| 61-70 | 61-70 | 2 | 0.0% |
| 71-80 | 71-80 | 3 | 0.0% |
| 81-90 | 81-90 | 4 | 0.0% |
| 100 | 100 | 9 | 0.0% |
| L | Logical Skip | 22,422 | 72.3% |
| M | Missing Data | 8,184 | 26.4% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPETHTOTISP_O: Total Hispanic clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|----------|--------------|---------------|-------------|
| 0 | 0 | 502 | 1.6% |
| 1-10 | 1-10 | 209 | 0.7% |
| 11-20 | 11-20 | 27 | 0.1% |
| 21-30 | 21-30 | 17 | 0.1% |
| 31-40 | 31-40 | 7 | 0.0% |
| 41-50 | 41-50 | 3 | 0.0% |
| 51-75 | 51-75 | 5 | 0.0% |
| 76-100 | 76-100 | 1 | 0.0% |
| 101-250 | 101-250 | 5 | 0.0% |
| 251-500 | 251-500 | 1 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| 1501 + | 1501 + | 1 | 0.0% |
| L | Logical Skip | 20,773 | 67.0% |
| M | Missing Data | 9,458 | 30.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPETHTOTISP: Total Hispanic clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

| Value | Label | Frequency | % |
|----------|--------------|---------------|-------------|
| 0 | 0 | 502 | 1.6% |
| 1-10 | 1-10 | 209 | 0.7% |
| 11-20 | 11-20 | 27 | 0.1% |
| 21-30 | 21-30 | 19 | 0.1% |
| 31-40 | 31-40 | 7 | 0.0% |
| 41-50 | 41-50 | 2 | 0.0% |
| 51-75 | 51-75 | 5 | 0.0% |
| 76-100 | 76-100 | 1 | 0.0% |
| 101-250 | 101-250 | 5 | 0.0% |
| 251-500 | 251-500 | 1 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| 1501 + | 1501 + | 1 | 0.0% |
| L | Logical Skip | 18,447 | 59.5% |
| M | Missing Data | 11,783 | 38.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPETHPERHISP: Percent Hispanic clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 257 | 0.8% |
| 1-10 | 1-10 | 76 | 0.2% |
| 11-20 | 11-20 | 32 | 0.1% |
| 21-30 | 21-30 | 17 | 0.1% |
| 31-40 | 31-40 | 10 | 0.0% |
| 41-50 | 41-50 | 6 | 0.0% |
| 51-60 | 51-60 | 3 | 0.0% |
| 61-70 | 61-70 | 1 | 0.0% |
| 91-99 | 91-99 | 1 | 0.0% |
| L | Logical Skip | 22,413 | 72.3% |
| M | Missing Data | 8,194 | 26.4% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPETHTOTNONHISP_O: Total non-Hispanic clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|----------|--------------|-----------|-------|
| 0 | 0 | 316 | 1.0% |
| 1-10 | 1-10 | 138 | 0.4% |
| 11-20 | 11-20 | 130 | 0.4% |
| 21-30 | 21-30 | 46 | 0.1% |
| 31-40 | 31-40 | 26 | 0.1% |
| 41-50 | 41-50 | 23 | 0.1% |
| 51-75 | 51-75 | 31 | 0.1% |
| 76-100 | 76-100 | 19 | 0.1% |
| 101-250 | 101-250 | 35 | 0.1% |
| 251-500 | 251-500 | 12 | 0.0% |
| 501-1000 | 501-1000 | 2 | 0.0% |
| L | Logical Skip | 20,773 | 67.0% |
| M | Missing Data | 9,459 | 30.5% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPETHTOTNONHISP: Total non-Hispanic clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

| Value | Label | Frequency | % |
|----------|--------------|-----------|-------|
| 0 | 0 | 316 | 1.0% |
| 1-10 | 1-10 | 138 | 0.4% |
| 11-20 | 11-20 | 130 | 0.4% |
| 21-30 | 21-30 | 46 | 0.1% |
| 31-40 | 31-40 | 26 | 0.1% |
| 41-50 | 41-50 | 23 | 0.1% |
| 51-75 | 51-75 | 31 | 0.1% |
| 76-100 | 76-100 | 21 | 0.1% |
| 101-250 | 101-250 | 34 | 0.1% |
| 251-500 | 251-500 | 12 | 0.0% |
| 501-1000 | 501-1000 | 2 | 0.0% |
| L | Logical Skip | 18,447 | 59.5% |
| M | Missing Data | 11,784 | 38.0% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPETHPERNONHISP: Percent non-Hispanic clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 226 | 0.7% |
| 1-10 | 1-10 | 3 | 0.0% |
| 11-20 | 11-20 | 1 | 0.0% |
| 21-30 | 21-30 | 1 | 0.0% |
| 31-40 | 31-40 | 7 | 0.0% |
| 41-50 | 41-50 | 6 | 0.0% |
| 51-60 | 51-60 | 13 | 0.0% |
| 61-70 | 61-70 | 11 | 0.0% |
| 71-80 | 71-80 | 25 | 0.1% |
| 81-90 | 81-90 | 47 | 0.2% |
| 91-99 | 91-99 | 38 | 0.1% |
| 100 | 100 | 25 | 0.1% |
| L | Logical Skip | 22,413 | 72.3% |
| M | Missing Data | 8,194 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPETHTOTUNK_O: Total unknown ethnicity clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|-----------|--------------|-----------|-------|
| 0 | 0 | 473 | 1.5% |
| 1-10 | 1-10 | 114 | 0.4% |
| 11-20 | 11-20 | 68 | 0.2% |
| 21-30 | 21-30 | 37 | 0.1% |
| 31-40 | 31-40 | 19 | 0.1% |
| 41-50 | 41-50 | 15 | 0.0% |
| 51-75 | 51-75 | 29 | 0.1% |
| 76-100 | 76-100 | 12 | 0.0% |
| 101-250 | 101-250 | 11 | 0.0% |
| 251-500 | 251-500 | 2 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| L | Logical Skip | 20,773 | 67.0% |
| M | Missing Data | 9,455 | 30.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPETHTOTUNK: Total unknown ethnicity clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

| Value | Label | Frequency | % |
|-----------|--------------|-----------|-------|
| 0 | 0 | 473 | 1.5% |
| 1-10 | 1-10 | 118 | 0.4% |
| 11-20 | 11-20 | 69 | 0.2% |
| 21-30 | 21-30 | 38 | 0.1% |
| 31-40 | 31-40 | 23 | 0.1% |
| 41-50 | 41-50 | 15 | 0.0% |
| 51-75 | 51-75 | 28 | 0.1% |
| 76-100 | 76-100 | 12 | 0.0% |
| 101-250 | 101-250 | 10 | 0.0% |
| 251-500 | 251-500 | 2 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| L | Logical Skip | 18,447 | 59.5% |
| M | Missing Data | 11,773 | 38.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPETHPERUNK: Percent unknown ethnicity clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 219 | 0.7% |
| 1-10 | 1-10 | 35 | 0.1% |
| 11-20 | 11-20 | 7 | 0.0% |
| 21-30 | 21-30 | 5 | 0.0% |
| 31-40 | 31-40 | 1 | 0.0% |
| 51-60 | 51-60 | 2 | 0.0% |
| 61-70 | 61-70 | 1 | 0.0% |
| 71-80 | 71-80 | 2 | 0.0% |
| 100 | 100 | 131 | 0.4% |
| L | Logical Skip | 22,413 | 72.3% |
| M | Missing Data | 8,194 | 26.4% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPRACETOTINDIAN_O: Total American Indian/Alaska Native clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|--------|--------------|---------------|-------------|
| 0 | 0 | 712 | 2.3% |
| 1-10 | 1-10 | 77 | 0.2% |
| 11-20 | 11-20 | 4 | 0.0% |
| 21-30 | 21-30 | 2 | 0.0% |
| 41-50 | 41-50 | 1 | 0.0% |
| 1501 + | 1501 + | 1 | 0.0% |
| L | Logical Skip | 20,768 | 67.0% |
| M | Missing Data | 9,445 | 30.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPRACETOTINDIAN: Total American Indian/Alaska Native clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

| Value | Label | Frequency | % |
|--------|--------------|---------------|-------------|
| 0 | 0 | 713 | 2.3% |
| 1-10 | 1-10 | 77 | 0.2% |
| 11-20 | 11-20 | 4 | 0.0% |
| 21-30 | 21-30 | 2 | 0.0% |
| 41-50 | 41-50 | 1 | 0.0% |
| 1501 + | 1501 + | 1 | 0.0% |
| L | Logical Skip | 18,442 | 59.5% |
| M | Missing Data | 11,770 | 38.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPRACEPERINDIAN: Percent American Indian/Alaska Native clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 347 | 1.1% |
| 1-10 | 1-10 | 45 | 0.1% |
| 11-20 | 11-20 | 3 | 0.0% |
| 21-30 | 21-30 | 2 | 0.0% |
| 31-40 | 31-40 | 1 | 0.0% |
| L | Logical Skip | 22,427 | 72.3% |
| M | Missing Data | 8,185 | 26.4% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPRACETOTASIAN_O: Total Asian clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 630 | 2.0% |
| 1-10 | 1-10 | 154 | 0.5% |
| 11-20 | 11-20 | 7 | 0.0% |
| 31-40 | 31-40 | 1 | 0.0% |
| 41-50 | 41-50 | 1 | 0.0% |
| 51-75 | 51-75 | 2 | 0.0% |
| L | Logical Skip | 20,768 | 67.0% |
| M | Missing Data | 9,447 | 30.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPRACETOTASIAN: Total Asian clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 630 | 2.0% |
| 1-10 | 1-10 | 155 | 0.5% |
| 11-20 | 11-20 | 7 | 0.0% |
| 31-40 | 31-40 | 1 | 0.0% |
| 41-50 | 41-50 | 1 | 0.0% |
| 51-75 | 51-75 | 2 | 0.0% |
| L | Logical Skip | 18,442 | 59.5% |
| M | Missing Data | 11,772 | 38.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPRACEPERASIAN: Percent Asian clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 313 | 1.0% |
| 1-10 | 1-10 | 77 | 0.2% |
| 11-20 | 11-20 | 5 | 0.0% |
| 21-30 | 21-30 | 3 | 0.0% |
| L | Logical Skip | 22,427 | 72.3% |
| M | Missing Data | 8,185 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPRACETOTBLK_O: Total Black clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|-----------|--------------|---------------|-------------|
| 0 | 0 | 435 | 1.4% |
| 1-10 | 1-10 | 234 | 0.8% |
| 11-20 | 11-20 | 50 | 0.2% |
| 21-30 | 21-30 | 24 | 0.1% |
| 31-40 | 31-40 | 13 | 0.0% |
| 41-50 | 41-50 | 5 | 0.0% |
| 51-75 | 51-75 | 13 | 0.0% |
| 76-100 | 76-100 | 8 | 0.0% |
| 101-250 | 101-250 | 14 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| L | Logical Skip | 20,768 | 67.0% |
| M | Missing Data | 9,445 | 30.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPRACETOTBLK: Total Black clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

| Value | Label | Frequency | % |
|-----------|--------------|---------------|-------------|
| 0 | 0 | 435 | 1.4% |
| 1-10 | 1-10 | 233 | 0.8% |
| 11-20 | 11-20 | 50 | 0.2% |
| 21-30 | 21-30 | 24 | 0.1% |
| 31-40 | 31-40 | 13 | 0.0% |
| 41-50 | 41-50 | 7 | 0.0% |
| 51-75 | 51-75 | 13 | 0.0% |
| 76-100 | 76-100 | 7 | 0.0% |
| 101-250 | 101-250 | 14 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| L | Logical Skip | 18,442 | 59.5% |
| M | Missing Data | 11,771 | 38.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPRACEPERBLK: Percent Black clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 257 | 0.8% |
| 1-10 | 1-10 | 39 | 0.1% |
| 11-20 | 11-20 | 31 | 0.1% |
| 21-30 | 21-30 | 22 | 0.1% |
| 31-40 | 31-40 | 16 | 0.1% |
| 41-50 | 41-50 | 13 | 0.0% |
| 51-60 | 51-60 | 7 | 0.0% |
| 61-70 | 61-70 | 5 | 0.0% |
| 71-80 | 71-80 | 6 | 0.0% |
| 81-90 | 81-90 | 2 | 0.0% |
| L | Logical Skip | 22,427 | 72.3% |
| M | Missing Data | 8,185 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPRACETOTHAWPAC_O: Total Native Hawaiian/Other Pacific Islander at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|--------|--------------|-----------|-------|
| 0 | 0 | 752 | 2.4% |
| 1-10 | 1-10 | 39 | 0.1% |
| 11-20 | 11-20 | 1 | 0.0% |
| 21-30 | 21-30 | 2 | 0.0% |
| 76-100 | 76-100 | 1 | 0.0% |
| L | Logical Skip | 20,768 | 67.0% |
| M | Missing Data | 9,447 | 30.5% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPRACETOTHAWPAC: Total Native Hawaiian/Other Pacific Islander at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

| Value | Label | Frequency | % |
|--------|--------------|-----------|-------|
| 0 | 0 | 752 | 2.4% |
| 1-10 | 1-10 | 39 | 0.1% |
| 11-20 | 11-20 | 1 | 0.0% |
| 21-30 | 21-30 | 2 | 0.0% |
| 76-100 | 76-100 | 1 | 0.0% |
| L | Logical Skip | 18,442 | 59.5% |
| M | Missing Data | 11,773 | 38.0% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPRACEPERHAWPAC: Percent Native Hawaiian/Other Pacific Islander at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 367 | 1.2% |
| 1-10 | 1-10 | 26 | 0.1% |
| 11-20 | 11-20 | 3 | 0.0% |
| 21-30 | 21-30 | 1 | 0.0% |
| 100 | 100 | 1 | 0.0% |
| L | Logical Skip | 22,427 | 72.3% |
| M | Missing Data | 8,185 | 26.4% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPRACETOTWHIT_O: Total White clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 324 | 1.0% |
| 1-10 | 1-10 | 191 | 0.6% |
| 11-20 | 11-20 | 121 | 0.4% |
| 21-30 | 21-30 | 44 | 0.1% |
| 31-40 | 31-40 | 25 | 0.1% |
| 41-50 | 41-50 | 17 | 0.1% |
| 51-75 | 51-75 | 27 | 0.1% |
| 76-100 | 76-100 | 15 | 0.0% |
| 101-250 | 101-250 | 27 | 0.1% |
| 251-500 | 251-500 | 5 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| L | Logical Skip | 20,768 | 67.0% |
| M | Missing Data | 9,445 | 30.5% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPRACETOTWHIT: Total White clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 324 | 1.0% |
| 1-10 | 1-10 | 190 | 0.6% |
| 11-20 | 11-20 | 122 | 0.4% |
| 21-30 | 21-30 | 44 | 0.1% |
| 31-40 | 31-40 | 25 | 0.1% |
| 41-50 | 41-50 | 19 | 0.1% |
| 51-75 | 51-75 | 27 | 0.1% |
| 76-100 | 76-100 | 14 | 0.0% |
| 101-250 | 101-250 | 27 | 0.1% |
| 251-500 | 251-500 | 5 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| L | Logical Skip | 18,442 | 59.5% |
| M | Missing Data | 11,770 | 38.0% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPRACEPERWHIT: Percent White clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 244 | 0.8% |
| 1-10 | 1-10 | 5 | 0.0% |
| 11-20 | 11-20 | 8 | 0.0% |
| 21-30 | 21-30 | 11 | 0.0% |
| 31-40 | 31-40 | 21 | 0.1% |
| 41-50 | 41-50 | 20 | 0.1% |
| 51-60 | 51-60 | 16 | 0.1% |
| 61-70 | 61-70 | 18 | 0.1% |
| 71-80 | 71-80 | 25 | 0.1% |
| 81-90 | 81-90 | 15 | 0.0% |
| 91-99 | 91-99 | 7 | 0.0% |
| 100 | 100 | 8 | 0.0% |
| L | Logical Skip | 22,427 | 72.3% |
| M | Missing Data | 8,185 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPRACETOTMR_O: Total mixed-race clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|--------|--------------|---------------|-------------|
| 0 | 0 | 665 | 2.1% |
| 1-10 | 1-10 | 113 | 0.4% |
| 11-20 | 11-20 | 10 | 0.0% |
| 21-30 | 21-30 | 5 | 0.0% |
| 31-40 | 31-40 | 1 | 0.0% |
| 76-100 | 76-100 | 1 | 0.0% |
| L | Logical Skip | 20,768 | 67.0% |
| M | Missing Data | 9,447 | 30.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPRACETOTMR: Total mixed-race clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

| Value | Label | Frequency | % |
|--------|--------------|-----------|-------|
| 0 | 0 | 665 | 2.1% |
| 1-10 | 1-10 | 113 | 0.4% |
| 11-20 | 11-20 | 10 | 0.0% |
| 21-30 | 21-30 | 5 | 0.0% |
| 31-40 | 31-40 | 1 | 0.0% |
| 76-100 | 76-100 | 1 | 0.0% |
| L | Logical Skip | 18,442 | 59.5% |
| M | Missing Data | 11,773 | 38.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPRACEPERMR: Percent mixed-race clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 324 | 1.0% |
| 1-10 | 1-10 | 45 | 0.1% |
| 11-20 | 11-20 | 20 | 0.1% |
| 21-30 | 21-30 | 5 | 0.0% |
| 41-50 | 41-50 | 1 | 0.0% |
| 61-70 | 61-70 | 1 | 0.0% |
| 71-80 | 71-80 | 1 | 0.0% |
| 100 | 100 | 1 | 0.0% |
| L | Logical Skip | 22,427 | 72.3% |
| M | Missing Data | 8,185 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPRACETOTUNK_O: Total unknown race clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|-----------|--------------|---------------|-------------|
| 0 | 0 | 409 | 1.3% |
| 1-10 | 1-10 | 180 | 0.6% |
| 11-20 | 11-20 | 74 | 0.2% |
| 21-30 | 21-30 | 45 | 0.1% |
| 31-40 | 31-40 | 21 | 0.1% |
| 41-50 | 41-50 | 15 | 0.0% |
| 51-75 | 51-75 | 29 | 0.1% |
| 76-100 | 76-100 | 12 | 0.0% |
| 101-250 | 101-250 | 10 | 0.0% |
| 251-500 | 251-500 | 2 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| L | Logical Skip | 20,768 | 67.0% |
| M | Missing Data | 9,443 | 30.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPRACETOTUNK: Total unknown race clients/patients at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

| Value | Label | Frequency | % |
|-----------|--------------|-----------|-------|
| 0 | 0 | 409 | 1.3% |
| 1-10 | 1-10 | 182 | 0.6% |
| 11-20 | 11-20 | 77 | 0.2% |
| 21-30 | 21-30 | 46 | 0.1% |
| 31-40 | 31-40 | 24 | 0.1% |
| 41-50 | 41-50 | 15 | 0.0% |
| 51-75 | 51-75 | 28 | 0.1% |
| 76-100 | 76-100 | 12 | 0.0% |
| 101-250 | 101-250 | 9 | 0.0% |
| 251-500 | 251-500 | 2 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| L | Logical Skip | 18,442 | 59.5% |
| M | Missing Data | 11,762 | 37.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPRACEPERUNK: Percent unknown race clients/patients at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 194 | 0.6% |
| 1-10 | 1-10 | 34 | 0.1% |
| 11-20 | 11-20 | 16 | 0.1% |
| 21-30 | 21-30 | 1 | 0.0% |
| 31-40 | 31-40 | 2 | 0.0% |
| 41-50 | 41-50 | 2 | 0.0% |
| 51-60 | 51-60 | 2 | 0.0% |
| 61-70 | 61-70 | 1 | 0.0% |
| 81-90 | 81-90 | 1 | 0.0% |
| 100 | 100 | 145 | 0.5% |
| L | Logical Skip | 22,427 | 72.3% |
| M | Missing Data | 8,185 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPLEGALTOTVOL_O: Total clients/patients with voluntary legal status at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|----------|--------------|---------------|-------------|
| 0 | 0 | 192 | 0.6% |
| 1-10 | 1-10 | 288 | 0.9% |
| 11-20 | 11-20 | 147 | 0.5% |
| 21-30 | 21-30 | 48 | 0.2% |
| 31-40 | 31-40 | 33 | 0.1% |
| 41-50 | 41-50 | 23 | 0.1% |
| 51-75 | 51-75 | 39 | 0.1% |
| 76-100 | 76-100 | 18 | 0.1% |
| 101-250 | 101-250 | 13 | 0.0% |
| 251-500 | 251-500 | 2 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| 1501 + | 1501 + | 1 | 0.0% |
| L | Logical Skip | 20,777 | 67.0% |
| M | Missing Data | 9,428 | 30.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPLEGALTOTVOL: Total clients/patients with voluntary legal status at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

| Value | Label | Frequency | % |
|----------|--------------|---------------|-------------|
| 0 | 0 | 192 | 0.6% |
| 1-10 | 1-10 | 292 | 0.9% |
| 11-20 | 11-20 | 146 | 0.5% |
| 21-30 | 21-30 | 54 | 0.2% |
| 31-40 | 31-40 | 33 | 0.1% |
| 41-50 | 41-50 | 25 | 0.1% |
| 51-75 | 51-75 | 38 | 0.1% |
| 76-100 | 76-100 | 16 | 0.1% |
| 101-250 | 101-250 | 13 | 0.0% |
| 251-500 | 251-500 | 2 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| 1501 + | 1501 + | 1 | 0.0% |
| L | Logical Skip | 18,451 | 59.5% |
| M | Missing Data | 11,746 | 37.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPLEGALPERVOL: Percent clients/patients with voluntary legal status at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 117 | 0.4% |
| 1-10 | 1-10 | 34 | 0.1% |
| 11-20 | 11-20 | 17 | 0.1% |
| 21-30 | 21-30 | 21 | 0.1% |
| 31-40 | 31-40 | 12 | 0.0% |
| 41-50 | 41-50 | 21 | 0.1% |
| 51-60 | 51-60 | 19 | 0.1% |
| 61-70 | 61-70 | 35 | 0.1% |
| 71-80 | 71-80 | 29 | 0.1% |
| 81-90 | 81-90 | 33 | 0.1% |
| 91-99 | 91-99 | 23 | 0.1% |
| 100 | 100 | 48 | 0.2% |
| L | Logical Skip | 22,411 | 72.3% |
| M | Missing Data | 8,190 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPLEGALTOTNONFOREN_O: Total clients/patients, involuntary (non-forensic) status at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|-----------|--------------|---------------|-------------|
| 0 | 0 | 303 | 1.0% |
| 1-10 | 1-10 | 254 | 0.8% |
| 11-20 | 11-20 | 102 | 0.3% |
| 21-30 | 21-30 | 50 | 0.2% |
| 31-40 | 31-40 | 22 | 0.1% |
| 41-50 | 41-50 | 13 | 0.0% |
| 51-75 | 51-75 | 23 | 0.1% |
| 76-100 | 76-100 | 9 | 0.0% |
| 101-250 | 101-250 | 20 | 0.1% |
| 251-500 | 251-500 | 6 | 0.0% |
| 501-1000 | 501-1000 | 2 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| L | Logical Skip | 20,777 | 67.0% |
| M | Missing Data | 9,428 | 30.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPLEGALTOTNONFOREN: Total clients/patients, involuntary, unrolled (non-forensic) status at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

| Value | Label | Frequency | % |
|-----------|--------------|---------------|-------------|
| 0 | 0 | 303 | 1.0% |
| 1-10 | 1-10 | 256 | 0.8% |
| 11-20 | 11-20 | 104 | 0.3% |
| 21-30 | 21-30 | 50 | 0.2% |
| 31-40 | 31-40 | 22 | 0.1% |
| 41-50 | 41-50 | 15 | 0.0% |
| 51-75 | 51-75 | 22 | 0.1% |
| 76-100 | 76-100 | 8 | 0.0% |
| 101-250 | 101-250 | 20 | 0.1% |
| 251-500 | 251-500 | 6 | 0.0% |
| 501-1000 | 501-1000 | 2 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| L | Logical Skip | 18,451 | 59.5% |
| M | Missing Data | 11,750 | 37.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

IPLEGALPERNONFOREN: Percent clients/patients, involuntary (non-forensic) status at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 154 | 0.5% |
| 1-10 | 1-10 | 47 | 0.2% |
| 11-20 | 11-20 | 25 | 0.1% |
| 21-30 | 21-30 | 38 | 0.1% |
| 31-40 | 31-40 | 27 | 0.1% |
| 41-50 | 41-50 | 24 | 0.1% |
| 51-60 | 51-60 | 11 | 0.0% |
| 61-70 | 61-70 | 15 | 0.0% |
| 71-80 | 71-80 | 13 | 0.0% |
| 81-90 | 81-90 | 23 | 0.1% |
| 91-99 | 91-99 | 15 | 0.0% |
| 100 | 100 | 17 | 0.1% |
| L | Logical Skip | 22,411 | 72.3% |
| M | Missing Data | 8,190 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

ILEGALTOTFOREN_O: Total clients/patients, involuntary (forensic) status at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 705 | 2.3% |
| 1-10 | 1-10 | 36 | 0.1% |
| 11-20 | 11-20 | 8 | 0.0% |
| 21-30 | 21-30 | 7 | 0.0% |
| 31-40 | 31-40 | 7 | 0.0% |
| 41-50 | 41-50 | 7 | 0.0% |
| 51-75 | 51-75 | 7 | 0.0% |
| 76-100 | 76-100 | 8 | 0.0% |
| 101-250 | 101-250 | 13 | 0.0% |
| 251-500 | 251-500 | 5 | 0.0% |
| 501-1000 | 501-1000 | 2 | 0.0% |
| L | Logical Skip | 20,777 | 67.0% |
| M | Missing Data | 9,428 | 30.4% |
| Total | | 31,010 | 100% |

Variable Type: numeric

ILEGALTOTFOREN: Total clients/patients, involuntary, unrolled (forensic) status at this 24-hour hospital inpatient facility, unrolled (Q.D10c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 705 | 2.3% |
| 1-10 | 1-10 | 36 | 0.1% |
| 11-20 | 11-20 | 10 | 0.0% |
| 21-30 | 21-30 | 7 | 0.0% |
| 31-40 | 31-40 | 6 | 0.0% |
| 41-50 | 41-50 | 7 | 0.0% |
| 51-75 | 51-75 | 7 | 0.0% |
| 76-100 | 76-100 | 8 | 0.0% |
| 101-250 | 101-250 | 13 | 0.0% |
| 251-500 | 251-500 | 5 | 0.0% |
| 501-1000 | 501-1000 | 2 | 0.0% |
| L | Logical Skip | 18,451 | 59.5% |
| M | Missing Data | 11,753 | 37.9% |
| Total | | 31,010 | 100% |

Variable Type: numeric

IPLEGALPERFOREN: Percent clients/patients, involuntary (forensic) status at this 24-hour hospital inpatient facility (Q.D10c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 368 | 1.2% |
| 1-10 | 1-10 | 22 | 0.1% |
| 11-20 | 11-20 | 3 | 0.0% |
| 31-40 | 31-40 | 3 | 0.0% |
| 41-50 | 41-50 | 1 | 0.0% |
| 51-60 | 51-60 | 4 | 0.0% |
| 61-70 | 61-70 | 1 | 0.0% |
| 71-80 | 71-80 | 2 | 0.0% |
| 81-90 | 81-90 | 2 | 0.0% |
| 91-99 | 91-99 | 2 | 0.0% |
| 100 | 100 | 1 | 0.0% |
| L | Logical Skip | 22,411 | 72.3% |
| M | Missing Data | 8,190 | 26.4% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCSERV: Any clients received 24-hour residential mental health services, 3/31/2022 (Q.D11)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6,870 | 22.2% |
| 1 | Yes | 1,168 | 3.8% |
| L | Logical Skip | 13,597 | 43.8% |
| M | Missing Data | 9,375 | 30.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCTOTAL_O: Total number of 24-hour residential clients (Q.D11a)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 282 | 0.9% |
| 1-10 | 1-10 | 515 | 1.7% |
| 11-20 | 11-20 | 265 | 0.9% |
| 21-30 | 21-30 | 109 | 0.4% |
| 31-40 | 31-40 | 70 | 0.2% |
| 41-50 | 41-50 | 58 | 0.2% |
| 51-75 | 51-75 | 58 | 0.2% |
| 76-100 | 76-100 | 41 | 0.1% |
| 101-250 | 101-250 | 31 | 0.1% |
| 251-500 | 251-500 | 8 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| L | Logical Skip | 20,228 | 65.2% |
| M | Missing Data | 9,344 | 30.1% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCTOTAL: Total number of 24-hour residential clients, unrolled (Q.D11a)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 298 | 1.0% |
| 1-10 | 1-10 | 548 | 1.8% |
| 11-20 | 11-20 | 268 | 0.9% |
| 21-30 | 21-30 | 117 | 0.4% |
| 31-40 | 31-40 | 70 | 0.2% |
| 41-50 | 41-50 | 61 | 0.2% |
| 51-75 | 51-75 | 54 | 0.2% |
| 76-100 | 76-100 | 37 | 0.1% |
| 101-250 | 101-250 | 30 | 0.1% |
| 251-500 | 251-500 | 8 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| L | Logical Skip | 17,941 | 57.9% |
| M | Missing Data | 11,577 | 37.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCBEDS_O: Number of residential beds set up/staffed at facility (Q.D11b)

| Value | Label | Frequency | % |
|-----------|--------------|---------------|-------------|
| 0 | 0 | 52 | 0.2% |
| 1-10 | 1-10 | 401 | 1.3% |
| 11-20 | 11-20 | 300 | 1.0% |
| 21-30 | 21-30 | 85 | 0.3% |
| 31-40 | 31-40 | 88 | 0.3% |
| 41-50 | 41-50 | 61 | 0.2% |
| 51-75 | 51-75 | 96 | 0.3% |
| 76-100 | 76-100 | 38 | 0.1% |
| 101-250 | 101-250 | 37 | 0.1% |
| 251-500 | 251-500 | 5 | 0.0% |
| 501-1000 | 501-1000 | 2 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| L | Logical Skip | 20,228 | 65.2% |
| M | Missing Data | 9,616 | 31.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCBEDS: Number of residential beds set up/staffed at facility, unrolled (Q.D11b)

| Value | Label | Frequency | % |
|-----------|--------------|---------------|-------------|
| 0 | 0 | 64 | 0.2% |
| 1-10 | 1-10 | 441 | 1.4% |
| 11-20 | 11-20 | 305 | 1.0% |
| 21-30 | 21-30 | 88 | 0.3% |
| 31-40 | 31-40 | 91 | 0.3% |
| 41-50 | 41-50 | 60 | 0.2% |
| 51-75 | 51-75 | 93 | 0.3% |
| 76-100 | 76-100 | 36 | 0.1% |
| 101-250 | 101-250 | 36 | 0.1% |
| 251-500 | 251-500 | 5 | 0.0% |
| 501-1000 | 501-1000 | 2 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| L | Logical Skip | 17,941 | 57.9% |
| M | Missing Data | 11,847 | 38.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCSEXTOTM_O: Total male clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 368 | 1.2% |
| 1-10 | 1-10 | 417 | 1.3% |
| 11-20 | 11-20 | 123 | 0.4% |
| 21-30 | 21-30 | 63 | 0.2% |
| 31-40 | 31-40 | 29 | 0.1% |
| 41-50 | 41-50 | 22 | 0.1% |
| 51-75 | 51-75 | 17 | 0.1% |
| 76-100 | 76-100 | 6 | 0.0% |
| 101-250 | 101-250 | 10 | 0.0% |
| 251-500 | 251-500 | 2 | 0.0% |
| L | Logical Skip | 20,568 | 66.3% |
| M | Missing Data | 9,385 | 30.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCSEXTOTM: Total male clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 375 | 1.2% |
| 1-10 | 1-10 | 444 | 1.4% |
| 11-20 | 11-20 | 132 | 0.4% |
| 21-30 | 21-30 | 61 | 0.2% |
| 31-40 | 31-40 | 30 | 0.1% |
| 41-50 | 41-50 | 19 | 0.1% |
| 51-75 | 51-75 | 16 | 0.1% |
| 76-100 | 76-100 | 6 | 0.0% |
| 101-250 | 101-250 | 10 | 0.0% |
| 251-500 | 251-500 | 2 | 0.0% |
| L | Logical Skip | 18,277 | 58.9% |
| M | Missing Data | 11,638 | 37.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCSEXPERM: Percent male clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 313 | 1.0% |
| 1-10 | 1-10 | 2 | 0.0% |
| 11-20 | 11-20 | 21 | 0.1% |
| 21-30 | 21-30 | 16 | 0.1% |
| 31-40 | 31-40 | 22 | 0.1% |
| 41-50 | 41-50 | 65 | 0.2% |
| 51-60 | 51-60 | 47 | 0.2% |
| 61-70 | 61-70 | 51 | 0.2% |
| 71-80 | 71-80 | 24 | 0.1% |
| 81-90 | 81-90 | 19 | 0.1% |
| 91-99 | 91-99 | 6 | 0.0% |
| 100 | 100 | 47 | 0.2% |
| L | Logical Skip | 22,212 | 71.6% |
| M | Missing Data | 8,165 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCSEXTOTF_O: Total female clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 400 | 1.3% |
| 1-10 | 1-10 | 456 | 1.5% |
| 11-20 | 11-20 | 98 | 0.3% |
| 21-30 | 21-30 | 50 | 0.2% |
| 31-40 | 31-40 | 20 | 0.1% |
| 41-50 | 41-50 | 16 | 0.1% |
| 51-75 | 51-75 | 8 | 0.0% |
| 76-100 | 76-100 | 4 | 0.0% |
| 101-250 | 101-250 | 5 | 0.0% |
| L | Logical Skip | 20,568 | 66.3% |
| M | Missing Data | 9,385 | 30.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCSEXTOTF: Total female clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 407 | 1.3% |
| 1-10 | 1-10 | 486 | 1.6% |
| 11-20 | 11-20 | 107 | 0.3% |
| 21-30 | 21-30 | 46 | 0.1% |
| 31-40 | 31-40 | 18 | 0.1% |
| 41-50 | 41-50 | 18 | 0.1% |
| 51-75 | 51-75 | 7 | 0.0% |
| 76-100 | 76-100 | 3 | 0.0% |
| 101-250 | 101-250 | 5 | 0.0% |
| L | Logical Skip | 18,277 | 58.9% |
| M | Missing Data | 11,636 | 37.5% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCSEXPREF: Percent female clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 323 | 1.0% |
| 1-10 | 1-10 | 15 | 0.0% |
| 11-20 | 11-20 | 21 | 0.1% |
| 21-30 | 21-30 | 34 | 0.1% |
| 31-40 | 31-40 | 55 | 0.2% |
| 41-50 | 41-50 | 74 | 0.2% |
| 51-60 | 51-60 | 27 | 0.1% |
| 61-70 | 61-70 | 18 | 0.1% |
| 71-80 | 71-80 | 26 | 0.1% |
| 81-90 | 81-90 | 2 | 0.0% |
| 91-99 | 91-99 | 1 | 0.0% |
| 100 | 100 | 37 | 0.1% |
| L | Logical Skip | 22,212 | 71.6% |
| M | Missing Data | 8,165 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCAGETOT017_O: Total clients/patients 0-17 years at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 731 | 2.4% |
| 1-10 | 1-10 | 134 | 0.4% |
| 11-20 | 11-20 | 61 | 0.2% |
| 21-30 | 21-30 | 53 | 0.2% |
| 31-40 | 31-40 | 30 | 0.1% |
| 41-50 | 41-50 | 19 | 0.1% |
| 51-75 | 51-75 | 26 | 0.1% |
| 76-100 | 76-100 | 12 | 0.0% |
| 101-250 | 101-250 | 4 | 0.0% |
| 251-500 | 251-500 | 1 | 0.0% |
| L | Logical Skip | 20,566 | 66.3% |
| M | Missing Data | 9,373 | 30.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCAGETOT017: Total clients/patients 0-17 years at this 24-hour residential facility, unrolled (Q.D11c)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 730 | 2.4% |
| 1-10 | 1-10 | 135 | 0.4% |
| 11-20 | 11-20 | 67 | 0.2% |
| 21-30 | 21-30 | 50 | 0.2% |
| 31-40 | 31-40 | 31 | 0.1% |
| 41-50 | 41-50 | 21 | 0.1% |
| 51-75 | 51-75 | 26 | 0.1% |
| 76-100 | 76-100 | 11 | 0.0% |
| 101-250 | 101-250 | 4 | 0.0% |
| 251-500 | 251-500 | 1 | 0.0% |
| L | Logical Skip | 18,275 | 58.9% |
| M | Missing Data | 11,659 | 37.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCAGEPER017: Percent clients/patients 0-17 years at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 492 | 1.6% |
| 1-10 | 1-10 | 1 | 0.0% |
| 11-20 | 11-20 | 4 | 0.0% |
| 21-30 | 21-30 | 4 | 0.0% |
| 31-40 | 31-40 | 3 | 0.0% |
| 41-50 | 41-50 | 2 | 0.0% |
| 51-60 | 51-60 | 2 | 0.0% |
| 61-70 | 61-70 | 1 | 0.0% |
| 71-80 | 71-80 | 3 | 0.0% |
| 81-90 | 81-90 | 3 | 0.0% |
| 91-99 | 91-99 | 13 | 0.0% |
| 100 | 100 | 92 | 0.3% |
| L | Logical Skip | 22,221 | 71.7% |
| M | Missing Data | 8,169 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCAGETOT1864_O: Total clients/patients 18-64 years at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 529 | 1.7% |
| 1-10 | 1-10 | 317 | 1.0% |
| 11-20 | 11-20 | 129 | 0.4% |
| 21-30 | 21-30 | 25 | 0.1% |
| 31-40 | 31-40 | 25 | 0.1% |
| 41-50 | 41-50 | 15 | 0.0% |
| 51-75 | 51-75 | 12 | 0.0% |
| 76-100 | 76-100 | 6 | 0.0% |
| 101-250 | 101-250 | 8 | 0.0% |
| 251-500 | 251-500 | 5 | 0.0% |
| L | Logical Skip | 20,566 | 66.3% |
| M | Missing Data | 9,373 | 30.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCAGETOT1864: Total clients/patients 18-64 years at this 24-hour residential facility, unrolled (Q.D11c)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 533 | 1.7% |
| 1-10 | 1-10 | 349 | 1.1% |
| 11-20 | 11-20 | 129 | 0.4% |
| 21-30 | 21-30 | 31 | 0.1% |
| 31-40 | 31-40 | 20 | 0.1% |
| 41-50 | 41-50 | 16 | 0.1% |
| 51-75 | 51-75 | 11 | 0.0% |
| 76-100 | 76-100 | 4 | 0.0% |
| 101-250 | 101-250 | 8 | 0.0% |
| 251-500 | 251-500 | 5 | 0.0% |
| L | Logical Skip | 18,275 | 58.9% |
| M | Missing Data | 11,629 | 37.5% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCAGEPER1864: Percent clients/patients 18-64 years at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 377 | 1.2% |
| 1-10 | 1-10 | 6 | 0.0% |
| 11-20 | 11-20 | 2 | 0.0% |
| 21-30 | 21-30 | 4 | 0.0% |
| 31-40 | 31-40 | 1 | 0.0% |
| 41-50 | 41-50 | 5 | 0.0% |
| 51-60 | 51-60 | 6 | 0.0% |
| 61-70 | 61-70 | 14 | 0.0% |
| 71-80 | 71-80 | 30 | 0.1% |
| 81-90 | 81-90 | 44 | 0.1% |
| 91-99 | 91-99 | 34 | 0.1% |
| 100 | 100 | 98 | 0.3% |
| L | Logical Skip | 22,220 | 71.7% |
| M | Missing Data | 8,169 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCAGETOT65_O: Total clients/patients 65 plus years at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 873 | 2.8% |
| 1-10 | 1-10 | 173 | 0.6% |
| 11-20 | 11-20 | 15 | 0.0% |
| 21-30 | 21-30 | 2 | 0.0% |
| 31-40 | 31-40 | 1 | 0.0% |
| 41-50 | 41-50 | 4 | 0.0% |
| 51-75 | 51-75 | 1 | 0.0% |
| 76-100 | 76-100 | 1 | 0.0% |
| 251-500 | 251-500 | 1 | 0.0% |
| L | Logical Skip | 20,566 | 66.3% |
| M | Missing Data | 9,373 | 30.2% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCAGETOT65: Total clients/patients 65 plus years at this 24-hour residential facility, unrolled (Q.D11c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 877 | 2.8% |
| 1-10 | 1-10 | 190 | 0.6% |
| 11-20 | 11-20 | 13 | 0.0% |
| 21-30 | 21-30 | 2 | 0.0% |
| 31-40 | 31-40 | 1 | 0.0% |
| 41-50 | 41-50 | 4 | 0.0% |
| 51-75 | 51-75 | 1 | 0.0% |
| 76-100 | 76-100 | 1 | 0.0% |
| 251-500 | 251-500 | 1 | 0.0% |
| L | Logical Skip | 18,275 | 58.9% |
| M | Missing Data | 11,645 | 37.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCAGEPER65: Percent clients/patients 65 plus years at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 496 | 1.6% |
| 1-10 | 1-10 | 62 | 0.2% |
| 11-20 | 11-20 | 36 | 0.1% |
| 21-30 | 21-30 | 12 | 0.0% |
| 31-40 | 31-40 | 10 | 0.0% |
| 41-50 | 41-50 | 3 | 0.0% |
| 61-70 | 61-70 | 1 | 0.0% |
| 100 | 100 | 1 | 0.0% |
| L | Logical Skip | 22,220 | 71.7% |
| M | Missing Data | 8,169 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCETHTOTISP_O: Total Hispanic clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 718 | 2.3% |
| 1-10 | 1-10 | 282 | 0.9% |
| 11-20 | 11-20 | 22 | 0.1% |
| 21-30 | 21-30 | 9 | 0.0% |
| 31-40 | 31-40 | 5 | 0.0% |
| 41-50 | 41-50 | 1 | 0.0% |
| 51-75 | 51-75 | 1 | 0.0% |
| L | Logical Skip | 20,555 | 66.3% |
| M | Missing Data | 9,417 | 30.4% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCETHTOTISP: Total Hispanic clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 721 | 2.3% |
| 1-10 | 1-10 | 303 | 1.0% |
| 11-20 | 11-20 | 21 | 0.1% |
| 21-30 | 21-30 | 8 | 0.0% |
| 31-40 | 31-40 | 5 | 0.0% |
| 41-50 | 41-50 | 1 | 0.0% |
| 51-75 | 51-75 | 1 | 0.0% |
| L | Logical Skip | 18,264 | 58.9% |
| M | Missing Data | 11,686 | 37.7% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCETHPERHISP: Percent Hispanic clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 469 | 1.5% |
| 1-10 | 1-10 | 80 | 0.3% |
| 11-20 | 11-20 | 27 | 0.1% |
| 21-30 | 21-30 | 22 | 0.1% |
| 31-40 | 31-40 | 5 | 0.0% |
| 41-50 | 41-50 | 5 | 0.0% |
| 51-60 | 51-60 | 7 | 0.0% |
| 71-80 | 71-80 | 3 | 0.0% |
| L | Logical Skip | 22,224 | 71.7% |
| M | Missing Data | 8,168 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCETHTOTNONHISP_O: Total non-Hispanic clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 457 | 1.5% |
| 1-10 | 1-10 | 299 | 1.0% |
| 11-20 | 11-20 | 135 | 0.4% |
| 21-30 | 21-30 | 56 | 0.2% |
| 31-40 | 31-40 | 27 | 0.1% |
| 41-50 | 41-50 | 21 | 0.1% |
| 51-75 | 51-75 | 24 | 0.1% |
| 76-100 | 76-100 | 8 | 0.0% |
| 101-250 | 101-250 | 6 | 0.0% |
| 251-500 | 251-500 | 4 | 0.0% |
| L | Logical Skip | 20,555 | 66.3% |
| M | Missing Data | 9,418 | 30.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCETHTOTNONHISP: Total non-Hispanic clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

| Value | Label | Frequency | % |
|---------|--------------|-----------|-------|
| 0 | 0 | 467 | 1.5% |
| 1-10 | 1-10 | 315 | 1.0% |
| 11-20 | 11-20 | 139 | 0.4% |
| 21-30 | 21-30 | 62 | 0.2% |
| 31-40 | 31-40 | 27 | 0.1% |
| 41-50 | 41-50 | 20 | 0.1% |
| 51-75 | 51-75 | 21 | 0.1% |
| 76-100 | 76-100 | 7 | 0.0% |
| 101-250 | 101-250 | 6 | 0.0% |
| 251-500 | 251-500 | 4 | 0.0% |
| L | Logical Skip | 18,264 | 58.9% |
| M | Missing Data | 11,678 | 37.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCETHPERNONHISP: Percent non-Hispanic clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 414 | 1.3% |
| 1-10 | 1-10 | 1 | 0.0% |
| 11-20 | 11-20 | 3 | 0.0% |
| 21-30 | 21-30 | 7 | 0.0% |
| 31-40 | 31-40 | 8 | 0.0% |
| 41-50 | 41-50 | 7 | 0.0% |
| 51-60 | 51-60 | 6 | 0.0% |
| 61-70 | 61-70 | 16 | 0.1% |
| 71-80 | 71-80 | 30 | 0.1% |
| 81-90 | 81-90 | 32 | 0.1% |
| 91-99 | 91-99 | 46 | 0.1% |
| 100 | 100 | 48 | 0.2% |
| L | Logical Skip | 22,224 | 71.7% |
| M | Missing Data | 8,168 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCETHTOTUNK_O: Total unknown ethnicity clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 805 | 2.6% |
| 1-10 | 1-10 | 124 | 0.4% |
| 11-20 | 11-20 | 40 | 0.1% |
| 21-30 | 21-30 | 20 | 0.1% |
| 31-40 | 31-40 | 14 | 0.0% |
| 41-50 | 41-50 | 6 | 0.0% |
| 51-75 | 51-75 | 13 | 0.0% |
| 76-100 | 76-100 | 7 | 0.0% |
| 101-250 | 101-250 | 5 | 0.0% |
| 251-500 | 251-500 | 3 | 0.0% |
| L | Logical Skip | 20,555 | 66.3% |
| M | Missing Data | 9,418 | 30.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCETHTOTUNK: Total unknown ethnicity clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

| Value | Label | Frequency | % |
|---------|--------------|-----------|-------|
| 0 | 0 | 803 | 2.6% |
| 1-10 | 1-10 | 137 | 0.4% |
| 11-20 | 11-20 | 39 | 0.1% |
| 21-30 | 21-30 | 21 | 0.1% |
| 31-40 | 31-40 | 14 | 0.0% |
| 41-50 | 41-50 | 8 | 0.0% |
| 51-75 | 51-75 | 12 | 0.0% |
| 76-100 | 76-100 | 6 | 0.0% |
| 101-250 | 101-250 | 5 | 0.0% |
| 251-500 | 251-500 | 3 | 0.0% |
| L | Logical Skip | 18,264 | 58.9% |
| M | Missing Data | 11,698 | 37.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCETHPERUNK: Percent unknown ethnicity clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 427 | 1.4% |
| 1-10 | 1-10 | 29 | 0.1% |
| 11-20 | 11-20 | 8 | 0.0% |
| 21-30 | 21-30 | 1 | 0.0% |
| 31-40 | 31-40 | 2 | 0.0% |
| 41-50 | 41-50 | 2 | 0.0% |
| 51-60 | 51-60 | 3 | 0.0% |
| 61-70 | 61-70 | 3 | 0.0% |
| 71-80 | 71-80 | 5 | 0.0% |
| 81-90 | 81-90 | 3 | 0.0% |
| 100 | 100 | 135 | 0.4% |
| L | Logical Skip | 22,224 | 71.7% |
| M | Missing Data | 8,168 | 26.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCRACETOTINDIAN_O: Total American Indian/Alaska Native clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 938 | 3.0% |
| 1-10 | 1-10 | 102 | 0.3% |
| 11-20 | 11-20 | 5 | 0.0% |
| 21-30 | 21-30 | 1 | 0.0% |
| L | Logical Skip | 20,556 | 66.3% |
| M | Missing Data | 9,408 | 30.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCRACETOTINDIAN: Total American Indian/Alaska Native clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 939 | 3.0% |
| 1-10 | 1-10 | 104 | 0.3% |
| 11-20 | 11-20 | 5 | 0.0% |
| 21-30 | 21-30 | 1 | 0.0% |
| L | Logical Skip | 18,265 | 58.9% |
| M | Missing Data | 11,696 | 37.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCRACEPERINDIAN: Percent American Indian/Alaska Native clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 543 | 1.8% |
| 1-10 | 1-10 | 53 | 0.2% |
| 11-20 | 11-20 | 8 | 0.0% |
| 21-30 | 21-30 | 7 | 0.0% |
| 31-40 | 31-40 | 3 | 0.0% |
| 71-80 | 71-80 | 3 | 0.0% |
| 100 | 100 | 1 | 0.0% |
| L | Logical Skip | 22,228 | 71.7% |
| M | Missing Data | 8,164 | 26.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCRACETOTASIAN_O: Total Asian clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 934 | 3.0% |
| 1-10 | 1-10 | 104 | 0.3% |
| 11-20 | 11-20 | 7 | 0.0% |
| L | Logical Skip | 20,556 | 66.3% |
| M | Missing Data | 9,409 | 30.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCRACETOTASIAN: Total Asian clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 938 | 3.0% |
| 1-10 | 1-10 | 106 | 0.3% |
| 11-20 | 11-20 | 7 | 0.0% |
| L | Logical Skip | 18,265 | 58.9% |
| M | Missing Data | 11,694 | 37.7% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCRACEPERASIAN: Percent Asian clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 544 | 1.8% |
| 1-10 | 1-10 | 69 | 0.2% |
| 11-20 | 11-20 | 4 | 0.0% |
| 21-30 | 21-30 | 1 | 0.0% |
| L | Logical Skip | 22,228 | 71.7% |
| M | Missing Data | 8,164 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCRACETOTBLK_O: Total Black clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 587 | 1.9% |
| 1-10 | 1-10 | 395 | 1.3% |
| 11-20 | 11-20 | 35 | 0.1% |
| 21-30 | 21-30 | 12 | 0.0% |
| 31-40 | 31-40 | 5 | 0.0% |
| 41-50 | 41-50 | 2 | 0.0% |
| 51-75 | 51-75 | 5 | 0.0% |
| 76-100 | 76-100 | 3 | 0.0% |
| 101-250 | 101-250 | 3 | 0.0% |
| L | Logical Skip | 20,556 | 66.3% |
| M | Missing Data | 9,407 | 30.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCRACETOTBLK: Total Black clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 593 | 1.9% |
| 1-10 | 1-10 | 404 | 1.3% |
| 11-20 | 11-20 | 38 | 0.1% |
| 21-30 | 21-30 | 11 | 0.0% |
| 31-40 | 31-40 | 5 | 0.0% |
| 41-50 | 41-50 | 2 | 0.0% |
| 51-75 | 51-75 | 5 | 0.0% |
| 76-100 | 76-100 | 3 | 0.0% |
| 101-250 | 101-250 | 3 | 0.0% |
| L | Logical Skip | 18,265 | 58.9% |
| M | Missing Data | 11,681 | 37.7% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCRACEPERBLK: Percent Black clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 451 | 1.5% |
| 1-10 | 1-10 | 60 | 0.2% |
| 11-20 | 11-20 | 39 | 0.1% |
| 21-30 | 21-30 | 22 | 0.1% |
| 31-40 | 31-40 | 20 | 0.1% |
| 41-50 | 41-50 | 10 | 0.0% |
| 51-60 | 51-60 | 5 | 0.0% |
| 61-70 | 61-70 | 7 | 0.0% |
| 71-80 | 71-80 | 3 | 0.0% |
| 81-90 | 81-90 | 1 | 0.0% |
| L | Logical Skip | 22,228 | 71.7% |
| M | Missing Data | 8,164 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCRACETOTHAWPAC_O: Total Native Hawaiian/Other Pacific Islander clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 1,004 | 3.2% |
| 1-10 | 1-10 | 38 | 0.1% |
| 11-20 | 11-20 | 1 | 0.0% |
| 21-30 | 21-30 | 1 | 0.0% |
| 31-40 | 31-40 | 1 | 0.0% |
| L | Logical Skip | 20,556 | 66.3% |
| M | Missing Data | 9,409 | 30.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCRACETOTHAWPAC: Total Native Hawaiian/Other Pacific Islander clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 1,003 | 3.2% |
| 1-10 | 1-10 | 41 | 0.1% |
| 11-20 | 11-20 | 1 | 0.0% |
| 21-30 | 21-30 | 1 | 0.0% |
| 31-40 | 31-40 | 1 | 0.0% |
| L | Logical Skip | 18,265 | 58.9% |
| M | Missing Data | 11,698 | 37.7% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCRACEPERHAWPAC: Percent Native Hawaiian/Other Pacific Islander clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 590 | 1.9% |
| 1-10 | 1-10 | 28 | 0.1% |
| L | Logical Skip | 22,228 | 71.7% |
| M | Missing Data | 8,164 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCRACETOTWHIT_O: Total White clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 433 | 1.4% |
| 1-10 | 1-10 | 404 | 1.3% |
| 11-20 | 11-20 | 107 | 0.3% |
| 21-30 | 21-30 | 47 | 0.2% |
| 31-40 | 31-40 | 19 | 0.1% |
| 41-50 | 41-50 | 14 | 0.0% |
| 51-75 | 51-75 | 18 | 0.1% |
| 101-250 | 101-250 | 7 | 0.0% |
| L | Logical Skip | 20,556 | 66.3% |
| M | Missing Data | 9,405 | 30.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCRACETOTWHIT: Total White clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 439 | 1.4% |
| 1-10 | 1-10 | 423 | 1.4% |
| 11-20 | 11-20 | 115 | 0.4% |
| 21-30 | 21-30 | 42 | 0.1% |
| 31-40 | 31-40 | 21 | 0.1% |
| 41-50 | 41-50 | 14 | 0.0% |
| 51-75 | 51-75 | 16 | 0.1% |
| 101-250 | 101-250 | 7 | 0.0% |
| L | Logical Skip | 18,265 | 58.9% |
| M | Missing Data | 11,668 | 37.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCRACEPERWHIT: Percent White clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 411 | 1.3% |
| 1-10 | 1-10 | 3 | 0.0% |
| 11-20 | 11-20 | 5 | 0.0% |
| 21-30 | 21-30 | 9 | 0.0% |
| 31-40 | 31-40 | 23 | 0.1% |
| 41-50 | 41-50 | 31 | 0.1% |
| 51-60 | 51-60 | 24 | 0.1% |
| 61-70 | 61-70 | 25 | 0.1% |
| 71-80 | 71-80 | 42 | 0.1% |
| 81-90 | 81-90 | 16 | 0.1% |
| 91-99 | 91-99 | 17 | 0.1% |
| 100 | 100 | 13 | 0.0% |
| L | Logical Skip | 22,227 | 71.7% |
| M | Missing Data | 8,164 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCRACETOTMR_O: Total mixed-race clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 826 | 2.7% |
| 1-10 | 1-10 | 217 | 0.7% |
| 11-20 | 11-20 | 3 | 0.0% |
| 31-40 | 31-40 | 1 | 0.0% |
| L | Logical Skip | 20,556 | 66.3% |
| M | Missing Data | 9,407 | 30.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCRACETOTMR: Total mixed-race clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 828 | 2.7% |
| 1-10 | 1-10 | 222 | 0.7% |
| 11-20 | 11-20 | 3 | 0.0% |
| 31-40 | 31-40 | 1 | 0.0% |
| L | Logical Skip | 18,265 | 58.9% |
| M | Missing Data | 11,691 | 37.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCRACEPERMR: Percent mixed-race clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 509 | 1.6% |
| 1-10 | 1-10 | 76 | 0.2% |
| 11-20 | 11-20 | 25 | 0.1% |
| 21-30 | 21-30 | 4 | 0.0% |
| 31-40 | 31-40 | 2 | 0.0% |
| 41-50 | 41-50 | 2 | 0.0% |
| L | Logical Skip | 22,228 | 71.7% |
| M | Missing Data | 8,164 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCRACETOTUNK_O: Total unknown race clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 805 | 2.6% |
| 1-10 | 1-10 | 141 | 0.5% |
| 11-20 | 11-20 | 43 | 0.1% |
| 21-30 | 21-30 | 14 | 0.0% |
| 31-40 | 31-40 | 17 | 0.1% |
| 41-50 | 41-50 | 5 | 0.0% |
| 51-75 | 51-75 | 12 | 0.0% |
| 76-100 | 76-100 | 4 | 0.0% |
| 101-250 | 101-250 | 5 | 0.0% |
| 251-500 | 251-500 | 2 | 0.0% |
| L | Logical Skip | 20,556 | 66.3% |
| M | Missing Data | 9,406 | 30.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCRACETOTUNK: Total unknown race clients/patients at this 24-hour residential facility, unrolled (Q.D11c)

| Value | Label | Frequency | % |
|---------|--------------|-----------|-------|
| 0 | 0 | 805 | 2.6% |
| 1-10 | 1-10 | 154 | 0.5% |
| 11-20 | 11-20 | 45 | 0.1% |
| 21-30 | 21-30 | 15 | 0.0% |
| 31-40 | 31-40 | 16 | 0.1% |
| 41-50 | 41-50 | 7 | 0.0% |
| 51-75 | 51-75 | 11 | 0.0% |
| 76-100 | 76-100 | 3 | 0.0% |
| 101-250 | 101-250 | 5 | 0.0% |
| 251-500 | 251-500 | 2 | 0.0% |
| L | Logical Skip | 18,265 | 58.9% |
| M | Missing Data | 11,682 | 37.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCRACEPERUNK: Percent unknown race clients/patients at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 417 | 1.3% |
| 1-10 | 1-10 | 41 | 0.1% |
| 11-20 | 11-20 | 6 | 0.0% |
| 21-30 | 21-30 | 7 | 0.0% |
| 31-40 | 31-40 | 3 | 0.0% |
| 41-50 | 41-50 | 4 | 0.0% |
| 51-60 | 51-60 | 4 | 0.0% |
| 61-70 | 61-70 | 1 | 0.0% |
| 71-80 | 71-80 | 1 | 0.0% |
| 100 | 100 | 134 | 0.4% |
| L | Logical Skip | 22,228 | 71.7% |
| M | Missing Data | 8,164 | 26.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCLEGALTOTVOL_O: Total clients/patients with voluntary legal status at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|---------|--------------|-----------|-------|
| 0 | 0 | 376 | 1.2% |
| 1-10 | 1-10 | 360 | 1.2% |
| 11-20 | 11-20 | 138 | 0.4% |
| 21-30 | 21-30 | 51 | 0.2% |
| 31-40 | 31-40 | 38 | 0.1% |
| 41-50 | 41-50 | 29 | 0.1% |
| 51-75 | 51-75 | 32 | 0.1% |
| 76-100 | 76-100 | 17 | 0.1% |
| 101-250 | 101-250 | 9 | 0.0% |
| 251-500 | 251-500 | 2 | 0.0% |
| L | Logical Skip | 20,551 | 66.3% |
| M | Missing Data | 9,407 | 30.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCLEGALTOTVOL: Total clients/patients with voluntary legal status at this 24-hour residential facility, unrolled (Q.D11c)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 380 | 1.2% |
| 1-10 | 1-10 | 382 | 1.2% |
| 11-20 | 11-20 | 145 | 0.5% |
| 21-30 | 21-30 | 60 | 0.2% |
| 31-40 | 31-40 | 37 | 0.1% |
| 41-50 | 41-50 | 31 | 0.1% |
| 51-75 | 51-75 | 29 | 0.1% |
| 76-100 | 76-100 | 14 | 0.0% |
| 101-250 | 101-250 | 9 | 0.0% |
| 251-500 | 251-500 | 2 | 0.0% |
| L | Logical Skip | 18,260 | 58.9% |
| M | Missing Data | 11,661 | 37.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCLEGALPERVOL: Percent clients/patients with voluntary legal status at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 312 | 1.0% |
| 1-10 | 1-10 | 7 | 0.0% |
| 11-20 | 11-20 | 3 | 0.0% |
| 21-30 | 21-30 | 4 | 0.0% |
| 31-40 | 31-40 | 1 | 0.0% |
| 41-50 | 41-50 | 6 | 0.0% |
| 51-60 | 51-60 | 7 | 0.0% |
| 61-70 | 61-70 | 4 | 0.0% |
| 71-80 | 71-80 | 14 | 0.0% |
| 81-90 | 81-90 | 7 | 0.0% |
| 91-99 | 91-99 | 5 | 0.0% |
| 100 | 100 | 245 | 0.8% |
| L | Logical Skip | 22,214 | 71.6% |
| M | Missing Data | 8,181 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCLEGALTOTNONFOREN_O: Total clients/patients, involuntary (non-forensic) status at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 867 | 2.8% |
| 1-10 | 1-10 | 115 | 0.4% |
| 11-20 | 11-20 | 30 | 0.1% |
| 21-30 | 21-30 | 18 | 0.1% |
| 31-40 | 31-40 | 7 | 0.0% |
| 41-50 | 41-50 | 8 | 0.0% |
| 51-75 | 51-75 | 5 | 0.0% |
| 101-250 | 101-250 | 3 | 0.0% |
| L | Logical Skip | 20,551 | 66.3% |
| M | Missing Data | 9,406 | 30.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCLEGALTOTNONFOREN: Total clients/patients, involuntary, unrolled (non-forensic) status at this 24-hour residential facility, unrolled (Q.D11c)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 864 | 2.8% |
| 1-10 | 1-10 | 118 | 0.4% |
| 11-20 | 11-20 | 30 | 0.1% |
| 21-30 | 21-30 | 18 | 0.1% |
| 31-40 | 31-40 | 7 | 0.0% |
| 41-50 | 41-50 | 8 | 0.0% |
| 51-75 | 51-75 | 5 | 0.0% |
| 101-250 | 101-250 | 3 | 0.0% |
| L | Logical Skip | 18,260 | 58.9% |
| M | Missing Data | 11,697 | 37.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

RCLEGALPERNONFOREN: Percent clients/patients, involuntary (non-forensic) status at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 546 | 1.8% |
| 1-10 | 1-10 | 3 | 0.0% |
| 11-20 | 11-20 | 6 | 0.0% |
| 21-30 | 21-30 | 4 | 0.0% |
| 31-40 | 31-40 | 7 | 0.0% |
| 41-50 | 41-50 | 9 | 0.0% |
| 61-70 | 61-70 | 4 | 0.0% |
| 71-80 | 71-80 | 2 | 0.0% |
| 81-90 | 81-90 | 8 | 0.0% |
| 91-99 | 91-99 | 7 | 0.0% |
| 100 | 100 | 18 | 0.1% |
| L | Logical Skip | 22,215 | 71.6% |
| M | Missing Data | 8,181 | 26.4% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCLEGALTOTFOREN_O: Total clients/patients, involuntary (forensic) status at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 947 | 3.1% |
| 1-10 | 1-10 | 66 | 0.2% |
| 11-20 | 11-20 | 20 | 0.1% |
| 21-30 | 21-30 | 6 | 0.0% |
| 31-40 | 31-40 | 4 | 0.0% |
| 41-50 | 41-50 | 2 | 0.0% |
| 76-100 | 76-100 | 2 | 0.0% |
| 101-250 | 101-250 | 4 | 0.0% |
| 251-500 | 251-500 | 1 | 0.0% |
| L | Logical Skip | 20,551 | 66.3% |
| M | Missing Data | 9,407 | 30.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCLEGALTOTFOREN: Total clients/patients, involuntary, unrolled (forensic) status at this 24-hour residential facility, unrolled (Q.D11c)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 946 | 3.1% |
| 1-10 | 1-10 | 73 | 0.2% |
| 11-20 | 11-20 | 19 | 0.1% |
| 21-30 | 21-30 | 5 | 0.0% |
| 31-40 | 31-40 | 4 | 0.0% |
| 41-50 | 41-50 | 2 | 0.0% |
| 76-100 | 76-100 | 2 | 0.0% |
| 101-250 | 101-250 | 4 | 0.0% |
| 251-500 | 251-500 | 1 | 0.0% |
| L | Logical Skip | 18,260 | 58.9% |
| M | Missing Data | 11,694 | 37.7% |
| Total | | 31,010 | 100% |

Variable Type: numeric

RCLEGALPERFOREN: Percent clients/patients, involuntary (forensic) status at this 24-hour residential facility (Q.D11c)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 571 | 1.8% |
| 1-10 | 1-10 | 20 | 0.1% |
| 11-20 | 11-20 | 9 | 0.0% |
| 31-40 | 31-40 | 2 | 0.0% |
| 41-50 | 41-50 | 1 | 0.0% |
| 51-60 | 51-60 | 1 | 0.0% |
| 71-80 | 71-80 | 1 | 0.0% |
| 100 | 100 | 9 | 0.0% |
| L | Logical Skip | 22,215 | 71.6% |
| M | Missing Data | 8,181 | 26.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPSERV: Any clients received less than 24-hour mental health services, 3/31/2022 (Q.D12)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 4,287 | 13.8% |
| 1 | Yes | 3,627 | 11.7% |
| L | Logical Skip | 13,597 | 43.8% |
| M | Missing Data | 9,499 | 30.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPTOTAL_O: Total number of less than 24-hour clients (Q.D12a)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 2,631 | 8.5% |
| 1-10 | 1-10 | 229 | 0.7% |
| 11-20 | 11-20 | 191 | 0.6% |
| 21-30 | 21-30 | 156 | 0.5% |
| 31-40 | 31-40 | 120 | 0.4% |
| 41-50 | 41-50 | 137 | 0.4% |
| 51-75 | 51-75 | 249 | 0.8% |
| 76-100 | 76-100 | 223 | 0.7% |
| 101-250 | 101-250 | 712 | 2.3% |
| 251-500 | 251-500 | 519 | 1.7% |
| 501-1000 | 501-1000 | 484 | 1.6% |
| 1001-1500 | 1001-1500 | 196 | 0.6% |
| 1501 + | 1501 + | 285 | 0.9% |
| L | Logical Skip | 15,508 | 50.0% |
| M | Missing Data | 9,370 | 30.2% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPTOTAL: Total number of less than 24-hour clients, unrolled (Q.D12a)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 2,615 | 8.4% |
| 1-10 | 1-10 | 274 | 0.9% |
| 11-20 | 11-20 | 225 | 0.7% |
| 21-30 | 21-30 | 197 | 0.6% |
| 31-40 | 31-40 | 133 | 0.4% |
| 41-50 | 41-50 | 163 | 0.5% |
| 51-75 | 51-75 | 302 | 1.0% |
| 76-100 | 76-100 | 263 | 0.8% |
| 101-250 | 101-250 | 837 | 2.7% |
| 251-500 | 251-500 | 661 | 2.1% |
| 501-1000 | 501-1000 | 607 | 2.0% |
| 1001-1500 | 1001-1500 | 212 | 0.7% |
| 1501 + | 1501 + | 244 | 0.8% |
| L | Logical Skip | 13,537 | 43.7% |
| M | Missing Data | 10,740 | 34.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPSEXTOTM_O: Total male clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 2,554 | 8.2% |
| 1-10 | 1-10 | 273 | 0.9% |
| 11-20 | 11-20 | 145 | 0.5% |
| 21-30 | 21-30 | 123 | 0.4% |
| 31-40 | 31-40 | 118 | 0.4% |
| 41-50 | 41-50 | 75 | 0.2% |
| 51-75 | 51-75 | 168 | 0.5% |
| 76-100 | 76-100 | 118 | 0.4% |
| 101-250 | 101-250 | 367 | 1.2% |
| 251-500 | 251-500 | 223 | 0.7% |
| 501-1000 | 501-1000 | 137 | 0.4% |
| 1001-1500 | 1001-1500 | 43 | 0.1% |
| 1501 + | 1501 + | 55 | 0.2% |
| L | Logical Skip | 17,005 | 54.8% |
| M | Missing Data | 9,606 | 31.0% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPSEXTOTM: Total male clients/patients at this less than 24-hour facility, unrolled (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 2,541 | 8.2% |
| 1-10 | 1-10 | 361 | 1.2% |
| 11-20 | 11-20 | 199 | 0.6% |
| 21-30 | 21-30 | 164 | 0.5% |
| 31-40 | 31-40 | 149 | 0.5% |
| 41-50 | 41-50 | 113 | 0.4% |
| 51-75 | 51-75 | 253 | 0.8% |
| 76-100 | 76-100 | 148 | 0.5% |
| 101-250 | 101-250 | 491 | 1.6% |
| 251-500 | 251-500 | 357 | 1.2% |
| 501-1000 | 501-1000 | 153 | 0.5% |
| 1001-1500 | 1001-1500 | 31 | 0.1% |
| 1501 + | 1501 + | 27 | 0.1% |
| L | Logical Skip | 15,020 | 48.4% |
| M | Missing Data | 11,003 | 35.5% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPSEXPERM: Percent male clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 2,542 | 8.2% |
| 1-10 | 1-10 | 13 | 0.0% |
| 11-20 | 11-20 | 37 | 0.1% |
| 21-30 | 21-30 | 127 | 0.4% |
| 31-40 | 31-40 | 364 | 1.2% |
| 41-50 | 41-50 | 580 | 1.9% |
| 51-60 | 51-60 | 269 | 0.9% |
| 61-70 | 61-70 | 104 | 0.3% |
| 71-80 | 71-80 | 54 | 0.2% |
| 81-90 | 81-90 | 31 | 0.1% |
| 91-99 | 91-99 | 10 | 0.0% |
| 100 | 100 | 5 | 0.0% |
| L | Logical Skip | 18,539 | 59.8% |
| M | Missing Data | 8,335 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPSEXTOTF_O: Total female clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 2,560 | 8.3% |
| 1-10 | 1-10 | 242 | 0.8% |
| 11-20 | 11-20 | 162 | 0.5% |
| 21-30 | 21-30 | 111 | 0.4% |
| 31-40 | 31-40 | 95 | 0.3% |
| 41-50 | 41-50 | 79 | 0.3% |
| 51-75 | 51-75 | 155 | 0.5% |
| 76-100 | 76-100 | 111 | 0.4% |
| 101-250 | 101-250 | 350 | 1.1% |
| 251-500 | 251-500 | 237 | 0.8% |
| 501-1000 | 501-1000 | 189 | 0.6% |
| 1001-1500 | 1001-1500 | 49 | 0.2% |
| 1501 + | 1501 + | 57 | 0.2% |
| L | Logical Skip | 17,005 | 54.8% |
| M | Missing Data | 9,608 | 31.0% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPSEXTOTF: Total female clients/patients at this less than 24-hour facility, unrolled (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 2,542 | 8.2% |
| 1-10 | 1-10 | 344 | 1.1% |
| 11-20 | 11-20 | 197 | 0.6% |
| 21-30 | 21-30 | 149 | 0.5% |
| 31-40 | 31-40 | 127 | 0.4% |
| 41-50 | 41-50 | 121 | 0.4% |
| 51-75 | 51-75 | 212 | 0.7% |
| 76-100 | 76-100 | 166 | 0.5% |
| 101-250 | 101-250 | 519 | 1.7% |
| 251-500 | 251-500 | 329 | 1.1% |
| 501-1000 | 501-1000 | 197 | 0.6% |
| 1001-1500 | 1001-1500 | 48 | 0.2% |
| 1501 + | 1501 + | 28 | 0.1% |
| L | Logical Skip | 15,020 | 48.4% |
| M | Missing Data | 11,011 | 35.5% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPSEXPERF: Percent female clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 2,543 | 8.2% |
| 1-10 | 1-10 | 22 | 0.1% |
| 11-20 | 11-20 | 38 | 0.1% |
| 21-30 | 21-30 | 71 | 0.2% |
| 31-40 | 31-40 | 163 | 0.5% |
| 41-50 | 41-50 | 404 | 1.3% |
| 51-60 | 51-60 | 562 | 1.8% |
| 61-70 | 61-70 | 228 | 0.7% |
| 71-80 | 71-80 | 86 | 0.3% |
| 81-90 | 81-90 | 6 | 0.0% |
| 91-99 | 91-99 | 9 | 0.0% |
| 100 | 100 | 4 | 0.0% |
| L | Logical Skip | 18,539 | 59.8% |
| M | Missing Data | 8,335 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPAGETOT017_O: Total clients/patients 0-17 years at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 3,022 | 9.7% |
| 1-10 | 1-10 | 222 | 0.7% |
| 11-20 | 11-20 | 126 | 0.4% |
| 21-30 | 21-30 | 99 | 0.3% |
| 31-40 | 31-40 | 82 | 0.3% |
| 41-50 | 41-50 | 56 | 0.2% |
| 51-75 | 51-75 | 113 | 0.4% |
| 76-100 | 76-100 | 88 | 0.3% |
| 101-250 | 101-250 | 282 | 0.9% |
| 251-500 | 251-500 | 146 | 0.5% |
| 501-1000 | 501-1000 | 103 | 0.3% |
| 1001-1500 | 1001-1500 | 21 | 0.1% |
| 1501 + | 1501 + | 33 | 0.1% |
| L | Logical Skip | 17,013 | 54.9% |
| M | Missing Data | 9,604 | 31.0% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPAGETOT017: Total clients/patients 0-17 years at this less than 24-hour facility, unrolled (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 3,021 | 9.7% |
| 1-10 | 1-10 | 298 | 1.0% |
| 11-20 | 11-20 | 169 | 0.5% |
| 21-30 | 21-30 | 158 | 0.5% |
| 31-40 | 31-40 | 123 | 0.4% |
| 41-50 | 41-50 | 89 | 0.3% |
| 51-75 | 51-75 | 170 | 0.5% |
| 76-100 | 76-100 | 112 | 0.4% |
| 101-250 | 101-250 | 428 | 1.4% |
| 251-500 | 251-500 | 205 | 0.7% |
| 501-1000 | 501-1000 | 80 | 0.3% |
| 1001-1500 | 1001-1500 | 10 | 0.0% |
| 1501 + | 1501 + | 21 | 0.1% |
| L | Logical Skip | 15,028 | 48.5% |
| M | Missing Data | 11,098 | 35.8% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPAGEPER017: Percent clients/patients 0-17 years at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 3,024 | 9.8% |
| 1-10 | 1-10 | 180 | 0.6% |
| 11-20 | 11-20 | 224 | 0.7% |
| 21-30 | 21-30 | 169 | 0.5% |
| 31-40 | 31-40 | 108 | 0.3% |
| 41-50 | 41-50 | 85 | 0.3% |
| 51-60 | 51-60 | 40 | 0.1% |
| 61-70 | 61-70 | 49 | 0.2% |
| 71-80 | 71-80 | 51 | 0.2% |
| 81-90 | 81-90 | 67 | 0.2% |
| 91-99 | 91-99 | 71 | 0.2% |
| 100 | 100 | 74 | 0.2% |
| L | Logical Skip | 18,536 | 59.8% |
| M | Missing Data | 8,332 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPAGETOT1864_O: Total clients/patients 18-64 years at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 2,673 | 8.6% |
| 1-10 | 1-10 | 220 | 0.7% |
| 11-20 | 11-20 | 123 | 0.4% |
| 21-30 | 21-30 | 101 | 0.3% |
| 31-40 | 31-40 | 88 | 0.3% |
| 41-50 | 41-50 | 72 | 0.2% |
| 51-75 | 51-75 | 138 | 0.4% |
| 76-100 | 76-100 | 110 | 0.4% |
| 101-250 | 101-250 | 324 | 1.0% |
| 251-500 | 251-500 | 230 | 0.7% |
| 501-1000 | 501-1000 | 157 | 0.5% |
| 1001-1500 | 1001-1500 | 74 | 0.2% |
| 1501 + | 1501 + | 83 | 0.3% |
| L | Logical Skip | 17,013 | 54.9% |
| M | Missing Data | 9,604 | 31.0% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPAGETOT1864: Total clients/patients 18-64 years at this less than 24-hour facility, unrolled (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 2,665 | 8.6% |
| 1-10 | 1-10 | 296 | 1.0% |
| 11-20 | 11-20 | 173 | 0.6% |
| 21-30 | 21-30 | 146 | 0.5% |
| 31-40 | 31-40 | 120 | 0.4% |
| 41-50 | 41-50 | 109 | 0.4% |
| 51-75 | 51-75 | 187 | 0.6% |
| 76-100 | 76-100 | 139 | 0.4% |
| 101-250 | 101-250 | 464 | 1.5% |
| 251-500 | 251-500 | 335 | 1.1% |
| 501-1000 | 501-1000 | 198 | 0.6% |
| 1001-1500 | 1001-1500 | 73 | 0.2% |
| 1501 + | 1501 + | 55 | 0.2% |
| L | Logical Skip | 15,028 | 48.5% |
| M | Missing Data | 11,022 | 35.5% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPAGEPER1864: Percent clients/patients 18-64 years at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 2,614 | 8.4% |
| 1-10 | 1-10 | 113 | 0.4% |
| 11-20 | 11-20 | 57 | 0.2% |
| 21-30 | 21-30 | 73 | 0.2% |
| 31-40 | 31-40 | 73 | 0.2% |
| 41-50 | 41-50 | 121 | 0.4% |
| 51-60 | 51-60 | 152 | 0.5% |
| 61-70 | 61-70 | 207 | 0.7% |
| 71-80 | 71-80 | 281 | 0.9% |
| 81-90 | 81-90 | 226 | 0.7% |
| 91-99 | 91-99 | 151 | 0.5% |
| 100 | 100 | 74 | 0.2% |
| L | Logical Skip | 18,536 | 59.8% |
| M | Missing Data | 8,332 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPAGETOT65_O: Total clients/patients 65 plus years at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 3,156 | 10.2% |
| 1-10 | 1-10 | 466 | 1.5% |
| 11-20 | 11-20 | 194 | 0.6% |
| 21-30 | 21-30 | 108 | 0.3% |
| 31-40 | 31-40 | 70 | 0.2% |
| 41-50 | 41-50 | 67 | 0.2% |
| 51-75 | 51-75 | 90 | 0.3% |
| 76-100 | 76-100 | 62 | 0.2% |
| 101-250 | 101-250 | 125 | 0.4% |
| 251-500 | 251-500 | 34 | 0.1% |
| 501-1000 | 501-1000 | 12 | 0.0% |
| 1001-1500 | 1001-1500 | 5 | 0.0% |
| 1501 + | 1501 + | 3 | 0.0% |
| L | Logical Skip | 17,013 | 54.9% |
| M | Missing Data | 9,605 | 31.0% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPAGETOT65: Total clients/patients 65 plus years at this less than 24-hour facility, unrolled (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 3,159 | 10.2% |
| 1-10 | 1-10 | 682 | 2.2% |
| 11-20 | 11-20 | 260 | 0.8% |
| 21-30 | 21-30 | 192 | 0.6% |
| 31-40 | 31-40 | 111 | 0.4% |
| 41-50 | 41-50 | 87 | 0.3% |
| 51-75 | 51-75 | 131 | 0.4% |
| 76-100 | 76-100 | 70 | 0.2% |
| 101-250 | 101-250 | 136 | 0.4% |
| 251-500 | 251-500 | 22 | 0.1% |
| 501-1000 | 501-1000 | 7 | 0.0% |
| 1001-1500 | 1001-1500 | 3 | 0.0% |
| 1501 + | 1501 + | 2 | 0.0% |
| L | Logical Skip | 15,028 | 48.5% |
| M | Missing Data | 11,120 | 35.9% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPAGEPER65: Percent clients/patients 65 plus years at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 2,978 | 9.6% |
| 1-10 | 1-10 | 733 | 2.4% |
| 11-20 | 11-20 | 252 | 0.8% |
| 21-30 | 21-30 | 95 | 0.3% |
| 31-40 | 31-40 | 35 | 0.1% |
| 41-50 | 41-50 | 19 | 0.1% |
| 51-60 | 51-60 | 9 | 0.0% |
| 61-70 | 61-70 | 4 | 0.0% |
| 71-80 | 71-80 | 5 | 0.0% |
| 81-90 | 81-90 | 5 | 0.0% |
| 91-99 | 91-99 | 6 | 0.0% |
| 100 | 100 | 1 | 0.0% |
| L | Logical Skip | 18,536 | 59.8% |
| M | Missing Data | 8,332 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPETHTOTISP_O: Total Hispanic clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 3,026 | 9.8% |
| 1-10 | 1-10 | 545 | 1.8% |
| 11-20 | 11-20 | 176 | 0.6% |
| 21-30 | 21-30 | 105 | 0.3% |
| 31-40 | 31-40 | 60 | 0.2% |
| 41-50 | 41-50 | 54 | 0.2% |
| 51-75 | 51-75 | 87 | 0.3% |
| 76-100 | 76-100 | 68 | 0.2% |
| 101-250 | 101-250 | 138 | 0.4% |
| 251-500 | 251-500 | 53 | 0.2% |
| 501-1000 | 501-1000 | 29 | 0.1% |
| 1001-1500 | 1001-1500 | 5 | 0.0% |
| 1501 + | 1501 + | 10 | 0.0% |
| L | Logical Skip | 16,975 | 54.7% |
| M | Missing Data | 9,679 | 31.2% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPETHTOTISP: Total Hispanic clients/patients at this less than 24-hour facility, unrolled (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 3,026 | 9.8% |
| 1-10 | 1-10 | 749 | 2.4% |
| 11-20 | 11-20 | 245 | 0.8% |
| 21-30 | 21-30 | 149 | 0.5% |
| 31-40 | 31-40 | 99 | 0.3% |
| 41-50 | 41-50 | 93 | 0.3% |
| 51-75 | 51-75 | 99 | 0.3% |
| 76-100 | 76-100 | 100 | 0.3% |
| 101-250 | 101-250 | 146 | 0.5% |
| 251-500 | 251-500 | 56 | 0.2% |
| 501-1000 | 501-1000 | 21 | 0.1% |
| 1001-1500 | 1001-1500 | 4 | 0.0% |
| 1501 + | 1501 + | 11 | 0.0% |
| L | Logical Skip | 14,990 | 48.3% |
| M | Missing Data | 11,222 | 36.2% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPETHPERHISP: Percent Hispanic clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 3,085 | 9.9% |
| 1-10 | 1-10 | 510 | 1.6% |
| 11-20 | 11-20 | 180 | 0.6% |
| 21-30 | 21-30 | 119 | 0.4% |
| 31-40 | 31-40 | 68 | 0.2% |
| 41-50 | 41-50 | 38 | 0.1% |
| 51-60 | 51-60 | 36 | 0.1% |
| 61-70 | 61-70 | 17 | 0.1% |
| 71-80 | 71-80 | 22 | 0.1% |
| 81-90 | 81-90 | 14 | 0.0% |
| 91-99 | 91-99 | 4 | 0.0% |
| 100 | 100 | 8 | 0.0% |
| L | Logical Skip | 18,563 | 59.9% |
| M | Missing Data | 8,346 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPETHTOTNONHISP_O: Total non-Hispanic clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-----------|--------------|-----------|-------|
| 0 | 0 | 2,827 | 9.1% |
| 1-10 | 1-10 | 146 | 0.5% |
| 11-20 | 11-20 | 100 | 0.3% |
| 21-30 | 21-30 | 81 | 0.3% |
| 31-40 | 31-40 | 55 | 0.2% |
| 41-50 | 41-50 | 62 | 0.2% |
| 51-75 | 51-75 | 137 | 0.4% |
| 76-100 | 76-100 | 84 | 0.3% |
| 101-250 | 101-250 | 312 | 1.0% |
| 251-500 | 251-500 | 221 | 0.7% |
| 501-1000 | 501-1000 | 166 | 0.5% |
| 1001-1500 | 1001-1500 | 70 | 0.2% |
| 1501 + | 1501 + | 96 | 0.3% |
| L | Logical Skip | 16,975 | 54.7% |
| M | Missing Data | 9,678 | 31.2% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPETHTOTNONHISP: Total non-Hispanic clients/patients at this less than 24-hour facility, unrolled (Q.D12b)

| Value | Label | Frequency | % |
|-----------|--------------|---------------|-------------|
| 0 | 0 | 2,809 | 9.1% |
| 1-10 | 1-10 | 177 | 0.6% |
| 11-20 | 11-20 | 146 | 0.5% |
| 21-30 | 21-30 | 108 | 0.3% |
| 31-40 | 31-40 | 79 | 0.3% |
| 41-50 | 41-50 | 77 | 0.2% |
| 51-75 | 51-75 | 175 | 0.6% |
| 76-100 | 76-100 | 127 | 0.4% |
| 101-250 | 101-250 | 424 | 1.4% |
| 251-500 | 251-500 | 355 | 1.1% |
| 501-1000 | 501-1000 | 206 | 0.7% |
| 1001-1500 | 1001-1500 | 58 | 0.2% |
| 1501 + | 1501 + | 74 | 0.2% |
| L | Logical Skip | 14,990 | 48.3% |
| M | Missing Data | 11,205 | 36.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPETHPERNONHISP: Percent non-Hispanic clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 3,004 | 9.7% |
| 1-10 | 1-10 | 23 | 0.1% |
| 11-20 | 11-20 | 24 | 0.1% |
| 21-30 | 21-30 | 44 | 0.1% |
| 31-40 | 31-40 | 55 | 0.2% |
| 41-50 | 41-50 | 42 | 0.1% |
| 51-60 | 51-60 | 88 | 0.3% |
| 61-70 | 61-70 | 113 | 0.4% |
| 71-80 | 71-80 | 144 | 0.5% |
| 81-90 | 81-90 | 194 | 0.6% |
| 91-99 | 91-99 | 294 | 0.9% |
| 100 | 100 | 76 | 0.2% |
| L | Logical Skip | 18,563 | 59.9% |
| M | Missing Data | 8,346 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPETHTOTUNK_O: Total unknown ethnicity clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-----------|--------------|---------------|-------------|
| 0 | 0 | 3,234 | 10.4% |
| 1-10 | 1-10 | 318 | 1.0% |
| 11-20 | 11-20 | 131 | 0.4% |
| 21-30 | 21-30 | 90 | 0.3% |
| 31-40 | 31-40 | 77 | 0.2% |
| 41-50 | 41-50 | 52 | 0.2% |
| 51-75 | 51-75 | 85 | 0.3% |
| 76-100 | 76-100 | 61 | 0.2% |
| 101-250 | 101-250 | 129 | 0.4% |
| 251-500 | 251-500 | 73 | 0.2% |
| 501-1000 | 501-1000 | 64 | 0.2% |
| 1001-1500 | 1001-1500 | 22 | 0.1% |
| 1501 + | 1501 + | 22 | 0.1% |
| L | Logical Skip | 16,975 | 54.7% |
| M | Missing Data | 9,677 | 31.2% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPETHTOTUNK: Total unknown ethnicity clients/patients at this less than 24-hour facility, unrolled (Q.D12b)

| Value | Label | Frequency | % |
|-----------|--------------|---------------|-------------|
| 0 | 0 | 3,224 | 10.4% |
| 1-10 | 1-10 | 443 | 1.4% |
| 11-20 | 11-20 | 157 | 0.5% |
| 21-30 | 21-30 | 109 | 0.4% |
| 31-40 | 31-40 | 126 | 0.4% |
| 41-50 | 41-50 | 70 | 0.2% |
| 51-75 | 51-75 | 104 | 0.3% |
| 76-100 | 76-100 | 74 | 0.2% |
| 101-250 | 101-250 | 191 | 0.6% |
| 251-500 | 251-500 | 116 | 0.4% |
| 501-1000 | 501-1000 | 66 | 0.2% |
| 1001-1500 | 1001-1500 | 29 | 0.1% |
| 1501 + | 1501 + | 11 | 0.0% |
| L | Logical Skip | 14,990 | 48.3% |
| M | Missing Data | 11,300 | 36.4% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPETHPERUNK: Percent unknown ethnicity clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 3,134 | 10.1% |
| 1-10 | 1-10 | 306 | 1.0% |
| 11-20 | 11-20 | 80 | 0.3% |
| 21-30 | 21-30 | 44 | 0.1% |
| 31-40 | 31-40 | 25 | 0.1% |
| 41-50 | 41-50 | 9 | 0.0% |
| 51-60 | 51-60 | 8 | 0.0% |
| 61-70 | 61-70 | 17 | 0.1% |
| 71-80 | 71-80 | 9 | 0.0% |
| 81-90 | 81-90 | 8 | 0.0% |
| 91-99 | 91-99 | 10 | 0.0% |
| 100 | 100 | 451 | 1.5% |
| L | Logical Skip | 18,563 | 59.9% |
| M | Missing Data | 8,346 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPRACETOTINDIAN_O: Total American Indian/Alaska Native clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-----------|--------------|-----------|-------|
| 0 | 0 | 3,550 | 11.4% |
| 1-10 | 1-10 | 616 | 2.0% |
| 11-20 | 11-20 | 75 | 0.2% |
| 21-30 | 21-30 | 35 | 0.1% |
| 31-40 | 31-40 | 15 | 0.0% |
| 41-50 | 41-50 | 6 | 0.0% |
| 51-75 | 51-75 | 15 | 0.0% |
| 76-100 | 76-100 | 6 | 0.0% |
| 101-250 | 101-250 | 21 | 0.1% |
| 251-500 | 251-500 | 4 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| L | Logical Skip | 16,952 | 54.7% |
| M | Missing Data | 9,713 | 31.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPRACETOTINDIAN: Total American Indian/Alaska Native clients/patients at this less than 24-hour facility, unrolled (Q.D12b)

| Value | Label | Frequency | % |
|---------|--------------|-----------|-------|
| 0 | 0 | 3,573 | 11.5% |
| 1-10 | 1-10 | 860 | 2.8% |
| 11-20 | 11-20 | 82 | 0.3% |
| 21-30 | 21-30 | 52 | 0.2% |
| 31-40 | 31-40 | 10 | 0.0% |
| 41-50 | 41-50 | 7 | 0.0% |
| 51-75 | 51-75 | 43 | 0.1% |
| 76-100 | 76-100 | 5 | 0.0% |
| 101-250 | 101-250 | 16 | 0.1% |
| 251-500 | 251-500 | 4 | 0.0% |
| L | Logical Skip | 14,969 | 48.3% |
| M | Missing Data | 11,389 | 36.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPRACEPERINDIAN: Percent American Indian/Alaska Native clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 3,607 | 11.6% |
| 1-10 | 1-10 | 425 | 1.4% |
| 11-20 | 11-20 | 22 | 0.1% |
| 21-30 | 21-30 | 4 | 0.0% |
| 31-40 | 31-40 | 2 | 0.0% |
| 51-60 | 51-60 | 1 | 0.0% |
| 61-70 | 61-70 | 2 | 0.0% |
| 71-80 | 71-80 | 4 | 0.0% |
| 100 | 100 | 9 | 0.0% |
| L | Logical Skip | 18,583 | 59.9% |
| M | Missing Data | 8,351 | 26.9% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPRACETOTASIAN_O: Total Asian clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 3,531 | 11.4% |
| 1-10 | 1-10 | 621 | 2.0% |
| 11-20 | 11-20 | 89 | 0.3% |
| 21-30 | 21-30 | 37 | 0.1% |
| 31-40 | 31-40 | 15 | 0.0% |
| 41-50 | 41-50 | 10 | 0.0% |
| 51-75 | 51-75 | 12 | 0.0% |
| 76-100 | 76-100 | 5 | 0.0% |
| 101-250 | 101-250 | 23 | 0.1% |
| 251-500 | 251-500 | 2 | 0.0% |
| L | Logical Skip | 16,952 | 54.7% |
| M | Missing Data | 9,713 | 31.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPRACETOTASIAN: Total Asian clients/patients at this less than 24-hour facility, unrolled (Q.D12b)

| Value | Label | Frequency | % |
|---------|--------------|---------------|-------------|
| 0 | 0 | 3,585 | 11.6% |
| 1-10 | 1-10 | 834 | 2.7% |
| 11-20 | 11-20 | 115 | 0.4% |
| 21-30 | 21-30 | 53 | 0.2% |
| 31-40 | 31-40 | 19 | 0.1% |
| 41-50 | 41-50 | 11 | 0.0% |
| 51-75 | 51-75 | 11 | 0.0% |
| 76-100 | 76-100 | 3 | 0.0% |
| 101-250 | 101-250 | 13 | 0.0% |
| 251-500 | 251-500 | 2 | 0.0% |
| L | Logical Skip | 14,969 | 48.3% |
| M | Missing Data | 11,395 | 36.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPRACEPERASIAN: Percent Asian clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 3,450 | 11.1% |
| 1-10 | 1-10 | 593 | 1.9% |
| 11-20 | 11-20 | 21 | 0.1% |
| 21-30 | 21-30 | 5 | 0.0% |
| 31-40 | 31-40 | 4 | 0.0% |
| 41-50 | 41-50 | 2 | 0.0% |
| 91-99 | 91-99 | 1 | 0.0% |
| L | Logical Skip | 18,583 | 59.9% |
| M | Missing Data | 8,351 | 26.9% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPRACETOTBLK_O: Total Black clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 2,995 | 9.7% |
| 1-10 | 1-10 | 495 | 1.6% |
| 11-20 | 11-20 | 199 | 0.6% |
| 21-30 | 21-30 | 113 | 0.4% |
| 31-40 | 31-40 | 80 | 0.3% |
| 41-50 | 41-50 | 51 | 0.2% |
| 51-75 | 51-75 | 96 | 0.3% |
| 76-100 | 76-100 | 45 | 0.1% |
| 101-250 | 101-250 | 152 | 0.5% |
| 251-500 | 251-500 | 60 | 0.2% |
| 501-1000 | 501-1000 | 36 | 0.1% |
| 1001-1500 | 1001-1500 | 15 | 0.0% |
| 1501 + | 1501 + | 8 | 0.0% |
| L | Logical Skip | 16,952 | 54.7% |
| M | Missing Data | 9,713 | 31.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPRACETOTBLK: Total Black clients/patients at this less than 24-hour facility, unrolled (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 2,995 | 9.7% |
| 1-10 | 1-10 | 701 | 2.3% |
| 11-20 | 11-20 | 216 | 0.7% |
| 21-30 | 21-30 | 145 | 0.5% |
| 31-40 | 31-40 | 118 | 0.4% |
| 41-50 | 41-50 | 99 | 0.3% |
| 51-75 | 51-75 | 130 | 0.4% |
| 76-100 | 76-100 | 68 | 0.2% |
| 101-250 | 101-250 | 188 | 0.6% |
| 251-500 | 251-500 | 81 | 0.3% |
| 501-1000 | 501-1000 | 34 | 0.1% |
| 1001-1500 | 1001-1500 | 6 | 0.0% |
| 1501 + | 1501 + | 3 | 0.0% |
| L | Logical Skip | 14,969 | 48.3% |
| M | Missing Data | 11,257 | 36.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPRACEPERBLK: Percent Black clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 3,096 | 10.0% |
| 1-10 | 1-10 | 419 | 1.4% |
| 11-20 | 11-20 | 174 | 0.6% |
| 21-30 | 21-30 | 124 | 0.4% |
| 31-40 | 31-40 | 78 | 0.3% |
| 41-50 | 41-50 | 73 | 0.2% |
| 51-60 | 51-60 | 44 | 0.1% |
| 61-70 | 61-70 | 27 | 0.1% |
| 71-80 | 71-80 | 19 | 0.1% |
| 81-90 | 81-90 | 13 | 0.0% |
| 91-99 | 91-99 | 9 | 0.0% |
| L | Logical Skip | 18,583 | 59.9% |
| M | Missing Data | 8,351 | 26.9% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPRACETOTHAWPAC_O: Total Native Hawaiian/Other Pacific Islander at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|----------|--------------|---------------|-------------|
| 0 | 0 | 3,895 | 12.6% |
| 1-10 | 1-10 | 401 | 1.3% |
| 11-20 | 11-20 | 24 | 0.1% |
| 21-30 | 21-30 | 3 | 0.0% |
| 31-40 | 31-40 | 4 | 0.0% |
| 41-50 | 41-50 | 3 | 0.0% |
| 51-75 | 51-75 | 5 | 0.0% |
| 76-100 | 76-100 | 2 | 0.0% |
| 101-250 | 101-250 | 7 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| L | Logical Skip | 16,952 | 54.7% |
| M | Missing Data | 9,713 | 31.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPRACETOTHAWPAC: Total Native Hawaiian/Other Pacific Islander at this less than 24-hour facility, unrolled (Q.D12b)

| Value | Label | Frequency | % |
|----------|--------------|---------------|-------------|
| 0 | 0 | 3,975 | 12.8% |
| 1-10 | 1-10 | 515 | 1.7% |
| 11-20 | 11-20 | 20 | 0.1% |
| 21-30 | 21-30 | 2 | 0.0% |
| 31-40 | 31-40 | 8 | 0.0% |
| 41-50 | 41-50 | 2 | 0.0% |
| 51-75 | 51-75 | 5 | 0.0% |
| 76-100 | 76-100 | 2 | 0.0% |
| 101-250 | 101-250 | 5 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| L | Logical Skip | 14,969 | 48.3% |
| M | Missing Data | 11,506 | 37.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPRACEPERHAWPAC: Percent Native Hawaiian/Other Pacific Islander at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 3,793 | 12.2% |
| 1-10 | 1-10 | 275 | 0.9% |
| 11-20 | 11-20 | 4 | 0.0% |
| 21-30 | 21-30 | 1 | 0.0% |
| 41-50 | 41-50 | 1 | 0.0% |
| 81-90 | 81-90 | 1 | 0.0% |
| 91-99 | 91-99 | 1 | 0.0% |
| L | Logical Skip | 18,583 | 59.9% |
| M | Missing Data | 8,351 | 26.9% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPRACETOTWHIT_O: Total White clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 2,837 | 9.1% |
| 1-10 | 1-10 | 191 | 0.6% |
| 11-20 | 11-20 | 93 | 0.3% |
| 21-30 | 21-30 | 93 | 0.3% |
| 31-40 | 31-40 | 61 | 0.2% |
| 41-50 | 41-50 | 63 | 0.2% |
| 51-75 | 51-75 | 132 | 0.4% |
| 76-100 | 76-100 | 93 | 0.3% |
| 101-250 | 101-250 | 278 | 0.9% |
| 251-500 | 251-500 | 203 | 0.7% |
| 501-1000 | 501-1000 | 154 | 0.5% |
| 1001-1500 | 1001-1500 | 59 | 0.2% |
| 1501 + | 1501 + | 90 | 0.3% |
| L | Logical Skip | 16,952 | 54.7% |
| M | Missing Data | 9,711 | 31.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPRACETOTWHIT: Total White clients/patients at this less than 24-hour facility, unrolled (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 2,823 | 9.1% |
| 1-10 | 1-10 | 233 | 0.8% |
| 11-20 | 11-20 | 128 | 0.4% |
| 21-30 | 21-30 | 142 | 0.5% |
| 31-40 | 31-40 | 74 | 0.2% |
| 41-50 | 41-50 | 61 | 0.2% |
| 51-75 | 51-75 | 174 | 0.6% |
| 76-100 | 76-100 | 152 | 0.5% |
| 101-250 | 101-250 | 405 | 1.3% |
| 251-500 | 251-500 | 300 | 1.0% |
| 501-1000 | 501-1000 | 190 | 0.6% |
| 1001-1500 | 1001-1500 | 46 | 0.1% |
| 1501 + | 1501 + | 75 | 0.2% |
| L | Logical Skip | 14,969 | 48.3% |
| M | Missing Data | 11,238 | 36.2% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPRACEPERWHIT: Percent White clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 3,031 | 9.8% |
| 1-10 | 1-10 | 41 | 0.1% |
| 11-20 | 11-20 | 41 | 0.1% |
| 21-30 | 21-30 | 59 | 0.2% |
| 31-40 | 31-40 | 127 | 0.4% |
| 41-50 | 41-50 | 123 | 0.4% |
| 51-60 | 51-60 | 161 | 0.5% |
| 61-70 | 61-70 | 94 | 0.3% |
| 71-80 | 71-80 | 134 | 0.4% |
| 81-90 | 81-90 | 133 | 0.4% |
| 91-99 | 91-99 | 113 | 0.4% |
| 100 | 100 | 19 | 0.1% |
| L | Logical Skip | 18,583 | 59.9% |
| M | Missing Data | 8,351 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPRACETOTMR_O: Total mixed-race clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 3,449 | 11.1% |
| 1-10 | 1-10 | 467 | 1.5% |
| 11-20 | 11-20 | 126 | 0.4% |
| 21-30 | 21-30 | 71 | 0.2% |
| 31-40 | 31-40 | 44 | 0.1% |
| 41-50 | 41-50 | 29 | 0.1% |
| 51-75 | 51-75 | 44 | 0.1% |
| 76-100 | 76-100 | 30 | 0.1% |
| 101-250 | 101-250 | 54 | 0.2% |
| 251-500 | 251-500 | 18 | 0.1% |
| 501-1000 | 501-1000 | 14 | 0.0% |
| L | Logical Skip | 16,952 | 54.7% |
| M | Missing Data | 9,712 | 31.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPRACETOTMR: Total mixed-race clients/patients at this less than 24-hour facility, unrolled (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 3,465 | 11.2% |
| 1-10 | 1-10 | 661 | 2.1% |
| 11-20 | 11-20 | 162 | 0.5% |
| 21-30 | 21-30 | 108 | 0.3% |
| 31-40 | 31-40 | 64 | 0.2% |
| 41-50 | 41-50 | 34 | 0.1% |
| 51-75 | 51-75 | 53 | 0.2% |
| 76-100 | 76-100 | 31 | 0.1% |
| 101-250 | 101-250 | 46 | 0.1% |
| 251-500 | 251-500 | 16 | 0.1% |
| 501-1000 | 501-1000 | 11 | 0.0% |
| L | Logical Skip | 14,969 | 48.3% |
| M | Missing Data | 11,390 | 36.7% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPRACEPERMR: Percent mixed-race clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 3,358 | 10.8% |
| 1-10 | 1-10 | 528 | 1.7% |
| 11-20 | 11-20 | 109 | 0.4% |
| 21-30 | 21-30 | 45 | 0.1% |
| 31-40 | 31-40 | 16 | 0.1% |
| 41-50 | 41-50 | 11 | 0.0% |
| 51-60 | 51-60 | 1 | 0.0% |
| 61-70 | 61-70 | 3 | 0.0% |
| 71-80 | 71-80 | 1 | 0.0% |
| 81-90 | 81-90 | 2 | 0.0% |
| 91-99 | 91-99 | 1 | 0.0% |
| 100 | 100 | 1 | 0.0% |
| L | Logical Skip | 18,583 | 59.9% |
| M | Missing Data | 8,351 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPRACETOTUNK_O: Total unknown race clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 3,073 | 9.9% |
| 1-10 | 1-10 | 390 | 1.3% |
| 11-20 | 11-20 | 157 | 0.5% |
| 21-30 | 21-30 | 114 | 0.4% |
| 31-40 | 31-40 | 83 | 0.3% |
| 41-50 | 41-50 | 64 | 0.2% |
| 51-75 | 51-75 | 95 | 0.3% |
| 76-100 | 76-100 | 59 | 0.2% |
| 101-250 | 101-250 | 145 | 0.5% |
| 251-500 | 251-500 | 75 | 0.2% |
| 501-1000 | 501-1000 | 61 | 0.2% |
| 1001-1500 | 1001-1500 | 10 | 0.0% |
| 1501 + | 1501 + | 18 | 0.1% |
| L | Logical Skip | 16,952 | 54.7% |
| M | Missing Data | 9,714 | 31.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPRACETOTUNK: Total unknown race clients/patients at this less than 24-hour facility, unrolled (Q.D12b)

| Value | Label | Frequency | % |
|-----------|--------------|---------------|-------------|
| 0 | 0 | 3,061 | 9.9% |
| 1-10 | 1-10 | 570 | 1.8% |
| 11-20 | 11-20 | 198 | 0.6% |
| 21-30 | 21-30 | 170 | 0.5% |
| 31-40 | 31-40 | 100 | 0.3% |
| 41-50 | 41-50 | 86 | 0.3% |
| 51-75 | 51-75 | 131 | 0.4% |
| 76-100 | 76-100 | 74 | 0.2% |
| 101-250 | 101-250 | 185 | 0.6% |
| 251-500 | 251-500 | 108 | 0.3% |
| 501-1000 | 501-1000 | 56 | 0.2% |
| 1001-1500 | 1001-1500 | 21 | 0.1% |
| 1501 + | 1501 + | 9 | 0.0% |
| L | Logical Skip | 14,969 | 48.3% |
| M | Missing Data | 11,272 | 36.3% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPRACEPERUNK: Percent unknown race clients/patients at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 3,039 | 9.8% |
| 1-10 | 1-10 | 332 | 1.1% |
| 11-20 | 11-20 | 120 | 0.4% |
| 21-30 | 21-30 | 38 | 0.1% |
| 31-40 | 31-40 | 32 | 0.1% |
| 41-50 | 41-50 | 18 | 0.1% |
| 51-60 | 51-60 | 8 | 0.0% |
| 61-70 | 61-70 | 4 | 0.0% |
| 71-80 | 71-80 | 6 | 0.0% |
| 81-90 | 81-90 | 3 | 0.0% |
| 91-99 | 91-99 | 1 | 0.0% |
| 100 | 100 | 475 | 1.5% |
| L | Logical Skip | 18,583 | 59.9% |
| M | Missing Data | 8,351 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPLEGALTOTVOL_O: Total clients/patients with voluntary legal status at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-----------|--------------|-----------|-------|
| 0 | 0 | 2,559 | 8.3% |
| 1-10 | 1-10 | 137 | 0.4% |
| 11-20 | 11-20 | 110 | 0.4% |
| 21-30 | 21-30 | 88 | 0.3% |
| 31-40 | 31-40 | 65 | 0.2% |
| 41-50 | 41-50 | 62 | 0.2% |
| 51-75 | 51-75 | 131 | 0.4% |
| 76-100 | 76-100 | 99 | 0.3% |
| 101-250 | 101-250 | 368 | 1.2% |
| 251-500 | 251-500 | 242 | 0.8% |
| 501-1000 | 501-1000 | 227 | 0.7% |
| 1001-1500 | 1001-1500 | 99 | 0.3% |
| 1501 + | 1501 + | 146 | 0.5% |
| L | Logical Skip | 16,988 | 54.8% |
| M | Missing Data | 9,689 | 31.2% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPLEGALTOTVOL: Total clients/patients with voluntary legal status at this less than 24-hour facility, unrolled (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 2,545 | 8.2% |
| 1-10 | 1-10 | 184 | 0.6% |
| 11-20 | 11-20 | 140 | 0.5% |
| 21-30 | 21-30 | 129 | 0.4% |
| 31-40 | 31-40 | 66 | 0.2% |
| 41-50 | 41-50 | 85 | 0.3% |
| 51-75 | 51-75 | 169 | 0.5% |
| 76-100 | 76-100 | 143 | 0.5% |
| 101-250 | 101-250 | 497 | 1.6% |
| 251-500 | 251-500 | 405 | 1.3% |
| 501-1000 | 501-1000 | 312 | 1.0% |
| 1001-1500 | 1001-1500 | 112 | 0.4% |
| 1501 + | 1501 + | 111 | 0.4% |
| L | Logical Skip | 15,002 | 48.4% |
| M | Missing Data | 11,110 | 35.8% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPLEGALPERVOL: Percent clients/patients with voluntary legal status at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 2,546 | 8.2% |
| 1-10 | 1-10 | 2 | 0.0% |
| 21-30 | 21-30 | 9 | 0.0% |
| 31-40 | 31-40 | 4 | 0.0% |
| 41-50 | 41-50 | 5 | 0.0% |
| 51-60 | 51-60 | 6 | 0.0% |
| 61-70 | 61-70 | 15 | 0.0% |
| 71-80 | 71-80 | 41 | 0.1% |
| 81-90 | 81-90 | 94 | 0.3% |
| 91-99 | 91-99 | 170 | 0.5% |
| 100 | 100 | 1,217 | 3.9% |
| L | Logical Skip | 18,548 | 59.8% |
| M | Missing Data | 8,353 | 26.9% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPLEGALTOTNONFOREN_O: Total clients/patients, involuntary (non-forensic) status at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 4,000 | 12.9% |
| 1-10 | 1-10 | 171 | 0.6% |
| 11-20 | 11-20 | 47 | 0.2% |
| 21-30 | 21-30 | 23 | 0.1% |
| 31-40 | 31-40 | 17 | 0.1% |
| 41-50 | 41-50 | 10 | 0.0% |
| 51-75 | 51-75 | 21 | 0.1% |
| 76-100 | 76-100 | 19 | 0.1% |
| 101-250 | 101-250 | 15 | 0.0% |
| 251-500 | 251-500 | 5 | 0.0% |
| 501-1000 | 501-1000 | 2 | 0.0% |
| 1001-1500 | 1001-1500 | 1 | 0.0% |
| 1501 + | 1501 + | 1 | 0.0% |
| L | Logical Skip | 16,988 | 54.8% |
| M | Missing Data | 9,690 | 31.2% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPLEGALTOTNONFOREN: Total clients/patients, involuntary, unrolled (non-forensic) status at this less than 24-hour facility, unrolled (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 3,979 | 12.8% |
| 1-10 | 1-10 | 236 | 0.8% |
| 11-20 | 11-20 | 83 | 0.3% |
| 21-30 | 21-30 | 23 | 0.1% |
| 31-40 | 31-40 | 19 | 0.1% |
| 41-50 | 41-50 | 20 | 0.1% |
| 51-75 | 51-75 | 34 | 0.1% |
| 76-100 | 76-100 | 19 | 0.1% |
| 101-250 | 101-250 | 39 | 0.1% |
| 251-500 | 251-500 | 2 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| L | Logical Skip | 15,002 | 48.4% |
| M | Missing Data | 11,553 | 37.3% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPLEGALPERNONFOREN: Percent clients/patients, involuntary (non-forensic) status at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 3,847 | 12.4% |
| 1-10 | 1-10 | 184 | 0.6% |
| 11-20 | 11-20 | 33 | 0.1% |
| 21-30 | 21-30 | 21 | 0.1% |
| 31-40 | 31-40 | 8 | 0.0% |
| 41-50 | 41-50 | 2 | 0.0% |
| 51-60 | 51-60 | 3 | 0.0% |
| 61-70 | 61-70 | 6 | 0.0% |
| 71-80 | 71-80 | 2 | 0.0% |
| 100 | 100 | 3 | 0.0% |
| L | Logical Skip | 18,548 | 59.8% |
| M | Missing Data | 8,353 | 26.9% |
| | Total | 31,010 | 100% |

Variable Type: numeric

OPLEGALTOTFOREN_O: Total clients/patients, involuntary (forensic) status at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 4,142 | 13.4% |
| 1-10 | 1-10 | 104 | 0.3% |
| 11-20 | 11-20 | 26 | 0.1% |
| 21-30 | 21-30 | 14 | 0.0% |
| 31-40 | 31-40 | 9 | 0.0% |
| 41-50 | 41-50 | 7 | 0.0% |
| 51-75 | 51-75 | 8 | 0.0% |
| 76-100 | 76-100 | 7 | 0.0% |
| 101-250 | 101-250 | 10 | 0.0% |
| 251-500 | 251-500 | 4 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| L | Logical Skip | 16,988 | 54.8% |
| M | Missing Data | 9,690 | 31.2% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPLEGALTOTFOREN: Total clients/patients, involuntary, unrolled (forensic) status at this less than 24-hour facility, unrolled (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 4,138 | 13.3% |
| 1-10 | 1-10 | 156 | 0.5% |
| 11-20 | 11-20 | 32 | 0.1% |
| 21-30 | 21-30 | 13 | 0.0% |
| 31-40 | 31-40 | 8 | 0.0% |
| 41-50 | 41-50 | 10 | 0.0% |
| 51-75 | 51-75 | 9 | 0.0% |
| 76-100 | 76-100 | 5 | 0.0% |
| 101-250 | 101-250 | 8 | 0.0% |
| 251-500 | 251-500 | 4 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| L | Logical Skip | 15,002 | 48.4% |
| M | Missing Data | 11,624 | 37.5% |
| Total | | 31,010 | 100% |

Variable Type: numeric

OPLEGALPERFOREN: Percent clients/patients, involuntary (forensic) status at this less than 24-hour facility (Q.D12b)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 3,953 | 12.7% |
| 1-10 | 1-10 | 113 | 0.4% |
| 11-20 | 11-20 | 19 | 0.1% |
| 21-30 | 21-30 | 9 | 0.0% |
| 31-40 | 31-40 | 3 | 0.0% |
| 41-50 | 41-50 | 3 | 0.0% |
| 51-60 | 51-60 | 2 | 0.0% |
| 61-70 | 61-70 | 1 | 0.0% |
| 81-90 | 81-90 | 1 | 0.0% |
| 91-99 | 91-99 | 1 | 0.0% |
| 100 | 100 | 4 | 0.0% |
| L | Logical Skip | 18,548 | 59.8% |
| M | Missing Data | 8,353 | 26.9% |
| Total | | 31,010 | 100% |

Variable Type: numeric

COD_PCT_MH_R1: Percent of clients/patients with co-occurring mental health and substance use disorders (Q.D13)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 1,112 | 3.6% |
| 1-10 | 1-10 | 948 | 3.1% |
| 11-20 | 11-20 | 571 | 1.8% |
| 21-30 | 21-30 | 558 | 1.8% |
| 31-40 | 31-40 | 449 | 1.4% |
| 41-50 | 41-50 | 387 | 1.2% |
| 51-60 | 51-60 | 228 | 0.7% |
| 61-70 | 61-70 | 209 | 0.7% |
| 71-80 | 71-80 | 275 | 0.9% |
| 81-90 | 81-90 | 139 | 0.4% |
| 91-99 | 91-99 | 51 | 0.2% |
| 100 | 100 | 206 | 0.7% |
| L | Logical Skip | 17,580 | 56.7% |
| M | Missing Data | 8,297 | 26.8% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TOTADMIS_MH: Number of mental health admissions in 12 months period (Q.D14)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 923 | 3.0% |
| 1-10 | 1-10 | 544 | 1.8% |
| 11-20 | 11-20 | 350 | 1.1% |
| 21-30 | 21-30 | 243 | 0.8% |
| 31-40 | 31-40 | 231 | 0.7% |
| 41-50 | 41-50 | 249 | 0.8% |
| 51-75 | 51-75 | 428 | 1.4% |
| 76-100 | 76-100 | 452 | 1.5% |
| 101-250 | 101-250 | 1,246 | 4.0% |
| 251-500 | 251-500 | 1,061 | 3.4% |
| 501-1000 | 501-1000 | 864 | 2.8% |
| 1001-1500 | 1001-1500 | 371 | 1.2% |
| 1501 + | 1501 + | 808 | 2.6% |
| L | Logical Skip | 14,803 | 47.7% |
| M | Missing Data | 8,437 | 27.2% |
| Total | | 31,010 | 100% |

Variable Type: numeric

PERCENTVA: Percent of admissions that are Veterans (Q.D15)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 3,745 | 12.1% |
| 1-10 | 1-10 | 3,188 | 10.3% |
| 11-20 | 11-20 | 318 | 1.0% |
| 21-30 | 21-30 | 103 | 0.3% |
| 31-40 | 31-40 | 23 | 0.1% |
| 41-50 | 41-50 | 14 | 0.0% |
| 51-60 | 51-60 | 7 | 0.0% |
| 61-70 | 61-70 | 3 | 0.0% |
| 71-80 | 71-80 | 3 | 0.0% |
| 81-90 | 81-90 | 6 | 0.0% |
| 91-99 | 91-99 | 11 | 0.0% |
| 100 | 100 | 181 | 0.6% |
| L | Logical Skip | 14,803 | 47.7% |
| M | Missing Data | 8,605 | 27.7% |
| | Total | 31,010 | 100% |

Variable Type: numeric

T_CLIMH_O: Total number of mental health clients

| Value | Label | Frequency | % |
|-----------|--------------|-----------|-------|
| 0 | 0 | 2,439 | 7.9% |
| 1-10 | 1-10 | 812 | 2.6% |
| 11-20 | 11-20 | 624 | 2.0% |
| 21-30 | 21-30 | 331 | 1.1% |
| 31-40 | 31-40 | 225 | 0.7% |
| 41-50 | 41-50 | 229 | 0.7% |
| 51-75 | 51-75 | 369 | 1.2% |
| 76-100 | 76-100 | 316 | 1.0% |
| 101-250 | 101-250 | 830 | 2.7% |
| 251-500 | 251-500 | 560 | 1.8% |
| 501-1000 | 501-1000 | 488 | 1.6% |
| 1001-1500 | 1001-1500 | 205 | 0.7% |
| 1501 + | 1501 + | 297 | 1.0% |
| L | Logical Skip | 11,574 | 37.3% |
| M | Missing Data | 11,711 | 37.8% |
| Total | | 31,010 | 100% |

Variable Type: numeric

T_CLIMH: Total number of mental health clients, unrolled

| Value | Label | Frequency | % |
|-----------|--------------|-----------|-------|
| 0 | 0 | 2,443 | 7.9% |
| 1-10 | 1-10 | 888 | 2.9% |
| 11-20 | 11-20 | 662 | 2.1% |
| 21-30 | 21-30 | 380 | 1.2% |
| 31-40 | 31-40 | 243 | 0.8% |
| 41-50 | 41-50 | 261 | 0.8% |
| 51-75 | 51-75 | 421 | 1.4% |
| 76-100 | 76-100 | 353 | 1.1% |
| 101-250 | 101-250 | 952 | 3.1% |
| 251-500 | 251-500 | 704 | 2.3% |
| 501-1000 | 501-1000 | 611 | 2.0% |
| 1001-1500 | 1001-1500 | 220 | 0.7% |
| 1501 + | 1501 + | 256 | 0.8% |
| L | Logical Skip | 11,574 | 37.3% |
| M | Missing Data | 11,042 | 35.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

VAEBSPI_SU: Offers evidence-based suicide prevention interventions (Q.VA1_SU)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 3 | 0.0% |
| 1 | Yes | 352 | 1.1% |
| L | Logical Skip | 22,710 | 73.2% |
| M | Missing Data | 7,945 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VARISKSCRN_SU: Offers suicide risk screening (Q.VA1_SU)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1 | 0.0% |
| 1 | Yes | 354 | 1.1% |
| L | Logical Skip | 22,710 | 73.2% |
| M | Missing Data | 7,945 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VARISKEVAL_SU: Offers suicide risk evaluation (Q.VA1_SU)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 1 | Yes | 355 | 1.1% |
| L | Logical Skip | 22,710 | 73.2% |
| M | Missing Data | 7,945 | 25.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

VANOSUISRVC_SU: None of the above are offered suicide-related services (Q.VA1_SU)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 355 | 1.1% |
| L | Logical Skip | 22,710 | 73.2% |
| M | Missing Data | 7,945 | 25.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

VACBTSP_SU: Uses Cognitive Therapy for Suicide Prevention (CBT-SP) (Q.VA2_SU)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 149 | 0.5% |
| 1 | Yes | 198 | 0.6% |
| L | Logical Skip | 22,733 | 73.3% |
| M | Missing Data | 7,930 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VACBT_SU: Uses Cognitive Behavioral Therapy (CBT) (Q.VA2_SU)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 23 | 0.1% |
| 1 | Yes | 324 | 1.0% |
| L | Logical Skip | 22,733 | 73.3% |
| M | Missing Data | 7,930 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VADBT_SU: Uses Dialectical Behavior Therapy (DBT) (Q.VA2_SU)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 123 | 0.4% |
| 1 | Yes | 224 | 0.7% |
| L | Logical Skip | 22,733 | 73.3% |
| M | Missing Data | 7,930 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VAPST_SU: Uses Problem Solving Therapy (PST) (Q.VA2_SU)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 164 | 0.5% |
| 1 | Yes | 183 | 0.6% |
| L | Logical Skip | 22,733 | 73.3% |
| M | Missing Data | 7,930 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VASFTYPLN_SU: Uses safety planning/crisis response planning (Q.VA2_SU)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 125 | 0.4% |
| 1 | Yes | 222 | 0.7% |
| L | Logical Skip | 22,733 | 73.3% |
| M | Missing Data | 7,930 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VAKET_SU: Uses ketamine infusions (Q.VA2_SU)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 320 | 1.0% |
| 1 | Yes | 26 | 0.1% |
| L | Logical Skip | 22,733 | 73.3% |
| M | Missing Data | 7,931 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VALITH_SU: Uses lithium treatment (Q.VA2_SU)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 84 | 0.3% |
| 1 | Yes | 263 | 0.8% |
| L | Logical Skip | 22,733 | 73.3% |
| M | Missing Data | 7,930 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VACLOZ_SU: Uses clozapine treatment (Q.VA2_SU)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 99 | 0.3% |
| 1 | Yes | 248 | 0.8% |
| L | Logical Skip | 22,733 | 73.3% |
| M | Missing Data | 7,930 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VACARCOMM_SU: Uses caring communications (Q.VA2_SU)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 163 | 0.5% |
| 1 | Yes | 184 | 0.6% |
| L | Logical Skip | 22,733 | 73.3% |
| M | Missing Data | 7,930 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VAHOME_SU: Uses home support (Q.VA2_SU)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 239 | 0.8% |
| 1 | Yes | 108 | 0.3% |
| L | Logical Skip | 22,733 | 73.3% |
| M | Missing Data | 7,930 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VAWHOBIC_SU: Uses World Health Organization-Brief Intervention and Contact (WHO-BIC) (Q.VA2_SU)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 337 | 1.1% |
| 1 | Yes | 10 | 0.0% |
| L | Logical Skip | 22,733 | 73.3% |
| M | Missing Data | 7,930 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VAGKTRAIN_SU: Uses gate keeper training (Q.VA2_SU)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 290 | 0.9% |
| 1 | Yes | 57 | 0.2% |
| L | Logical Skip | 22,733 | 73.3% |
| M | Missing Data | 7,930 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VALETHAL_SU: Uses lethal means safety counseling (Q.VA2_SU)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 28 | 0.1% |
| 1 | Yes | 319 | 1.0% |
| L | Logical Skip | 22,733 | 73.3% |
| M | Missing Data | 7,930 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VAEBSPIOTH_SU: Uses other evidence-based suicide prevention interventions (Q.VA2_SU)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 331 | 1.1% |
| 1 | Yes | 13 | 0.0% |
| L | Logical Skip | 22,733 | 73.3% |
| M | Missing Data | 7,933 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VACSSRSSCRN_SU: Uses Columbia-Suicide Severity Rating Scale (C-SSRS) Screener (Q.VA3_SU)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 1 | 0.0% |
| 1 | Yes | 348 | 1.1% |
| L | Logical Skip | 22,731 | 73.3% |
| M | Missing Data | 7,930 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VAPHQ9_SU: Uses Patient Health Questionnaire (PHQ-9) Item 9 (Q.VA3_SU)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 35 | 0.1% |
| 1 | Yes | 326 | 1.1% |
| L | Logical Skip | 253 | 0.8% |
| M | Missing Data | 30,396 | 98.0% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VASCRNOTH_SU: Uses other standardized suicide screening tools (Q.VA3_SU)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 276 | 0.9% |
| 1 | Yes | 63 | 0.2% |
| L | Logical Skip | 22,731 | 73.3% |
| M | Missing Data | 7,940 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VANOSCRNTLS_SU: None of the above standardized suicide screening tools (Q.VA3_SU)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 349 | 1.1% |
| L | Logical Skip | 22,730 | 73.3% |
| M | Missing Data | 7,931 | 25.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

VACSSRSEVAL_SU: Uses Columbia-Suicide Severity Rating Scale (C-SSRS) (Q.VA4_SU)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 2 | 0.0% |
| 1 | Yes | 348 | 1.1% |
| L | Logical Skip | 22,730 | 73.3% |
| M | Missing Data | 7,930 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VAMINI_SU: Uses the Mini International Neuropsychiatric Interview (MINI) (Q.VA4_SU)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 290 | 0.9% |
| 1 | Yes | 60 | 0.2% |
| L | Logical Skip | 22,730 | 73.3% |
| M | Missing Data | 7,930 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VACSRE_SU: Uses VA Comprehensive Suicide Risk Evaluation (CSRE) (Q.VA4_SU)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 1 | Yes | 350 | 1.1% |
| L | Logical Skip | 22,730 | 73.3% |
| M | Missing Data | 7,930 | 25.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

VASAFET_SU: Uses Suicide Assessment Five-step Evaluation and Triage (SAFE-T) (Q.VA4_SU)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 297 | 1.0% |
| 1 | Yes | 53 | 0.2% |
| L | Logical Skip | 22,730 | 73.3% |
| M | Missing Data | 7,930 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VAEVALOTH_SU: Uses other standardized suicide evaluation tools (Q.VA4_SU)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 335 | 1.1% |
| 1 | Yes | 14 | 0.0% |
| L | Logical Skip | 22,730 | 73.3% |
| M | Missing Data | 7,931 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VANOEVALTLS_SU: None of the above standardized suicide evaluation tools (Q.VA4_SU)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 349 | 1.1% |
| L | Logical Skip | 22,730 | 73.3% |
| M | Missing Data | 7,931 | 25.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

VAHIGHRISKHI_SU: Hospital inpatients identified as high risk of suicide (Q.VA5_SU)

| Value | Label | Frequency | % |
|----------|--------------|---------------|-------------|
| 0 | 0 | 7 | 0.0% |
| 1-10 | 1-10 | 19 | 0.1% |
| 11-20 | 11-20 | 1 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| L | Logical Skip | 23,048 | 74.3% |
| M | Missing Data | 7,934 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VAHIGHRISKRC_SU: Residential clients identified as high risk of suicide (Q.VA6_SU)

| Value | Label | Frequency | % |
|---------|--------------|-----------|-------|
| 0 | 0 | 12 | 0.0% |
| 1-10 | 1-10 | 35 | 0.1% |
| 11-20 | 11-20 | 4 | 0.0% |
| 31-40 | 31-40 | 1 | 0.0% |
| 76-100 | 76-100 | 1 | 0.0% |
| 101-250 | 101-250 | 1 | 0.0% |
| L | Logical Skip | 23,023 | 74.2% |
| M | Missing Data | 7,933 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VAHIGHRISKOP_SU: Outpatient clients identified as high risk of suicide (Q.VA7_SU)

| Value | Label | Frequency | % |
|--------------|--------------|---------------|-------------|
| 0 | 0 | 36 | 0.1% |
| 1-10 | 1-10 | 73 | 0.2% |
| 11-20 | 11-20 | 12 | 0.0% |
| 21-30 | 21-30 | 17 | 0.1% |
| 31-40 | 31-40 | 5 | 0.0% |
| 41-50 | 41-50 | 4 | 0.0% |
| 51-75 | 51-75 | 6 | 0.0% |
| 76-100 | 76-100 | 1 | 0.0% |
| 101-250 | 101-250 | 5 | 0.0% |
| 251-500 | 251-500 | 2 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| L | Logical Skip | 22,902 | 73.9% |
| M | Missing Data | 7,946 | 25.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

VASTNDRD: Standardized process for referring clients based on treatment plan (Q.VA1_MH)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 7 | 0.0% |
| 1 | Yes | 368 | 1.2% |
| L | Logical Skip | 22,692 | 73.2% |
| M | Missing Data | 7,943 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VAFLWUP: Follow-up of clients of mental health care with suicidal thoughts/behavior (Q.VA2_MH)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1 | 0.0% |
| 1 | Yes | 374 | 1.2% |
| L | Logical Skip | 22,692 | 73.2% |
| M | Missing Data | 7,943 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VALMST_MH: Offers lethal means safety training (Q.VA3_MH)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 27 | 0.1% |
| 1 | Yes | 345 | 1.1% |
| L | Logical Skip | 22,692 | 73.2% |
| M | Missing Data | 7,946 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VAGUNLOCKS_MH: Offers free gun locks (Q.VA3_MH)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 6 | 0.0% |
| 1 | Yes | 369 | 1.2% |
| L | Logical Skip | 22,692 | 73.2% |
| M | Missing Data | 7,943 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VASPCOW_MH: Offers community outreach of workshops (Q.VA3_MH)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 43 | 0.1% |
| 1 | Yes | 332 | 1.1% |
| L | Logical Skip | 22,692 | 73.2% |
| M | Missing Data | 7,943 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VANOSUIPREV_MH: None of these suicide prevention services (Q.VA3_MH)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 374 | 1.2% |
| L | Logical Skip | 22,692 | 73.2% |
| M | Missing Data | 7,944 | 25.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

VABEGIN_MH: Staff are trained when they begin working (Q.VA4_MH)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 8 | 0.0% |
| 1 | Yes | 352 | 1.1% |
| L | Logical Skip | 22,708 | 73.2% |
| M | Missing Data | 7,942 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VATRAINREG_MH: Trainings are held at regular intervals (Q.VA4_MH)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 3 | 0.0% |
| 1 | Yes | 357 | 1.2% |
| L | Logical Skip | 22,708 | 73.2% |
| M | Missing Data | 7,942 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VANOTRAIN_MH: Staff not trained on suicide prevention strategies (Q.VA4_MH)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 359 | 1.2% |
| L | Logical Skip | 22,708 | 73.2% |
| M | Missing Data | 7,943 | 25.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

VARSKPROGIND_MH: Suicide risk screening program, indicated (Q.VA5_MH)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 64 | 0.2% |
| 1 | Yes | 296 | 1.0% |
| L | Logical Skip | 22,708 | 73.2% |
| M | Missing Data | 7,942 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VARSKPROGSEL_MH: Suicide risk screening program, selected (Q.VA5_MH)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 65 | 0.2% |
| 1 | Yes | 295 | 1.0% |
| L | Logical Skip | 22,708 | 73.2% |
| M | Missing Data | 7,942 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VARSKPROGUNIV_MH: Suicide risk screening program, universal (Q.VA5_MH)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 16 | 0.1% |
| 1 | Yes | 344 | 1.1% |
| L | Logical Skip | 22,708 | 73.2% |
| M | Missing Data | 7,942 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VANORSKPROG_MH: No suicide risk screening program (Q.VA5_MH)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 359 | 1.2% |
| L | Logical Skip | 22,708 | 73.2% |
| M | Missing Data | 7,943 | 25.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

VAWARNSIGN: Identifies warning signs for suicide and violence (Q.VA6_MH)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 1 | Yes | 62 | 0.2% |
| L | Logical Skip | 23,019 | 74.2% |
| M | Missing Data | 7,929 | 25.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

VAASSESSRISK: Assesses each client level of risk for suicide (Q.VA7_MH)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 3 | 0.0% |
| 1 | Yes | 357 | 1.2% |
| L | Logical Skip | 22,708 | 73.2% |
| M | Missing Data | 7,942 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VAMAINAIN: Maintains a list of clients who are high risk for suicide (Q.VA8_MH)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | No | 10 | 0.0% |
| 1 | Yes | 350 | 1.1% |
| L | Logical Skip | 22,708 | 73.2% |
| M | Missing Data | 7,942 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VAFUAPPTMSSD: Process for ensuring high risk for suicide clients are followed up with (Q.VA8a_MH)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | No | 1 | 0.0% |
| 1 | Yes | 346 | 1.1% |
| L | Logical Skip | 22,736 | 73.3% |
| M | Missing Data | 7,927 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VASPC_MH: Full-time Suicide Prevention Coordinators (SPCs) employed at this facility (Q.VA9_MH)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 93 | 0.3% |
| 1-10 | 1-10 | 266 | 0.9% |
| 31-40 | 31-40 | 1 | 0.0% |
| L | Logical Skip | 22,708 | 73.2% |
| M | Missing Data | 7,942 | 25.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

VACAREMGR_MH: Full-time care managers employed at this facility (Q.VA9_MH)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 194 | 0.6% |
| 1-10 | 1-10 | 163 | 0.5% |
| 11-20 | 11-20 | 3 | 0.0% |
| L | Logical Skip | 22,708 | 73.2% |
| M | Missing Data | 7,942 | 25.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

VAPROGSUPP_MH: Full-time program support assistants employed at this facility (Q.VA9_MH)

| Value | Label | Frequency | % |
|-------|--------------|-----------|-------|
| 0 | 0 | 214 | 0.7% |
| 1-10 | 1-10 | 144 | 0.5% |
| 21-30 | 21-30 | 2 | 0.0% |
| L | Logical Skip | 22,708 | 73.2% |
| M | Missing Data | 7,942 | 25.6% |
| Total | | 31,010 | 100% |

Variable Type: numeric

VAHIGHRISKHI_MH: Hospital inpatients identified as high risk of suicide (Q.VA10_MH)

| Value | Label | Frequency | % |
|---------|--------------|-----------|-------|
| 0 | 0 | 5 | 0.0% |
| 1-10 | 1-10 | 22 | 0.1% |
| 11-20 | 11-20 | 3 | 0.0% |
| 101-250 | 101-250 | 1 | 0.0% |
| L | Logical Skip | 23,048 | 74.3% |
| M | Missing Data | 7,931 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VAHIGHRISKRC_MH: Residential clients identified as high risk of suicide (Q.VA11_MH)

| Value | Label | Frequency | % |
|-------|--------------|---------------|-------------|
| 0 | 0 | 8 | 0.0% |
| 1-10 | 1-10 | 16 | 0.1% |
| 11-20 | 11-20 | 3 | 0.0% |
| 31-40 | 31-40 | 1 | 0.0% |
| L | Logical Skip | 23,055 | 74.3% |
| M | Missing Data | 7,927 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

VAHIGHRISKOP_MH: Outpatient clients identified as high risk of suicide (Q.VA12_MH)

| Value | Label | Frequency | % |
|----------|--------------|---------------|-------------|
| 0 | 0 | 9 | 0.0% |
| 1-10 | 1-10 | 37 | 0.1% |
| 11-20 | 11-20 | 8 | 0.0% |
| 21-30 | 21-30 | 1 | 0.0% |
| 31-40 | 31-40 | 2 | 0.0% |
| 51-75 | 51-75 | 2 | 0.0% |
| 76-100 | 76-100 | 3 | 0.0% |
| 101-250 | 101-250 | 3 | 0.0% |
| 251-500 | 251-500 | 1 | 0.0% |
| 501-1000 | 501-1000 | 1 | 0.0% |
| L | Logical Skip | 23,008 | 74.2% |
| M | Missing Data | 7,935 | 25.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TSU_SU: Inclusion/exclusion flag for substance use report

| Value | Label | Frequency | % |
|-------|-----------------------------|---------------|-------------|
| 1 | Treatment/detoxification | 14,854 | 47.9% |
| 2 | Non-treatment halfway house | 22 | 0.1% |
| 3 | Did not take survey | 6,016 | 19.4% |
| 4 | Jail | 2 | 0.0% |
| 5 | Solo practice | 4 | 0.0% |
| M | Missing Data | 10,112 | 32.6% |
| | Total | 31,010 | 100% |

Variable Type: numeric

TSU_MH: Inclusion/exclusion flag for mental health report

| Value | Label | Frequency | % |
|-------|--------------------------|---------------|-------------|
| 1 | Treatment/detoxification | 9,586 | 30.9% |
| M | Missing Data | 21,424 | 69.1% |
| | Total | 31,010 | 100% |

Variable Type: numeric