



INTERNAL USE

# RadioTEDU OnAir

## Worker Operations Manual

Internal operator edition | Version 1.0

A visual, task-focused guide for safe mouse-driven broadcast operation.

CONTROL. VERIFY. BROADCAST.

## PURPOSE AND SAFETY

# Designed for operator authority

The console is deterministic: the person at the workstation decides when a stream starts, stops, changes source, or changes automation.

## 01

### Explicit actions

Broadcast state changes require a visible mouse action and a verified result.

## 02

### Queue continuity

A normal stop preserves order. Resume restarts the interrupted item from the beginning.

## 03

### Scoped settings

Media, automation, output, and optional services are configured per station profile.

**SAFETY**

### The three checks before any state change

Confirm the selected station profile, confirm the visible current status, and confirm the action result. Never infer success from a button press alone.

### ● SELECT

Choose the intended station profile.



### ● ACT

Click the required control.



### ● VERIFY

Read the returned status and timeline.

NAVIGATION

# Contents

Use this manual during onboarding, live operation, and incident recovery.

|                                       |    |
|---------------------------------------|----|
| Operator authority and interface tour | 04 |
| Start-of-shift readiness              | 05 |
| Start, stop, and playlist continuity  | 06 |
| Managed media and queue control       | 07 |
| Queue planning and format isolation   | 08 |
| Adjustable jingle automation          | 09 |
| Emergency browser-audio takeover      | 10 |
| Optional services and database health | 11 |
| Station and output settings           | 12 |
| Diagnostics and readiness gates       | 13 |
| Shift checklist                       | 14 |
| Troubleshooting                       | 15 |
| Priority incident response            | 16 |
| Operator quick reference              | 17 |

GUIDE


Reading pattern

Every task page follows the same sequence: goal, annotated interface, exact mouse actions, and a visible verification point.

## ORIENTATION

# The operator wall at a glance

Navigation stays on the left, station scope stays at the top, and the active workspace occupies the center.



- 1 Workspace menu: On Air, Media, Automation, Emergency, Services, Settings, and Diagnostics.
- 2 Controlling Station: every action applies to the selected profile.
- 3 Live state: read ON AIR or OFF AIR before acting.
- 4 Primary action controls use clear colors and verified labels.

## RULE

## Selection rule

If the station name at the top is not the intended target, stop and select the correct profile before changing anything.

## START OF SHIFT

# Five-minute readiness routine

Complete this sequence at the beginning of every operating period and after any restart.

1

**Sign in locally**

Use your assigned operator account. Do not share passwords or leave a signed-in console unattended.

2

**Select the station**

Read the active station label at the top of the screen before touching broadcast controls.

3

**Open Health or Diagnostics**

Confirm the application, media tools, station profile, monitor, and stream destination.

4

**Review Media and Automation**

Confirm the managed folder, pending queue, insert interval, and selection order.

5

**Return to On Air**

Read the current state. Start or resume only when the scheduled program should be live.


**CHECK****A green connection badge is necessary, not sufficient**

The backend may be reachable while a station output or local monitor still needs attention. The readiness page is the authoritative checklist.

## CORE OPERATION

# Start, stop, and preserve the playlist

The stop control is deliberately two-step. It stops scheduler and outputs without clearing, advancing, or reordering the queue.



- 1 Confirm the visible live state before clicking.
- 2 Engine and scheduler must agree with the live badge.
- 3 First Stop press arms the action; second press confirms within 20 seconds.
- 4 Start / resume restarts the interrupted item from its beginning.

## VERIFY


### Verification after Stop

Look for OFF AIR, Engine: Stopped, Scheduler: Stopped, and an unchanged queue. If any field disagrees, open Diagnostics before proceeding.

## LIBRARY AND QUEUE

# Assign a managed music folder

Each station should use its own exact media folder so autoplay and the pending queue cannot drift into another format.



- 1 Station selector: confirm the target profile first.
- 2 Browse folders opens the native Windows picker.
- 3 Exact replacement keeps active music inside the chosen folder.
- 4 Sync and verify scans audio, validates files, and refreshes the queue.

## PRACTICE


## Recommended folder practice

Use one folder per station and enable subfolders only when their contents share the same format. Unreadable files should be corrected or explicitly skipped and reviewed.

## PLAYOUT CONTROL

# Build and verify the queue

The queue is a visible program plan. Search, add, reorder, and remove items with the mouse; verify the list after every edit.



## Before a format change

- Stop the current station if required by policy.
- Select the target station profile.
- Assign and verify the target station's exact folder.

## During queue editing

- Add only items visible in the selected library.
- Move one item at a time and wait for the refreshed order.
- Use Remove only on the intended row.

## Before going live

- Confirm the next item, total forecast, and jingle rule.
- Confirm output and monitor readiness.
- Start from the On Air workspace.

**BEHAVIOR****A normal stop is non-destructive**


The interrupted track, jingle, advertisement, or scheduled item stays pending and restarts from its beginning on resume.



## DETERMINISTIC RULES

# Set the jingle interval you want

Automatic jingles are optional and station-specific. The operator chooses the interval and selection order.



- 1 Enable or disable automatic jingles.
- 2 Songs between jingles: enter 2, 3, or another value from 1 to 100.
- 3 Choose random or rotation order.
- 4 Save and verify; the green activity line confirms the active rule.

## RULE


## Counting rule

Only completed songs increment the interval. A stopped or interrupted song does not count until it finishes. The current song always finishes before the inserted jingle.

## PRIORITY TAKEOVER

# Broadcast approved browser-tab audio

Emergency audio is independent of the normal music mount. Preview first, share only the intended tab audio, then confirm takeover.



- 1 Choose an approved preset or enter an approved public-service page.
- 2 Open and preview before takeover.
- 3 Arm, then confirm within 20 seconds after sharing tab audio.
- 4 Stop emergency audio to restore the saved normal playlist and mix.


**CRITICAL****Emergency checklist**

Verify the page is official, start its player, select the opened tab, enable Share tab audio, confirm audible monitoring, arm takeover, and verify PROGRAM: Emergency.

## OPTIONAL SYSTEMS

# See health and control optional services

Music continuity does not depend on AI. Optional services may be enabled, tested, updated, backed up, or disabled without giving them broadcast authority.



- 1 Services workspace keeps optional systems away from core playout.
- 2 Read the enabled or disabled badge before changing state.
- 3 Enable and Disable are explicit operator controls.
- 4 AI configuration is saved and tested here; it cannot start or stop a stream.

## MAINTENANCE


## Safe database maintenance

Run a service health check first, create a backup, apply only the fixed update action, then run health again. Do not expose tokens, passwords, or database files in screenshots or support tickets.

## STATION ADMINISTRATION

# Configure output without guesswork

Settings are station-scoped. Save and apply stores the values; Test stream destination proves the destination accepts them.



- 1 Station identity: verify before editing output.
- 2 Output gain: change conservatively and monitor.
- 3 Local monitor and device selection are independent of the stream.
- 4 Save, apply, and verify before running the destination test.

## SECURITY


## Credential handling

Enter source credentials only in the protected Settings fields. Never place a password in the station name, mount label, screenshot, log excerpt, or public issue.

## RELIABILITY

# Readiness is a list, not a feeling

The installation self-check explains each required and optional dependency. Green is ready, amber needs review, and red needs operator action.



1

Action count summarizes unresolved checks.

2

Green checks are ready.

3

Amber checks are optional or require review.

4

Red checks include a direct corrective action.

## GATE

## Go-live threshold

Do not start a production stream while a required output, media, or station-profile check is red. Optional AI checks may remain disabled without blocking music continuity.

## ROUTINE

# Shift checklist

A repeatable checklist reduces state ambiguity and makes handovers fast.

| Start of shift                                                                                                                                                                                                                                                                                                                                                                                                                           | During shift                                                                                                                                                                                                                                                                                                                                                                                                                                          | End of shift                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li><input type="checkbox"/> Sign in and select the station.</li><li><input type="checkbox"/> Run installation self-check.</li><li><input type="checkbox"/> Verify managed folder and queue.</li><li><input type="checkbox"/> Verify jingle interval and order.</li><li><input type="checkbox"/> Verify monitor and destination.</li><li><input type="checkbox"/> Read current On Air state.</li></ul> | <ul style="list-style-type: none"><li><input type="checkbox"/> Watch now-playing and forecast.</li><li><input type="checkbox"/> Verify every queue edit.</li><li><input type="checkbox"/> Keep optional services visibly healthy.</li><li><input type="checkbox"/> Record unusual warnings.</li><li><input type="checkbox"/> Use two-step stop for planned silence.</li><li><input type="checkbox"/> Use priority audio only when approved.</li></ul> | <ul style="list-style-type: none"><li><input type="checkbox"/> Confirm intended live or stopped state.</li><li><input type="checkbox"/> Confirm queue order.</li><li><input type="checkbox"/> Confirm priority audio is off.</li><li><input type="checkbox"/> Review operator activity.</li><li><input type="checkbox"/> Write the handover note.</li><li><input type="checkbox"/> Sign out or lock the workstation.</li></ul> |

## HANDOVER

**Handover minimum**

State the selected station, live status, next three queue items, active automation rule, unresolved health items, and whether any priority source was used.

RECOVERY

# Symptom-to-action matrix

Use visible status and bounded corrective actions. Do not repeatedly click a control while the result is unknown.

| SYMPTOM                      | OPERATOR ACTION                                                              | VERIFICATION                            |
|------------------------------|------------------------------------------------------------------------------|-----------------------------------------|
| Dashboard will not open      | Wait for startup, then reopen the tray action.                               | Login screen or readiness page appears. |
| Stream rejected              | Recheck destination, mount, user, password, and codec; run destination test. | Test reports accepted.                  |
| Media missing                | Confirm folder access; sync and verify; review unreadable files.             | Expected library count appears.         |
| Jingle did not run           | Check enabled state, interval, completed-song count, and selection order.    | Verified rule appears in activity.      |
| Priority audio is silent     | Select the correct browser tab and enable shared tab audio.                  | Signal and buffer become active.        |
| Optional service unavailable | Disable it, preserve music continuity, then run service health.              | Core playlist remains healthy.          |

ESCALATE

Escalate with evidence

Record the time, selected station, visible status, exact action, and exact error. Never include passwords, protected configuration, or database files.

## WHEN SECONDS MATTER

# Priority broadcast response

Use this page as the operator's compact decision sequence. Local policy and authorized editorial direction always take precedence.

**FALLBACK****If the browser source fails**

Do not improvise an unapproved page. Restore normal program audio, record the failure, and follow the station's authorized backup-source procedure.



## ONE PAGE

# Operator quick reference

The shortest safe path for common actions.

**START**

Select station -> On Air -> read state -> Start / resume -> verify ON AIR

**STOP**

On Air -> Stop -> Confirm within 20 seconds -> verify OFF AIR and unchanged queue

**IMPORT**

Media -> Browse -> choose folder -> set scope -> Sync and verify

**JINGLES**

Automation -> enable -> set song interval -> choose order -> Save and verify

**PRIORITY**

Preview -> share tab audio -> Arm -> Confirm -> verify signal -> Restore

**HEALTH**

Diagnostics or Health -> run checks -> resolve required red items -> re-run

**REMEMBER****The golden rule**

Select, act, verify. If the visible result is not the expected result, stop clicking and open the readiness page.