

MyThuso and GilbertOne — the CI document

Edition 29 September 2026. Generated by `scripts/emit-ci.mjs` from the design tokens, the catalogue contracts, the brand masters and the component sources; the Markdown edition is `docs/brand/CI.md` and every file is indexed in `docs/brand/PACK.md`. Every figure is read from a contract or measured from a file; a figure the sources do not hold says "unsourced".

1. [Who we are](#)
2. [Logos](#)
3. [Colour](#)
4. [Type](#)
5. [Icons](#)
6. [Components](#)
7. [Layout and motion](#)
8. [Imagery](#)
9. [Voice and words](#)
10. [GilbertOne's two forms](#)
11. [Accessibility](#)
12. [Platforms](#)

1. Who we are

The rule. Every surface says what MyThuso is, what GilbertOne is, and that neither is a live service yet — in the same words, because a product that describes itself three different ways has not decided what it is.

MyThuso

Nurse-led home healthcare for South Africa. A patient books a visit; a SANC-registered nurse comes to the house; a registered doctor reviews what the nurse found. Built by Akhanya IT Innovations, Johannesburg.

GilbertOne

GilbertOne is a short list of approved answers with a name. It matches what you type, or say on a phone, against that list and replies in sentences people at MyThuso wrote down in advance. GilbertOne is not a doctor, not a nurse and not a person.

`GilbertOne` is the product's name; `Your Thuso AI Doctor` is its descriptor, and the descriptor is never read without its disclosure: `Your Thuso AI Doctor · not a person, and not a doctor`. Powered by ThusoIQ: ThusoIQ is the name of MyThuso's clinical rules platform. In this build GilbertOne uses two things from it and nothing else: the approved sentences in this file and the emergency red flags Thuso SOS already asks about.

The honesty line every surface carries

The public page's notice bar, word for word from

`apps/web/src/features/Landing.tsx` : **MyThuso is in development. This page describes a service being built in Johannesburg. Nothing here books a visit, takes a payment or sends a nurse anywhere.**

Inside the product the shell's badge reads `Design preview · Fictional data` (`packages/catalog/locales.json` , `shell.previewBadge`), and every screen that depends on something not yet connected renders that capability's own notice from `packages/catalog/capabilities.json` — for the connected kit: **No device is connected. These readings are sample data and no instrument has been paired.**

- **one-notice-per-screen.** A screen renders the notice for the capability it depends on. Not three of them stacked, and not one it does not use.
- **the-notice-is-the-contract.** No screen writes its own not-connected sentence. It names a capability and the sentence is rendered from this file.
- **connected-needs-evidence.** A capability may be marked connected only when `evidence` names a file that exists and `blockedBy` is empty. The build refuses it otherwise.

From CLAUDE.md, the rule under all of these: "Nothing here is a real service. No visit is booked, no payment taken, no clinical decision issued, no device contacted. Every screen that could be mistaken for the real thing says so."

2. Logos



Your Thuso AI Doctor · not a person, and not a doctor



The reversed lockup on the dark scheme's ground. The GilbertOne logo has no reversed form and stays on a light plate.

The rule. The two official logos are the handoff's masters and are used whole: resized, never redrawn, recoloured, cropped, rotated, regenerated or separated into their parts.

The MyThuso wordmark

The official master is `packages/brand/lovable-handoff/handoff/src/assets/logos/mythuso-logo.png`, 366×98 pixels, 9 kB, held byte for byte under `MANIFEST.sha256`. The product draws it from the vector cuts under `apps/web/public/brand`, which share the master's 366×98 frame; its colours are the brand tokens — `brandInk` for "my", `brandGreen` for "thuso", `brandOrange` for the roof and `brandLime` for the dot. Its reversed lockup draws "thuso" in `brandMint`, which is the logo saying for itself what its green becomes on a dark ground.

File	Frame (viewBox)	Size	Use
<code>apps/web/public/brand/mythuso-logo-mono.svg</code>	366×98	4 kB	One-colour print and embossing
<code>apps/web/public/brand/mythuso-logo-reversed.svg</code>	366×98	4 kB	The lockup on a dark surface: "thuso" in <code>brandMint</code> , the logo's own answer to a dark ground, served under <code>prefers-color-scheme: dark</code> by <code>components/Wordmark.tsx</code>
<code>apps/web/public/brand/mythuso-logo.svg</code>	366×98	4 kB	The lockup on a light surface — the public page's bar and footer, every shell's sidebar, the founder's door
<code>apps/web/public/brand/mythuso-mark-reversed.svg</code>	200×200	1 kB	The house mark on a dark surface

File	Frame (viewBox)	Size	Use
<code>apps/web/public/brand/mythuso-mark.svg</code>	200×200	1 kB	The house mark alone — the patient shell's brand control and the sign-in door, where the lockup would be too small to read
<code>apps/web/public/brand/mythuso-wordmark-mono.svg</code>	366×150	8 kB	The tagline lockup in one colour
<code>apps/web/public/brand/mythuso-wordmark-reversed-plate.svg</code>	366×150	8 kB	The tagline lockup on its own plate
<code>apps/web/public/brand/mythuso-wordmark-reversed.svg</code>	366×150	8 kB	The tagline lockup on a dark surface
<code>apps/web/public/brand/mythuso-wordmark.svg</code>	366×150	8 kB	The lockup with the tagline

Reversed use. The official MyThuso wordmark, which we hold as SVG, and its reversed lockup when the reader's system is dark — the logo's own answer to a dark ground (`public/brand/mythuso-logo-reversed.svg` draws "thuso" in the brand's mint), never a recolouring of the ink one. Used wherever the lockup stands on a surface that follows the scheme: the public page's bar and footer, and every shell's sidebar. The width and height are the file's own, so nothing moves when it lands.

Minimum size. Unsourced: no contract states a minimum width for the wordmark. What is measured is the reason the mark exists as a separate file — `apps/web/src/features/Onboarding.tsx` records that the full lockup with its tagline at 158 px wide drew the tagline about four pixels tall, "not a small logo, an illegible one", and the mark is used there instead. Below the width at which the tagline reads, use the mark.

Clear space. Unsourced for the wordmark: the SVG cuts carry no clear-space rule. For the GilbertOne logo the master's own transparent margin is the clear space and is part of the file (below).

The official GilbertOne logo

The master is `packages/brand/lovable-handoff/handoff/src/assets/logos/gilbert-one-logo.png`, 1448×1086 pixels, 512 kB: the complete seated character above the GilbertOne name. It is never served. What a screen loads is a WebP derivative resized whole, at the master's own

1448:1086, each under 150 kB — the build measures the ratio from the file's header and refuses a crop.

File	Pixels	Size	Where
<code>apps/web/public/lovable/gilbertone/gilbertone-logo-320.webp</code>	320×240	18 kB	GilbertOneLogo in the product: the consent card, the welcome, the signed-out sheet, the services region — drawn at 96, 112, 120, 168 px wide
<code>apps/web/public/lovable/gilbertone/gilbertone-logo-640.webp</code>	640×480	41 kB	GilbertOneLogo in the product: the consent card, the welcome, the signed-out sheet, the services region — drawn at 96, 112, 120, 168 px wide
<code>apps/web/public/lovable/gilbertone-logo-360.webp</code>	360×270	19 kB	The public page, beside the questions, at 180 px
<code>apps/web/public/lovable/gilbertone-logo-720.webp</code>	720×540	44 kB	The public page, beside the questions, at 180 px

From `apps/web/src/features/GilbertAvatar.tsx`: The official GilbertOne logo — the Lovable handoff's master, the seated character above the name — wherever GilbertOne is named as a product: the consent card, the welcome, the signed-out sheet's head and the services region. It is the brand form; the rig below is the in-product form, and the two are never merged, which is the handoff's own rule. Two WebP derivatives of `packages/brand/lovable-handoff/handoff/src/assets/logos/gilbert-one-logo.png`, resized whole and nothing else: the master's transparent clear space is part of the mark, so the file is never cropped to the ink, never recoloured and never split into character and lettering. The master is 524 kB and is never served; the derivatives are 18 and 42 kB. The alt is the name, because on every screen that carries it the logo is where the name is read. It sits only on a light ground: the lettering is the brand ink, and a recoloured "reversed" logo is the one thing the handoff forbids.

What is never done to either

The uploaded `GilbertOne` artwork is the official GilbertOne logo: the complete seated character above the GilbertOne name. Preserve its proportions, colors, transparency, and clear space; never recolor, crop, redraw, rotate, or separate the character from the lettering when used as the logo. The exported animated `GilbertOne` component is a separate in-product assistant expression. Reserve both forms for AI guidance, conversation, and support—not generic decoration or ordinary healthcare actions. — the handoff's design-guidelines.md

Provenance. Received from Lovable on 28 September 2026 as `mythuso-design-system`, the design system the founder commissioned for MyThuso. Everything under `handoff/` is the handoff's own file, byte for byte: `MANIFEST.sha256` records a SHA-256 for each one and `scripts/check-boundaries.mjs` fails the build if any of them changes or if a file appears here that the manifest does not name. Files are unmodified. The official logos — `handoff/src/assets/logos/mythuso-logo.png` and `handoff/src/assets/logos/gilbert-one-logo.png` — are never redrawn, recoloured, cropped, rotated or regenerated, which is the handoff's own rule and the founder's. — `packages/brand/lovable-handoff/README.md`

The descriptor rule, word for word

The descriptor is never shown or spoken on its own. Every screen, row, header and accessibility hint that says “Your Thuso AI Doctor” says `descriptorLine`, which carries the disclosure in the same breath. A product name that sounds like a qualification is corrected where it is read, not three screens later. — `packages/catalog/assistant.json#identity.descriptorRule`

Decided by the Founder on 2026-09-14: Confirmed: “Your Thuso AI Doctor” stays, and it is always said together with “not a person, and not a doctor”. Changing either half is the founder's decision, not an edit. On the web the build fails if a file draws the GilbertOne logo without `identity.descriptorLine` beside it.

3. Colour

Brand



--brand-ink

#083848

--brand-green

#189870

--brand-orange

#F86830

--brand-lime

#D8F818

--brand-mint

#9FE1CB

--brand-cyan

#51F3FC

Light scheme

**--color-
background**#f6fbfc · oklch(0.985 0.0
06 211)**--color-
foreground**#022235 · oklch(0.24 0.0
52 239)**--color-surface**

#ffffff · oklch(1 0 0)

**--color-surface-
raised**#ecf7fa · oklch(0.97 0.01
2 211)**--color-primary**

#083848

**--color-primary-
foreground**

#ffffff · oklch(1 0 0)

--color-accent

#189870

**--color-accent-
foreground**#001c26 · oklch(0.21 0.0
43 222)**--color-muted**#e1eef1 · oklch(0.94 0.01
4 217)**--color-muted-
foreground**#4e6b7a · oklch(0.51 0.0
41 232)**--color-success**

#189870

--color-warning

#d8f818

--color-danger

#f86830

--color-info

#189870

**--color-
highlight**

#d8f818

--color-coral

#f86830

--color-border#c9dbe1 · oklch(0.88 0.0
21 220)**--color-input**#d5e4ea · oklch(0.91 0.0
18 220)**--color-ring**

#189870

Dark scheme

<code>--color-background</code> #00121c · oklch(0.17 0.03 5 235)	<code>--color-foreground</code> #e3edf0 · oklch(0.94 0.0 12 211)	<code>--color-surface</code> #041c29 · oklch(0.215 0.04 235)	<code>--color-surface-raised</code> #092635 · oklch(0.255 0.044 235)
<code>--color-primary</code> #189870	<code>--color-primary-foreground</code> #00121c · oklch(0.17 0.03 5 235)	<code>--color-accent</code> #25c99a	<code>--color-accent-foreground</code> #00121c · oklch(0.17 0.03 5 235)
<code>--color-muted</code> #182e3a · oklch(0.29 0.0 35 232)	<code>--color-muted-foreground</code> #93a9b0 · oklch(0.72 0.0 26 220)	<code>--color-success</code> #25c99a	<code>--color-warning</code> #d8f818
<code>--color-danger</code> #ff7b48	<code>--color-info</code> #25c99a	<code>--color-highlight</code> #d8f818	<code>--color-coral</code> #ff7b48
<code>--color-border</code> #243b47 · oklch(0.34 0.0 36 232)	<code>--color-input</code> #28414e · oklch(0.36 0.0 38 232)	<code>--color-ring</code> #25c99a	

The rule. A colour is a token with a role, measured against every surface it sits on before it carries a word; nothing on any platform types a hex.

The brand values

The four literals the handoff delivered, decided by the Founder on 28 September 2026, plus the two the product already carried. They are `--brand-<name>` on the web and `ThusoTheme.<name>` on the phones.

Token	Hex	What it is
brandInk	#083848	The ink: "my" in the wordmark, the visor of the GilbertOne rig, the primary role in the light scheme
brandGreen	#189870	The green: "thuso", the accent, success, info and the focus ring in the light scheme
brandOrange	#F86830	The roof of the house mark; danger and coral as fills — never words on a light ground
brandLime	#D8F818	The dot on the mark and the signal point on every MyThuso icon; warning and highlight as fills — never words on a light ground
brandMint	#9FE1CB	"thuso" in the reversed lockup; not in the handoff, kept because the clinical deck reads it
brandCyan	#51F3FC	The GilbertOne character's eyes and smile, sampled from the logo master; it fills a shape on the visor and nothing else, and never carries text

The nineteen semantic roles, light and dark

Generation four, `packages/design-tokens/tokens.json#semantic`: each role has a light and a dark value, stored as the sRGB hex the handoff's oklch converts to exactly, with the oklch beside it where the handoff wrote one. On the web they are `--color-<role>`; natively `ThusoSemantic.Light.<role>` and `ThusoSemantic.Dark.<role>`.

Role	Light hex	Light oklch	Dark hex	Dark oklch	Role in the design
<code>--color-background</code>	#f6fbfc	oklch(0.985 0.006 211)	#00121c	oklch(0.17 0.035 235)	The page ground
<code>--color-foreground</code>	#022235	oklch(0.24 0.052 239)	#e3edf0	oklch(0.94 0.012 211)	Headings, figures and body text
<code>--color-surface</code>	#ffffff	oklch(1 0 0)	#041c29	oklch(0.215 0.04 235)	A card
<code>--color-surface-raised</code>	#ecf7fa	oklch(0.97 0.012 211)	#092635	oklch(0.255 0.044 235)	A raised panel
<code>--color-primary</code>	#083848	a hex literal in the handoff	#189870	a hex literal in the handoff	The primary action

Role	Light hex	Light oklch	Dark hex	Dark oklch	Role in the design
<code>--color-primary-foreground</code>	#ffffff	oklch(1 0 0)	#00121c	oklch(0.17 0.035 235)	The label on a primary action
<code>--color-accent</code>	#189870	a hex literal in the handoff	#25c99a	a hex literal in the handoff	Actions, selected states and positive progress
<code>--color-accent-foreground</code>	#001c26	oklch(0.21 0.043 222)	#00121c	oklch(0.17 0.035 235)	The label on an accent fill
<code>--color-muted</code>	#e1eef1	oklch(0.94 0.014 217)	#182e3a	oklch(0.29 0.035 232)	A muted panel
<code>--color-muted-foreground</code>	#4e6b7a	oklch(0.51 0.041 232)	#93a9b0	oklch(0.72 0.026 220)	Secondary text, captions and helper text
<code>--color-success</code>	#189870	a hex literal in the handoff	#25c99a	a hex literal in the handoff	A success mark
<code>--color-warning</code>	#d8f818	a hex literal in the handoff	#d8f818	a hex literal in the handoff	A warning fill
<code>--color-danger</code>	#f86830	a hex literal in the handoff	#ff7b48	a hex literal in the handoff	A danger fill
<code>--color-info</code>	#189870	a hex literal in the handoff	#25c99a	a hex literal in the handoff	An information mark
<code>--color-highlight</code>	#d8f818	a hex literal in the handoff	#d8f818	a hex literal in the handoff	A highlight fill
<code>--color-coral</code>	#f86830	a hex literal in the handoff	#ff7b48	a hex literal in the handoff	A coral fill
<code>--color-border</code>	#c9dbe1	oklch(0.88 0.021 220)	#243b47	oklch(0.34 0.036 232)	A hairline
<code>--color-input</code>	#d5e4ea	oklch(0.91 0.018 220)	#28414e	oklch(0.36 0.038 232)	The resting boundary of a field
<code>--color-ring</code>	#189870	a hex literal in the handoff	#25c99a	a hex literal in the handoff	The focus ring

Dark values: The dark values exist so the variables exist. The web emits them only under `:root[data-theme="dark"]`: on 29 September 2026 the founder saw the product dark under a dark OS scheme and decided light is the default and dark an option a person switches on (apps/web/src/components/ThemeToggle.tsx). No prefers-color-scheme block, so the OS never decides. The switch keeps nothing across a load, because the web may not touch browser storage.

Every foreground on every surface, measured

WCAG 2.2 AA. 4.5:1 for body text, 3:1 for large text (18.66px bold or 24px and over) and for the visual boundary of a control or a focus indicator (SC 1.4.11). The focus indicator is two rings, not one: no single colour clears 3:1 against both a white card and a forest panel, and controls exist on both. A light inner ring carries the dark grounds and a dark outer ring carries the light ones, so whichever ground it lands on, one of the two is legible. Tying the ring to --amber, which also labels warnings, made the two pull against each other the moment the warning was darkened enough to be readable.

The table below is computed here with the same formula `scripts/check-boundaries.mjs` uses, for every semantic foreground against the four semantic surfaces in both schemes. "Declared" means the pair is in `tokens.json#contrast.pairs` and the build holds it on every run; "parked" means it is in `knownFailures` with a measured replacement; a pair marked undeclared is one the design does not put together, and no screen may until a row is added.

Light scheme

Foreground	on background	on surface	on surfaceRaised	on muted
<code>light.foreground</code>	15.69:1 — declared at 4.5:1 — clears	16.37:1 — declared at 4.5:1 — clears	15.01:1 — declared at 4.5:1 — clears	13.8:1 — declared at 4.5:1 — clears
<code>light.primary</code>	12.05:1 — declared at 4.5:1 — clears	12.58:1 — declared at 4.5:1 — clears	11.53:1 — declared at 4.5:1 — clears	10.6:1 — declared at 4.5:1 — clears
<code>light.accent</code>	3.49:1 — declared at 3:1 — clears	3.64:1 — declared at 3:1 — clears	3.34:1 — declared at 3:1 — clears	3.07:1 — declared at 3:1 — clears
<code>light.success</code>	3.49:1 — declared at 3:1 — clears	3.64:1 — declared at 3:1 — clears	3.34:1 — declared at 3:1 — clears	3.07:1 — declared at 3:1 — clears

Foreground	on background	on surface	on surfaceRaised	on muted
<code>light.warning</code>	1.16:1 — parked at 3:1 — replace with #92400e (6.79:1)	1.21:1 — parked at 3:1 — replace with #92400e (7.09:1)	1.11:1 — parked at 3:1 — replace with #92400e (6.5:1)	1.02:1 — parked at 3:1 — replace with #92400e (5.98:1)
<code>light.danger</code>	2.87:1 — parked at 3:1 — replace with #b42318 (6.3:1)	2.99:1 — parked at 3:1 — replace with #b42318 (6.57:1)	2.74:1 — parked at 3:1 — replace with #b42318 (6.03:1)	2.52:1 — parked at 3:1 — replace with #b42318 (5.54:1)
<code>light.info</code>	3.49:1 — declared at 3:1 — clears	3.64:1 — declared at 3:1 — clears	3.34:1 — declared at 3:1 — clears	3.07:1 — declared at 3:1 — clears
<code>light.highlight</code>	1.16:1 — parked at 3:1 — replace with #92400e (6.79:1)	1.21:1 — parked at 3:1 — replace with #92400e (7.09:1)	1.11:1 — parked at 3:1 — replace with #92400e (6.5:1)	1.02:1 — parked at 3:1 — replace with #92400e (5.98:1)
<code>light.coral</code>	2.87:1 — parked at 3:1 — replace with #b42318 (6.3:1)	2.99:1 — parked at 3:1 — replace with #b42318 (6.57:1)	2.74:1 — parked at 3:1 — replace with #b42318 (6.03:1)	2.52:1 — parked at 3:1 — replace with #b42318 (5.54:1)
<code>light.border</code>	1.37:1 — declared at 1.2:1 — clears	1.43:1 — declared at 1.2:1 — clears	1.31:1 — declared at 1.2:1 — clears	1.2:1 — declared at 1.2:1 — clears
<code>light.input</code>	1.25:1 — parked at 3:1 — replace with #4e6b7a (5.43:1)	1.3:1 — parked at 3:1 — replace with #4e6b7a (5.66:1)	1.19:1 — parked at 3:1 — replace with #4e6b7a (5.19:1)	1.1:1 — parked at 3:1 — replace with #4e6b7a (4.77:1)
<code>light.ring</code>	3.49:1 — declared at 3:1 — clears	3.64:1 — declared at 3:1 — clears	3.34:1 — declared at 3:1 — clears	3.07:1 — declared at 3:1 — clears

Dark scheme

Foreground	on background	on surface	on surfaceRaised	on muted
dark.foreground	15.99:1 — declared at 4.5:1 — clears	14.66:1 — declared at 4.5:1 — clears	13.16:1 — declared at 4.5:1 — clears	11.83:1 — declared at 4.5:1 — clears
dark.primary	5.22:1 — declared at 4.5:1 — clears	4.79:1 — declared at 4.5:1 — clears	4.3:1 — parked at 4.5:1 — replace with #25c99a (7.39:1)	3.87:1 — parked at 4.5:1 — replace with #25c99a (6.64:1)
dark.accent	8.97:1 — declared at 4.5:1 — clears	8.23:1 — declared at 4.5:1 — clears	7.39:1 — declared at 4.5:1 — clears	6.64:1 — declared at 4.5:1 — clears
dark.success	8.97:1 — declared at 4.5:1 — clears	8.23:1 — declared at 4.5:1 — clears	7.39:1 — declared at 4.5:1 — clears	6.64:1 — declared at 4.5:1 — clears
dark.warning	15.73:1 — declared at 4.5:1 — clears	14.43:1 — declared at 4.5:1 — clears	12.95:1 — declared at 4.5:1 — clears	11.65:1 — declared at 4.5:1 — clears
dark.danger	7.41:1 — declared at 4.5:1 — clears	6.8:1 — declared at 4.5:1 — clears	6.1:1 — declared at 4.5:1 — clears	5.49:1 — declared at 4.5:1 — clears
dark.info	8.97:1 — declared at 4.5:1 — clears	8.23:1 — declared at 4.5:1 — clears	7.39:1 — declared at 4.5:1 — clears	6.64:1 — declared at 4.5:1 — clears
dark.highlight	15.73:1 — declared at 4.5:1 — clears	14.43:1 — declared at 4.5:1 — clears	12.95:1 — declared at 4.5:1 — clears	11.65:1 — declared at 4.5:1 — clears
dark.coral	7.41:1 — declared at 4.5:1 — clears	6.8:1 — declared at 4.5:1 — clears	6.1:1 — declared at 4.5:1 — clears	5.49:1 — declared at 4.5:1 — clears
dark.border	1.62:1 — declared at 1.2:1 — clears	1.49:1 — declared at 1.2:1 — clears	1.34:1 — declared at 1.2:1 — clears	1.2:1 — declared at 1.2:1 — clears
dark.input	1.77:1 — parked at 3:1 — replace with #93a9b0 (7.74:1)	1.63:1 — parked at 3:1 — replace with #93a9b0 (7.1:1)	1.46:1 — parked at 3:1 — replace with #93a9b0 (6.37:1)	1.31:1 — parked at 3:1 — replace with #93a9b0 (5.73:1)

Foreground	on background	on surface	on surfaceRaised	on muted
<code>dark.ring</code>	8.97:1 — declared at 4.5:1 — clears	8.23:1 — declared at 4.5:1 — clears	7.39:1 — declared at 4.5:1 — clears	6.64:1 — declared at 4.5:1 — clears

The fills that carry words, declared and measured:

Words	On the fill	Floor	Measured	Use
<code>light.primaryForeground</code>	<code>light.primary</code>	4.5:1	12.58:1	Light: the label of a primary button.
<code>light.accentForeground</code>	<code>light.accent</code>	4.5:1	4.83:1	Light: the label of an accent button or a selected chip.
<code>light.foreground</code>	<code>light.highlight</code>	4.5:1	13.53:1	Light: dark text on a highlight fill — the only text a highlight tile may carry.
<code>light.foreground</code>	<code>light.warning</code>	4.5:1	13.53:1	Light: dark text on a warning fill — the only text a warning tile may carry.
<code>light.foreground</code>	<code>light.coral</code>	4.5:1	5.47:1	Light: dark text on a coral fill — the only text a coral tile may carry.
<code>light.foreground</code>	<code>light.danger</code>	4.5:1	5.47:1	Light: dark text on a danger fill — the only text a danger tile may carry.
<code>dark.primaryForeground</code>	<code>dark.primary</code>	4.5:1	5.22:1	Dark: the label of a primary button.
<code>dark.accentForeground</code>	<code>dark.accent</code>	4.5:1	8.97:1	Dark: the label of an accent button or a selected chip.
<code>dark.primaryForeground</code>	<code>dark.highlight</code>	4.5:1	15.73:1	Dark: the dark ink on a highlight fill — the only text a highlight tile may carry.

Words	On the fill	Floor	Measured	Use
<code>dark.primaryForeground</code>	<code>dark.warning</code>	4.5:1	15.73:1	Dark: the dark ink on a warning fill — the only text a warning tile may carry.
<code>dark.primaryForeground</code>	<code>dark.coral</code>	4.5:1	7.41:1	Dark: the dark ink on a coral fill — the only text a coral tile may carry.
<code>dark.primaryForeground</code>	<code>dark.danger</code>	4.5:1	7.41:1	Dark: the dark ink on a danger fill — the only text a danger tile may carry.

The known failures and their proposed fixes

Generation four's rows, added 28 September 2026: every foreground the handoff's theme.css defines against every surface it defines, light and dark, dotted as light. <role> / dark.<role> and resolved from #semantic. 90 clear their floor and 34 do not and are parked below with a measured replacement each. The pattern in the failures is the handoff's own: on a light ground its accent, success, info and ring (#189870) clear only the 3:1 non-text floor, and its danger, coral, warning and highlight — brand orange and brand lime — clear nothing at all, so on a light screen those four are fills and marks and never words, and white text on the orange fails too. On a dark ground every one of them clears text. The two that fail in the dark are primary as text on a raised or muted panel and light text on an orange or lime fill.

Foreground	Background	Floor	Measured	Proposed fix	Fix measure
<code>light.danger</code>	<code>light.background</code>	3:1	2.87:1	#b42318	6.3:1
<code>light.coral</code>	<code>light.background</code>	3:1	2.87:1	#b42318	6.3:1
<code>light.warning</code>	<code>light.background</code>	3:1	1.16:1	#92400e	6.79:1
<code>light.highlight</code>	<code>light.background</code>	3:1	1.16:1	#92400e	6.79:1
<code>light.input</code>	<code>light.background</code>	3:1	1.25:1	#4e6b7a	5.43:1
<code>light.danger</code>	<code>light.surface</code>	3:1	2.99:1	#b42318	6.57:1
<code>light.coral</code>	<code>light.surface</code>	3:1	2.99:1	#b42318	6.57:1

Foreground	Background	Floor	Measured	Proposed fix	Fix measur
light.warning	light.surface	3:1	1.21:1	#92400e	7.09:1
light.highlight	light.surface	3:1	1.21:1	#92400e	7.09:1
light.input	light.surface	3:1	1.3:1	#4e6b7a	5.66:1
light.danger	light.surfaceRaised	3:1	2.74:1	#b42318	6.03:1
light.coral	light.surfaceRaised	3:1	2.74:1	#b42318	6.03:1
light.warning	light.surfaceRaised	3:1	1.11:1	#92400e	6.5:1
light.highlight	light.surfaceRaised	3:1	1.11:1	#92400e	6.5:1
light.input	light.surfaceRaised	3:1	1.19:1	#4e6b7a	5.19:1
light.danger	light.muted	3:1	2.52:1	#b42318	5.54:1
light.coral	light.muted	3:1	2.52:1	#b42318	5.54:1
light.warning	light.muted	3:1	1.02:1	#92400e	5.98:1
light.highlight	light.muted	3:1	1.02:1	#92400e	5.98:1
light.input	light.muted	3:1	1.1:1	#4e6b7a	4.77:1
light.primaryForeground	light.highlight	4.5:1	1.21:1	#022235	13.53:1
light.primaryForeground	light.warning	4.5:1	1.21:1	#022235	13.53:1
light.primaryForeground	light.coral	4.5:1	2.99:1	#022235	5.47:1
light.primaryForeground	light.danger	4.5:1	2.99:1	#022235	5.47:1
dark.input	dark.background	3:1	1.77:1	#93a9b0	7.74:1
dark.input	dark.surface	3:1	1.63:1	#93a9b0	7.1:1
dark.primary	dark.surfaceRaised	4.5:1	4.3:1	#25c99a	7.39:1
dark.input	dark.surfaceRaised	3:1	1.46:1	#93a9b0	6.37:1
dark.primary	dark.muted	4.5:1	3.87:1	#25c99a	6.64:1
dark.input	dark.muted	3:1	1.31:1	#93a9b0	5.73:1
dark.foreground	dark.highlight	4.5:1	1.02:1	#00121c	15.73:1

Foreground	Background	Floor	Measured	Proposed fix	Fix measur
dark.foreground	dark.warning	4.5:1	1.02:1	#00121c	15.73:1
dark.foreground	dark.coral	4.5:1	2.16:1	#00121c	7.41:1
dark.foreground	dark.danger	4.5:1	2.16:1	#00121c	7.41:1

Superseded generations — do not reach for these

The fourth generation, 28 September 2026, is #semantic, not a set of names in color: its nineteen roles each carry a light and a dark value, and they are named light.<role> and dark.<role> wherever this file or a check points at one. It supersedes the indigo ramp, the ten studio colours, the four sages, the three auroras and glow — each pointed above at the role that takes its place. mist, cloud, stone and charcoal stay current because they are the ground every screen still stands on until it is restyled; teal, tealInk and the mango ramp stay current because they carry a refusal, a warning and a value in range, which the handoff's warning (brand lime) cannot carry as text on a light ground; brandMint stays because the handoff does not mention it and the clinical deck reads it. Retirement, as before, is one commit that repoints and deletes, after the screens have moved.

Superseded token	Use instead
canvas	mist
ink	charcoal
indigo	light.primary
indigoDeep	light.primary
indigoSoft	light.muted
indigoWash	light.muted
studioPaper	light.background
studioNight	dark.background
studioInk	light.foreground
studioInkDeep	light.foreground
studioLime	light.highlight

Superseded token	Use instead
<code>studioLilac</code>	<code>light.muted</code>
<code>studioPeach</code>	<code>light.muted</code>
<code>studioLine</code>	<code>light.border</code>
<code>studioInkMuted</code>	<code>light.mutedForeground</code>
<code>studioOlive</code>	<code>light.accent</code>
<code>sageSlate</code>	<code>light.mutedForeground</code>
<code>mutedSage</code>	<code>light.border</code>
<code>softSage</code>	<code>light.muted</code>
<code>paleSage</code>	<code>light.muted</code>
<code>auroraCool</code>	<code>light.surfaceRaised</code>
<code>auroraSage</code>	<code>light.surfaceRaised</code>
<code>auroraWarm</code>	<code>light.surfaceRaised</code>
<code>glow</code>	<code>light.accent</code>

Still current beside the semantic roles, because a screen not yet restyled reads them and because some carry a meaning the handoff's fills cannot carry as text: `mist`, `cloud`, `stone`, `charcoal`, `surface`, `line`, `danger`, `dangerSoft`, `info`, `infoSoft`, `focus`, `focusEdge`, `slate`, `body`, `faint`, `teal`, `tealInk`, `tealSoft`, `tealLight`, `tealMid`, `accentSoft`, `mango`, `mangoInk`, `mangoSoft`, `glassFloorGround`, `glassFloor`, `glassEdge`, `charcoalMutedOnSurface`, `charcoalMutedOnMist`, `charcoalMutedOnCloud`, `charcoalMutedOnPaleSage`, `charcoalMutedOnSoftSage`, `brandInk`, `brandGreen`, `brandOrange`, `brandLime`, `brandMint`, `brandCyan`.

Colours that are never measured, and why

Token	Why
<code>teal</code>	Vital Teal measures 2.49:1 on white, which clears nothing. On a light ground it is a fill — the pulse in the mark, a chart band, the filled half of a bar — where no ratio applies because nothing is being read off it. Anything a reader must actually see is drawn in tealInk, which is measured above. On a dark ground it carries meaning and is measured there.

Token	Why
mango	1.78:1 on white. The pulse line in the logo and the inner focus ring, both of which are measured where they land. Never a label; mangoInk is.
indigoDeep	A pressed state behind white text, measured as surface-on-indigoDeep above.
tealSoft	A ground. Measured as the background of the pairs that sit on it.
indigoSoft	A ground.
accentSoft	A ground.
mangoSoft	A ground.
dangerSoft	A ground.
infoSoft	A ground.
canvas	A ground.
surface	A ground.
slate	A dark ground.
line	Measured as a boundary against surface above.
indigoWash	Indigo at eight per cent: the fill behind a chart's area and inside a service zone on the map. Nothing is read off it — the line above it and the label beside it are what carry the value — and it is measured nowhere because it is a tint on a white card rather than a ground anything sits on. It exists as a token because two screens were mixing their own, one as a hex with an alpha suffix and one as a fill-opacity, and neither could be checked.
mist	A ground. Measured as the background of the pairs that sit on it.
cloud	A ground.
stone	A card's edge and a divider. It is not a control's boundary — those use faint, which is declared above at 3:1 — so it carries no meaning a reader has to see and is held to nothing. It was doing both jobs until September 2026, which is how every outlined control on three platforms came to sit behind a 1.36:1 line.
glassEdge	A one-pixel highlight along a panel's top edge. It carries no text and is a shape, not a ground.
glow	A soft luminance behind a focal object — the status orb, an active card. It never sits under a word; anything read on top of a glow is on a glass panel above it, measured against glassFloor.

Token	Why
<code>glassFloorGround</code>	Not painted. It is the darkest point the luminous ground is allowed to reach, and exists so the glass composite is a computable colour rather than a guess about position.

4. Type

screenTitle · 28px

Care that comes to you. A nurse at the door, a doctor who reviews.

sectionTitle · 18px

Care that comes to you. A nurse at the door, a doctor who reviews.

heading · 22px

Care that comes to you. A nurse at the door, a doctor who reviews.

cardTitle · 16px

Care that comes to you. A nurse at the door, a doctor who reviews.

body · 15px

Care that comes to you. A nurse at the door, a doctor who reviews.

caption · 13px

Care that comes to you. A nurse at the door, a doctor who reviews.

metric · 32px

Care that comes to you. A nurse at the door, a doctor who reviews.

metricLarge · 40px

Care that comes to you. A nurse at the door, a doctor who reviews.

The rule. Outfit sets what a page is called and Figtree sets everything a person has to read carefully; both are self-hosted, licensed under the SIL Open Font License,

and every size is a step of the scale.

Face	Role	Weights self-hosted	Files	Licence
Outfit	Display: page titles and compact feature headings (<code>--font-display</code>)	500– 700	<code>apps/web/public/fonts/outfit-latin-ext.woff2</code> (14 kB), <code>apps/web/public/fonts/outfit-latin.woff2</code> (31 kB)	SIL Open Font License, Versi Copyright 2021 The Outfit Pr Authors (https://github.com/Outfitio/Fonts)
Figtree	Text: everything else (<code>--font-text</code>)	400– 800	<code>apps/web/public/fonts/figtree-latin-ext.woff2</code> (10 kB), <code>apps/web/public/fonts/figtree-latin.woff2</code> (20 kB)	SIL Open Font License, Versi Copyright 2022 The Figtree I Authors (https://github.com/erikdker)

Stacks: `Outfit,ui-sans-serif,system-ui,sans-serif` and `Figtree,ui-sans-serif,system-ui,sans-serif`. On iOS and Android this wave: `system-ui` (`tokens.json#typography.families`). Nothing on the web reaches a font CDN; the build fails if it does.

The scale, by role

Step	Pixels	Where it is read
<code>screenTitle</code>	28	The title of a screen
<code>sectionTitle</code>	18	A section heading
<code>heading</code>	22	A card that leads a screen
<code>cardTitle</code>	16	A card title
<code>body</code>	15	Body text
<code>caption</code>	13	Captions, helper text, metadata — the smallest size rendered
<code>metric</code>	32	A figure in a row of figures
<code>metricLarge</code>	40	The one figure a screen leads with (the web takes it above 900 px)

Minimum body size 14 px; nothing renders below 13 px, and

`tests/accessibility.spec.ts` measures rendered text against that floor. The floor `tests/accessibility.spec.ts` enforces on rendered text. It used to be 11 while the same file called 13 the minimum for body text — a two-point gap that unread counts, chart axes and tab-bar labels lived in. The gap is closed rather than described: the caption size is now 13 and the floor is the caption size, so the two agree. That is a type-scale decision with a layout consequence on every dense screen, and the layouts were changed to take it rather than the number being nudged to fit them.

The handoff states no type sizes, so the scale below is unchanged. Six steps became seven. Both native passes stopped at the same gap: `sectionTitle` is 18 and `screenTitle` is 28, and a card that leads a screen wants something between them — every one of them had reached for 22 and typed it. A step nobody can find is a step everybody invents.

Two steps, because a metric is the design's signature and it is read at two distances.

`metric` (32) is a figure in a row of them; `metricLarge` (40) is the one figure a screen leads with, and the web takes it above 900px. They were 32 on iOS and 40-then-42 on the web with only 32 declared, which meant the shape the whole language is built around was a different size on two platforms and nothing said which was right.

Use `font-display` for page titles and compact feature headings; use `font-sans` everywhere else. Headlines are confident and concise. Supporting language is plain, specific, and human. Prefer “Review patient record” to “Unlock intelligent insights.” Labels describe actions directly. Avoid jargon, hype, and exclamation-heavy writing. — the handoff's `design-guidelines.md`, “Typography and voice”

5. Icons



Dashboard



Health



Visit



Quick



Results



Medication



Mind



Messages



Family



Settings

The rule. Use the MyThuso icon family for primary patient destinations, healthcare actions and branded feature entry points. Use Lucide only for universal utility actions such as search, close, download, arrows and overflow controls. Never mix a generic icon and a MyThuso icon for the same concept. The signal animation is for live or time-sensitive actions only. An icon that merely names a place does not pulse.

Primary patient destinations, healthcare actions and branded feature entry points.

Compact rounded geometry, open clinical linework, and a small lime signal point.

Every icon is a 0 0 24 24 canvas at 24 px, stroked round (`strokeLinecap` and

`strokeLinejoin` round), and the geometry lives in `packages/catalog/icons.json`

alone: `scripts/emit-icons.mjs` writes it into React, Android vector drawables and

SwiftUI paths, and the build fails if a path appears anywhere else.

Icon	Web component	Meaning	Never beside (Lucide)
Dashboard	<code>MyThusoDashboardIcon</code>	The patient's overview: the home destination, where visits, readings and messages meet.	LayoutDashboard, LayoutGrid, LayoutPanelLeft, Gauge, House, Home
Health	<code>MyThusoHealthIcon</code>	The patient's health: the passport, readings and what they mean.	HeartPulse, Heart, Activity, Stethoscope, HeartHandshake
Visit	<code>MyThusoVisitIcon</code>	A nurse's visit: booking one, the ones coming, and the one happening now.	CalendarDays, Calendar, CalendarCheck, CalendarPlus, CalendarClock, CalendarRange, CalendarHeart
Quick	<code>MyThusoQuickIcon</code>	A quick action: the shortest way to the thing a patient does most.	Zap, Bolt, ZapOff, Rocket
Results	<code>MyThusoResultsIcon</code>	Results: a lab order, a reading that has been reviewed, an answer that has come back.	FlaskConical, FlaskRound, TestTube, TestTubes, TestTubeDiagonal, Beaker, Microscope, ClipboardList
Medication	<code>MyThusoMedicationIcon</code>	Medicines: a prescription, a repeat, a dispensing on its way.	Pill, PillBottle, Syringe, Tablets, Capsule
Mind	<code>MyThusoMindIcon</code>	Mind and wellbeing: Live well, a check-in, the crisis lines.	Brain, BrainCircuit, BrainCog, Smile, Sparkles

Icon	Web component	Meaning	Never beside (Lucide)
Messages	<code>MyThusoMessagesIcon</code>	Messages: the thread with a nurse, a note for the visit, a reply waiting.	MessageSquare, MessageCircle, MessagesSquare, MessageSquareText, MessageSquareMore, MessageCircleMore, Mail, Inbox, Send
Family	<code>MyThusoFamilyIcon</code>	Family: the household, the people a patient cares for and who care for them.	Users, UsersRound, UserRound, User, Baby, PersonStanding, Contact
Settings	<code>MyThusoSettingsIcon</code>	The patient's own settings destination: privacy, access and preferences. The handoff drew it as a member of the family, so it is one; a gear inside a screen that is merely a utility control stays Lucide.	Settings, Settings2, Cog, SlidersHorizontal, SlidersVertical, Wrench

The colour roles

Role	Web	Native token	Paints
<code>currentColor</code>	<code>currentColor</code>	<code>brandInk</code>	the stroke of wherever the icon sits
<code>accent</code>	<code>var(--brand-green)</code>	<code>brandGreen</code>	stroke
<code>primary</code>	<code>var(--brand-ink)</code>	<code>brandInk</code>	stroke
<code>highlight</code>	<code>var(--brand-lime)</code>	<code>brandLime</code>	fill


The signal dot

The lime signal point every icon carries, top right. It is the one thing in the family that may move, and only when the action it marks is live or time-sensitive: a visit that is happening, a result that has just arrived, a message waiting. Scale only, so the icon's box never changes under a thumb. A circle at (18.6, 5.4) with radius 2.05, filled highlight and stroked primary at 1. When it pulses it scales from 1 to 1.25 over 1800 ms — quickMs × 11.25 on the web — on the easeSoft curve, behind `[data-decor="on"]`, and is removed under reduced motion.

Lucide for utilities

Universal utility actions — search, close, download, arrows, overflow — are Lucide (`lucide-react` ^0.468.0 on the web, ISC licence per the package's own LICENSE), at the system stroke weight. A concept never has both: each MyThuso icon lists the Lucide names that would say the same thing, and the build fails a file that imports one of them beside the family icon. A gear inside a screen that is merely a utility control stays Lucide; the patient's settings destination is the family's.

6. Components



Drawn here in the tokens' own values for illustration; the product's components are `apps/web/src/ui` and this page is not them.

The rule. Compose a screen from the shared components by their named variants and sizes; where the build departs from the handoff, the component's own file says which rule of this build required it.

The library is `apps/web/src/ui`: the handoff's component library rebuilt on plain CSS classes that read only the token variables, with the handoff's names, props, variants and sizes. 19 components are in the handoff's catalogue; 17 files are in the barrel, and GilbertOne and MyThusoHealthIcon are not rebuilt as components because the first is the rig and the logo of chapter 10 and the second is the icon family of chapter 5.

Alert

- **variant:** `info`, `success`, `warning`, `danger`

The handoff says: Use for important contextual feedback that should remain visible.

Example: `<Alert variant="success" title="Record updated" />`. **Do not:** Do not use alerts for routine helper text.

This build: Feedback that stays on screen. Every variant pairs its Lucide icon and a title in words with its colour, so no alert is told apart by colour alone, and a danger alert is `role="alert"` — announced the moment it appears — while the rest are `role="status"` and wait their turn. Two of the handoff's icon colours cannot be seen on a light card: its warning is the brand lime at 1.21:1 and its danger the brand orange at 2.99:1, both under the 3:1 a meaningful graphic needs. On a light ground those two

icons are drawn in the replacements tokens.json#contrast.knownFailures names (#92400e and #b42318, already the build's --mango-ink and --danger); on a dark ground in the handoff's own colours, which clear it.

Avatar

- **size:** sm , md , lg

Exports: Avatar , AvatarImage , AvatarFallback .

The handoff says: Use for a person or organization identity. Example: `<Avatar>
<AvatarFallback initials="ND" /></Avatar>` . **Do not:** Do not use decorative images as avatars.

This build: A person's or an organisation's identity. Never a decorative image, and never a button on its own — a control that opens a profile wraps it in one. The fallback's initials are the handoff's primary on a primary tint on a light ground and the handoff's dark accent on a dark one, because its dark primary as text on a tint does not clear 4.5:1.

Badge

- **variant:** neutral , primary , accent , success , warning , danger
- **size:** sm , md

The handoff says: Use for compact metadata, categories, and non-urgent states. Example: `<Badge variant="success" dot>Verified</Badge>` . **Do not:** Do not use a badge as a button.

This build: Compact metadata — a category, a non-urgent state. Never a button: it has no press and no focus. Both sizes set their words at 13, the smallest size this product renders; the handoff's 11 and 12 are below it, so sm and md differ by their padding. The danger badge's words are the measured replacement (#b42318 on light, the handoff's orange on dark) because the brand orange as text measures 2.99:1, and the primary badge's words on dark are the handoff's dark accent, because its dark primary as text on a tint measures under 4.5:1.

Button

- **variant:** primary , accent , secondary , ghost , destructive
- **size:** sm , md , lg , icon

The handoff says: Use for clear actions in clinical workflows. Example: `<Button>Open patient record</Button>` . **Do not:** Do not use multiple primary

buttons in one action group.

This build: The handoff's Button, with its cva variants and sizes kept by name so a screen written against the handoff's catalogue reads the same here: primary, accent, secondary, ghost and destructive; sm, md, lg and icon. The classes are ui.css's and read nothing but token variables. Three things differ from the handoff, each for a rule of this build rather than for taste: - md and icon are 44 tall rather than 40, and sm keeps its 32-pixel face over a 44-pixel hit area (ui.css, "Targets"). A health app is used one-handed in a doorway. - The loading glyph turns once as it arrives rather than spinning for as long as the wait lasts: a spinner that runs forever is the one piece of motion this codebase refuses outright. The button still says it is busy — aria-busy, and it cannot be pressed twice. - A button is type="button" unless the caller says otherwise, so a Button dropped into a form does not submit it by accident.

Card

- **variant:** default , elevated , interactive
- **padding:** none , sm , md , lg

Exports: Card , CardHeader , CardTitle , CardDescription , CardContent .

The handoff says: Use to frame one coherent object or tool. Example: `<Card padding="md">Patient summary</Card>` . **Do not:** Do not nest cards inside cards.

This build: One coherent object or tool, framed. The handoff's three variants are kept: default sits on the card shadow, elevated on the raised one, and interactive answers a pointer with its border — never two shadows at once, since elevation is one shadow in this system. An interactive card is still a `<div>`: what a person presses inside it is a Button or a link the caller puts there, because a div that pretends to be a button has to reimplement the keyboard and forgets some of it.

Checkbox

The handoff says: Use for independent binary choices or multi-select lists. Example: `<Checkbox label="Patient consent confirmed" />` . **Do not:** Do not use for mutually exclusive options.

This build: An independent yes-or-no, drawn over the native checkbox so Space, the form and the announced state are the browser's. The box is the handoff's sixteen pixels; the label around it is the target and is 44 tall, which is the exemption tokens.json already writes down for an input a design hides behind its own label. Checked differs from unchecked by the drawn tick, never by the fill alone.

Divider

- **orientation:** `horizontal`, `vertical`

The handoff says: Use sparingly to separate adjacent content groups. Example:

`<Divider />`. **Do not:** Do not use when spacing alone communicates the grouping.

This build: A rule between two groups, used sparingly: spacing is usually the better separator. It is an `<hr>`, so it is a separator to assistive technology, with its orientation said.

Field

The handoff says: Use to connect a label, control, hint, and validation message.

Example: `<Field label="Email" htmlFor="email"><Input id="email" /></Field>`. **Do not:** Do not duplicate error text outside the field.

This build: A label, its control, and the hint or the error beneath it, tied together by ids. The handoff's Field prints the message under an id and leaves the control to point at it, which means every caller has to remember aria-describedby and some will not. Here Field does the pointing: its one control child is handed aria-describedby (added to any the caller already gave), aria-invalid while there is an error, and aria-required when the field is required. The asterisk is hidden from assistive technology because aria-required already says the same thing in words. An error replaces the hint rather than sitting beside it, as in the handoff — two sentences under one field is one more than a person reads.

IconButton

- **size:** `sm`, `md`, `lg`

The handoff says: Use for familiar compact toolbar actions with an accessible label.

Example: `<IconButton label="Search"><Search /></IconButton>`. **Do not:** Never omit the label prop.

This build: A button that is only an icon, so its name is required rather than hoped for: `label` becomes the aria-label a screen reader announces and the title a pointer shows. The icon inside is the caller's and is decorative — Lucide marks its own svg aria-hidden. The handoff's three sizes are 32, 40 and 48; here md is 44 and sm keeps a 32-pixel face over a 44-pixel hit area, as Button's sizes do.

Input

The handoff says: Use for single-line clinical and account data. Example: `<Input placeholder="Search patients" />`. **Do not:** Do not use without a visible label in forms.

This build: A single line of clinical or account data. `invalid` is aria-invalid, and the stylesheet draws the invalid state from that attribute rather than from a class, so the state a screen reader announces and the state a reader sees cannot disagree. Its visible label is the caller's — Field, or a `<label>` of their own — because a placeholder is not a label.

MetricCard

The handoff says: Use for one high-value operational metric and optional trend. Example: `<MetricCard label="Facilities" value="1,240" trend="+8% this year" />`. **Do not:** Do not place prose in the value slot.

This build: One figure a screen is opened for, with its label and an optional trend. The value is the metric size of the type scale (32), not the handoff's 30, which the scale does not have. The trend is the handoff's success colour only where that colour can carry words: on a light ground the handoff's green measures 3.64:1 on white and clears the 3:1 floor for a mark but not 4.5:1 for text, so there it is drawn in the teal ink the build already measures for "a value in range", and on a dark ground in the handoff's own green, which reads. The trend's words say which way it went; the colour never has to.

NavigationItem

The handoff says: Use for destinations inside a product navigation rail. Example: `<NavItem active>Patients</NavItem>`. **Do not:** Do not use for submit actions.

This build: A destination in a navigation rail. The current one carries `aria-current="page"`, and on screen the handoff's aqua tint, its words in the ink colour, and a heavier weight — so it is never told apart by colour alone. 44 tall rather than the handoff's 40. A count, when there is one, replaces the chevron; the count is text, so it is announced with the destination's name.

Select

The handoff says: Use for a constrained list of familiar options. Example: `<Select><option>Cardiology</option></Select>`. **Do not:** Do not use for only two binary choices.

This build: A native `<select>` with the handoff's chevron drawn over it. The chevron is a sibling that lets the pointer through, so the whole field opens the list, and the native element keeps what a rebuilt one would have to reimplement: the keyboard, type-ahead, the platform's own picker on a phone.

Spinner

- **size:** `sm`, `md`, `lg`
- **tone:** `primary`, `accent`, `current`

The handoff says: Use for indeterminate waits where progress cannot be measured. Example: `<Spinner label="Loading patient record" />`. **Do not:** Do not show for instantly completed actions.

This build: An indeterminate wait, announced: `role="status"` with its label in words for a screen reader. The handoff spins it for as long as the wait lasts. This build refuses a spinner that runs forever — `apps/web/src/surface/app.css` says so above the one screen that waits for a chunk — because an endless animation is motion nobody asked for and nobody can stop. So the arc turns once as it arrives and then rests, and the ring with its one coloured quarter is the familiar mark of a wait without moving. Under reduced motion it does not turn at all.

StatusIndicator

- **status:** `online`, `busy`, `offline`

The handoff says: Use for live availability and operational state. Example: `<StatusIndicator status="online" label="Available" />`. **Do not:** Do not communicate status with color alone.

This build: Live availability, said in words: `label` is required and is the thing a reader reads, and the dot beside it is decoration hidden from assistive technology. The dot differs by shape as well as colour — offline is a hollow ring — so the three states survive a greyscale screen. Busy is the measured amber ink on a light ground, because the handoff's lime dot measures 1.21:1 on white and cannot be seen.

Tabs

Exports: `TabsList`, `Tab`.

The handoff says: Use to switch between peer views without leaving the page. Example: `<TabsList><Tab active>Summary</Tab><Tab>Timeline</Tab></TabsList>`. **Do not:** Do not use tabs as primary site navigation.

This build: Peer views of one thing, switched without leaving the page. The handoff's TabsList and Tab, with the keyboard the tabs pattern expects and the handoff leaves out: one Tab stop for the whole list (the selected tab, or the first when none is), and the arrow keys, Home and End to move between tabs, which selects the one arrived at — the same behaviour the Control Tower's category tabs already have. A tab says it is selected in aria-selected, always "true" or "false", and on screen by its raised face and shadow as well as its colour. Each tab is 36 tall inside the list's 4-pixel inset, and its hit area reaches the list's edges, so the target is the list's full 44.

Textarea

The handoff says: Use for multi-line notes and supporting context. Example:

`<Textarea placeholder="Add clinical context" />` . **Do not:** Do not use for short structured values.

This build: Several lines of notes or context, resizable in height only so it can never push a phone's layout sideways. The invalid state is aria-invalid, as Input's is.

The states every screen shows

The handoff asks that every changed screen be verified for "keyboard focus, overflow, contrast, loading, empty, warning, and error states" (its README, item 8). This build adds the notice state: a screen that depends on a capability that is not connected renders that capability's sentence from `packages/catalog/capabilities.json`, once, and never a sentence of its own. A wait is a Spinner that turns once and rests; an empty section says what is empty in words; a refusal is the danger Alert with the contract's sentence.

7. Layout and motion

`--r-sm 6px`

`--r-md 8px`

`--r-lg 12px`

`--shadow`

`--shadow-raised`

The rule. An 8-point rhythm with compact density, three radii, two shadows, three durations on one curve — and nothing moves for ever.

Use an 8-point rhythm with compact information density. Give primary tasks obvious placement, group related facts, and reserve aqua for actions, selected states, and

positive progress. Clinical alerts must pair iconography and text with color. On narrow screens, preserve reading order and minimum touch targets rather than shrinking controls. — the handoff's design-guidelines.md, "Layout and composition"

Token	Value	Web	Native
spacing	4, 8, 12, 16, 20, 24, 32, 40	<code>--space-4</code> <code>--space-8</code> <code>--space-12</code> <code>--space-16</code> <code>--space-20</code> <code>--space-24</code> <code>--space-32</code> <code>--space-40</code>	ThusoSpacing
radius.sm	6 px	<code>--r-sm</code>	ThusoRadius.sm
radius.md	8 px	<code>--r-md</code>	ThusoRadius.md
radius.lg	12 px	<code>--r-lg</code>	ThusoRadius.lg
radius.card	12 px	<code>--r-card</code>	ThusoRadius.card
radius.panel	12 px	<code>--r-panel</code>	ThusoRadius.panel
radius.control	8 px	<code>--r-control</code>	ThusoRadius.control
radius.tile	8 px	<code>--r-tile</code>	ThusoRadius.tile
radius.pill	999 px	<code>--r-pill</code>	ThusoRadius.pill
elevation.card	0 1px 2px rgba(2,34,53,.06)	<code>--shadow</code>	ThusoElevation.card
elevation.raised	0 8px 24px rgba(2,34,53,.10)	<code>--shadow-raised</code>	ThusoElevation.raised
motion.quickMs	160 ms	<code>--t-quick</code>	ThusoMotion.quick
motion.settleMs	280 ms	<code>--t-settle</code>	ThusoMotion.settle
motion.enterMs	420 ms	<code>--t-enter</code>	ThusoMotion.enter
motion.easeSoft	cubic-bezier(0.22, 1, 0.36, 1)	<code>--ease-soft</code>	ThusoMotion.easeSoft
motion.durationMs	180 ms	<code>--motion-duration</code>	the older single duration the native theme layers spend

Radii: The handoff's three radii — sm 6, md 8, lg 12 — since 28 September 2026, and the five names the product already spends mapped onto them: card and panel are lg, control and tile are md, pill stays 999. The mapping is enforced by scripts/check-

boundaries.mjs, so the whole product took compact corners in one change and cannot drift back a card at a time. They were 20 / 28 / 16 / 16 before.

Elevation: The handoff's --shadow-sm and --shadow-md, since 28 September 2026: 0 1px 2px oklch(0.24 0.052 239 / 0.06) and 0 8px 24px oklch(0.24 0.052 239 / 0.1). Written here as rgba of the same colour — oklch(0.24 0.052 239) is light.foreground, #022235 — because that is the form the stylesheets already spend as --shadow and --shadow-raised. card is the handoff's sm and raised is its md; there is no third.

Motion: One curve and three durations, so everything in the product accelerates the same way. They were written into apps/web/src/surface/glass.css and stopped there, which made them a second motion system alongside durationMs above — reachable by the web and by nothing else, so a spring on iOS and a tween on Android were each somebody's private guess at what the web was doing. easeSoft is a cubic bezier's two control points; it overshoots very slightly at the end, which is what reads as smooth rather than linear. quick is a press or a colour change, settle is a control coming to rest, enter is something arriving on screen for the first time. durationMs is older and narrower — the single duration the native theme layers already spend — and is kept because retiring it is a separate change from giving the other two platforms the curve.

Endless motion, the pause control and reduced motion

Nothing on a screen runs for ever except what is explicitly ambient and gated: the signal dot on a live icon, the public page's two loops (its particles and the badge's pulse). Every such animation sits behind `[data-decor="on"]` on the document element, so one control — the button labelled `Pause motion` in `apps/web/src/components/MotionPause.tsx` — stops all of it, which is what WCAG 2.2.2 asks for. A spinner that spins for as long as a wait lasts is refused outright: the loading arc turns once as it arrives and rests.

`respectReducedMotion` is not a suggestion and not a speed setting. Reduced motion REMOVES these animations rather than shortening them: a 420ms entrance run at 80ms is still a thing that moved. Web answers `prefers-reduced-motion`, iOS answers `accessibilityReduceMotion`, and Android follows the system animator duration scale — which reports 0 when a reader has turned animations off, so a duration multiplied by it is genuinely none.

Glass: A glass panel may not sit on top of text. Blur behind a word is the one place translucency stops being decoration and starts being a legibility problem. `backdrop-filter` is expensive on the mid-range Android handsets this product is actually for. Where it is unsupported — and inside `@media (prefers-reduced-transparency: reduce)` — glass resolves to the opaque floor colour, which is exactly the colour

every contrast figure was measured against. The fallback is not a degradation; it is the measured case.

The movements, named

Chapter 7 logged the motion system's timing and, until this edition, none of its movements — the gap docs/ROADMAP.md's Gap 1 names. It is closed by derivation, not transcription. The handoff master `packages/brand/lovable-handoff/handoff/src/styles/theme.css` specifies 33 named `@keyframes`; porting them by name was refused, because the product already speaks the handoff's motion language — one curve, three durations, entrances on `data-reveal`, ambient loops gated on `data-decor` — and 31 orphan keyframes would have been a second motion system wearing the first one's clothes. Only 2 of the handoff's names the product carries (`mythuso-signal` and `impact-halo-pulse`); the movement it lacked it was given in its own voice, each with a real player on a screen and a test that walks it. `scripts/check-boundaries.mjs` refuses a keyframe nothing plays and an endless animation the pause control cannot stop, so no movement below is an orphan.


The product's own stylesheets carry 53 named movements across 21 files, on the tokens' curve and durations, finite unless one of the ambient loops the pause control stops, and removed — not shortened — under reduced motion. The motion tests (`tests/chart-motion.spec.ts`, `tests/gilbertone-motion.spec.ts`, `tests/map.spec.ts`, `tests/motion.spec.ts`, `tests/patient-pages.spec.ts`) walk them on both viewports.

Surface	Movements it plays
<code>features/assistant-motion.css</code>	<code>as-rise</code> <code>as-said-in</code> <code>as-settle</code> <code>as-listening</code> <code>as-dot</code> <code>go-float</code>
<code>features/booking-look.css</code>	<code>booking-fill</code>
<code>features/care-tips.css</code>	<code>ct-card-in</code> <code>ct-words-in</code>
<code>features/clinical-deck.css</code>	<code>c-card-in</code>
<code>features/clinical-intelligence.css</code>	<code>ci-row-in</code>
<code>features/clinical-records.css</code>	<code>cr-rail-in</code>
<code>features/patient-pages.css</code>	<code>pp-in</code>

Surface	Movements it plays
features/portal/design-widgets.css	pt-bar-in
features/portal/fields.css	fc-tick fc-saved-odd fc-saved-even fc-settle-odd fc-settle-even
features/portal/portal.css	cf-arrive cf-unfold cf-land cf-refused cf-fill pt-ring-in
features/public-assistant.css	public-assistant-rise
landing.css	il-travel il-breathe impact-halo-pulse reveal-rise service-settle ecg-draw
surface/care-journey.css	care-detail-in al-blink al-float
surface/clinical.css	cl-arrive cl-queue-in
surface/core.css	shimmer
surface/motion.css	rise m-arrive m-ring-in
surface/nurse-identity.css	nurse-draw nurse-route nurse-pin nurse-grow
surface/patient-identity.css	pd-draw pd-fade
surface/public-revamp.css	hero-rise-in hero-line-up hero-particle-drift hero-signal-pulse
ui/icons/icons.css	mythuso-signal
ui/ui.css	ui-turn-once

8. Imagery





What a nurse would carry — No device is connected. These readings are sample data and no instrument has been paired. An illustration of the country. The lines are not routes and the points are not clinics.

The rule. A photograph is illustrative and says so where it stands; no person shown is presented as a patient or as a MyThuso nurse, no quotation is presented as a testimonial, and nothing on the public page weighs more than the page can afford.

Direction. The handoff's photographs are natural, warm and domestic: people at home, a clinician at work, the instruments a nurse carries, photographed as objects on a plain ground. The handoff's guidelines forbid "gradients, decorative orbs, glass effects, oversized empty marketing layouts, or purple-dominant palettes", and the build keeps to that: a picture is a real element with a real caption, never a headline baked into pixels.

The caption beside every person. Illustrative photography — Beside the figure on every slide. The people shown are illustrative: none of them is a MyThuso nurse and none is a patient, which is the refusal the footer makes at length, and it stays at the picture rather than only in a footnote, because that is where somebody looks. It read "Design preview · Illustrative photography" until 28 September 2026; the founder took the word preview off the hero as final copy, and the refusal itself stays.

No testimonial. No quotation on any surface is presented as a patient's, a nurse's or a doctor's endorsement. The founder's brief for this document, 28 September 2026; the contracts do not yet carry the sentence, so it is recorded here first.

The photographs, honestly cropped. Cropped to the part of each composition the floating cards never covered, which is why they are portraits rather than the full landscape frame. The cards in the supplied art sit over the right-hand third of the photograph, and removing them convincingly is not something that can be done by stretching neighbouring pixels — it was tried and it looked exactly like what it was. The honest crop keeps every face and loses the corner. If the original photographs

turn up without the cards on them, these crops widen and nothing else in this file changes.

The map. An illustration of the country. The lines are not routes and the points are not clinics. The map is the handoff's network illustration of South Africa. Under it the page reads `packages/catalog/geography.json`'s own coverage sentence, which says exactly how little of that map is served, and the points of `packages/catalog/business-model.json`'s trajectory by name only: no visit count, subscriber figure or revenue from it is shown.

The kit. Two of the instruments in the connected kit a nurse brings, as the handoff photographed them. The sentence under them is the devices capability's own notice from `packages/catalog/capabilities.json`, read by the page, because the numbers on these screens are a photographer's and no instrument is paired.

Formats and the ceilings

- A picture under `apps/web/public/lovable` is a WebP of 150 kB or less at two widths, and the page's `<picture>` sends a phone the smaller one (`scripts/check-boundaries.mjs` , Wave 3a).
- A logo derivative is at most 150 kB and at the master's own ratio (Wave 3b).
- A hero figure is a WebP of 240 kB or less at its native width and 640 wide for a phone, with a PNG or JPEG fallback; the ceiling is the heaviest figure the page is built to ask for, and a figure that needs more has been cut too large (`apps/web/public/banners/README.md`).
- A handoff master is never served: the PNGs weigh up to 602 kB, and the build refuses a copy of any of them under `apps/web/public` .
- The editorial PNGs under `apps/web/public/editorial` may not be named by the public page at all.

Every file, with its size and rights, is in `docs/brand/PACK.md` .

9. Voice and words

The rule. British spelling, real sentences, no hype; a refusal says what is refused and why, in the contract's own words, and GilbertOne never says what it is not allowed to say.

From CLAUDE.md: "British spelling. Real sentences in user copy: 'Your bank sent it back. It is still owed to you', not 'Payment failed'." And: "Say what is refused, and why. ... Write those sentences into the contract JSON so all three platforms render them word for word."

Headlines are confident and concise. Supporting language is plain, specific, and human. Prefer “Review patient record” to “Unlock intelligent insights.” Labels describe actions directly. Avoid jargon, hype, and exclamation-heavy writing. — the handoff's design-guidelines.md

Wording a patient may never read

Nothing addressed to a patient tells them they have a condition. A finding is consistent with something, for a clinician to confirm with them. A diagnosis is a registered clinician's, given to a patient in a conversation that can answer the questions it raises. Software that tells somebody what they have has diagnosed them with nobody accountable, and ThusoIQ Master v3.5 §5.3 holds a finding to "consistent with". The phrases are wording, not clinical content: they name no condition, and the build refuses every one of them in any patient-facing sentence. The build refuses these phrases in any patient-facing sentence: "you have been diagnosed", "you are diagnosed", "you've been diagnosed", "your diagnosis is", "you are suffering from", "you're suffering from", "you have a condition", "you have the condition", "you have a disease", "you have an illness", "you have an infection", "you have a disorder", "you have got a", "you've got a".

What GilbertOne never says

Refusal	Statement
no-diagnosis	GilbertOne never tells you what you have.
no-prescription	GilbertOne never suggests a medicine, a dose, or a change to either.
never-lowers-an-emergency	GilbertOne never makes an emergency sound less urgent. An emergency word always wins, whatever else was said in the same message.
no-invented-slot	GilbertOne never offers an appointment, a nurse or a hospital bed that nobody has confirmed.
no-audio-kept	No recording of your voice is made or kept — not on the phone, not anywhere else.
listening-is-the-microphone	GilbertOne shows Listening only while the microphone is open, and the microphone is never open without it.
not-a-person	GilbertOne is not a person and not a doctor.
crisis-is-never-left-to-gilbert	A crisis is never left to GilbertOne alone. Words about harming yourself, or somebody in danger, get the emergency numbers rather than a conversation.

Refusal	Statement
<code>silence-is-not-safety</code>	GilbertOne not recognising an emergency does not mean there is not one.
<code>no-reading-graded</code>	GilbertOne never grades a reading. A number you say is set against the indicative range only to choose which written paragraph applies, and what it means for you is a clinician's judgement.
<code>no-invented-preparation</code>	GilbertOne never tells you to fast, or to take, skip or stop a medicine before a visit.
<code>medicine-list-read-only</code>	GilbertOne never adds to, stops or changes anything on your medicine list. Where it reads the list back, it reads it as your record holds it, and it never reads a protected entry aloud, or says whether there is one.

GilbertOne's registers

Clinical delivery (locked): Emergency, refusal and escalation answers are read in a neutral, clear register. Their voice is not configurable by a tenant, an administrator or a user. Rate and pitch may be adjusted for accessibility; nothing else about how they sound may be. **Clinical assist** (clinician-only): Answers that assist a clinician are available only when a clinician is signed in. Nobody is signed in to anything today: packages/catalog/intelligence-levels.json records that no clinician session exists for the lock to read. **Presentation** (tenant): Routine answers, navigation, what a signed-out visitor hears and what an administrator hears may have their voice set from the two voices packages/catalog/assistant.json lists for each language that has one. No tenant exists, so the platform default is the administrator's setting on the Control Tower — one of the four presentation-voice settings in this file's settings block, changed on the Speech settings screen and on the Configuration tab — and it is the language's female voice until an administrator changes it, as the founder decided on 27 September 2026.

The clinical-delivery register, version 1: `Neutral, clear and unambiguous: the words at the pace the listener set, without warmth added or urgency removed.` Reviewed by: nobody yet — Nobody clinical has reviewed this register. Locked is not the same as reviewed — packages/catalog/gilbert-clinical-core.json's locked-is-not-the-same-as-clinically-reviewed refusal, restated for sound.

Kind of answer	Register
<code>refusal</code>	refusal
<code>situation</code>	routine

Kind of answer	Register
greeting	routine
identity	refusal
voice	refusal
emergency	emergency
unmatched	refusal
unread	refusal
handover	escalation
service	routine
reading	routine
preparation	routine
medicines	routine
intake	routine
case	routine

Affect never softens a refusal: Affect may never soften a refusal or an emergency. The emergency answer holds the flat, steady face of the one safety cue until the patient's own Start again rests it, and no later answer's warmth displaces it — the same rule the handover carries as neverLowered: an emergency anywhere in a conversation stays an emergency, and a calmer message afterwards lowers neither the urgency nor the face. The answers that refuse — the two that say they cannot assess, and the two that carry this contract's own refusals about what GilbertOne is not and what it keeps — wear flat or concerned faces and never warm ones, because a smile beside a refusal is precisely the softening this sentence exists to prevent.

The languages

11 locales carry the interface (en-ZA, zu-ZA, st-ZA, af-ZA, xh-ZA, nso-ZA, tn-ZA, ts-ZA, ss-ZA, ve-ZA, nr-ZA); clinical wording stays in English on every one of them, and `docs/ACCESSIBILITY.md` says which languages nobody has yet read.

10. GilbertOne's two forms

The rule. The official logo is the brand form and the in-product rig is the assistant form; both are reserved for AI guidance, conversation and support, and neither is decoration.

The uploaded `GilbertOne` artwork is the official GilbertOne logo: the complete seated character above the GilbertOne name. Preserve its proportions, colors, transparency, and clear space; never recolor, crop, redraw, rotate, or separate the character from the lettering when used as the logo. The exported animated `GilbertOne` component is a separate in-product assistant expression. Reserve both forms for AI guidance, conversation, and support—not generic decoration or ordinary healthcare actions. — the handoff's design-guidelines.md

The catalogue's entry: Use the animated GilbertOne assistant in product guidance and conversational entry points; the official GilbertOne logo remains a separate complete brand asset. **Do not:** Do not use GilbertOne as a generic decorative mascot, alter the official logo, or omit its label when informative.

When each appears

- **The logo** wherever GilbertOne is named as a product: the consent card, the welcome, the signed-out sheet's heading, the head of the services region, the public page beside the questions — always with `Your Thuso AI Doctor · not a person, and not a doctor` beside it, always on a light ground, never reversed.
- **The rig** wherever GilbertOne is doing something: the launcher, the panel's head, the demonstrator. It carries no lettering — the name belongs to the logo beside it — and it is the official character by token: `go-helmet --mist`, `go-ear --brand-green`, `go-antenna-ball --brand-lime`, `go-antenna-stem --brand-ink`, `go-plate --brand-ink`, `go-lid --brand-ink`, `go-eye --brand-cyan`, `go-mouth-open --brand-cyan`.
- The handoff's animated PNG component (drifting eyes) is adopted nowhere: the rig is the in-product form.

The rig's six states

State	Visual	Meaning	Cue word	Platforms
Idle	A soft glow with slow particles inside it.	GilbertOne is available.	Ready	web, ios, android
Listening	The sphere swells and its surface ripples with the loudness of your voice.	The microphone is open and you are speaking.	Listening	ios, android

State	Visual	Meaning	Cue word	Platforms
Thinking	The particles quicken and a lime accent appears.	Your phone is finishing turning what you said into text.	Working	ios, android
Guiding	A steady glow.	GilbertOne is showing an approved answer.	Answer	web, ios, android
Escalate	A controlled amber accent, and the sphere stops reacting to anything.	Human help is needed now.	Get help now	web, ios, android
Handover	The sphere dims and holds still behind the summary.	GilbertOne has put together the summary a nurse queue would receive.	For a nurse	web, ios, android

Six states from section 15E.3 of the ThusoIQ master document, and each one is a promise about what is actually happening rather than a mood. Listening and Thinking are native only: the web has no microphone in this release, so it has nothing to listen with and nothing to finish transcribing. An unmatched question is Guiding, not Escalate — amber on every sentence GilbertOne did not understand would teach people to ignore amber, and the unmatched answer carries the emergency numbers anyway.

The rig's poses and cues

The motion manifest in `apps/web/src/lib/gilbertone.ts` : 16 cues on six tracks, resolved in this order — Safety override → Privacy or error state → Interruption → Task activity → Response-style gesture → Idle — so a gesture never covers an urgent face and idle never covers anything. Transitions blend over 220 ms; safety and stop do not wait.

Cue	Name	Track	Trigger	Motion	Holds
A01	Greet	gesture	User opens widget.	A small head lift and single nod; settle within 600–900 ms. A gentle smile, no bounce sequence and no repeated spoken introduction.	
A02	Idle	idle	Open, no active turn.	Nearly still. Optional 1–2 px slow drift over 5–7 s. Pause when the tab is hidden, the avatar is offscreen or motion is disabled.	

Cue	Name	Track	Trigger	Motion	Holds
A03	Blink	gesture	Idle or normal interaction.	Irregular blink spacing around 4–8 s; eyelids close and reopen in 120–180 ms. Occasional double blink, never a repetitive flashing effect.	
A04	Look at input	activity	Input receives focus.	Move the eye group down towards the input. Smooth 200–350 ms ease; no access to camera or gaze tracking.	yes
A05	Read a message	activity	A submitted message appears.	Look briefly towards its bubble. Use bounded UI coordinates, not the perceived emotion of every typed keystroke.	
A06	Look left	gesture	Action card or new bubble appears.	Small eye shift; head yaw limited to about 6–8 degrees. Return to a relaxed central pose. No exaggerated swivelling.	
A06R	Look right	gesture	Action card or new bubble appears.	Small eye shift; head yaw limited to about 6–8 degrees. Return to a relaxed central pose. No exaggerated swivelling.	
A08	Process	activity	Request is being processed.	Subtle thinking glance and a small status indicator. It must never look as though the widget is listening when it is only waiting.	
A09	Acknowledge	gesture	A normal turn or confirmed action completes.	One 400–650 ms nod. Nod to acknowledge the message, not to imply that an unsafe or false statement is correct.	
A10	Speak	activity	Audio playback actually starts.	Use speech-aligned mouth shapes. Mouth closes for pauses and at playback end. Head and eyes make restrained supporting movements.	
A11	Support	gesture	User explicitly describes worry, sadness or frustration.	A smaller smile or neutral mouth, soft attentive eyes, slight head tilt. No fake tears, alarmed face or exaggerated pity.	yes
A12	Clarify	gesture	A reference or request is	A small brow lift and 4–6 degree tilt; settle while asking one specific	

Cue	Name	Track	Trigger	Motion	Holds
			ambiguous.	question. Avoid a permanently confused expression.	
A13	Appreciate	gesture	Thanks or genuinely positive news.	A brief warm smile and small nod, typically under 900 ms. Do not celebrate a serious medical result or a failed transaction.	
A15	Interrupt	interrupt	Stop, new submitted turn, cancellation or urgent override.	Cancel current speech and stale cues; close mouth and return to attentive pose. Target stop response below 200 ms on supported devices.	
A16	Urgent support	safety	Approved safety logic flags a potentially urgent situation.	Stable, neutral-attentive face. Stop yawns, smiles and decorative motion. Surface the approved action immediately.	yes
A17	Error or reconnect	error	Voice, model or app request fails.	Brief neutral pause, then useful error text. No distressed robot, guilt language or endless thinking loop.	

Which face each kind of answer wears is deterministic from the answer kind alone (`packages/catalog/assistant.json#affect` , decided by the Founder on 2026-09-19):

Answer	Cue	Posture
refusal	A17	flat
situation	A13	warm
greeting	A13	warm
identity	A17	flat
voice	A17	flat
emergency	A16	flat
unmatched	A12	concerned
unread	A12	concerned
handover	A11	attentive

Answer	Cue	Posture
service	A11	attentive
reading	A17	flat
preparation	A13	warm
medicines	A17	flat
intake	A13	warm
case	A13	warm

Not wired on the live panel, each for a reason: A04 (A held look at the input field would refuse every reply's cue — activity outranks gesture in the track order — and the field is where the patient is looking, not the face.); A06 (The look-aside gestures belong to action cards; on the live assistant the answer's own cue is the point of each turn.); A06R (The same, to the other side.); A08 (The matcher answers in the moment it is asked, and nothing may add a pause to make an answer look considered — a busy face over an instant answer is the thing A08's own note forbids.); A09 (Phase 1's single default for every answered turn.); A14 (Playful-only, and off by default in care conversations by the document's own rule; no patient surface switches it on.); A15 (The interrupt cue.).

The microphone indicator

The microphone indicator is visible whenever the microphone is hot: while listening, while waiting through an idle round, and while GilbertOne reads with the recogniser open for a barge-in. It is never hidden while anything can hear. The amendment's rule, unchanged. Hands-free means the microphone reopens without a tap, which is exactly when a person most needs to be able to see that it has. The words beside the ring are `Microphone on`; the microphone's face is A07, played from the recogniser's own open state and never from the button. The four input states, named in the rig's source: Microphone off, Starting, Listening, Error.

Retention: No audio is kept: the browser's recogniser hears and the page never holds a sample. The transcript exists in memory for the conversation and is destroyed when the conversation ends. Nothing is written to browser storage of any kind. The contract's own refusal, `no-audio-kept`: No recording of your voice is made or kept — not on the phone, not anywhere else. The microphone's sound is read once for its loudness and handed to the phone's own recogniser, and nothing writes it to a file. The build refuses the recording and audio-file APIs in both apps. (`assistant.json#voice.audioStored` is false.) One utterance may run 45 seconds

before GilbertOne prompts the person to continue, and the web's 30-second listening cap stands in front of it — `assistant.json#voice.listeningDecision`, decided by the Founder on 2026-09-21: Amended: conversation mode with wake-word and push-to-talk fallback, replacing the tap-only gesture of 14 September. The microphone still closes on its own after 30 seconds. Changing the cap or the gesture remains the founder's decision, not an edit.

- There is no wake word on the web. The on-device wake-word engine the amendment names is a native dependency the web build forbids, so nothing listens for a name: the conversation starts with one tap and is hands-free from there.
- It is not always listening. The microphone closes on Stop, when the panel closes, after the idle rounds run out and after an emergency answer, and it never opens without a tap having started the conversation.
- It is not a recording. No audio is captured, buffered or kept, and no cloud speech service hears the person for the on-device conversation.
- It does not decide anything. A reply is whatever GilbertOne already says in text; hearing it and answering hands-free changes how the words arrive and nothing about what they are.

The emergency face

A16 is the one cue on the safety track: a steady, neutral-attentive face that stops yawns, smiles and decorative motion, surfaces the action immediately, and holds until Start again — the patient's own reset. Nothing displaces it but itself; the ambulance numbers are the first thing in the answer and the face does nothing that competes with them.

Stable, neutral-attentive face. Stop yawns, smiles and decorative motion. Surface the approved action immediately.

In hands-free conversation the microphone closes after an emergency answer: After an emergency answer the next thing that should happen is a phone call, not another turn with GilbertOne. A microphone reopening on its own at that moment invites the person to keep talking to a page instead of ringing for help, and a page hearing an ambulance call in progress is a microphone open for no reason the person chose. The numbers stay on the screen because the answer is what matters, and the reading aloud was only a second way to receive it.

11. Accessibility

The rule. A control is 44 pixels, a word clears 4.5:1, focus is visible on every ground, everything works from the keyboard, every spoken word is also written, and motion is removed — not shortened — for a reader who asked for stillness.

Targets. A control smaller than a fingertip is not a smaller control, it is a control somebody misses while standing in a doorway holding a child. WCAG 2.2 puts the AA floor at 24x24 (SC 2.5.8) and the AAA figure at 44x44 (SC 2.5.5); this design is held to 44 because it is a health app operated one-handed, and everything that is not is listed below with what it measures instead. `tests/accessibility.spec.ts` reads this list, so an exemption is a line in the contract rather than a line in a test.

Exempted control	Measured	Why
<code>.hero-dots</code> <code>button</code>	24 px	Twenty-four square, the AA floor, and every slide it selects is also reachable from the pause control and by letting the carousel run. Making it 44 would space three dots across 132px and turn a quiet indicator into the loudest thing on the banner.
<code>.text-button</code>	26 px	An inline text action inside a dense row — a provenance note, a call roster line. At 44 it would double the height of every row it sits in. Every one of them has a full-size equivalent elsewhere on the screen.
<code>.avatar.small</code>	36 px	Only undersized where it is not a button. Where it is one — the profile control in the top bar — it is 44.

A link inside a running paragraph, and an input the design hides behind its own label — the label is the target and is measured in its place.

Contrast. A palette is either measured or it is a matter of opinion, and colour is the one part of a design where an opinion held by somebody with ordinary eyesight is worth nothing to the reader who cannot use the result. Every foreground and background this design actually puts together is listed below with the ratio it has to clear, and `scripts/check-boundaries.mjs` computes each one from the hexes above on every build. A pair that is not listed is a pair nobody has checked, which is why adding a colour combination to the design means adding a row here first. Vital Teal and Mango appear here only against the 3:1 non-text floor: at 2.49:1 and 1.78:1 on white they are brand marks, not labels, and the two ink variants beside them are what carries the words.

Focus. On the shared components: The handoff's `@layer` base rule — a 2-pixel ring-coloured outline 2 pixels out — on every focusable component, including the ones whose handoff classes remove it (`focus-visible:outline:none` on Button, Tab and the fields, which left a keyboard user nowhere). The ring is the handoff's green: 3.4:1 on white and more on the dark ground, over the 3:1 a focus indicator needs, and it lands

on the ground outside the control rather than on the control's own fill. `core.css`'s two-ring focus (mango inside ink) stays on everything that has not adopted these components; the box-shadow it adds is replaced by the component's own shadow, so focus never stacks a second one. `.is-focus` is the gallery's forced state, so a screenshot can show focus beside rest. On every screen that has not adopted them: Two rings, not one. A control can sit on a white card or on a forest panel, and no single colour clears 3:1 against both — so the light inner ring carries the dark grounds and the dark outer ring carries the light ones. Whichever it lands on, one of the two is legible.

Keyboard. Every action uses its native element — a Button is a `<button>`, a Select a `<select>`, a Checkbox an `<input>`, a Divider an `<hr>` — so Space, Enter, the arrows and the platform's own picker are the browser's. A tab list is one Tab stop with the arrow keys, Home and End moving between tabs. A card that looks pressable is still a `<div>`; what a person presses inside it is a Button or a link.

Captions. A spoken reply is a second reading of words already on the screen: the caption is the reply itself, written in full before the voice starts and for as long as it speaks, and no setting anywhere turns the written words off (`packages/catalog/assistant.json#voice.webSpeech`). The rig carries `aria-hidden` and no text; what GilbertOne is doing is said in words beside it, because §10 of its scope forbids saying anything by motion or colour alone.

Motion. `respectReducedMotion` is not a suggestion and not a speed setting. Reduced motion REMOVES these animations rather than shortening them: a 420ms entrance run at 80ms is still a thing that moved. Web answers `prefers-reduced-motion`, iOS answers `accessibilityReduceMotion`, and Android follows the system animator duration scale — which reports 0 when a reader has turned animations off, so a duration multiplied by it is genuinely none.

What is measured on the web, by `tests/accessibility.spec.ts` on both viewports: no horizontal overflow at a 320 px viewport, which is narrower than any phone still sold and is no horizontal overflow with the layout viewport halved, which is what 200 % browser zoom does to a no interactive control smaller than 44×44 CSS pixels; no rendered text below the minimum body size in `packages/design-tokens/tokens.json`.

What is not yet done. Screen-reader testing is still not done anywhere, and neither is testing on real hardware.

12. Platforms

The rule. One token reaches three platforms through a generator, never through a copy; and a phone does not yet do everything the web does, which this chapter says plainly.

`scripts/emit-tokens.mjs` writes `packages/design-tokens/tokens.json` into `apps/web/src/tokens.generated.css` (`--<colour>` , `--color-<role>` , `--r-<radius>` , `--space-<n>` , `--shadow` / `--shadow-raised` , `--font-display` / `--font-text` , `--t-quick` / `--t-settle` / `--t-enter` , `--ease-soft`), into `apps/ios/MyThuso/DesignSystem/Tokens.swift` (`ThusoTheme` , `ThusoSemantic.Light` / `.Dark` , `ThusoRadius`) and into `apps/android/app/src/main/java/za/co/mythuso/ui/Tokens.kt` (the same names as Kotlin objects). The dark roles reach the web only under `:root[data-theme="dark"]` : light is the default whatever the reader's system says, and dark is a switch a person turns on (the founder's decision of 29 September 2026). `scripts/emit-icons.mjs` writes the icon family the same way: `apps/web/src/ui/icons/MyThusoIcons.generated.tsx` , one vector drawable per icon under `apps/android/app/src/main/res/drawable` , and `apps/ios/MyThuso/Models/MyThusoIconsData.swift` . The build compares every generated file with what its generator returns, so a stale file and a hand-edited one fail the same way.

What a phone does not yet do that the web does

- The Lovable identity is on the web only. 7 waves landed on 28 September 2026 as "web only": the patient's screens on the identity (design handoff, Wave 4a); the nurse's screens on the identity (design handoff, Wave 4b); the doctor's screens on the identity (design handoff, Wave 4c); GilbertOne on the identity (design handoff, Wave 3b); the shell and the public page on the identity (design handoff, Wave 3a); the Control Tower on the identity (design handoff, Wave 4e); the partner and back-office screens on the identity (design handoff, Wave 4d). Both phones still draw the screens that preceded it; the tokens they compile carry the new roles so a restyle is a matter of reaching for one.
- Type: Outfit (variable, self-hosted on the web at weights 500–700, latin and latin-ext; system-ui on iOS and Android this wave); Figtree (variable, self-hosted on the web at weights 400–800, latin and latin-ext; system-ui on iOS and Android this wave).
- Dark scheme: The dark values exist so the variables exist. The web emits them only under `:root[data-theme="dark"]`: on 29 September 2026 the founder saw the product dark under a dark OS scheme and decided light is the default and dark an option a person switches on (`apps/web/src/components/ThemeToggle.tsx`). No prefers-color-scheme block, so the OS never decides. The switch keeps nothing across a load, because the web may not touch browser storage.

- The rig's affect: The phones carry the six states and no cues, so nothing in this section is emitted to them and no platform renders it but the one that draws the face.
- Hands-free conversation: There is no wake word on the web. The on-device wake-word engine the amendment names is a native dependency the web build forbids, so nothing listens for a name: the conversation starts with one tap and is hands-free from there. The wake-word engine the amendment of 21 September 2026 names is native only, and `conversation-mode.json` is web-driven today.
- Speech: the web reads every reply aloud with no way to turn it off; each phone carries a speaker button beside the composer, because a phone is more often overheard (`assistant.json#voice.nativeSpeech`). Listening and Thinking are states only the phones show; the web's microphone is the browser's.
- Remaining before a pilot-ready design: the vetting reviewer console on native, which is web-only today — and which now has a server behind it, so the console is a surface rather than a design.