ALLA REDDY ENGINEERING COLLEGE (AUTONOMOUS)

III B.Tech I Semester (MR 22) I Mid Question Bank 2024-25 (Subjective)

Subject: Web Technologies (C1203) Branch: CSE-Data Science

Name of the Faculty: Dr. Ramu Vankudoth, Soundarya Vadde

S.No.	Questions	Marks	BT Level	CO
	Module-I			
1	Describe the purpose and functionality of various protocols used in web communication, such as HTTP, HTTPS, and FTP.	5	L2	1
2	Explain how secure connections are established on the web using SSL/TLS protocols.	5	L2	1
3	Discuss different types of application and development tools used in web development, highlighting their key features.	5	L2	1
4	Compare the features and performance of different web browsers available today.	5	L4	1
5	Identify the key considerations when choosing a server type for web hosting, and justify the choice between a dedicated, shared, and cloud server.	5	L5	1
6	Outline the steps involved in setting up a web server on UNIX and Linux platforms, including initial configuration and security measures.	5	L3	1
7	Analyze the importance of logging user activity on a web server and how it can be used for monitoring and improving website performance.	5	L4	1
8	Design a simple website layout that follows the principles of effective web design, including navigation planning and user experience considerations.	5	L6	1
	Module-II			
9	What is DOM? What are the advantages of XML DOM Document? Explain with an example.	5	L2	2
10	What is a namespace? Detail explain an XML schema. Show how an XML schema can be created.	5	L2	2
11	Give the syntax of an XML document and explain how a basic XML document is created with an example	5	L2	2
12	Give a brief description about any two XML Parsers	5	L2	2
13	Explain DTD and Schema. Write the differences between them	5	L3	2
14	Distinguish between SAX and DOM	5	L2	2
15	Explain a namespace? Define an XML schema. Show how an XML schema can be created.	5	L4	2
16	Distinguish between XML schema and DTD	5	L2	2
	Module-III			
17	IIIustrate the life cycle methods of servlet.	5	L4	3
18	Write are the advantages of a servlet over CGI. Explain how to read and initialize the parameters	5	L2	3
19	Express a detailed about the Servlet API	5	L3	3
20	Define Servlet and explain how a servlet works.	5	L4	3

Prepared By Name: Dr. Ramu Vankudoth, Soundarya Vadde
Signature:
HOD
Signature

MALLA REDDY ENGINEERING COLLEGE (AUTONOMOUS)

III B.Tech I Semester (MR 22) I Mid Question Bank 2024-25 (Subjective)

Subject: Web Technologies(C1203) Branch: CSE-Data Science

Name of the Faculty: Dr. Ramu Vankudoth, Soundarya Vadde

S.No	Questions	Ans
	Module – I	
1	Which protocol is primarily used for transferring hypertext documents on the World Wide Web? a. FTP b. HTTP c. SMTP d. POP3	В
2	Which of the following is a protocol used to send emails? a. FTP b. HTTP c. SMTP b. d. IMAP	С
3	SSL/TLS is primarily used for what purpose? a. Secure file transfer b. Encrypting web traffic c. Accessing remote servers d. Data compression	В
4	Which protocol operates on port 21 by default? a. HTTP b. FTP c. SMTP d. DNS	В
5	What is the full form of HTTPS? a. HyperText Transfer Protocol Secure b. Hyperlink Transfer Protocol Secure c. HyperText Transmission Protocol Secure d. HyperText Transfer Protocol Standard	A
6	Which protocol is used for secure remote login to a networked computer? a. HTTP b. FTP c. SSH d. SMTP	С
7	Which of the following is NOT a feature of the HTTP protocol? a. Stateless b. Secure by default c. Request-response model d. Used for web browsing	В
8	Which layer of the OSI model is responsible for establishing secure connections using SSL/TLS? a. Physical layer	D

	b. Data Link layer	
	c. Network layer	
	d. Transport layer	
9	What does the 'S' in HTTPS signify? a. Secure b. Server c. Standard d. Secure Sockets Layer	A
10	Which encryption method is commonly used in securing web communications? a. Symmetric encryption b. Asymmetric encryption c. Hashing d. Plaintext	В
11	A digital certificate is used in SSL/TLS connections primarily to: a. Provide data compression b. Verify the identity of a website c. Increase connection speed d. Facilitate HTTP to HTTPS conversion	В
12	What is the purpose of a Certificate Authority (CA) in secure web connections? a. Encrypt data b. Issue digital certificates c. Manage domain names d. Monitor web traffic	В
13	Which protocol is known for encrypting email messages? a. POP3 b. IMAP c. S/MIME d. FTP	С
14	Which of the following is a key feature of HTTPS compared to HTTP? a. Reduced latency b. Encrypted data transmission c. Increased bandwidth usage d. Simplified URL structure	В
15	Which of the following is a widely used tool for web application development? a. Apache Maven b. Adobe Photoshop c. Microsoft Word d. Google Analytics	A
16	In web development, what is the purpose of a Content Management System (CMS)? a. To create and manage digital content b. To enhance website security c. To optimize web server performance d. To handle database management	A
17	Which tool is commonly used for version control in software development? a. Git b. Jenkins	A

	c. Docker	
	d. Kubernetes	
18	Which of the following is a popular integrated development environment (IDE) for web development? a. Visual Studio Code b. Microsoft Excel c. Notepad d. FileZilla	A
19	What does the acronym 'IDE' stand for in software development? a. Integrated Design Environment b. Integrated Development Environment c. Intelligent Development Editor d. Interactive Design Editor	В
20	Which tool is commonly used for automating the deployment of web applications? a. Jenkins b. Photoshop c. Microsoft Word d. WinRAR	A
21	Which of the following is an example of a front-end web development framework? a. Django b. Angular c. Flask d. Node.js	В
22	What is the primary function of a web browser? a. To edit web pages b. To display web pages c. To manage email accounts d. To develop software	В
23	Which of the following is a widely used web browser? a. Microsoft Word b. Google Chrome c. Adobe Illustrator d. Microsoft Excel	В
24	Which technology allows web browsers to run complex client-side scripts? a. JavaScript b. HTML c. CSS d. XML	A
25	Which feature in web browsers allows users to browse the internet without saving history or cookies? a. Cache mode b. Incognito mode c. Safe mode d. Offline mode	В
26	Cookies stored in a web browser are primarily used to: a. Increase download speed	В

	b. Track user preferences	
	c. Optimize website graphics	
	d. Manage browser extensions	
	· ·	
	What is the function of a web browser's 'cache'?	
	a. Store frequently accessed data for faster retrieval	
27	b. Secure web transactions	A
	c. Block pop-up ads	
	d. Monitor user activity	
	Which browser engine is used by Google Chrome?	
	a. Trident	
28	b. WebKit	C
20	c. Blink	
	d. Gecko	
	What is the primary role of a web server?	
	a. To host and serve web content	
	b. To manage email accounts	
29	c. To store user data	Α
	d. To provide internet connectivity	
	Which of the following is an example of a web server software?	
	a. Apache HTTP Server	
30	b. Microsoft Excel	A
	c. Adobe Photoshop	
	d. FileZilla	
	Which type of server is specifically designed to handle web pages?	
	a. FTP server	
31	b. Mail server	C
31	c. Web server	
	d. Database server	
	Which of the following is NOT a common web server operating system?	
	a. Windows Server	
22	b. macOS	ъ
32	c. Linux	В
	d. FreeBSD	
	In the context of web servers, what does the term 'load balancing' refer to?	
	a. Distributing incoming network traffic across multiple servers	
33	b. Ensuring all servers have the same software installed	A
	c. Keeping servers at a constant temperatured. Managing the power consumption of servers	
	d. Wanaging the power consumption of servers	
	Which server type is commonly used to manage and deliver dynamic content on the	
	web?	
	a. Static server	-
34	b. Application server	В
	c. Proxy server	
	d. DNS server	
	What is a key difference between a web server and an application server?	
35	a. Web servers only handle static content, while application servers can handle	A
	TFF	<u> </u>

	dynamic content	
	b. Application servers are cheaper than web servers	
	c. Web servers are used only for internal networks	
	d. Application servers are used to host databases	
	Which command is used to start the Apache web server on a Linux system?	
	a. sudo apachectl start	
36	b. apache start	A
30	c. systemctl start apache	11
	d. start-apache	
	In Linux, what is the default configuration file for Apache web server called?	
	a. apache.conf	
37	b. server.conf	
37	c. httpd.conf	C
	d. web.conf	
	What is the purpose of the 'DocumentRoot' directive in the Apache configuration file?	
	a. To specify the root directory for the web server's documents	
	b. To define the server's IP address	
38	c. To set the maximum number of connections	Α
	d. To configure server logging	
	d. To configure server logging	
	Which command is used to install the Apache web server on a Debian-based Linux	
	system?	
20	a. sudo install apache	
39	b. sudo apt-get install apache2	В
	c. yum install apache	
	d. dnf install apache	
	What is the primary difference between Apache and Nginx web servers?	
	a. Apache is a web server and Nginx is a database	
	b. Apache uses a process-driven model, while Nginx uses an event-driven model	
40	c. Nginx can only serve static content, while Apache can serve both static and	В
	dynamic content	
	d. Nginx is only available on Windows	
	What does the 'service' command do in the context of Linux web server management?	
	a. Installs software packages	
4.4	b. Manages system services like starting or stopping servers	
41	c. Configures network settings	В
	d. Edits configuration files	
	In a Linux environment, what is the purpose of the '/etc/httpd/' directory?	
	a. To store web server log files	
42	b. To hold the configuration files for the Apache web server	В
	c. To store the server's web pages	
	d. To manage database connections	
	What is the primary purpose of logging in web servers?	
	a. To track server uptime	
43	b. To record details about user requests and errors	В
7.5	c. To monitor server temperature	"
	d. To manage user accounts	

	Which log file in Anacha records arrors ancountered by the web server?	
	Which log file in Apache records errors encountered by the web server? a. access.log	
44		В
	c. server.log	
	d. events.log	
	What information is typically found in an access log file of a web server?	
	a. Server configuration changes	
45	b. User request details, such as IP address, request type, and response status	В
43	c. System performance metrics	
	d. User login credentials	
	How can web server logs be used for security purposes?	
	a. To detect and respond to unauthorized access attempts	
1.0	b. To improve server hardware performance	
46	c. To track software updates	A
	d. To manage server storage capacity	
	Which command is commonly used to view the last few lines of a log file in Linux? a. tail	
47	b. head	A
	c. grep	
	d. cat	
	In the context of web server logs, what does the term 'log rotation' refer to?	
	a. Periodically archiving and compressing log files to manage disk space	
48	b. Changing the log file format	A
70	c. Deleting old logs after a set period	7 1
	d. Monitoring log file sizes in real-time	
	Which log format is most commonly used in Apache web servers?	
	a. Combined Log Format	
40	b. Common Log Format	Ъ
49	c. Nginx Log Format	В
	d. JSON Log Format	
	What is a dynamic IP address?	
	a. An IP address that changes periodically	
50	b. A static IP address assigned to a device	Α
	c. An IP address used for local networking	
	d. An IP address used for secure connections	
	Module – II	
	HTML stands for -	
	a. HighText Machine Language	_
51	b. HyperText and links Markup Language	В
	c. HyperText Markup Language	
	d. None of these The correct sequence of HTML tags for starting a webpage is	
	The correct sequence of HTML tags for starting a webpage is -	
52	a. Head, Title, HTML, body b. HTML, Body, Title, Head	D
32	**************************************	ן ט
	c. HTML, Head, Title, Body d. HTML, Head, Title, Body	
	Which of the following element is responsible for making the text bold in HTML?	
53	a. <pre>a. <pre>a. <pre>cres</pre></pre></pre>	C
	T ·	

	I to the second of the second	
	b. <a>	
	c. 	
	d.	
	Which of the following tag is used for inserting the largest heading in HTML?	
	a. <h3></h3>	
54	b. <h1></h1>	В
	c. <h5></h5>	
	d. <h6></h6>	
	Which of the following tag is used to insert a line-break in HTML?	
	a.	
55	b. <a>	A
	c. <pre></pre>	
	d. 	
	How to create an unordered list (a list with the list items in bullets) in HTML?	
	a. 	
56	b. 	A
	c. <	
	d. <i>></i>	
	Which character is used to represent the closing of a tag in HTML?	
	a.	
57	b. !	C
	c. /	
	d	
	How to create a hyperlink in HTML?	
	a. www.google.com 	
58	b. www.google.com 	A
	c. www.google.com 	1.
	d. <a> https://www.google.com < www.google.com /a>	
	Which of the following element is responsible for making the text italic in HTML?	
	a. <i>a. <i>a.</i></i>	
59	b. <italic></italic>	Α
37	c. <it></it>	11
	d. <pre></pre>	
	How to insert an image in HTML?	
	a. 	
60	b. 	D
00	c. 	"
	d. 	
<u> </u>	How to add a background color in HTML?	
	1 1 11 111	
61	a. <marquee "red"="" bg="" color:=""></marquee>b. <marquee bg-color="red"></marquee>	C
01		
	c. <marquee bgcolor="red"> d. <marquee color="red"></marquee></marquee>	
-	d. <marquee color="red"> How to create a checkbox in HTML?</marquee>	
62	* **	Α.
02	b. <input type="button"/> c. <checkbox></checkbox>	A
-	1 71	
	Which of the following tag is used to define options in a drop-down selection list?	
62	a. <select></select>	D
63	b. <list></list>	D
	c. <dropdown></dropdown>	
C 1	d. <option></option>	
64	HTML tags are enclosed in-	D

a. # and # b. { and } c. ! and ? c. ! and ? d. < and >		a # and #	
c. and ? d. < and > Which of the following tag is used to add rows in the table? a. < dc and b. < dc and C c. < dc and c. < dc and d. None of the above The The the varical ruler c. new paragraph d. horizontal ruler Which of the following HTML tag is used to display the text with scrolling effect? a. < marquee> 67 b. < scroll> c. < div> d. None of the above Which of the following HTML tag is the special formatting tag? a. < marquee> 68 b. c. < div> d. None of the above Which of the following is the correct way to send mail in HTML? a. < a href = "mailto: xy@y"> c. < mail xy@y d. None of the above Which of the following is the container for d. None of the above Which of the following is the container for d. None of the above Which of the following is the container for d. None of the above Which of the following is the container for d. None of the above Which of the following is the container for d. All of the above How to insert a background = "img.png"> d. All of the above How to insert a background = "img.png"> d. All of the above What are the types of unordered or bulleted list in HTML? a. a. d. None of the above What are the types of unordered or bulleted list in HTML? a. disc, square, triangle b. polygon, triangle, circle c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. < ol alpha = "a" > c. < ol letter = "a" > d. None of the above Which of the following is the correct way to create a list using the lowercase letters? a. < ol alpha = "a" > c. < ol letter = "a" > d. None of the above		a. # and #	
Which of the following tag is used to add rows in the table? a. < dd> and			
Which of the following tag is used to add rows in the table? a.			
a. a. a < td < t			
Section Sect		· ·	
c. d. None of the above Description of the above The stage in HTML is used for -a		a. and	
d. None of the above The <hr/> The <hr/> The <hr/> The sign HTML is used for - a. new line b. vertical ruler c. new paragraph d. horizontal ruler Which of the following HTML tag is used to display the text with scrolling effect? a. <marquee> A</marquee>	65	b. and	C
The <hr/>		c. and	
a. new line b. vertical ruler c. new paragraph d. horizontal ruler Which of the following HTML tag is used to display the text with scrolling effect? a. <marquee> 67 b. <scroll> c. <div> d. None of the above Which of the following HTML tag is the special formatting tag? a. c. <div> d. None of the above Which of the following is the correct way to send mail in HTML? a. a. b. c. <mail mail="" xy@y<=""> d. None of the above Which of the following is the container for d. None of the above Which of the following is the container for d. None of the above Which of the following is the container for d. None of the above Which of the following is the container for d. None of the above Which of the following is the container for d. None of the above How to insert a background = "img.png"> b. c. <sgroup> d. All of the above What are the types of unordered or bulleted list in HTML? a. &body background = "img.png"> b. &img background = "img.png"> c. &be-image = "img.png"> d. None of the above What are the types of unordered or bulleted list in HTML? a. &disc. square, triangle b. polygon, triangle, circle c. disc. circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> c. <ol etter="a" ol=""> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class</sgroup></mail></div></div></scroll></marquee>		d. None of the above	
a. new line b. vertical ruler c. new paragraph d. horizontal ruler Which of the following HTML tag is used to display the text with scrolling effect? a. <marquee> 67 b. <scroll> c. <div> d. None of the above Which of the following HTML tag is the special formatting tag? a. c. <div> d. None of the above Which of the following is the correct way to send mail in HTML? a. a. b. c. <mail mail="" xy@y<=""> d. None of the above Which of the following is the container for d. None of the above Which of the following is the container for d. None of the above Which of the following is the container for d. None of the above Which of the following is the container for d. None of the above Which of the following is the container for d. None of the above How to insert a background = "img.png"> b. c. <sgroup> d. All of the above What are the types of unordered or bulleted list in HTML? a. &body background = "img.png"> b. &img background = "img.png"> c. &be-image = "img.png"> d. None of the above What are the types of unordered or bulleted list in HTML? a. &disc. square, triangle b. polygon, triangle, circle c. disc. circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> c. <ol etter="a" ol=""> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class</sgroup></mail></div></div></scroll></marquee>		The <hr/> tag in HTML is used for -	
c. new paragraph d. horizontal ruler Which of the following HTML tag is used to display the text with scrolling effect? a. <marque> 67 b. <scroll> d. None of the above Which of the following HTML tag is the special formatting tag? a. 68 b. c. <div> d. None of the above Which of the following is the correct way to send mail in HTML? a. a. c. <mail mail="" xy@y<=""> d. None of the above Which of the following is the correct way to send mail in HTML? a. a. c. <mail mail="" xy@y<=""> d. None of the above Which of the following is the container for Which of the following is the container for oliver of the following th</mail></mail></div></scroll></marque>			
c. new paragraph d. horizontal ruler Which of the following HTML tag is used to display the text with scrolling effect? a. <marque> 67 b. <scroll> d. None of the above Which of the following HTML tag is the special formatting tag? a. 68 b. c. <div> d. None of the above Which of the following is the correct way to send mail in HTML? a. a. c. <mail mail="" xy@y<=""> d. None of the above Which of the following is the correct way to send mail in HTML? a. a. c. <mail mail="" xy@y<=""> d. None of the above Which of the following is the container for Which of the following is the container for oliver of the following th</mail></mail></div></scroll></marque>	66	b. vertical ruler	D
d. horizontal ruler Which of the following HTML tag is used to display the text with scrolling effect? a. < marquee>			
Which of the following HTML tag is used to display the text with scrolling effect? a. <marquee> b. <scroll> c. <div> d. None of the above Which of the following HTML tag is the special formatting tag? a. a. 68 b. c. c. <pre> d. None of the above Which of the following is the correct way to send mail in HTML? a. c. <mail mail="" xy@y<=""> d. None of the above Which of the following is the container for d. None of the above Which of the following is the container for d. None of the above Which of the following is the container for d. None of the above How to insert a background image in HTML? a. <body background="img.png"> b. <imbody background="img.png"> c. <pre> c. <pre> d. None of the above What are the types of unordered or bulleted list in HTML? a. disc, square, triangle b. polygon, triangle, circle c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> c. <ol libra="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class</pre></pre></imbody></body></mail></pre></div></scroll></marquee>			
a. <marquee> b. <scroll> c. <div> d. None of the above Which of the following HTML tag is the special formatting tag? a. a. 68 b. c. <pre> c. <pre> d. None of the above Which of the following is the correct way to send mail in HTML? a. </pre></pre></div></scroll></marquee>			
67 b. <scroll> c. <div> d. None of the above Which of the following HTML tag is the special formatting tag? a. a. 68 b. c. <pre> d. None of the above Which of the following is the correct way to send mail in HTML? a. b. c. <mail mail="" xy@y<=""> d. None of the above Which of the following is the container for d. None of the above Which of the following is the container for d. All of the above How to insert a background image in HTML? a. c. dygroup> d. All of the above How to insert a background = "img.png"></mail></pre></div></scroll>			
c. div> d. None of the above Which of the following HTML tag is the special formatting tag? a. a. 68 b. c. <pre> d. None of the above Which of the following is the correct way to send mail in HTML? a. a. b. c. <mail mail="" xy@y<=""> d. None of the above Which of the following is the container for Which of the following is the container for Which of the following is the container for c. <mail mail="" xy@y<=""> d. None of the above Which of the following is the container for d. All of the above How to insert a background image in HTML? a. <body background="img.png"> b. <imp background="img.png"> c. d. None of the above What are the types of unordered or bulleted list in HTML? a. disc, square, triangle b. polygon, triangle, circle c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> a. <ol alpha="a"> b. <ol type="a"> c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class</imp></body></mail></mail></pre>	67	-	٨
d. None of the above Which of the following HTML tag is the special formatting tag? a. 68 b. 	07		A
Which of the following HTML tag is the special formatting tag? a. 68 b. c. <pre> d. None of the above Which of the following is the correct way to send mail in HTML? a. a. c. <mail mail="" xy@y<=""> d. None of the above Which of the following is the container for Which of the following is the container for oth b. c. <mail mail="" xy@y<=""> d. None of the above Which of the following is the container for oth b. c. a. A A C. C. C. A C. C. A C. C. <a <a="" c.="" href="xy</td><td></td><td></td><td></td></tr><tr><td>a. b.
b.
c. <pre> C</pre> C</pre> C. <pre> d. None of the above</pre> Which of the following is the correct way to send mail in HTML? a. a. b. A C. <mail mail="" xy@y<=""> d. None of the above Which of the following is the container for 70</mail></mail></mail></pre>			
C C C C C C C C C C			
c. <pre>c. <pre>d. None of the above</pre> Which of the following is the correct way to send mail in HTML? a. a. b. c. <mail mail="" xy@y<=""> d. None of the above Which of the following is the container for 70 b. C. <group> d. All of the above How to insert a background image in HTML? a. <body background="img.png"> c. d. None of the above How to insert a background image in HTML? a. d. Sody background = "img.png"> c. d. None of the above What are the types of unordered or bulleted list in HTML? a. disc, square, triangle b. polygon, triangle, circle c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> c. <ol letter="a"> c. <ol letter="a"> d. None of the above Which of the following is the correct way to define inline styles? a. style Which of the following HTML attribute is used to define inline styles? a. style b. type c. class</body></group></mail></pre>			
d. None of the above Which of the following is the correct way to send mail in HTML? a. \(\text{a href} = \text{"mailto: xy@y"} \) b. \(\text{a href} = \text{"xy@y"} \) c. \(\text{mail xy@y, \text{th} \>, \text{and } \(\text{td} \> \text{?} \) a. \(\text{data} \> c. \(\text{group} \> d. \(\text{All of the above} \) How to insert a background image in HTML? a. \(\text{dody background} = \text{"img.png"} \) b. \(\text{dim background} = \text{"img.png"} \) c. \(\text{dp-image} = \text{"img.png"} \) d. \(\text{None of the above} \) What are the types of unordered or bulleted list in HTML? a. \(\text{disc, square, triangle} \) b. \(\text{polygon, triangle, circle} \) c. \(\text{disc, circle, square} \) d. \(\text{All of the above} \) Which of the following is the correct way to create a list using the lowercase letters? a. \(\text{col lathe} = \text{"a"} \> c. \(\text{col letter} = \text{"a"} \> d. \(\text{None of the above} \) Which of the following HTML attribute is used to define inline styles? a. \(\text{style} \) b. \(\text{type} = \text{ ahove} \) Which of the following HTML attribute is used to define inline styles? a. \(\text{style} \) b. \(\text{type} = \text{class} \)	68		C
Which of the following is the correct way to send mail in HTML? a. 			
a. b. c. <mail mail="" xy@y<=""> d. None of the above Which of the following is the container for</mail>			
69 b. 			
c. <mail mail="" xy@y<=""> d. None of the above Which of the following is the container for 70 b. c. <group> d. All of the above How to insert a background image in HTML? a. <body background="img.png"> c. c. d. None of the above What are the types of unordered or bulleted list in HTML? a. disc, square, triangle b. polygon, triangle, circle c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> A c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class</body></group></mail>		The state of the s	
d. None of the above Which of the following is the container for 70 b. c. <group> d. All of the above How to insert a background image in HTML? a. c. cbody background = "img.png"> c. cbg-image = "img.png"> d. None of the above What are the types of unordered or bulleted list in HTML? a. disc, square, triangle b. polygon, triangle, circle c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> A c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class</group>	69	b. $\langle a \text{ href} = "xy@y" \rangle$	A
Which of the following is the container for a. <data> B 70 b. B c. <group> d. All of the above B How to insert a background image in HTML? a. <body background="img.png"> a. <body background="img.png"> A c. -bg-image = "img.png"> A d. None of the above What are the types of unordered or bulleted list in HTML? a. disc, square, triangle C c. disc, circle, square C d. All of the above C Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> 73 b. <ol type="a">> c. <ol letter="a"> A d. None of the above Which of the following HTML attribute is used to define inline styles? a. style A 74 b. type C c. class A</body></body></group></data>		c. <mail mail="" xy@y<=""></mail>	
a. <data> b. c. <group> d. All of the above How to insert a background image in HTML? a. <body background="img.png"> b. c. c. beg-image = "img.png"> d. None of the above What are the types of unordered or bulleted list in HTML? a. disc, square, triangle b. polygon, triangle, circle c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> b. <ol type="a"> c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style 4 b. type c. class</body></group></data>		d. None of the above	
To b. Cable C. Caproup C. All of the above C. Caproup C. All of the above C. All of the above C. All of the above C. Caproup Ca		Which of the following is the container for , , and <td?< td=""><td></td></td?<>	
c. <group> d. All of the above How to insert a background image in HTML? a. <body background="img.png"> b. c. <bg-image "img.png"="" ==""> d. None of the above What are the types of unordered or bulleted list in HTML? a. disc, square, triangle b. polygon, triangle, circle c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class</bg-image></body></group>		a. <data></data>	
d. All of the above How to insert a background image in HTML? a. <body background="img.png"> b. c. b. d. None of the above What are the types of unordered or bulleted list in HTML? a. disc, square, triangle b. polygon, triangle, circle c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> b. <ol type="a"> c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class</body>	70	b.	В
d. All of the above How to insert a background image in HTML? a. <body background="img.png"> b. c. b. d. None of the above What are the types of unordered or bulleted list in HTML? a. disc, square, triangle b. polygon, triangle, circle c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> b. <ol type="a"> c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class</body>		c. <group></group>	
How to insert a background image in HTML? a. <body background="img.png"> b. c. <bg-image "img.png"="" ==""> d. None of the above What are the types of unordered or bulleted list in HTML? a. disc, square, triangle b. polygon, triangle, circle c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> b. <ol type="a"> c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class</bg-image></body>		- ·	
a. <body background="img.png"> b. c. c. d. None of the above What are the types of unordered or bulleted list in HTML? a. disc, square, triangle b. polygon, triangle, circle c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> A c. <ol letter="a"> c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class</body>			
b. c. c. d. None of the above What are the types of unordered or bulleted list in HTML? a. disc, square, triangle b. polygon, triangle, circle c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> A C. <ol letter="a"> C. <ol letter="a"> A None of the above Which of the following HTML attribute is used to define inline styles? a. style 74 b. type c. class		· ·	
c. d. None of the above What are the types of unordered or bulleted list in HTML? a. disc, square, triangle b. polygon, triangle, circle c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> b. <ol type="a"> c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class	71		Α
d. None of the above What are the types of unordered or bulleted list in HTML? a. disc, square, triangle b. polygon, triangle, circle c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> b. <ol type="a"> c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class	, 1		
What are the types of unordered or bulleted list in HTML? a. disc, square, triangle b. polygon, triangle, circle c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> b. <ol type="a"> c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class			
a. disc, square, triangle b. polygon, triangle, circle c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> a. <ol type="a"> c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class			
b. polygon, triangle, circle c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> b. <ol type="a"> c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class		* *	
c. disc, circle, square d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> b. <ol type="a"> c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class	72	*	Γ
d. All of the above Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> b. <ol type="a"> c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class	12		
Which of the following is the correct way to create a list using the lowercase letters? a. <ol alpha="a"> b. <ol type="a"> c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class		-	
a. <ol alpha="a"> b. <ol type="a"> c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class A A			
73 b. <ol type="a"> A c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class		· · · · · · · · · · · · · · · · · · ·	
c. <ol letter="a"> d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class A	72	*	A
d. None of the above Which of the following HTML attribute is used to define inline styles? a. style b. type c. class A	13		A
Which of the following HTML attribute is used to define inline styles? a. style b. type c. class A			
a. style b. type c. class			
74 b. type c. class			
c. class			
	74	J. T.	A
d. None of the above			
		d. None of the above	

a. ⟨¬¬> b. ⟨¬¬> c. ⟨¬¬¬> c. ⟨¬¬¬¬> d. None of the above An HTML program is saved by using theextension. a. ht b. html c. hml d. None of the above Aprogram in HTML can be rendered and read by - a. Web browser Aprogram in HTML can be rendered and read by - a. Web browser C. Interpreter d. None of the above The tags in HTML are - a. case-sensitive b. in upper case c. not case sensitive d. in in obvercase c. not case sensitive d. in in obvercase c. not case sensitive d. in HTML5, which of the following is the root tag of the HTML document? a. ⟨¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬¬		Which of the following is the paragraph tag in HTML?	
Total Content Total Conten			
c. <pre>c. <pre> d. None of the above</pre></pre>	75		Δ
d. None of the above An HTML program is saved by using theextension. aht bhtml chml d. None of the above A program in HTML can be rendered and read by - aWeb browser 77 b. Server cInterpreter d. None of the above The tags in HTML are - a. case-sensitive b. in upper case c. not case sensitive d. in lowercase Which of the following is the root tag of the HTML document? a. cbody> b. chead> c. ctitle> d. <ti>title> d. <ti>timple Doctype HTML> b. <\timple Doctype HTML> c. <\timple Loctype> d. <\timple Loctype Loctype> d. <\timple Loctype HTML> b. <\timple Loctype HTML> c. <\timple Loctype HTML> d. <\timple Loctype HTML document so a store a combo box (or drop-down box)? d. <\timple Loctype HTML design HTML data. d. design, send C. c. <\timple Loctype HTML design HTML document so a provide access to their content and structure. A. XML Processor C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes</ti></ti>	7.5		11
An HTML program is saved by using the extension. a			
a. ht bhtml chml d. None of the above A program in HTML can be rendered and read by - a. Web browser b. Server c. Interpreter d. None of the above The tags in HTML are - a. case-sensitive d. in lowercase Which of the following is the root tag of the HTML document? a. cbody> B. chead> c. citle> d. in lowercase Which of the following is the root tag of the HTML document? a. cbody> b. chead> c. citle> d. chum > In HTML5, which of the following tag is used to initialize the document type? a. cbodype html> c. cbotype html> d. chum > Which of the following tag is used to create a combo box (or drop-down box)? a. clibCOTYPE html> Which of the following tag is used to create a combo box (or drop-down box)? a. clibc> d. clibCOTYPE html> Which of the following tag is used to create a combo box (or drop-down box)? a. clibc> d. cl			
Description			
c. hml d. None of the above A program in HTML can be rendered and read by - a. Web browser b. Server c. Interpreter d. None of the above The tags in HTML are - a. case-sensitive B. in upper case c. not case sensitive d. in lowercase Which of the following is the root tag of the HTML document? a. a. c. vittle> d. d. c. title> In HTMLS, which of the following tag is used to initialize the document type? a. a. c. cotoctype HTML> In HTMLS, which of the following tag is used to initialize the document type? a. a. c. cotoctype html> c. c. cotoctype html> b. d. d. d. d. d. Doctype HTML> Which of the following tag is used to create a combo box (or drop-down box)? a. a. d. <b< td=""><td>76</td><td></td><td>B</td></b<>	76		B
d. None of the above A program in HTML can be rendered and read by - a. Web browser b. Server c. Interpreter d. None of the above The tags in HTML are - a. case-sensitive b. in upper case c. not case sensitive d. in lowercase Which of the following is the root tag of the HTML document? a. a. b. which of the following is the root tag of the HTML document? a. c. title> d. d. c. title> d. d. c. title> d. d. c. UDoctype HTML> Bb. c. <doctype html=""> Bb. c. <doctype html=""> Which of the following tag is used to initialize the document type? a. c. Octype HTML> Bb. c. Octype HTML> Bb. c. <doctype html=""> Bb. c. c. Doctype HTML> Bb. c. c. c. Doctype HTML> Which of the following tag is used to create a combo box (or drop-down box)? a. a. c. c. c. c. Sortype d. Sortype </doctype></doctype></doctype>	70		b
A program in HTML can be rendered and read by - a. Web browser c. Interpreter d. None of the above The tags in HTML are - a. case-sensitive b. in upper case c. not case sensitive d. in lowercase Which of the following is the root tag of the HTML document? a. a. cbody> 79 b. <head> c <titte> d. <https: document.co<="" document.com="" td=""><td></td><td></td><td></td></https:></titte></head>			
a. Web browser b. Server c. Interpreter d. None of the above The tags in HTML are - a. case-sensitive b. in upper case c. not case sensitive d. in lowercase Which of the following is the root tag of the HTML document? a. a. Abody			
Description of the shore Description of the			
C. Interpreter d. None of the above The tags in HTML are -	77		Α
d. None of the above The tags in HTML are -	, ,		2.5
The tags in HTML are - a. case-sensitive b. in upper case c. not case sensitive d. in lowercase Which of the following is the root tag of the HTML document? a. a. b. chead> c. <title> d.
 d.
 hI HTML5, which of the following tag is used to initialize the document type? a.
 a.
 d.
 Doctype HTML> b.
 c.
 d.
 d.</td><td></td><td>·</td><td></td></tr><tr><td>a. case-sensitive b. in upper case c. not case sensitive d. in lowercase Which of the following is the root tag of the HTML document? a. <body> c. ditle> d. <html> In HTML5, which of the following tag is used to initialize the document type? a.
 4.
 4.</td><td></td><td></td><td></td></tr><tr><td>b. in upper case c. not case sensitive d. in lowercase Which of the following is the root tag of the HTML document? a.
 a.
 b.
 c.
 c. <ti>title> d.
 d.
 head> D D D D In HTML5, which of the following tag is used to initialize the document type? a.
 a.
 Doctype HTML> b.
 A.
 CDOCTYPE html> D C.
 CDOCTYPE html> D C.
 CDOCTYPE html> D C.
 CIPDCTYPE html> D D C.
 CIPDCTYPE html> C.
 CIPDCTYPE html> C.
 CIPDCTYPE html> D D C.
 CIPDCTYPE html> C.
 CIPDCTYPE html> C.
 CIPDCTYPE html> D D CODITYPE html> C.
 CIPDCTYPE html> C.
 CIPDCTYPE html> C.
 CIPDCTYPE html> C.
 CIPDCTYPE html> C.
 C.
 CIPDCTYPE html> C.
 CIPDCTYPE html> C.
 C.
 C.
 CIPDCTYPE html> D D D D D D D D D D D D D D D D D D D</td><td></td><td></td><td></td></tr><tr><td>c. not case sensitive d. in lowercase Which of the following is the root tag of the HTML document? a. <body> 79 b.
 b.
 c. ctitle> d.
 d.
 In HTML5, which of the following tag is used to initialize the document type? a.
 a.
 2Doctype HTML> b.
 c.
 C. Doctype> d.
 d.
 ClDOCTYPE html> Which of the following tag is used to create a combo box (or drop-down box)? a.
 c. isit> b. <select> c. <input type = "dropdown"> d. b. <select> c. <input type = "dropdown"> d. c. c. <input type = "dropdown"> d. c. <</td><td>78</td><td></td><td>C</td></tr><tr><td> d. in lowercase</td><td>70</td><td></td><td></td></tr><tr><td>Which of the following is the root tag of the HTML document? a.</td><td></td><td></td><td></td></tr><tr><td>a. <body> b. <head> c. <tittle> d. <html> In HTML5, which of the following tag is used to initialize the document type? a. <Doctype HTML> a. <Doctype HTML> b. <\Doctype html> c. <Doctype> d. <IDOCTYPE html> Which of the following tag is used to create a combo box (or drop-down box)? a. a. select> c. <input type = "dropdown"> d. b. <select> c. <input type = "dropdown"> d. c. c. <input type = "dropdown"> d. c. </td><td></td><td></td><td></td></tr><tr><td> D C C C C C C C C C</td><td></td><td></td><td></td></tr><tr><td>c. <title> d. <html> In HTML5, which of the following tag is used to initialize the document type? a. <Doctype HTML> b. < Doctype Html> c. <Doctype> d. <!DOCTYPE html> Which of the following tag is used to create a combo box (or drop-down box)? a. < iist> b. <select> c. <input type = "dropdown"> d. XML stands for A. eXtensible Margin Language BB. Xtensible Margin Language C. eXtensible Markup Language D. Xtensible Margin Language D. xtensible Margin Language D. xtensible Margin Language SXML is designed to and data. A. design, style D. store, transport is used to read XML documents and provide access to their content and structure. A. XML Processor A. XML Processor C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes A XML codes D D</td><td>79</td><td></td><td>D</td></tr><tr><td> d. </td><td>17</td><td></td><td></td></tr><tr><td>In HTML5, which of the following tag is used to initialize the document type? a. <Doctype HTML> b. <\Doctype html> c. <Doctype> d. <IDOCTYPE html> Which of the following tag is used to create a combo box (or drop-down box)? a. a. ist> b. <select> c. <input type = "dropdown"> d. XML stands for A. eXtensible Margin Language B. Xtensible Markup Language C. eXtensible Markup Language D. Xtensible Margin Language C. eXtensible Margin Language D. xtensible Margin Language D. xtensible Margin Language D. xtensible Margin Language C. extensible Margin Language D. xtensible Margin Language D. xtensible Margin Language A. design, style B. design, send C. store, style D. store, transport is used to read XML documents and provide access to their content and structure. A. XML Processor A. XML Processor C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes</td><td></td><td></td><td></td></tr><tr><td>a. <Doctype HTML> b. <\Doctype> d. <\Doctype> d. <\Doctype> d. <\Doctype> d. <\Doctype> d. <\Doctype> b. <\Doctype> d. <\Doctype> d. <\Doctype> d. <\Doctype> b. <\Doctype> d. <\Doctype> d. <\Doctype> b. <\Doctype> d. <\Doctype> b. <\Doctype> d. <\Doctype> B. Which of the following tag is used to create a combo box (or drop-down box)? a. <\List> b. <\select> c. <\Input type = "dropdown"> d. <\ul> 81 b. <\select> c. <\Input type = "dropdown"> d. <\ul> 82 B. XML stands for A. eXtensible Margin Language B. Xtensible Markup Language C. eXtensible Markup Language D. Xtensible Margin Language B. XML is designed to and data. A. design, style B. design, send C. store, style D. store, transport is used to read XML documents and provide access to their content and structure. A. XML Processor B. XML Pre-processor C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes D</td><td></td><td></td><td></td></tr><tr><td> Bo</td><td></td><td>* *</td><td></td></tr><tr><td>c.</td><td>80</td><td>**</td><td>D</td></tr><tr><td>d. <!DOCTYPE html> Which of the following tag is used to create a combo box (or drop-down box)? a. a. stist> b. <select> c. <input type = "dropdown"> d. a. xML stands for A. eXtensible Margin Language B. Xtensible Markup Language C. extensible Markup Language D. Xtensible Margin Language A. design, style B. design, send C. store, style D. store, transport is used to read XML documents and provide access to their content and structure. A. XML Processor A. XML Processor C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes D D D D D D D D D D D D D</td><td></td><td></td><td></td></tr><tr><td>Which of the following tag is used to create a combo box (or drop-down box)? a. a. slist> b. <select> c. <input type = "dropdown"> d. </td><td></td><td></td><td></td></tr><tr><td>a. Stock Select Sele</td><td></td><td></td><td></td></tr><tr><td> B b. </td><td></td><td></td><td></td></tr><tr><td>c. <input type = "dropdown"> d. xML stands for A. eXtensible Margin Language B. Xtensible Markup Language C. eXtensible Markup Language D. Xtensible Margin Language XML is designed to and data. A. design, style B. design, send C. store, style D. store, transport is used to read XML documents and provide access to their content and structure. A. XML Processor B. XML Pre-processor C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes D D D D D D D D D D D D D D D D D D D D D D D D D D D D D D D D D D</td><td>81</td><td></td><td>В</td></tr><tr><td>d. </td><td></td><td>c. <input type = "dropdown"></td><td></td></tr><tr><td>XML stands for A. eXtensible Margin Language B. Xtensible Markup Language C. eXtensible Markup Language D. Xtensible Margin Language XML is designed to and data. A. design, style B. design, send C. store, style D. store, transport is used to read XML documents and provide access to their content and structure. A. XML Processor B. XML Pre-processor C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes</td><td></td><td></td><td></td></tr><tr><td>A. eXtensible Margin Language B. Xtensible Markup Language C. eXtensible Markup Language D. Xtensible Margin Language XML is designed to and data. A. design, style B. design, send C. store, style D. store, transport is used to read XML documents and provide access to their content and structure. A. XML Processor B. XML Pre-processor C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes</td><td></td><td></td><td></td></tr><tr><td>B. Xtensible Markup Language C. eXtensible Markup Language D. Xtensible Margin Language XML is designed to and data. A. design, style B. design, send C. store, style D. store, transport is used to read XML documents and provide access to their content and structure. A. XML Processor B. XML Pre-processor C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes D</td><td></td><td></td><td></td></tr><tr><td>C. eXtensible Markup Language D. Xtensible Margin Language XML is designed to and data. A. design, style B. design, send C. store, style D. store, transport is used to read XML documents and provide access to their content and structure. A. XML Processor B. XML Pre-processor C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes</td><td>82</td><td></td><td>C</td></tr><tr><td>D. Xtensible Margin Language XML is designed to and data. A. design, style B. design, send C. store, style D. store, transport is used to read XML documents and provide access to their content and structure. A. XML Processor B. XML Pre-processor C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes D</td><td></td><td></td><td></td></tr><tr><td>XML is designed to and data. A. design, style B. design, send C. store, style D. store, transport is used to read XML documents and provide access to their content and structure. A. XML Processor A. XML Processor C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes D</td><td></td><td>1 6 6</td><td></td></tr><tr><td>A. design, style B. design, send C. store, style D. store, transport is used to read XML documents and provide access to their content and structure. A. XML Processor B. XML Pre-processor C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes D</td><td></td><td></td><td></td></tr><tr><td>B. design, send C. store, style D. store, transport is used to read XML documents and provide access to their content and structure. A. XML Processor B. XML Pre-processor C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes D</td><td></td><td></td><td></td></tr><tr><td>C. store, style D. store, transport is used to read XML documents and provide access to their content and structure. A. XML Processor 84 B. XML Pre-processor C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes D</td><td>83</td><td></td><td>D</td></tr><tr><td>is used to read XML documents and provide access to their content and structure. A. XML Processor B. XML Pre-processor C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes D</td><td></td><td>C. store, style</td><td></td></tr><tr><td>A. XML Processor B. XML Pre-processor C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes D</td><td></td><td>D. store, transport</td><td></td></tr><tr><td>A. XML Processor B. XML Pre-processor C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes D</td><td></td><td></td><td></td></tr><tr><td>C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes D</td><td></td><td></td><td></td></tr><tr><td>C. XML Compiler D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes D</td><td>84</td><td>B. XML Pre-processor</td><td>A</td></tr><tr><td>D. XML Interpreter An XML document is a string of A. HTML character codes B. XML codes D</td><td></td><td>•</td><td></td></tr><tr><td>An XML document is a string of A. HTML character codes B. XML codes D</td><td></td><td>D. XML Interpreter</td><td></td></tr><tr><td>85 A. HTML character codes B. XML codes</td><td></td><td></td><td></td></tr><tr><td>B. XML codes</td><td>05</td><td></td><td>D</td></tr><tr><td>, i</td><td>83</td><td>B. XML codes</td><td>ן ש</td></tr><tr><td>C. ASCII codes</td><td></td><td>C. ASCII codes</td><td></td></tr></tbody></table></title>			

	D. Characters	
	In an XML document, a tag is a markup construct that starts with and ends with	
0.6	\overline{A} . \langle , \rangle	
86	B. ,	Α
	C. <#,>	
	D. @, @	
	How many types of tags are there in an XML document?	
	A. 3	
87	B. 4	Α
	C. 5	
	D. 6	
	In XML, DTD stands for	
	A. Document Type Declaration	
88	B. Data Type Definition	С
	C. Document Type Definition	
	D. Document To Declaration	
	With respect to XML, SGML stands for	
	A. Standard Generalized Markup Language	
89	B. Standard General Markup Language	Α
0)	C. Strainer Generalized Markup Language	11
	D. Standard Global Markup Language	
	Which is the correct syntax of an empty element in XML?	
	A. <#element_name attribute1 attribute2#>	
90	B. <element_name attribute1="" attribute2=""></element_name>	В
	C. <element attribute1="" attribute2="" name=""></element>	
	D. <element_name attribute1="" attribute2=""></element_name>	
	An XML element can have	
	A. multiple attributes	
91	B. only two unique attributes	C
71	C. multiple unique attributes	
	D. None of the above	
	Which is not a correct attribute type?	
	A. StringType	
92	B. ArrayType	В
)2	C. TokenizedType	
	D. EnumeratedType	
	The containing element which contains other elements is called of other element.	
	A. ancestor	
93	B. family	Α
	C. descendant	'`
	D. child	
	Which is the correct syntax to link XML file with CSS?	
	A. xml type="text/css" href="file.css"?	
94	B. xml type="text/css" src="file.css"?	C
7-7	C. xml-stylesheet type="text/css" href="file.css"?	
	D. xml-stylesheet type="text/css" src="file.css"?	
	SAX in XML is used for	
	A. Defining format of an XML document	
95	B. Validating the XML file	C
	C. Parsing XML documents	
	D. None of the above	
	In XML DOM, what does DOM stand for	
96	A. Document Object Model	A
	11. Document Object Model	<u> </u>

	D. Date Object Model		
	B. Date Object Model		
	C. Document Oriented Model		
	D. Document Open Model		
	What does XSNL stand for		
07	A. XML Simple Neutral Language	D	
97	B. XML Software Neutral Language	D	
	C. XML Search Natural Language		
	D. XML Search Neutral Language		
	XSNL acts between the meta search interface and targeted system.		
0.0	A. meta search interface, XML document		
98	B. meta search interface, targeted system	В	
	C. XML document, targeted system		
	D. None of the above		
	In an XML document, a graphics can be stirred using the		
	A. XLink		
99	B. XPointer	C	
	C. Both A and B		
	D. None of the above		
	Which XLink attribute defines the URL to link to?		
	A. xlink:path		
100	B. xlink:url	D	
	C. xlink:src		
	D. xlink:href		
	Module – III		
	The doGet() method in the example extracts values of the parameter's type and number		
	by using		
101	a) request.getParameter()		
101	b) request.setParameter()	A	
	c) responce.getParameter()		
	d) responce.getAttribute()		
	How many JDBC driver types does Sun define?		
	a) One		
102	b) Two	D	
	c) Three		
	d) Four		
	What MySQL property is used to create a surrogate key in MySQL?		
	a) UNIQUE		
103	b) SEQUENCE	С	
	c) AUTO_INCREMENT		
	d) None of the mentioned		
	A JSP is transformed into a(n):		
	a) Java applet		
104	b) Java servlet	В	
104	c) Either 1 or 2 above		
	d) Neither 1 nor 2 above		
	What programming language(s) or scripting language(s) does Java Server Pages (JSP)		
	support?		
	a) VBScript only		
105	b) Jscript only	C	
	c) Java only		
	d) All of the mentioned		
106	Where is metadata stored in MySQL?		
106	a) In the MySQL database metadata	С	
	b) In the MySQL database metasql	l	

	a) In the MySOL detabase mysel	
	c) In the MySQL database mysql d) None of the mentioned	
	A servlet maintain session in	
107	A. Servlet container	
	B. Servlet context	В
	C. Servlet request heap	В
	D. Servlet request heap	
	Which class provides stream to read binary data such as image etc. from the request	
108	object?	
	a. ServltInputStream	
	b. ServletOutputStream	A
	c. Both A & B	
	d. None of the above	
	What is the lifecycle of a servlet?	
	a. Servlet class is loaded	
109	b. Servlet instance is created	D
109	c. init,Service,destroy method is invoked	ש
	d. All mentioned above	
	Which method in session tracking is used in a bit of information that is sent by a web	
	server to a browser and which can later be read back from that browser?	
	a. HttpSession	C
110	b. URL rewriting	
	c. Cookies	
	d. Hidden form fields	
	Which attribute specifies a JSP page that should process any exceptions thrown but not	
	caught in the current page?	
111	a. The ErrorPage Attribute	
	b. The IsErrorPage Attribute	Α
	c. Both A & B	
	d. None of the above	
	Which can generate HTML dynamically on the client but can hardly interact with the	
	web server to perform complex tasks like database access and image processing etc. in	
	JSP?	
112	a. vs.Static HTML	D
	b. vs.Server-Side Includes	
	c. vs.Pure Servlets	
	d. Vs.JavaScript	
	Which methods are used to bind the objects on HttpSession instance and get the	
	objects?	C
112	A. setAttribute	
113	B. getAttribute	
	C. Both A & B	
	D. None of the above	
]	The tasks authentication-blocking of requests, data compression, logging and auditing	
	are performed by:	
114	A. servlet filter	Α
117	B. servlet config	11
	C. servlet context	
	D. servlet container	
	Which of the following is true about servlets?	
	A - Servlets execute within the address space of a Web server.	_
115	B - Servlets are platform-independent because they are written in Java.	C
	C - The full functionality of the Java class libraries is available to a servlet.	
1	D - All of the above.	

116	Which of the following package contains servlet classes?	
	A - javax.servlet	
	B - javax.servlet.http	D
	C - Both of the above.	
	D - None of the above.	
117	When doGet method of servlet gets called?	
	A - A GET request results from a normal request for a URL.	
	B - The service method checks the HTTP request type as GET and calls doGet method.	C
	C - Both of the above.	
	D - None of the above.	
118	What is javax.servlet.Servlet?	
	A - interface	
	B - abstract class	Α
	C - concreate class	
	D - None of the above.	
	When init method of servlet gets called?	
119	A - The init method is called when the servlet is first created.	
	B - The init method is called whenever the servlet is invoked.	A
	C - Both of the above.	
	D - None of the above.	
120	Which of the following is true about init method of servlet?	
	A - The init method simply creates or loads some data that will be used throughout the	
	life of the servlet.	C
	B - The init method is not called again and again for each user request.	
	C - Both of the above.	
	D - None of the above.	
121	When destroy method of servlet gets called?	
	A - The destroy method is called only once at the end of the life cycle of a servlet.	
	B - The destroy method is called after the servlet has executed service method.	Α
	C - Both of the above.	
	D - None of the above.	
	Which of the following method can be used to get the value of form parameter?	
122	A - request.getParameter	
	B - request.getParameterValues	Α
	C - request.getParameterNames	
	D - None of the above.	
	Which of the following method can be used to get the multiple values of a parameter	
122	like checkbox data?	
	A - request.getParameter	D
123	B - request.getParameterValues	В
	C - request.getParameterNames	
	D - None of the above	
124	Which of the following code is used to get locale in servlet?	
	A - request.getlocale	
	B - response.getLocale	Α
	C - new Locale	
	D - None of the above.	
	Which of the following code is used to get a particular attribute in servlet?	
125	A - request.getAttributename	
	B - response.getAttributename	Α
123	C - new Attributename	'`
	D - None of the above.	
	D Trone of the above.	