7th pipeline Cosmos Database → azure data factory → azure blob storage

Pipeline Architecture :

Services Required :

1. On prem mysql
2. Azure data factory
3. Azure blob storage

Azure Blob Storage Creation :

- Creation of an azure blob storage is shown in the document below.
- https://docs.google.com/document/d/1vZCMfM9ieAlTQm6Jdwl2JzxcMkwnyvkSJHCrry2kVIo/edit?usp=sharing
- Create a container called denisdata.

Azure Cosmos DB for Mongo DB creation :




Microsoft Azure
Search resources, services, and docs (G+/)
letshuntvarthya@outloo...
DEFAULT DIRECTORY (LETSHUNT...
Home
Create a resource
Blockchain
Compute
Containers
Databases
Developer Tools
DevOps
Identity
Integration
Internet of Things
IT & Management Tools
Media
Migration
Mixed Reality
Monitoring & Diagnostics
Networking
Security
Storage
Web
Create | Learn more
Azure File Sync
Create | Docs | MS Learn
Data Lake Storage Gen1
Create | Docs | MS Learn
Azure NetApp Files
Create | Docs | MS Learn
Azure Data Box
Create | Docs | MS Learn
Azure Cosmos DB for MongoDB
Create | Docs
Azure Stack Edge
Create | Docs | MS Learn
Azure Edge Hardware Center
Create | Docs
Azure Managed Instance for Apache Cassandra
Create | Docs
Create | Learn more
Cloud Manager (by Cap PYGO by Hour, WORM and data services)
Set up + subscribe | Learn more
Dionar Managed Azure - CSP
Create | Learn more
SFTPGo Standard
Create | Learn more
FTP Server Solution for Azure File Share
Create | Learn more
SFTP Gateway 3.4
Create | Learn more
SFTP Secure Server SSH on Windows Server 2016
Create | Learn more
Azure Backup as a service
Create | Learn more
SUSE Enterprise Linux for SAP 12 SP5 - BYOS
Create | Learn more
1
2
https://portal.azure.com/#home


Microsoft Azure
Search resources, services, and docs (G+/)
letshuntvarthya@outloo...
DEFAULT DIRECTORY (LETSHUNT...
Home > Create a resource >
Create Azure Cosmos DB Account - Choose Architecture
Which type of resource?
Azure Cosmos DB for MongoDB offers two resource types with different architectures. Request unit (RU) database accounts and vCore clusters. See documentation to learn more.
To start, select the type to create a resource. The resource selection cannot be changed after creation.
Request unit (RU) database account
Industry-leading 99.999% availability
Instantaneous, granular autoscaling
Serverless accounts
See documentation and supported features
Create
vCore cluster (Recommended)
Familiar architecture
High-capacity vertical and horizontal scaling
Ideal for long-running queries and complex aggregation pipelines
See documentation and supported features
Create


Microsoft Azure
Upgrade
Search resources, services, and docs (G+/)
letshuntvarthya@outloo...
DEFAULT DIRECTORY (LETSHUNT...
Home > Create a resource > Create Azure Cosmos DB Account - Choose Architecture >
Create Azure Cosmos DB Account - Azure Cosmos DB for MongoDB
Basics
Global distribution
Networking
Backup Policy
Encryption
Tags
Review + create
Azure Cosmos DB is a fully managed NoSQL and relational database service for building scalable, high performance applications. Try it for free, for 30 days with unlimited renewals. Go to production starting at $24/month per database, multiple containers included. Learn more
Project Details
Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.
Subscription *
Free Trial
Resource Group *
projects_rg
Create new
Instance Details
Account Name *
deniscosmossa
Configure availability zone settings for your account. You cannot change these settings once the account is created.
Availability Zones
Enable
Disable
Location *
(US) East US 2
Available locations are determined by your subscription's access and availability zone support (if that is enabled). If you don't see or cannot select your desired location, please open a support request for region access.
Click here for more details on how to create a region access request
Capacity mode
Provisioned throughput
Serverless
Learn more about capacity mode
With Azure Cosmos DB free tier, you will get the first 1000 RU/s and 25 GB of storage for free in an account. You can enable free tier on up to one account per subscription. Estimated $64/month discount per account.
Apply Free Tier Discount
Apply
Do Not Apply
Review + create
Previous
Next: Global distribution
Feedback
1
2


Microsoft Azure
Search resources, services, and docs (G+/)
letshuntvarthya@outloo...
DEFAULT DIRECTORY (LETSHUNT...
Home > Create a resource > Create Azure Cosmos DB Account - Choose Architecture >
Create Azure Cosmos DB Account - Azure Cosmos DB for MongoDB
Basics
Global distribution
Networking
Backup Policy
Encryption
Tags
Review + create
Configure global distribution and regional settings for your account. You can also change these settings after the account is created.
Geo-Redundancy
Enable
Disable
Multi-region Writes
Enable
Disable
Review + create
Previous
Next: Networking
Feedback


Microsoft Azure
Search resources, services, and docs (G+/)
letshuntvarthya@outloo...
DEFAULT DIRECTORY (LETSHUNT...
Home > Create a resource > Create Azure Cosmos DB Account - Choose Architecture >
Create Azure Cosmos DB Account - Azure Cosmos DB for MongoDB
Basics
Global distribution
Networking
Backup Policy
Encryption
Tags
Review + create
Network connectivity
You can connect to your Azure Cosmos DB account either publically, via public IP addresses or service endpoints, or privately, using a private endpoint.
Connectivity method *
All networks
Public endpoint (selected networks)
Private endpoint
All networks will be able to access this CosmosDB account. Learn More
Connection Security Settings
Minimum Transport Layer Security Protocol
TLS 1.2
This account only accepts this protocol. Learn more
Review + create
Previous
Next: Backup Policy
Feedback


Microsoft Azure
Search resources, services, and docs (G+/)
letshuntvarthya@outloo...
DEFAULT DIRECTORY (LETSHUNT...
Home > Create a resource > Create Azure Cosmos DB Account - Choose Architecture >
Create Azure Cosmos DB Account - Azure Cosmos DB for MongoDB
Basics
Global distribution
Networking
Backup Policy
Encryption
Tags
Review + create
Azure Cosmos DB provides three different backup policies. You will not be able to switch to Periodic mode once you adopt Continuous mode. Learn more about the differences of the backup policies and pricing details.
Backup policy
Periodic
Backup is taken at periodic interval based on your configuration
Continuous (7 days)
Provides backup window of 7 days / 168 hours and you can restore to any point of time within the window. This mode is available for free.
Continuous (30 days)
Provides backup window of 30 days / 720 hours and you can restore to any point of time within the window. This mode has cost impact.
Backup interval
240
Minute(s)
60-1440
Backup retention
8
Hours(s)
8-720
Copies of data retained
2
Review + create
Previous
Next: Encryption
Feedback


Microsoft Azure
Search resources, services, and docs (G+/)
letshuntvarthya@outloo...
DEFAULT DIRECTORY (LETSHUNT...
Home > Create a resource > Create Azure Cosmos DB Account - Choose Architecture >
Create Azure Cosmos DB Account - Azure Cosmos DB for MongoDB
Basics Global distribution Networking Backup Policy Encryption Tags Review + create
Data Encryption
Azure Cosmos DB encryption protects your data at rest by seamlessly encrypting your data as it's written in our datacenters, and automatically decrypting it for you as you access it.
By default your Azure Cosmos DB account is encrypted at rest using service-managed keys. At the moment, you will not be able to switch back to service-managed key after opting into using custom-managed key while creating your account. Learn More
Data Encryption *
Service-managed key
Customer-managed key (CMK)
Review + create
Previous
Next: Tags
Feedback


Microsoft Azure
Search resources, services, and docs (G+/)
letshuntvarthya@outloo...
DEFAULT DIRECTORY (LETSHUNT...
Home > Create a resource > Create Azure Cosmos DB Account - Choose Architecture >
Create Azure Cosmos DB Account - Azure Cosmos DB for MongoDB
Basics Global distribution Networking Backup Policy Encryption Tags Review + create
Tags are name/value pairs that enable you to categorize resources and view consolidated billing by applying the same tag to multiple resources and resource groups. learn more
Note that if you create tags and then change resource settings on other tabs, your tags will be automatically updated.
Key
Value
Resource Type
Azure Cosmos DB account
Review + create
Previous
Next: Review + create
Feedback


Microsoft Azure
Search resources, services, and docs (G+/)
letshuntvarthya@outloo...
DEFAULT DIRECTORY (LETSHUNT...
Home > Create a resource > Create Azure Cosmos DB Account - Choose Architecture >
Create Azure Cosmos DB Account - Azure Cosmos DB for MongoDB
Validation Success
Basics Global distribution Networking Backup Policy Encryption Tags Review + create
Creation Time
Estimated Account Creation Time (in minutes) 3
The estimated creation time is calculated based on the location you have selected
Basics
Subscription Free Trial
Resource Group projects_rg
Location East US 2
Account Name (new) deniscosmossa
API Azure Cosmos DB for MongoDB
Capacity mode Provisioned throughput
Geo-Redundancy Disable
Multi-region Writes Disable
Availability Zones Disable
Create
Previous
Next
Download a template for automation
Feedback


Microsoft Azure
Search resources, services, and docs (G+/)
letshuntvarthya@outloo...
DEFAULT DIRECTORY (LETSHUNT...
Home
Microsoft.Azure.CosmosDB-20240524163639 | Overview
Deployment
Search
Overview
Inputs
Outputs
Template
Delete
Cancel
Redeploy
Download
Refresh
Your deployment is complete
Deployment name : Microsoft.Azure.CosmosDB-20240524163639
Subscription : Free Trial
Resource group : projects_rg
Start time : 5/24/2024, 4:36:52 PM
Correlation ID : 04687416-5651-43da-bdde-79e861f757e6
Deployment details
Next steps
Go to resource
Cost management
Get notified to stay within your budget and prevent unexpected charges on your bill.
Set up cost alerts >
Microsoft Defender for Cloud
Secure your apps and infrastructure
Go to Microsoft Defender for Cloud >
Free Microsoft tutorials
Start learning today >
Work with an expert
Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.
Find an Azure expert >


Microsoft Azure
Search resources, services, and docs (G+/)
letshuntvarthya@outloo...
DEFAULT DIRECTORY (LETSHUNT...
Home > Microsoft.Azure.CosmosDB-20240524163639 | Overview >
deniscosmossa
Azure Cosmos DB for MongoDB account (RU)
Search
Overview
Activity log
Access control (IAM)
Tags
Diagnose and solve problems
Cost Management
Quick start
Notifications
Data Explorer
Settings
Features
Replicate data globally
Default consistency
Backup & Restore
Networking
Connection strings
Data Migration
Add Collection
Refresh
Move
Data Migration
Connect with ADS
Enable geo-redundancy
Delete Account
Feedback
Welcome to your Azure Cosmos DB Free Tier account! Your first 1000 RU/s and 25 GB of storage will be free for the lifetime of this account. Click here to learn more.
Essentials
JSON View
Status : Online
Resource group (move) : projects_rg
Subscription (move) : Free Trial
Subscription ID : c92e5287-784e-4a20-9e6c-8549947f2ee6
Total throughput limit : 1000 RU/s
Read Locations : East US 2
Write Locations : East US 2
URI : https://deniscosmossa.mongo.cosmos.azure.com:443/
Server Version : 6.0
Free Tier Discount : Opted In
See more
Collections
Looks like you don't have any collections yet.
Data Explorer
Monitoring
Show data for last
1 hour
24 hours
7 days
30 days
Number of requests per 5 minutes
Request Charge


Microsoft Azure
Search resources, services, and docs (G+/)
letshuntvarthya@outloo...
DEFAULT DIRECTORY (LETSHUNT...
Home > Microsoft.Azure.CosmosDB-20240524163639 | Overview > deniscosmossa
deniscosmossa | Azure Data Studio (Preview)
Azure Cosmos DB for MongoDB account (RU)
Search
Overview
Activity log
Access control (IAM)
Tags
Diagnose and solve problems
Cost Management
Quick start
Notifications
Data Explorer
Settings
Features
Replicate data globally
Default consistency
Backup & Restore
Networking
Connection strings
Data Migration
Start Modern Data Workflow in Azure Data Studio
Azure Data Studio is a new open source, cross-platform desktop environment for data professionals using the Azure Data family of on-premises and cloud data platforms. Learn more.
Download Azure Data Studio
Connect account with Azure Data Studio



- If that doesn't connect , we can connect it with connection strings






File Edit View Help
Search
CONNECTIONS
SERVERS
Welcome
Azure Data Studio
New
Open file...
Open folder...
Create a connection
Connect to a database instance through the connection dialog.
Run a query
Interact with data through a query editor.
Deploy a server
Create a new instance of a relational data service on the platform of your choice.
AZURE
Srikanth Chavan - letshuntakhil12...
Connection
Recent
Browse
Clear List
cosmossa.mongo.cosmos.azure.com:10255 (cosmossa)
optumscosmosnosql.mongo.cosmos.azure.com:10255 (optumscosmosnosql)
cosmosnosqldata.mongo.cosmos.azure.com:10255 (cosmosnosqldata)
optumcosmosnosql.mongo.cosmos.azure.com:10255 (optumcosmosnosql)
comsosdbsa.mongo.cosmos.azure.com:10255 (comsosdbsa)
deniscosmosdbsa.mongo.cosmos.azure.com:10255 (deniscosmosdbsa)
cosmosmongodbsa.mongo.cosmos.azure.com:10255 (cosmosmongodbsa)
Connection Details
Connection type
Microsoft SQL Server
Input type
Parameters
Connection String
Paste
Connection string *
mongodb://deniscosmossa:cdAs4QFV74jiUkfTruQq3VNIIYWWJt3frK6kz1RywWkJdyL7xyiS8hqS8330mEKC2BMESLPu5sk1ACDbbOar1A==@deniscosmossa.mongo.cosmos.azure.com:10255/?ssl=true&replicaSet=globaldb&retrywrites=false&maxIdleTimeMS=120000&appName=@deniscosmossa@
Server group
<Default>
Name (optional)
Connect
Cancel


File Edit View Help
GeographyDB
Enter database name (Press 'Enter' to confirm or 'Escape' to cancel)
CONNECTIONS
SERVERS
deniscosmossa....
Home > deniscosmossa.mongo.cosmos.azure.com:10255
New Database
Open Mongo Shell
Refresh
Learn more
Home
General
Databases
Getting started
Getting started with creating a new database, using mongo shell, viewing documentation, and managing via portal
New Database
Create database to store you data
Query Data with Mongo Shell
Interact with data using Mongo shell
Documentation
Find quickstarts, how-to guides, and references.
AZURE
Srikanth Chavan - letshuntakhil12...
Choose SQL Language
deniscosmossa.mongo.cosmos.azure.com:10255 : <default>


File Edit View Help
geography
Enter collection name to create (Press 'Enter' to confirm or 'Escape' to cancel)
CONNECTIONS
SERVERS
deniscosmossa....
Home > deniscosmossa.mongo.cosmos.azure.com:10255
New Database
Open Mongo Shell
Refresh
Learn more
Home
General
Databases
Getting started
Getting started with creating a new database, using mongo shell, viewing documentation, and managing via portal
New Database
Create database to store you data
Query Data with Mongo Shell
Interact with data using Mongo shell
Documentation
Find quickstarts, how-to guides, and references.
AZURE
Srikanth Chavan - letshuntakhil12...
Choose SQL Language
deniscosmossa.mongo.cosmos.azure.com:10255 : <default>


File Edit View Help
Search
CONNECTIONS
SERVERS
deniscosmossa.mongo.cosmos.azu...
GeographyDB
geography
Refresh
Delete Collection
Export Documents
Import Documents
Open Mongo Shell
Open Query
Welcome
deniscosmossa.mongo.cosmos.azure.com:10255
Home > deniscosmossa.mongo.cosmos.azure.com:10255
New Database
Open Mongo Shell
Refresh
Learn more
Getting started
Getting started with creating a new database, using mongo shell, viewing documentation, and managing via portal
New Database
Create database to store you data
Query Data with Mongo Shell
Interact with data using Mongo shell
Documentation
Find quickstarts, how-to guides, and references.
AZURE
Srikanth Chavan - letshuntakhil12...
Choose SQL Language
deniscosmossa.mongo.cosmos.azure.com:10255 : <default>


File Edit View Help
Search
CONNECTIONS
SERVERS
deniscosmossa.mongo.cosmos.azu...
GeographyDB
geography
Welcome
deniscosmossa.mongo.cosmos.azure.com:10255
Home > deniscosmossa.mongo.cosmos.azure.com:10255
New Database
Open Mongo Shell
Refresh
Learn more
Home
General
Databases
Getting started
Getting started with creating a new database, using mongo shell, viewing documentation, and managing via portal
New Database
Create database to store you data
Query Data with Mongo Shell
Interact with data using Mongo shell
Documentation
Find quickstarts, how-to guides, and references.
Select JSON file to import
Denis Datasets > Data > Dimensions
Search Dimensions
Organize
New folder
3D Objects
Desktop
Documents
Downloads
Music
Name
Date modified
Type
Geography
17-02-2024 09:21 AM
JSON Source File
File name: Geography
JSON
Import
Cancel
AZURE
Choose SQL Language
deniscosmossa.mongo.cosmos.azure.com:10255 : <default>



Azure Data Factory Creation :

- Creation of the data factory is shown in the document below.
- Parameters used while creating azure data factory.
- Datafactory name : projects-datafactory
- https://docs.google.com/document/d/1IpvA7XumJjbIP0wPWWUlfd_gdvh6jTn_0a12HWv0jcM/edit?usp=sharing
- Click on Go to resource.
- Click on launch workspace.




Microsoft Azure
Search resources, services, and docs (G+/)
letshuntvarthya@outloo...
DEFAULT DIRECTORY (LETSHUNT...
Home > projects_rg >
projects-datafactory
Data factory (V2)
Search
Delete
Overview
Activity log
Access control (IAM)
Tags
Diagnose and solve problems
Settings
Networking
Managed identities
Properties
Locks
Getting started
Quick start
Monitoring
Alerts
Metrics
Diagnostic settings
Logs
Essentials
JSON View
Resource group (move)
projects_rg
Status
Succeeded
Location
East US
Subscription (move)
Free Trial
Subscription ID
c92e5287-784e-4a20-9e6c-8549947f2ee6
Type
Data factory (V2)
Getting started
Quick start
Azure Data Factory Studio
Launch studio
Quick Starts
Tutorials
Template Gallery
Training Modules
Notifications
More events in the activity log →
Dismiss all
Deployment succeeded
Deployment 'Microsoft.DataFactory-20240524172645' to resource group 'projects_rg' was successful.
Pin to dashboard
Go to resource group
3 minutes ago
Deployment succeeded
Deployment 'Microsoft.Azure.CosmosDB-20240524163639' to resource group 'projects_rg' was successful.
Go to resource
Go to resource group
56 minutes ago
Successfully uploaded blob(s)
Successfully uploaded 4 blob(s).
an hour ago
Successfully created storage container
Successfully created storage container 'denisfactdata'.
an hour ago
Deployment succeeded
Deployment 'denissadllssa_1716546997551' to resource group 'projects_rg' was successful.


Microsoft Azure
Data Factory
projects-datafactory
Search factory and documentation
letshuntvarthya@outlook.com
DEFAULT DIRECTORY
Data Factory
Validate all
Publish all
General
Factory settings
Connections
Linked services
Integration runtimes
Microsoft Purview
Source control
Git configuration
ARM template
Author
Triggers
Global parameters
Data flow libraries
Security
Credentials
Customer managed key
Outbound rules
Managed private endpoi...
Linked services
Linked service defines the connection information to a data store or compute. Learn more
New
1
Filter by name
Annotations : Any
Showing 1 - 3 of 3 items
Name
Type
adls2adf_ls
Azure Data Lake Storage Gen2
blob2adf_ls
Azure Blob Storage
New linked service
Data store
Compute
Search
2
All
Azure
Database
File
Generic protocol
NoSQL
Services and apps
Azure AI Search
Azure Blob Storage
3
Azure Cosmos DB for MongoDB
Azure Cosmos DB for NoSQL
Azure Data Explorer (Kusto)
Azure Data Lake Storage Gen2
4
Continue
Cancel


Microsoft Azure
Data Factory
projects-datafactory
Search factory and documentation
letshuntvarthya@outlook.com
DEFAULT DIRECTORY
Data Factory
Validate all
Publish all
Linked services
Linked service defines the connection information to a data store or compute. Learn more
New
Filter by name
Annotations : Any
Showing 1 - 3 of 3 items
Name
Type
adls2adf_ls
Azure Data Lake Storage Gen2
blob2adf_ls
Azure Blob Storage
New linked service
Azure Cosmos DB for MongoDB Learn more
1
Name *
cosmos2adf_ls
Description
Connect via integration runtime *
AutoResolveIntegrationRuntime
Connection string
Azure Key Vault
Account selection method
From Azure subscription
Enter manually
2
Azure subscription
Free Trial (c92e5287-784e-4a20-9e6c-8549947f2ee6)
3
Azure Cosmos DB account name *
deniscosmossa
4
Database name *
GeographyDB
Annotations
6
Create
Back
5
Connection successful
Test connection
Cancel


Microsoft Azure
Data Factory ▸ projects-datafactory
Search factory and documentation
letshuntvarthya@outlook.com
DEFAULT DIRECTORY
Data Factory
Validate all
Publish all
Preview experience
Off
Factory Resources
Filter resources by name
Pipelines 0
Change Data Capture (preview) 0
Datasets 3
CategoriesData
SalesRepData
SubCategoryData
Data flows 0
Power Query 0
New dataset
New folder
CategoriesData
SalesRepData
SubCategoryData
DelimitedText
SubCategoryData
Properties
General
Related
Name *
SubCategoryData
Description
Annotations
Connection
Schema
Parameters
Linked service *
blob2adf_ls
1
2


Microsoft Azure
Data Factory ▸ projects-datafactory
Search factory and documentation
letshuntvarthya@outlook.com
DEFAULT DIRECTORY
Data Factory
Validate all
Publish all 1
Factory Resources
Filter resources by name
Pipelines 0
Change Data Capture (preview) 0
Datasets 4
CategoriesData
ProductData
SalesRepData
SubCategoryData
Data flows 0
Power Query 0
MySQL
ProductData
Connection
Parameters
Linked service *
MySql1
Test connection
Edit
New
Learn more
Integration runtime *
selfhosted
Table
`product`
Enter manually
New dataset
In pipeline activities and data flows, reference a dataset to specify the location and structure of your data within a data store. Learn more
Select a data store
Search
All
Azure
Database
File
Generic protocol
NoSQL
Services and apps
Azure AI Search
Azure Blob Storage
Azure Cosmos DB for MongoDB
Azure Cosmos DB for NoSQL
Azure Data Explorer (Kusto)
Azure Data Lake Storage Gen2
Continue
Cancel
1
2
3


Microsoft Azure
Data Factory ▸ projects-datafactory
Search factory and documentation
letshuntvarthya@outlook.com
DEFAULT DIRECTORY
Data Factory
Validate all
Publish all 1
Factory Resources
Filter resources by name
Pipelines 0
Change Data Capture (preview) 0
Datasets 4
CategoriesData
ProductData
SalesRepData
SubCategoryData
Data flows 0
Power Query 0
MySQL
ProductData
Connection
Parameters
Linked service *
MySql1
Test connection
Edit
New
Learn more
Integration runtime *
selfhosted
Table
`product`
Enter manually
Set properties
Name
GeographyData
Linked service *
Select...
Filter...
+ New
cosmos2adf_ls
OK
Back
Cancel
1
2
3


Microsoft Azure
Data Factory ▸ projects-datafactory
Search factory and documentation
letshuntvarthya@outlook.com
DEFAULT DIRECTORY
Data Factory
Validate all
Publish all 1
Factory Resources
Filter resources by name
Pipelines 0
Change Data Capture (preview) 0
Datasets 4
CategoriesData
ProductData
SalesRepData
SubCategoryData
Data flows 0
Power Query 0
CategoriesData
SalesRepData
MySQL
ProductData
Connection
Parameters
Linked service *
MySql1
Test connection
Edit
New
Learn more
Integration runtime *
selfhosted
Table
`product`
Enter manually
Set properties
Name
GeographyData
Linked service *
cosmos2adf_ls
Collection name
geography
Filter...
geography
1
2
OK
Back
Cancel
Activate Windows
Go to Settings to activate Windows.


Microsoft Azure
Data Factory ▸ projects-datafactory
Search factory and documentation
letshuntvarthya@outlook.com
DEFAULT DIRECTORY
Data Factory
Validate all
Publish all 3
Preview experience
Off
Factory Resources
Filter resources by name
Pipelines 0
Change Data Capture (preview) 0
Datasets 3
CategoriesData
SalesRepData
SubCategoryData
CategoriesData
SalesRepData
SubCategoryData
DelimitedText
SubCategoryData
Properties
General
Related
Name *
SubCategoryData
Description
Connection
Schema
Parameters


Microsoft Azure
Data Factory ▸ projects-datafactory
Search factory and documentation
letshuntvarthya@outlook.com
DEFAULT DIRECTORY
Data Factory
Validate all
Publishing 2
Factory Resources
Filter resources by name
Pipelines 0
Change Data Capture (preview) 0
Datasets 5
CategoriesData
GeographyData
ProductData
SalesRepData
SubCategoryData
Data flows 0
Power Query 0
CategoriesData
SalesRepData
Azure Cosmos DB Collection for MongoDB
GeographyData
Connection
Parameters
Linked service *
cosmos2adf_ls
Test connection
Edit
New
Learn more
Collection name *
geography
Enter manually
Publish all
You are about to publish all pending changes to the live environment. Learn more
Pending changes (2)
NAME
CHANGE
EXISTING
Datasets
ProductData
(New)
-
GeographyData
(New)
-
Publish
Cancel
Activate Windows
Go to Settings to activate Windows.


Factory Resources
Filter resources by name
Pipelines
1
onPremsql2blob_PL
Change Data Capture (preview)
Datasets
CategoriesData
SubCategoryData
Activities
Search activities
New pipeline
2
Pipeline from template
New folder
Azure Function


Microsoft Azure
Data Factory
projects-datafactory
Search factory and documentation
Validate all
Publish all
Preview experience
Off
Activities
Search activities
Move and transform
Copy data
Data flow
Synapse
Azure Data Explorer
Azure Function
Batch Service
Databricks
Data Lake Analytics
General
HDInsight
Iteration & conditionals
Machine Learning
Power Query
Validate
Validate copy runtime
Debug
Add trigger
Copy data
Copy data1
Properties
General
Related
Name
nosql2blob_PL
Description
Annotations
New
General
Source
Sink
Mapping
Settings
User properties
Learn more
Activity state
Activated
Deactivated
Timeout
0.12:00:00
Activate Windows
Go to Settings to activate Windows.


Microsoft Azure
Data Factory
projects-datafactory
Search factory and documentation
Validate all
Publish all
Preview experience
Off
Activities
Search activities
Move and transform
Copy data
Data flow
Synapse
Azure Data Explorer
Azure Function
Batch Service
Databricks
Data Lake Analytics
General
HDInsight
Iteration & conditionals
Machine Learning
Power Query
Validate
Validate copy runtime
Debug
Add trigger
Copy data
Copy data1
Properties
General
Related
Name
nosql2blob_PL
Description
Annotations
New
General
Source
Sink
Mapping
Settings
User properties
Source dataset
Select...
New
Filter...
CategoriesData
GeographyData
ProductData
RawProductData
Activate Windows
Go to Settings to activate Windows.


General
Source 1
Sink 1
Mapping
Settings
User properties
Sink dataset *
Select...
New
1
2


Microsoft Azure
Data Factory
projects-datafactory
Search factory and documentation
letshuntvarthya@outlook.com
DEFAULT DIRECTORY
Data Factory
Validate all
Publish all
Activities
Search activities
Move and transform
Copy data
Data flow
Synapse
Azure Data Explorer
Azure Function
Batch Service
Databricks
Data Lake Analytics
General
HDInsight
Iteration & conditionals
Machine Learning
Power Query
Validate
Validate copy runtime
Debug
Copy data
Copy data1
General
Source 1
Sink 1
Mapping
Settings
Sink dataset *
Select...
New dataset
In pipeline activities and data flows, reference a dataset to specify the location and structure of your data within a data store. Learn more
Select a data store
Search
All
Azure
Database
File
Generic protocol
NoSQL
Services and apps
Azure AI Search
Azure Blob Storage
Azure Cosmos DB for MongoDB
Azure Cosmos DB for NoSQL
Azure Data Explorer (Kusto)
Azure Data Lake Storage Gen2
Continue
Cancel
1
2


Microsoft Azure
Data Factory
projects-datafactory
Search factory and documentation
letshuntvarthya@outlook.com
DEFAULT DIRECTORY
Data Factory
Validate all
Publish all
Activities
Search activities
Move and transform
Copy data
Data flow
Synapse
Azure Data Explorer
Azure Function
Batch Service
Databricks
Data Lake Analytics
General
HDInsight
Iteration & conditionals
Machine Learning
Power Query
Validate
Validate copy runtime
Debug
Copy data
Copy data1
General
Source 1
Sink 1
Mapping
Settings
Sink dataset *
Select...
Select format
Choose the format type of your data
Avro
Binary
DelimitedText
JSON
ORC
Parquet
Continue
Back
Cancel
1
2


Microsoft Azure
Data Factory
projects-datafactory
Search factory and documentation
letshuntvarthya@outlook.com
DEFAULT DIRECTORY
Validate all
Publish all
SubCategoryData
ProductData
GeographyData
Activities
Search activities
Move and transform
Copy data
Data flow
Synapse
Azure Data Explorer
Azure Function
Batch Service
Databricks
Data Lake Analytics
General
HDInsight
Iteration & conditionals
Machine Learning
Power Query
Validate
Validate copy runtime
Debug
Copy data
Copy data1
General
Source
Sink
Mapping
Settings
Sink dataset *
Select...
Set properties
Name
RawGeographyData
Linked service *
Select...
Filter...
+ New
blob2adf_ls
2
OK
Back
Cancel
Activate Windows
Go to Settings to activate Windows.


File path
Container
/
Directory
/
File name
First row as header
Import schema
From connection/store
From sample file
None
Advanced


Browse
Select a file or folder.
Root folder
denisdata
stagingdenisdata


Microsoft Azure
Data Factory
projects-datafactory
Search factory and documentation
letshuntvarthya@outlook.com
DEFAULT DIRECTORY
Validate all
Publish all
Activities
Search activities
Move and transform
Copy data
Data flow
Synapse
Azure Data Explorer
Azure Function
Batch Service
Databricks
Data Lake Analytics
General
HDInsight
Iteration & conditionals
Machine Learning
Power Query
Validate
Validate copy runtime
Debug
Copy data
Copy data1
General
Source
Sink
Mapping
Settings
Sink dataset *
Select...
Browse
Select a file or folder.
Root folder
denisdata
Categories.xlsx
Product.csv
SalesRep.xlsx
SubCategories.xlsx
Showing 1 - 4 of 4 items
OK
Cancel
Activate Windows
Go to Settings to activate Windows.


Microsoft Azure
Data Factory
projects-datafactory
Search factory and documentation
letshuntvarthya@outlook.com
DEFAULT DIRECTORY
Validate all
Publish all
Activities
Search activities
Move and transform
Copy data
Data flow
Synapse
Azure Data Explorer
Azure Function
Batch Service
Databricks
Data Lake Analytics
General
HDInsight
Iteration & conditionals
Machine Learning
Power Query
Validate
Validate copy runtime
Debug
Copy data
Copy data1
General
Source
Sink
Mapping
Settings
Sink dataset *
Select...
Set properties
Name
RawGeographyData
Linked service *
blob2adf_ls
File path
denisdata
Directory
File name
First row as header
Import schema
From connection/store
From sample file
None
Advanced
OK
Back
Cancel
Activate Windows
Go to Settings to activate Windows.


General
Source
Sink
Mapping
Settings
User properties
Sink dataset *
RawGeographyData
Open
New
Learn more
Copy behavior
Select...
Max concurrent connections
Block size (MB)
Metadata
New


Connection
Schema
Parameters
Linked service *
blob2adf_ls
Test connection
Edit
New
Learn more
File path *
denisdata
Directory
Geography.csv
Browse
Preview data
Compression type
Select...
Column delimiter
Comma (,)
Row delimiter
Default (\r,\n, or \r\n)
Encoding
Default(UTF-8)
Quote character
Double quote (")


Microsoft Azure
Data Factory
projects-datafactory
Search factory and documentation
letshuntvarthya@outlook.com
DEFAULT DIRECTORY
Validate all
Publishing
ProductData
GeographyData
onPremsql2blob_PL
Validate
Validate copy runtime
Debug
Add trigger
Copy data
Copy data1
General
Source
Sink
Mapping
Settings
User properties
Source dataset *
GeographyData
Open
Filter
Cursor methods
New
Publish all
You are about to publish all pending changes to the live environment.
Learn more
Pending changes (2)
NAME
CHANGE
EXISTING
Pipelines
nosql2blob_PL
(New)
Datasets
RawGeographyData
(New)
Publish
Cancel
Activate Windows
Go to Settings to activate Windows.


Microsoft Azure
Data Factory
projects-datafactory
Search factory and documentation
letshuntvarthya@outlook.com
DEFAULT DIRECTORY
Validate all
Publish all
Preview experience
Off
ProductData
GeographyData
onPremsql2blob_PL
RawProductData
nosql2blob_PL
RawGeographyData
Validate
Validate copy runtime
Debug
Add trigger
1
Trigger now
2
New/Edit
Copy data
Copy data1
Properties
General
Related
Name *
nosql2blob_PL
Description
Annotations
New
General
Source
Sink
Mapping
Settings
User properties
Source dataset *
GeographyData
Open
New
Preview data
Learn more
Filter
Cursor methods
New
Activate Windows
Go to Settings to activate Windows.



After successful execution of the pipeline we can see that data is loaded in blob storage.