Mobile Robot Navigation Amidst Humans with Intents and Uncertainties:A Time Scaled Collision cone Approach

Akhil Nagariya[1] Bharath Gopalakrishna[1] Arun Singh[2]
Krishnam Gupta [1] K Madhava Krishna [1]

[1]RRC
IIIT Hyderabad

[2]Ben-Gurion University, Isreal

CDC 2015

Outline

Motivation

Human Intention prediction

collision avoidance

Motivation

- Robots and humans are beginning to occupy the same work spaces
- Account for human intent in robot's navigation and avoidance Maneuver
- Uncertain and Haphazard local movements of human

Human Intention prediction

- Characterize intents as the final destinations a person might reach
- Let $D = \{\mathbf{d^1}, \mathbf{d^2}, ..., \mathbf{d^m}\}$ be the set of final destinations a person can go to in a given environment
- compute the probability of each of these intents Using Hidden Markov Model.
- Characterize local Haphazard movements as a gaussian $\mathcal{N}(\mu_i(\mathbf{x}^t), \sigma_t)$

Human Intention prediction



Summary

- The first main message of your talk in one or two lines.
- The second main message of your talk in one or two lines.
- Perhaps a third message, but not more than that.

- Outlook
  - Something you haven't solved.
  - Something else you haven't solved.

For Further Reading I

A. Author.
Handbook of Everything.
Some Press, 1990.

S. Someone.
On this and that.
Journal of This and That, 2(1):50–100, 2000.