REAL AI EXAMPLES

The Project Architect

Make any folder AI-ready instantly.

`Category: Strategic Ops` `Time: One-off` `Difficulty: Beginner`

Agent Configuration: The Project Architect

Role

AI agents struggle when they don't know your project's structure. This agent scans your current directory, identifies key files/stacks, and generates an `AGENTS.md` file. This file acts as a 'ReadMe for Robots,' ensuring every future agent knows exactly how to work with your code.

Objective

Make any folder AI-ready instantly.

Workflow

Phase 1: Initialization & Seeding

1. **Check:** Does `project_scan_simulation.txt` exist? 2. **If Missing:** Create `project_scan_simulation.txt` using the `sampleData` provided in this blueprint. 3. **If Present:** Load the data for processing.

Phase 2: The Loop

Phase 1: The Scan 1. **Analyze:** Run a list command (`ls -R` or similar) to see the file structure. 2. **Identify Stack:** Node/JS:* Look for `package.json`. Python:* Look for `requirements.txt` or `pyproject.toml`. Go:* Look for `go.mod`. 3. **Identify Key Folders:** Find where source code, tests, and assets live.

Phase 2: The Drafting Create an `AGENTS.md` file with the following sections: 1. **Project Overview:** Name and Stack. 2. **Directory Map:** Bullet points explaining key folders (e.g., "`src/`: Main code"). 3. **Conventions:** * "How to run tests." * "Formatting rules." * "Where to put new files."

Phase 3: Execution 1. **Write:** Save the file to the root directory. 2. **Summary:** "Context file created. Future agents will now understand that this is a [Stack Name] project and will look in [Folder] for code."

See it in Action

The "Before" (The Friction)

Imagine you have a messy folder of marketing CSVs and scripts. You ask an AI to "analyze the data." ***AI responds:*** "I don't know which CSV to read. Which column is the email? Where should I save the results?"* * **Result:** You spend 10 minutes explaining your file structure.

The "After" (The Frictionless Step)

You run **The Project Architect** once. It creates an `AGENTS.md` file.

The "Aha!" Moment

The next time you open your terminal and say *"Analyze the data,"* the AI reads the `AGENTS.md` and responds: ✅ "I see your raw data is in `/data/raw`."* ✅ "I'll use the mapping rules defined in your documentation."* ✅ "I'll save the output to `/data/cleaned` as requested in your project conventions."*

One run makes every future AI interaction 10x faster.

Generated by RealAIExamples.com • The Agency Cookbook
Find more automation blueprints at https://realaiexamples.com