## Linear Dynamical Systems & Kalman Filter

K Sri Rama Murty

IIT Hyderabad

ksrm@ee.iith.ac.in

April 27, 2022

## Linear Dynamical Systems

$$\xrightarrow{u[n]} \xrightarrow{B_n(z)} \times [n]$$

LTI System

$$\sum_{k=0}^{M} a[k]x[n-k] = \sum_{k=0}^{N} b[k]u[n-k]$$

## Linear Dynamical Systems

$$\xrightarrow{u[n]} \xrightarrow{B_n(z)} x[n]$$

LTI System

$$\sum_{k=0}^{M} a[k]x[n-k] = \sum_{k=0}^{N} b[k]u[n-k]$$

Linear Dynamical System

$$\sum_{k=0}^{M} a_n[k] \times [n-k] = \sum_{k=0}^{N} b_n[k] u[n-k] + w[n]$$

$$\times [n] = -\sum_{k=1}^{M} a_n[k] \times [n-k] + \sum_{k=0}^{N} b_n[k] u[n-k] + v_p[n]$$

April 27, 2022

## Linear Dynamical Systems

$$\xrightarrow{u[n]} \xrightarrow{B_n(z)} \xrightarrow{x[n]}$$

LTI System

$$\sum_{k=0}^{M} a[k]x[n-k] = \sum_{k=0}^{N} b[k]u[n-k]$$

Linear Dynamical System


$$\sum_{k=0}^{M} a_n[k] x[n-k] = \sum_{k=0}^{N} b_n[k] u[n-k] + w[n]$$


$$x[n] = -\sum_{k=1}^{M} a_n[k] x[n-k] + \sum_{k=0}^{N} b_n[k] u[n-k] + v_p[n]$$

$$x[n] = \mathbf{a}^{\mathsf{T}} \mathbf{x}[n-1] + \mathbf{h}^{\mathsf{T}} \mathbf{u}[n] + v_p[n]$$
K Sri Rama Murty (IITH)

April 27, 2022


2/13





Production Model

$$\mathbf{x}[n] = \mathbf{A}_n \mathbf{x}[n-1] + \mathbf{B}_n \mathbf{u}_n + \mathbf{v}_p[n]$$




Production Model

$$\mathbf{x}[n] = \mathbf{A}_n \mathbf{x}[n-1] + \mathbf{B}_n \mathbf{u}_n + \mathbf{v}_p[n]$$

- x<sub>n</sub> State vector
- $\mathbf{A}_n$  Transition matrix
- **u**<sub>n</sub> Control inputs
- B<sub>n</sub> Input control matrix
- $\mathbf{v}_p[n] \sim \mathcal{N}(\mathbf{0}, \Sigma_p)$

3/13



Production Model


$$\mathbf{x}[n] = \mathbf{A}_n \mathbf{x}[n-1] + \mathbf{B}_n \mathbf{u}_n + \mathbf{v}_p[n]$$

- x<sub>n</sub> State vector
- $\mathbf{A}_n$  Transition matrix
- **u**<sub>n</sub> Control inputs
- B<sub>n</sub> Input control matrix

• 
$$\mathbf{v}_p[n] \sim \mathcal{N}(\mathbf{0}, \Sigma_p)$$

Measurement Model

$$\mathbf{y}_n = \mathbf{H}_n \mathbf{x}_n + \mathbf{v}_m[n]$$



Production Model

$$\mathbf{x}[n] = \mathbf{A}_n \mathbf{x}[n-1] + \mathbf{B}_n \mathbf{u}_n + \mathbf{v}_p[n]$$

- x<sub>n</sub> State vector
- $\mathbf{A}_n$  Transition matrix
- **u**<sub>n</sub> Control inputs
- **B**<sub>n</sub> Input control matrix
- $\mathbf{v}_p[n] \sim \mathcal{N}(\mathbf{0}, \Sigma_p)$

Measurement Model

$$\mathbf{y}_n = \mathbf{H}_n \mathbf{x}_n + \mathbf{v}_m[n]$$

- **y**<sub>n</sub> Measurement vector
- $\mathbf{H}_n$  Transformation matrix
- $\mathbf{v}_m[n] \sim \mathcal{N}(\mathbf{0}, \Sigma_m)$
- $\mathbf{v}_p[n] \perp \mathbf{v}_m[n]$

- Inst. position: x[n]
- Inst. velocity:  $\dot{x}[n]$
- State vector:  $\mathbf{x}[n] = [x[n] \ \dot{x}[n]]^T$

- Inst. position: x[n]
- Inst. velocity:  $\dot{x}[n]$
- State vector:  $\mathbf{x}[n] = [x[n] \ \dot{x}[n]]^T$
- Inst. force applied:  $f_n$
- Mass of the vehicle: m
- Control input:  $\mathbf{u}[n] = \frac{f_n}{m}$

- Inst. position: x[n]
- Inst. velocity:  $\dot{x}[n]$
- State vector:  $\mathbf{x}[n] = [x[n] \ \dot{x}[n]]^T$
- Inst. force applied:  $f_n$
- Mass of the vehicle: m
- Control input:  $\mathbf{u}[n] = \frac{f_n}{m}$
- State update:

$$x[n] = x[n-1] + \dot{x}[n-1]\Delta t + \frac{f_n}{2m}\Delta t^2$$
$$\dot{x}[n] = \dot{x}[n-1] + \frac{f_n}{m}\Delta t$$

- Inst. position: x[n]
- Inst. velocity:  $\dot{x}[n]$
- State vector:  $\mathbf{x}[n] = [x[n] \ \dot{x}[n]]^T$
- Inst. force applied:  $f_n$
- Mass of the vehicle: m
- Control input:  $\mathbf{u}[n] = \frac{f_n}{m}$
- State update:

$$x[n] = x[n-1] + \dot{x}[n-1]\Delta t + \frac{f_n}{2m}\Delta t^2$$
$$\dot{x}[n] = \dot{x}[n-1] + \frac{f_n}{m}\Delta t$$


$$\begin{bmatrix} x[n] \\ \dot{x}[n] \end{bmatrix} = \begin{bmatrix} 1 & \Delta t \\ 0 & 1 \end{bmatrix} \begin{bmatrix} x[n-1] \\ \dot{x}[n-1] \end{bmatrix} + \begin{bmatrix} \frac{(\Delta t)^2}{2} \\ \Delta t \end{bmatrix} \frac{f_n}{m}$$

$$A_n = \begin{bmatrix} 1 & \Delta t \\ 0 & 1 \end{bmatrix}$$
,  $B_n = \begin{bmatrix} \frac{(\Delta t)^2}{2} \\ \Delta t \end{bmatrix}$ 

Measurement


- Lidar reflections
- Shared GPS location
- H<sub>n</sub> is the relation between x[r and observation

Position is known at t = 0




5/13

Position is known at t = 0




Predict the position at t = 1

$$\hat{x}[t=1/t=0] \sim \mathcal{N}(\mu_1, \sigma_1^2)$$




5/13

Position is known at t = 0




Noisy measurement: (Likelihood)

$$y[1] = x[1] + v_m[1] \sim \mathcal{N}(\mu_2, \sigma_2^2)$$




Predict the position at t = 1


$$\hat{x}[t=1/t=0] \sim \mathcal{N}(\mu_1, \sigma_1^2)$$



Position is known at t = 0




Predict the position at t=1  $\hat{x}[t=1/t=0] \sim \mathcal{N}(\mu_1,\sigma_1^2)$ 




Noisy measurement: (Likelihood)

$$y[1] = x[1] + v_m[1] \sim \mathcal{N}(\mu_2, \sigma_2^2)$$




Posterior:  $\hat{x}[1/1] \sim \mathcal{N}(\mu_f, \sigma_f)$ 




5 / 13

Position is known at t=0




Predict the position at t=1 $\hat{x}[t=1/t=0] \sim \mathcal{N}(\mu_1, \sigma_1^2)$ 




Noisy measurement: (Likelihood)

$$y[1] = x[1] + v_m[1] \sim \mathcal{N}(\mu_2, \sigma_2^2)$$



Posterior:  $\hat{x}[1/1] \sim \mathcal{N}(\mu_f, \sigma_f)$ 



$$\mu_f = \frac{\mu_1 \sigma_2^2 + \mu_2 \sigma_1^2}{\sigma_1^2 + \sigma_2^2} \quad \sigma_f^2 = \frac{\sigma_1^2 \sigma_2^2}{\sigma_1^2 + \sigma_2^2}$$

• Prediction Model:  $\mathbf{x}[n] = \mathbf{A}[n]\mathbf{x}[n-1] + \mathbf{v}_p[n]$ 

- Prediction Model:  $\mathbf{x}[n] = \mathbf{A}[n]\mathbf{x}[n-1] + \mathbf{v}_p[n]$ 
  - A priori estimate:  $\hat{\mathbf{x}}[n/n-1] = \mathbf{A}[n]\hat{\mathbf{x}}[n-1/n-1]$

- Prediction Model:  $\mathbf{x}[n] = \mathbf{A}[n]\mathbf{x}[n-1] + \mathbf{v}_p[n]$ 
  - A priori estimate:  $\hat{\mathbf{x}}[n/n-1] = \mathbf{A}[n]\hat{\mathbf{x}}[n-1/n-1]$
- Measurement Model:  $\mathbf{y}[n] = \mathbf{H}[n]\mathbf{x}[n] + \mathbf{v}_m[n]$

- Prediction Model:  $\mathbf{x}[n] = \mathbf{A}[n]\mathbf{x}[n-1] + \mathbf{v}_p[n]$ 
  - A priori estimate:  $\hat{\mathbf{x}}[n/n-1] = \mathbf{A}[n]\hat{\mathbf{x}}[n-1/n-1]$
- Measurement Model:  $\mathbf{y}[n] = \mathbf{H}[n]\mathbf{x}[n] + \mathbf{v}_m[n]$
- A posteriori estimate (y[n] is observed)

$$\hat{\mathbf{x}}[n/n] = \mathbf{K}'[n]\hat{\mathbf{x}}[n/n-1] + \mathbf{K}[n]\mathbf{y}[n]$$

- Prediction Model:  $\mathbf{x}[n] = \mathbf{A}[n]\mathbf{x}[n-1] + \mathbf{v}_p[n]$ 
  - A priori estimate:  $\hat{\mathbf{x}}[n/n-1] = \mathbf{A}[n]\hat{\mathbf{x}}[n-1/n-1]$
- Measurement Model:  $\mathbf{y}[n] = \mathbf{H}[n]\mathbf{x}[n] + \mathbf{v}_m[n]$
- A posteriori estimate (y[n] is observed)

$$\hat{\mathbf{x}}[n/n] = \mathbf{K}'[n]\hat{\mathbf{x}}[n/n-1] + \mathbf{K}[n]\mathbf{y}[n]$$

• A posteriori error:  $\mathbf{e}[n/n] = \mathbf{x}[n] - \hat{\mathbf{x}}[n/n]$ 

- Prediction Model:  $\mathbf{x}[n] = \mathbf{A}[n]\mathbf{x}[n-1] + \mathbf{v}_p[n]$ 
  - A priori estimate:  $\hat{\mathbf{x}}[n/n-1] = \mathbf{A}[n]\hat{\mathbf{x}}[n-1/n-1]$
- Measurement Model:  $\mathbf{y}[n] = \mathbf{H}[n]\mathbf{x}[n] + \mathbf{v}_m[n]$
- A posteriori estimate (y[n] is observed)

$$\hat{\mathbf{x}}[n/n] = \mathbf{K}'[n]\hat{\mathbf{x}}[n/n-1] + \mathbf{K}[n]\mathbf{y}[n]$$

- A posteriori error:  $\mathbf{e}[n/n] = \mathbf{x}[n] \hat{\mathbf{x}}[n/n]$
- Estimate K'[n] and K[n] to minimize MSE:

$$J[n] = \mathbb{E}[\|\mathbf{e}[n/n]\|^2]$$

$$\mathbf{e}[n/n] = \mathbf{x}[n] - \hat{\mathbf{x}}[n/n]$$

7/13

$$\mathbf{e}[n/n] = \mathbf{x}[n] - \hat{\mathbf{x}}[n/n]$$
$$= \mathbf{x}[n] - \mathbf{K}'[n]\hat{\mathbf{x}}[n/n - 1] - \mathbf{K}[n]\mathbf{y}[n]$$

$$\begin{aligned} \mathbf{e}[n/n] &= \mathbf{x}[n] - \hat{\mathbf{x}}[n/n] \\ &= \mathbf{x}[n] - \mathbf{K}'[n]\hat{\mathbf{x}}[n/n - 1] - \mathbf{K}[n]\mathbf{y}[n] \\ &= \mathbf{x}[n] - \mathbf{K}'[n]\Big(\mathbf{x}[n] - \mathbf{e}[n/n - 1]\Big) - \mathbf{K}[n]\Big(\mathbf{H}[n]\mathbf{x}[n] + \mathbf{v}_m[n]\Big) \end{aligned}$$

$$\begin{split} \mathbf{e}[n/n] &= \mathbf{x}[n] - \hat{\mathbf{x}}[n/n] \\ &= \mathbf{x}[n] - \mathbf{K}'[n]\hat{\mathbf{x}}[n/n-1] - \mathbf{K}[n]\mathbf{y}[n] \\ &= \mathbf{x}[n] - \mathbf{K}'[n]\Big(\mathbf{x}[n] - \mathbf{e}[n/n-1]\Big) - \mathbf{K}[n]\Big(\mathbf{H}[n]\mathbf{x}[n] + \mathbf{v}_m[n]\Big) \\ &= \Big(\mathbf{I} - \mathbf{K}'[n] - \mathbf{K}[n]\mathbf{H}[n]\Big)\mathbf{x}[n] + \mathbf{K}'[n]\mathbf{e}[n/n-1] - \mathbf{K}[n]\mathbf{v}_m[n] \end{split}$$

$$\begin{split} \mathbf{e}[n/n] &= \mathbf{x}[n] - \hat{\mathbf{x}}[n/n] \\ &= \mathbf{x}[n] - \mathbf{K}'[n]\hat{\mathbf{x}}[n/n-1] - \mathbf{K}[n]\mathbf{y}[n] \\ &= \mathbf{x}[n] - \mathbf{K}'[n]\Big(\mathbf{x}[n] - \mathbf{e}[n/n-1]\Big) - \mathbf{K}[n]\Big(\mathbf{H}[n]\mathbf{x}[n] + \mathbf{v}_m[n]\Big) \\ &= \Big(\mathbf{I} - \mathbf{K}'[n] - \mathbf{K}[n]\mathbf{H}[n]\Big)\mathbf{x}[n] + \mathbf{K}'[n]\mathbf{e}[n/n-1] - \mathbf{K}[n]\mathbf{v}_m[n] \end{split}$$

ullet For unbiased estimation of state vector,  $\mathbb{E}[\mathbf{e}[n/n]]=0$ 

$$K'[n] = I - K[n]H[n]$$

$$\begin{split} \mathbf{e}[n/n] &= \mathbf{x}[n] - \hat{\mathbf{x}}[n/n] \\ &= \mathbf{x}[n] - \mathbf{K}'[n]\hat{\mathbf{x}}[n/n-1] - \mathbf{K}[n]\mathbf{y}[n] \\ &= \mathbf{x}[n] - \mathbf{K}'[n]\Big(\mathbf{x}[n] - \mathbf{e}[n/n-1]\Big) - \mathbf{K}[n]\Big(\mathbf{H}[n]\mathbf{x}[n] + \mathbf{v}_m[n]\Big) \\ &= \Big(\mathbf{I} - \mathbf{K}'[n] - \mathbf{K}[n]\mathbf{H}[n]\Big)\mathbf{x}[n] + \mathbf{K}'[n]\mathbf{e}[n/n-1] - \mathbf{K}[n]\mathbf{v}_m[n] \end{split}$$

ullet For unbiased estimation of state vector,  $\mathbb{E}[\mathbf{e}[n/n]]=0$ 

$$K'[n] = I - K[n]H[n]$$

A posteriori estimate of the state is given by

$$\mathbf{x}[n/n] = \hat{\mathbf{x}}[n/n-1] + \mathbf{K}[n] \Big( \mathbf{y}[n] - \mathbf{H}[n] \hat{\mathbf{x}}[n/n-1] \Big)$$

- ◆ロト ◆御 ト ◆ 恵 ト ◆ 恵 ・ 夕 Q @

$$\begin{split} \mathbf{e}[n/n] &= \mathbf{x}[n] - \hat{\mathbf{x}}[n/n] \\ &= \mathbf{x}[n] - \mathbf{K}'[n]\hat{\mathbf{x}}[n/n-1] - \mathbf{K}[n]\mathbf{y}[n] \\ &= \mathbf{x}[n] - \mathbf{K}'[n]\Big(\mathbf{x}[n] - \mathbf{e}[n/n-1]\Big) - \mathbf{K}[n]\Big(\mathbf{H}[n]\mathbf{x}[n] + \mathbf{v}_m[n]\Big) \\ &= \Big(\mathbf{I} - \mathbf{K}'[n] - \mathbf{K}[n]\mathbf{H}[n]\Big)\mathbf{x}[n] + \mathbf{K}'[n]\mathbf{e}[n/n-1] - \mathbf{K}[n]\mathbf{v}_m[n] \end{split}$$

ullet For unbiased estimation of state vector,  $\mathbb{E}[\mathbf{e}[n/n]]=0$ 

$$K'[n] = I - K[n]H[n]$$

A posteriori estimate of the state is given by

$$\mathbf{x}[n/n] = \hat{\mathbf{x}}[n/n-1] + \mathbf{K}[n] \Big( \mathbf{y}[n] - \mathbf{H}[n] \hat{\mathbf{x}}[n/n-1] \Big)$$

•  $\alpha[n] = \mathbf{y}[n] - \hat{\mathbf{y}}[n/n - 1]$  is referred to as innovation process

$$\mathbf{e}[n/n] = (\mathbf{I} - \mathbf{K}[n]\mathbf{H}[n])\mathbf{e}[n/n-1] - \mathbf{K}[n]\mathbf{v}_m[n]$$

$$\mathbf{e}[n/n] = (\mathbf{I} - \mathbf{K}[n]\mathbf{H}[n])\mathbf{e}[n/n - 1] - \mathbf{K}[n]\mathbf{v}_m[n]$$
  
 $\mathbf{P}[n/n] = \mathbb{E}[\mathbf{e}[n]\mathbf{e}^{\mathsf{T}}[n]]$ 

$$\begin{split} \mathbf{e}[n/n] &= \Big(\mathbf{I} - \mathbf{K}[n]\mathbf{H}[n]\Big)\mathbf{e}[n/n - 1] - \mathbf{K}[n]\mathbf{v}_m[n] \\ \mathbf{P}[n/n] &= \mathbb{E}[\mathbf{e}[n]\mathbf{e}^{\mathsf{T}}[n]] \\ &= \Big(\mathbf{I} - \mathbf{K}[n]\mathbf{H}[n]\Big)\mathbf{P}[n/n - 1]\Big(\mathbf{I} - \mathbf{K}[n]\mathbf{H}[n]\Big)^{\mathsf{T}} + \mathbf{K}[n]\mathbf{\Sigma}_m\mathbf{K}^{\mathsf{T}}[n] \end{split}$$

$$\begin{aligned} \mathbf{e}[n/n] &= \left(\mathbf{I} - \mathbf{K}[n]\mathbf{H}[n]\right)\mathbf{e}[n/n - 1] - \mathbf{K}[n]\mathbf{v}_m[n] \\ \mathbf{P}[n/n] &= \mathbb{E}[\mathbf{e}[n]\mathbf{e}^{\mathsf{T}}[n]] \\ &= \left(\mathbf{I} - \mathbf{K}[n]\mathbf{H}[n]\right)\mathbf{P}[n/n - 1]\left(\mathbf{I} - \mathbf{K}[n]\mathbf{H}[n]\right)^{\mathsf{T}} + \mathbf{K}[n]\mathbf{\Sigma}_m\mathbf{K}^{\mathsf{T}}[n] \\ J[n] &= \mathbb{E}[\|\mathbf{e}[n/n]\|^2] = \mathbb{E}[\mathbf{e}^{\mathsf{T}}[n]\mathbf{e}[n]] = \mathsf{Tr}\{\mathbf{P}[n/n]\} \end{aligned}$$

### Estimating Kalman Gain

$$\begin{split} \mathbf{e}[n/n] &= \left(\mathbf{I} - \mathbf{K}[n]\mathbf{H}[n]\right)\mathbf{e}[n/n-1] - \mathbf{K}[n]\mathbf{v}_m[n] \\ \mathbf{P}[n/n] &= \mathbb{E}[\mathbf{e}[n]\mathbf{e}^{\mathsf{T}}[n]] \\ &= \left(\mathbf{I} - \mathbf{K}[n]\mathbf{H}[n]\right)\mathbf{P}[n/n-1]\left(\mathbf{I} - \mathbf{K}[n]\mathbf{H}[n]\right)^{\mathsf{T}} + \mathbf{K}[n]\mathbf{\Sigma}_m\mathbf{K}^{\mathsf{T}}[n] \\ J[n] &= \mathbb{E}[\|\mathbf{e}[n/n]\|^2] = \mathbb{E}[\mathbf{e}^{\mathsf{T}}[n]\mathbf{e}[n]] = \mathsf{Tr}\{\mathbf{P}[n/n]\} \\ \nabla_{\mathbf{K}}J[n] &= -2\left(\mathbf{I} - \mathbf{K}[n]\mathbf{H}[n]\right)\mathbf{P}[n/n-1]\mathbf{H}^{\mathsf{T}}[n] + 2\mathbf{K}[n]\mathbf{\Sigma}_m = \mathbf{0} \end{split}$$

8 / 13

# Estimating Kalman Gain

$$\begin{split} \mathbf{e}[n/n] &= \left(\mathbf{I} - \mathbf{K}[n]\mathbf{H}[n]\right)\mathbf{e}[n/n - 1] - \mathbf{K}[n]\mathbf{v}_m[n] \\ \mathbf{P}[n/n] &= \mathbb{E}[\mathbf{e}[n]\mathbf{e}^{\mathsf{T}}[n]] \\ &= \left(\mathbf{I} - \mathbf{K}[n]\mathbf{H}[n]\right)\mathbf{P}[n/n - 1]\left(\mathbf{I} - \mathbf{K}[n]\mathbf{H}[n]\right)^{\mathsf{T}} + \mathbf{K}[n]\boldsymbol{\Sigma}_m\mathbf{K}^{\mathsf{T}}[n] \\ J[n] &= \mathbb{E}[\|\mathbf{e}[n/n]\|^2] = \mathbb{E}[\mathbf{e}^{\mathsf{T}}[n]\mathbf{e}[n]] = \mathsf{Tr}\{\mathbf{P}[n/n]\} \\ \nabla_{\mathbf{K}}J[n] &= -2\left(\mathbf{I} - \mathbf{K}[n]\mathbf{H}[n]\right)\mathbf{P}[n/n - 1]\mathbf{H}^{\mathsf{T}}[n] + 2\mathbf{K}[n]\boldsymbol{\Sigma}_m = \mathbf{0} \end{split}$$

Kalman gain is given by

$$\mathbf{K}[n] = \mathbf{P}[n/n - 1]\mathbf{H}^{\mathsf{T}}[n] \left[\mathbf{H}[n]\mathbf{P}[n/n - 1]\mathbf{H}^{\mathsf{T}}[n] + \mathbf{\Sigma}_{m}\right]^{-1}$$

• Posterior covariance  $\mathbf{P}[n/n] = (\mathbf{I} - \mathbf{K}[n]\mathbf{H}[n])\mathbf{P}[n/n-1]$ 

9/13

• Observation vectors: (y[1], y[2], ..., y[n], ...)

9/13

- Observation vectors:  $(\mathbf{y}[1], \mathbf{y}[2], \dots, \mathbf{y}[n], \dots)$
- Known parameters:  $\mathbf{A}[n]$ ,  $\mathbf{H}[n]$ ,  $\mathbf{\Sigma}_{\boldsymbol{p}}$ ,  $\mathbf{\Sigma}_{\boldsymbol{m}}$ ,  $\mathbf{x}[0]$

- Observation vectors:  $(\mathbf{y}[1], \mathbf{y}[2], \dots, \mathbf{y}[n], \dots)$
- Known parameters:  $\mathbf{A}[n]$ ,  $\mathbf{H}[n]$ ,  $\mathbf{\Sigma}_{p}$ ,  $\mathbf{\Sigma}_{m}$ ,  $\mathbf{x}[0]$
- Initial conditions:  $\hat{\mathbf{x}}[0/0] = \mathbb{E}[\mathbf{x}[0]]$   $\mathbf{P}[0/0] = \mathbb{E}[\mathbf{e}[0/0]\mathbf{e}^{\mathsf{T}}[0/0]]$

- Observation vectors:  $(\mathbf{y}[1], \mathbf{y}[2], \dots, \mathbf{y}[n], \dots)$
- Known parameters:  $\mathbf{A}[n]$ ,  $\mathbf{H}[n]$ ,  $\mathbf{\Sigma}_{p}$ ,  $\mathbf{\Sigma}_{m}$ ,  $\mathbf{x}[0]$
- Initial conditions:  $\hat{\mathbf{x}}[0/0] = \mathbb{E}[\mathbf{x}[0]]$   $\mathbf{P}[0/0] = \mathbb{E}[\mathbf{e}[0/0]\mathbf{e}^{\mathsf{T}}[0/0]]$
- Iterations: For  $n = 1, 2, 3, \cdots$

$$\hat{\mathbf{x}}[n/n-1] = \mathbf{A}[n]\,\hat{\mathbf{x}}[n-1/n-1]$$

$$\mathbf{P}[n/n-1] = \mathbf{A}[n] \, \mathbf{P}[n-1/n-1] \, \mathbf{A}^{\mathsf{T}}[n] \, + \mathbf{\Sigma}_{\boldsymbol{\rho}}$$

- Observation vectors:  $(\mathbf{y}[1], \mathbf{y}[2], \dots, \mathbf{y}[n], \dots)$
- Known parameters:  $\mathbf{A}[n]$ ,  $\mathbf{H}[n]$ ,  $\mathbf{\Sigma}_{p}$ ,  $\mathbf{\Sigma}_{m}$ ,  $\mathbf{x}[0]$
- Initial conditions:  $\hat{\mathbf{x}}[0/0] = \mathbb{E}[\mathbf{x}[0]]$   $\mathbf{P}[0/0] = \mathbb{E}[\mathbf{e}[0/0]\mathbf{e}^{\mathsf{T}}[0/0]]$
- Iterations: For  $n = 1, 2, 3, \cdots$

$$\begin{split} \hat{\mathbf{x}}[n/n-1] &= \mathbf{A}[n] \, \hat{\mathbf{x}}[n-1/n-1] \\ \mathbf{P}[n/n-1] &= \mathbf{A}[n] \, \mathbf{P}[n-1/n-1] \, \mathbf{A}^{\mathsf{T}}[n] \, + \mathbf{\Sigma}_{\boldsymbol{p}} \\ \mathbf{K}[n] &= \mathbf{P}[n/n-1] \mathbf{H}^{\mathsf{T}}[n] \Big( \mathbf{H}[n] \mathbf{P}[n/n-1] \mathbf{H}^{\mathsf{T}}[n] + \mathbf{\Sigma}_{m} \Big)^{-1} \\ \hat{\mathbf{x}}[n/n] &= \hat{\mathbf{x}}[n/n-1] + \mathbf{K}[n] \Big( \mathbf{y}[n] - \mathbf{H}[n] \hat{\mathbf{x}}[n/n-1] \Big) \end{split}$$

- Observation vectors:  $(\mathbf{y}[1], \mathbf{y}[2], \dots, \mathbf{y}[n], \dots)$
- Known parameters:  $\mathbf{A}[n]$ ,  $\mathbf{H}[n]$ ,  $\mathbf{\Sigma}_{p}$ ,  $\mathbf{\Sigma}_{m}$ ,  $\mathbf{x}[0]$
- Initial conditions:  $\hat{\mathbf{x}}[0/0] = \mathbb{E}[\mathbf{x}[0]]$   $\mathbf{P}[0/0] = \mathbb{E}[\mathbf{e}[0/0]\mathbf{e}^{\mathsf{T}}[0/0]]$
- Iterations: For  $n = 1, 2, 3, \cdots$   $\hat{\mathbf{x}}[n/n 1] = \mathbf{A}[n] \, \hat{\mathbf{x}}[n 1/n 1]$   $\mathbf{P}[n/n 1] = \mathbf{A}[n] \, \mathbf{P}[n 1/n 1] \, \mathbf{A}^{\mathsf{T}}[n] + \mathbf{\Sigma}_{\boldsymbol{p}}$   $\mathbf{K}[n] = \mathbf{P}[n/n 1]\mathbf{H}^{\mathsf{T}}[n] \Big(\mathbf{H}[n]\mathbf{P}[n/n 1]\mathbf{H}^{\mathsf{T}}[n] + \mathbf{\Sigma}_{m}\Big)^{-1}$   $\hat{\mathbf{x}}[n/n] = \hat{\mathbf{x}}[n/n 1] + \mathbf{K}[n] \Big(\mathbf{y}[n] \mathbf{H}[n]\hat{\mathbf{x}}[n/n 1]\Big)$

P[n/n] = (I - K[n]H[n])P[n/n - 1]

4 D > 4 A > 4 B > 4 B > B 9 Q C

- Nonlinear state equations
  - Prediction model:  $\mathbf{x}[n] = \mathbf{A}_n(\mathbf{x}[n-1]) + \mathbf{v}_p[n]$
  - $\bullet \ \ \mathsf{Measurement} \ \mathsf{model} \colon \ \mathbf{y}[\mathit{n}] = \mathbf{H}_\mathit{n}(\mathbf{x}[\mathit{n}]) + \mathbf{v}_\mathit{m}[\mathit{n}]$

- Nonlinear state equations
  - Prediction model:  $\mathbf{x}[n] = \mathbf{A}_n(\mathbf{x}[n-1]) + \mathbf{v}_p[n]$
  - Measurement model:  $\mathbf{y}[n] = \mathbf{H}_n(\mathbf{x}[n]) + \mathbf{v}_m[n]$
  - $\mathbf{A}_n(.): \mathbf{R}^{d_{\mathsf{x}}} o \mathbf{R}^{d_{\mathsf{x}}}$  denotes nonlinear state-transition map
  - ullet  $\mathbf{H}_n(.): \mathbf{R}^{d_{\mathrm{x}}} 
    ightarrow \mathbf{R}^{d_{\mathrm{y}}}$  denotes nonlinear transformation map

- Nonlinear state equations
  - Prediction model:  $\mathbf{x}[n] = \mathbf{A}_n(\mathbf{x}[n-1]) + \mathbf{v}_p[n]$
  - Measurement model:  $\mathbf{y}[n] = \mathbf{H}_n(\mathbf{x}[n]) + \mathbf{v}_m[n]$
  - $\mathbf{A}_n(.): \mathbf{R}^{d_{\mathsf{x}}} o \mathbf{R}^{d_{\mathsf{x}}}$  denotes nonlinear state-transition map
  - $\mathbf{H}_n(.): \mathbf{R}^{d_{\mathsf{x}}} o \mathbf{R}^{d_{\mathsf{y}}}$  denotes nonlinear transformation map
  - $\mathbf{v}_p[n] \sim \mathcal{N}(\mathbf{0}, \mathbf{\Sigma}_p)$ ,  $\mathbf{v}_m[n] \sim \mathcal{N}(\mathbf{0}, \mathbf{\Sigma}_m)$  and  $\mathbf{v}_p \bot \mathbf{v}_m$

- Nonlinear state equations
  - Prediction model:  $\mathbf{x}[n] = \mathbf{A}_n(\mathbf{x}[n-1]) + \mathbf{v}_p[n]$
  - Measurement model:  $\mathbf{y}[n] = \mathbf{H}_n(\mathbf{x}[n]) + \mathbf{v}_m[n]$
  - ullet  ${f A}_n(.):{f R}^{d_{\scriptscriptstyle X}} o{f R}^{d_{\scriptscriptstyle X}}$  denotes nonlinear state-transition map
  - ullet  $\mathbf{H}_n(.):\mathbf{R}^{d_{\mathsf{x}}}
    ightarrow\mathbf{R}^{d_{\mathsf{y}}}$  denotes nonlinear transformation map
  - $\mathbf{v}_p[n] \sim \mathcal{N}(\mathbf{0}, \mathbf{\Sigma}_p), \ \mathbf{v}_m[n] \sim \mathcal{N}(\mathbf{0}, \mathbf{\Sigma}_m) \ \text{and} \ \mathbf{v}_p \bot \mathbf{v}_m$
- Linearize the state equations using first-order Taylor series approx.
  - Prediction model:  $\mathbf{x}[n] \approx \mathbf{A}[n]\mathbf{x}[n-1] + \mathbf{v}_p[n] + \mathbf{\bar{x}}[n-1]$
  - Measurement model:  $\mathbf{y}[n] \approx \mathbf{H}[n]\mathbf{x}[n] + \mathbf{v}_m[n] + \mathbf{\bar{y}}[n]$

- Nonlinear state equations
  - Prediction model:  $\mathbf{x}[n] = \mathbf{A}_n(\mathbf{x}[n-1]) + \mathbf{v}_p[n]$
  - Measurement model:  $\mathbf{y}[n] = \mathbf{H}_n(\mathbf{x}[n]) + \mathbf{v}_m[n]$
  - ullet  ${f A}_n(.):{f R}^{d_{x}}
    ightarrow{f R}^{d_{x}}$  denotes nonlinear state-transition map
  - ullet  $\mathbf{H}_n(.): \mathbf{R}^{d_{\mathrm{x}}} 
    ightarrow \mathbf{R}^{d_{\mathrm{y}}}$  denotes nonlinear transformation map
  - ullet  ${f v}_p[n]\sim \mathcal{N}({f 0},{f \Sigma}_p),\ {f v}_m[n]\sim \mathcal{N}({f 0},{f \Sigma}_m)$  and  ${f v}_potvm{v}_m$
- Linearize the state equations using first-order Taylor series approx.
  - Prediction model:  $\mathbf{x}[n] \approx \mathbf{A}[n]\mathbf{x}[n-1] + \mathbf{v}_p[n] + \mathbf{\bar{x}}[n-1]$
  - Measurement model:  $\mathbf{y}[n] \approx \mathbf{H}[n]\mathbf{x}[n] + \mathbf{v}_m[n] + \bar{\mathbf{y}}[n]$
  - $\mathbf{A}[n]$  denotes Jacobian of  $\mathbf{A}_n(\mathbf{x}[n-1])$  evaluated at  $\hat{\mathbf{x}}[n-1/n-1]$
  - $\bar{\mathbf{x}}[n-1] = \mathbf{A}_n(\mathbf{x}[n-1]) \mathbf{A}[n]\mathbf{x}[n-1]$  evaluated at  $\hat{\mathbf{x}}[n-1/n-1]$

- Nonlinear state equations
  - Prediction model:  $\mathbf{x}[n] = \mathbf{A}_n(\mathbf{x}[n-1]) + \mathbf{v}_p[n]$
  - Measurement model:  $\mathbf{y}[n] = \mathbf{H}_n(\mathbf{x}[n]) + \mathbf{v}_m[n]$
  - ullet  ${f A}_n(.):{f R}^{d_{x}}
    ightarrow{f R}^{d_{x}}$  denotes nonlinear state-transition map
  - ullet  $\mathbf{H}_n(.): \mathbf{R}^{d_{\mathsf{x}}} 
    ightarrow \mathbf{R}^{d_{\mathsf{y}}}$  denotes nonlinear transformation map
  - $\mathbf{v}_{p}[n] \sim \mathcal{N}(\mathbf{0}, \mathbf{\Sigma}_{p}), \ \mathbf{v}_{m}[n] \sim \mathcal{N}(\mathbf{0}, \mathbf{\Sigma}_{m}) \ \text{and} \ \mathbf{v}_{p} \bot \mathbf{v}_{m}$
- Linearize the state equations using first-order Taylor series approx.
  - Prediction model:  $\mathbf{x}[n] \approx \mathbf{A}[n]\mathbf{x}[n-1] + \mathbf{v}_p[n] + \mathbf{\bar{x}}[n-1]$
  - Measurement model:  $\mathbf{y}[n] \approx \mathbf{H}[n]\mathbf{x}[n] + \mathbf{v}_m[n] + \bar{\mathbf{y}}[n]$
  - $\mathbf{A}[n]$  denotes Jacobian of  $\mathbf{A}_n(\mathbf{x}[n-1])$  evaluated at  $\hat{\mathbf{x}}[n-1/n-1]$
  - $\bar{\mathbf{x}}[n-1] = \mathbf{A}_n(\mathbf{x}[n-1]) \mathbf{A}[n]\mathbf{x}[n-1]$  evaluated at  $\hat{\mathbf{x}}[n-1/n-1]$
  - $\mathbf{H}[n]$  denotes Jacobian of  $\mathbf{H}_n(\mathbf{x}[n])$  evaluated at  $\hat{\mathbf{x}}[n/n-1]$
  - $\bar{\mathbf{y}}[n] = \mathbf{H}_n(\mathbf{x}_n) \mathbf{H}[n]\mathbf{x}[n]$  evaluated at  $\hat{\mathbf{x}}[n/n-1]$

- Nonlinear state equations
  - Prediction model:  $\mathbf{x}[n] = \mathbf{A}_n(\mathbf{x}[n-1]) + \mathbf{v}_p[n]$
  - Measurement model:  $\mathbf{y}[n] = \mathbf{H}_n(\mathbf{x}[n]) + \mathbf{v}_m[n]$
  - $\mathbf{A}_n(.): \mathbf{R}^{d_{\mathsf{x}}} o \mathbf{R}^{d_{\mathsf{x}}}$  denotes nonlinear state-transition map
  - ullet  $\mathbf{H}_n(.):\mathbf{R}^{d_{\mathsf{x}}}
    ightarrow\mathbf{R}^{d_{\mathsf{y}}}$  denotes nonlinear transformation map
  - ullet  ${f v}_p[n]\sim \mathcal{N}({f 0},{f \Sigma}_p),\ {f v}_m[n]\sim \mathcal{N}({f 0},{f \Sigma}_m)$  and  ${f v}_potvm{v}_m$
- Linearize the state equations using first-order Taylor series approx.
  - Prediction model:  $\mathbf{x}[n] \approx \mathbf{A}[n]\mathbf{x}[n-1] + \mathbf{v}_p[n] + \mathbf{\bar{x}}[n-1]$
  - Measurement model:  $\mathbf{y}[n] \approx \mathbf{H}[n]\mathbf{x}[n] + \mathbf{v}_m[n] + \bar{\mathbf{y}}[n]$
  - $\mathbf{A}[n]$  denotes Jacobian of  $\mathbf{A}_n(\mathbf{x}[n-1])$  evaluated at  $\hat{\mathbf{x}}[n-1/n-1]$
  - $\bar{\mathbf{x}}[n-1] = \mathbf{A}_n(\mathbf{x}[n-1]) \mathbf{A}[n]\mathbf{x}[n-1]$  evaluated at  $\hat{\mathbf{x}}[n-1/n-1]$
  - $\mathbf{H}[n]$  denotes Jacobian of  $\mathbf{H}_n(\mathbf{x}[n])$  evaluated at  $\hat{\mathbf{x}}[n/n-1]$
  - $\bar{\mathbf{y}}[n] = \mathbf{H}_n(\mathbf{x}_n) \mathbf{H}[n]\mathbf{x}[n]$  evaluated at  $\hat{\mathbf{x}}[n/n-1]$
  - $\bar{\mathbf{x}}[n-1]$  and  $\bar{\mathbf{y}}[n]$  are known at every n

### Nonlinear State Equations in 2D

Nonlinear prediction model

$$\begin{bmatrix} x_1[n] \\ x_2[n] \end{bmatrix} = \begin{bmatrix} x_1[n-1] + x_2^2[n-1] \\ nx_1[n-1] - x_1[n-1]x_2[n-1] \end{bmatrix} + \begin{bmatrix} v_{\rho 1}[n] \\ v_{\rho 2}[n] \end{bmatrix}$$

### Nonlinear State Equations in 2D

Nonlinear prediction model

$$\begin{bmatrix} x_1[n] \\ x_2[n] \end{bmatrix} = \begin{bmatrix} x_1[n-1] + x_2^2[n-1] \\ nx_1[n-1] - x_1[n-1]x_2[n-1] \end{bmatrix} + \begin{bmatrix} v_{p1}[n] \\ v_{p2}[n] \end{bmatrix}$$
$$\mathbf{A}[n] = \frac{\partial \mathbf{A}_n(\mathbf{x})}{\partial \mathbf{x}} = \begin{bmatrix} 1 & 2x_2 \\ n - x_2 & -x_1 \end{bmatrix} \bigg|_{\mathbf{x} = \hat{\mathbf{x}}[n-1/n-1]}$$

### Nonlinear State Equations in 2D

Nonlinear prediction model

$$\begin{bmatrix} x_1[n] \\ x_2[n] \end{bmatrix} = \begin{bmatrix} x_1[n-1] + x_2^2[n-1] \\ nx_1[n-1] - x_1[n-1]x_2[n-1] \end{bmatrix} + \begin{bmatrix} v_{\rho 1}[n] \\ v_{\rho 2}[n] \end{bmatrix}$$
$$\mathbf{A}[n] = \frac{\partial \mathbf{A}_n(\mathbf{x})}{\partial \mathbf{x}} = \begin{bmatrix} 1 & 2x_2 \\ n - x_2 & -x_1 \end{bmatrix} \bigg|_{\mathbf{x} = \hat{\mathbf{x}}[n-1/n-1]}$$

Nonlinear measurement model

$$y[n] = x_1[n]x_2^2[n] + v_2[n]$$

$$\mathbf{H}[n] = \frac{\partial \mathbf{H}_n(\mathbf{x})}{\partial \mathbf{x}} = \begin{bmatrix} x_2^2 & 2x_1x_2 \end{bmatrix} \Big|_{\mathbf{x} = \hat{\mathbf{x}}[n/n-1]}$$

• Observation vectors: (y[1], y[2], ..., y[n], ...)

- Observation vectors:  $(\mathbf{y}[1], \mathbf{y}[2], \dots, \mathbf{y}[n], \dots)$
- Known parameters:  $\mathbf{A}_n(\mathbf{x}[n-1])$ ,  $\mathbf{H}_n(x[n])$ ,  $\mathbf{\Sigma}_p$ ,  $\mathbf{\Sigma}_m$ ,  $\mathbf{x}[0]$

- Observation vectors:  $(\mathbf{y}[1], \mathbf{y}[2], \dots, \mathbf{y}[n], \dots)$
- Known parameters:  $\mathbf{A}_n(\mathbf{x}[n-1])$ ,  $\mathbf{H}_n(\mathbf{x}[n])$ ,  $\mathbf{\Sigma}_p$ ,  $\mathbf{\Sigma}_m$ ,  $\mathbf{x}[0]$
- Initial conditions:  $\hat{\mathbf{x}}[0/0] = \mathbb{E}[\mathbf{x}[0]]$   $\mathbf{P}[0/0] = \mathbb{E}[\mathbf{e}[0/0]\mathbf{e}^{\mathsf{T}}[0/0]]$

- Observation vectors:  $(\mathbf{y}[1], \mathbf{y}[2], \dots, \mathbf{y}[n], \dots)$
- Known parameters:  $\mathbf{A}_n(\mathbf{x}[n-1])$ ,  $\mathbf{H}_n(\mathbf{x}[n])$ ,  $\mathbf{\Sigma}_p$ ,  $\mathbf{\Sigma}_m$ ,  $\mathbf{x}[0]$
- Initial conditions:  $\hat{\mathbf{x}}[0/0] = \mathbb{E}[\mathbf{x}[0]]$   $\mathbf{P}[0/0] = \mathbb{E}[\mathbf{e}[0/0]\mathbf{e}^{\mathsf{T}}[0/0]]$
- Iterations: For  $n = 1, 2, 3, \cdots$

Estimate linearized matrices A[n] & H[n]

$$\hat{\mathbf{x}}[n/n-1] = \mathbf{A}_n(\hat{\mathbf{x}}[n-1/n-1])$$

$$\mathbf{P}[n/n-1] = \mathbf{A}[n] \, \mathbf{P}[n-1/n-1] \, \mathbf{A}^{\mathsf{T}}[n] \, + \mathbf{\Sigma}_{\boldsymbol{p}}$$

- Observation vectors: (y[1], y[2], ..., y[n], ...)
- Known parameters:  $\mathbf{A}_n(\mathbf{x}[n-1])$ ,  $\mathbf{H}_n(\mathbf{x}[n])$ ,  $\mathbf{\Sigma}_{p}$ ,  $\mathbf{\Sigma}_{m}$ ,  $\mathbf{x}[0]$
- Initial conditions:  $\hat{\mathbf{x}}[0/0] = \mathbb{E}[\mathbf{x}[0]]$   $\mathbf{P}[0/0] = \mathbb{E}[\mathbf{e}[0/0]\mathbf{e}^{\mathsf{T}}[0/0]]$
- Iterations: For  $n = 1, 2, 3, \cdots$

Estimate linearized matrices A[n] & H[n]

$$\begin{split} \hat{\mathbf{x}}[n/n-1] &= \mathbf{A}_n(\hat{\mathbf{x}}[n-1/n-1]) \\ \mathbf{P}[n/n-1] &= \mathbf{A}[n] \ \mathbf{P}[n-1/n-1] \ \mathbf{A}^{\mathsf{T}}[n] \ + \mathbf{\Sigma}_{\boldsymbol{p}} \\ \mathbf{K}[n] &= \mathbf{P}[n/n-1]\mathbf{H}^{\mathsf{T}}[n] \Big(\mathbf{H}[n]\mathbf{P}[n/n-1]\mathbf{H}^{\mathsf{T}}[n] + \mathbf{\Sigma}_m\Big)^{-1} \\ \hat{\mathbf{x}}[n/n] &= \hat{\mathbf{x}}[n/n-1] + \mathbf{K}[n] \Big(\mathbf{y}[n] - \mathbf{H}_n(\hat{\mathbf{x}}[n/n-1])\Big) \end{split}$$

- Observation vectors: (y[1], y[2], ..., y[n], ...)
- Known parameters:  $\mathbf{A}_n(\mathbf{x}[n-1])$ ,  $\mathbf{H}_n(\mathbf{x}[n])$ ,  $\mathbf{\Sigma}_p$ ,  $\mathbf{\Sigma}_m$ ,  $\mathbf{x}[0]$
- Initial conditions:  $\hat{\mathbf{x}}[0/0] = \mathbb{E}[\mathbf{x}[0]]$   $\mathbf{P}[0/0] = \mathbb{E}[\mathbf{e}[0/0]\mathbf{e}^{\mathsf{T}}[0/0]]$
- Iterations: For  $n = 1, 2, 3, \cdots$

Estimate linearized matrices A[n] & H[n]

$$\begin{split} \hat{\mathbf{x}}[n/n-1] &= \mathbf{A}_n(\hat{\mathbf{x}}[n-1/n-1]) \\ \mathbf{P}[n/n-1] &= \mathbf{A}[n] \ \mathbf{P}[n-1/n-1] \ \mathbf{A}^\mathsf{T}[n] \ + \mathbf{\Sigma}_{\boldsymbol{p}} \\ \mathbf{K}[n] &= \mathbf{P}[n/n-1]\mathbf{H}^\mathsf{T}[n] \Big(\mathbf{H}[n]\mathbf{P}[n/n-1]\mathbf{H}^\mathsf{T}[n] + \mathbf{\Sigma}_m\Big)^{-1} \\ \hat{\mathbf{x}}[n/n] &= \hat{\mathbf{x}}[n/n-1] + \mathbf{K}[n] \Big(\mathbf{y}[n] - \mathbf{H}_n(\hat{\mathbf{x}}[n/n-1])\Big) \\ \mathbf{P}[n/n] &= \Big(\mathbf{I} - \mathbf{K}[n]\mathbf{H}[n]\Big) \mathbf{P}[n/n-1] \end{split}$$

# Thank You!