H

LOURDES MATHA COLLEGE OF SCIENCE & TECHNOLOGY
LOURDES HILLS, KUTTICHAL P. O., THIRUVANANTHAPURAMM - 695 574

ANSWER BOOK

Class No 26 Branch MCA

Name Rani Jayan

Subject Data Science and Machine Learning Semester S3

Mark Tabulation

Mark Divisions		Q.1	Q.2	Q.3	Q.4	Q.5	Q.6	Q.7	Q.8	Q.9	Q.10	Q.11	Q.12	Q.13	Q
			2½					1½							
Total															
Grand Total															H

(2) Decision tree by Pruning is the method used p
a subtree without checking the conditions - Disg
subtrees.

Pruning the decision tree, can
continued to grow indefinely splitting the fea
and dividing into smaller and smaller pa
until each example is perfectly classified or
algorithm runs out of features to split on
we if the tree grows overly large, many
decision trees it make will be overly spe
the model will have

reducing its size such that it generalizes
unseen data one solution to this pro
stop the tree from growing once
certain number of decisions or if
node contains only a small
examples. This is called early
prepruning. the decision tree. An alt
post pruning.

(7) * The K-means clustering algorithm the simple learning algorithm for the clustering algorithm.

Strength

* Use simple principle for identify cluster which can be explained.
* It is highly flexible. and can be adapted.
* It is effort and perform well.

Weakness

* It is less