Gabapentin for Aisha Rahman

Order ord_f0bc4c28 · AWAITING_REVIEW · prescribed by Dr. Priya Raman

Rx: 200 mg, 3×/day, 30 days, oral | 7.0 y · 22.0 kg | Acme Health PPO

Conditions

- Hereditary fructose intolerance
- Dysphagia (difficulty swallowing)
- Epilepsy

Allergies / avoids

None.

Current medicines

None.

Proposed formulation

Strength	Make	Beyond-use date
100 mg/mL	185 mL	35 days

Oral suspension in **Starch-based sugar-free suspending base (paraben-free)** · 200 mg = 2 mL three times daily

Label: Give 2 mL by mouth three times daily. Shake well before use. Keep in the refrigerator.

Beyond-use date source: No product-specific study: USP <795> default beyond-use date applies

Bases ruled out

- Suspending vehicle + sucrose syrup (1:1): Contains Sorbitol: Sucrose and sorbitol are metabolised to fructose. (patient has Hereditary fructose intolerance).

Insurance coverage

Acme Health PPO · member ACM-208-71 · synthetic demo plan

Recommended	Patient copay	Prior authorization
compounded Gabapentin 100 mg/mL oral suspension	$30	Needed

Covered options

- compounded Gabapentin 100 mg/mL oral suspension: $30 copay, prior auth

Denied or unsuitable

- Gabapentin oral solution: not covered. Non-formulary liquid. Capsules are covered.

Message to prescriber

```
Dr. Priya Raman: no change needed for Aisha Rahman. We will prepare compounded Gabapentin
100 mg/mL oral suspension and request prior authorization.
```

Prior authorization request

```
Prior authorization request: compounded Gabapentin 100 mg/mL oral suspension for Aisha
Rahman (member ID ACM-208-71, Acme Health PPO).
Prescribed by Dr. Priya Raman: Gabapentin 200 mg, 3x/day.
Medical necessity: no covered commercial product is suitable for this patient:
  - Gabapentin oral solution: not covered. Non-formulary liquid. Capsules are covered.
Plan rule: Compounded prescriptions need prior authorization showing that no covered
commercial product is suitable for the patient.
```

Compounding procedure

Ingredients

- 62 × Gabapentin 300 mg capsules (18600 mg)
- Starch-based sugar-free suspending base (paraben-free) q.s. to 186 mL

Equipment

- Mortar and pestle
- Graduated cylinder
- Amber plastic bottle
- Oral syringes

Steps

1. Calculate: 100 mg/mL × 186 mL = 18600 mg Gabapentin. Batch is 186 mL so whole capsules give exactly 100 mg/mL; dispense 185 mL.
2. Gather 62 × Gabapentin 300 mg capsules (18600 mg).
3. Open the capsules and empty the pellets into the mortar.
4. Add a small amount of Starch-based sugar-free suspending base (paraben-free) and levigate into a smooth, lump-free paste.
5. Add more vehicle in portions (geometric dilution), mixing well after each addition.
6. Transfer to a calibrated amber bottle, rinse the mortar with vehicle, add the rinse, then add vehicle to a final volume of 186 mL (q.s.).
7. Cap and shake well for 1 minute.
8. Label and store: refrigerate.

Quality checks

- Uniform appearance, no clumps
- Final volume checked

- Re-disperses easily on shaking
- Second person verifies calculation

Label text

- Give 2 mL by mouth three times daily. Shake well before use. Keep in the refrigerator.
- Discard 35 days after the compounding date (beyond-use date).
- Compounded medication. Keep out of reach of children.

Demo only. A licensed pharmacist must verify every step.

Safety findings

WARN · regulatory — 10 commercial product(s) look suitable for this patient: Gabapentin (Ajenat Pharmaceuticals LLC, oral solution); Gabapentin (BioComp Pharma, Inc., oral solution); Gabapentin (Acella Pharmaceuticals, LLC, oral solution). Under FDA section 503A, document the clinical reason a compounded version is needed.

```
openFDA drug label set_id 02304deb-7b4a-452f-9b1a-64ca0aedbcc2
openFDA drug label set_id 0b3a4009-42f3-c84f-e063-6294a90a8068
openFDA drug label set_id 3255245c-6ae6-46ab-a1c1-0b8d4d4cdaa2
```

INFO · dose — Dose is within the pediatric range.


```
200 mg × 3/day = 600 mg/day
600 mg ÷ 22 kg = 27.27 mg/kg/day
```

INFO · coverage — Best covered option on Acme Health PPO: compounded Gabapentin 100 mg/mL oral suspension at $30 copay (prior auth needed).

```
Gabapentin oral solution: not covered. Non-formulary liquid. Capsules are covered.
```

Evidence graph

What the agents looked at in FalkorDB.



Patient Drug DrugClass Base Excluded base Excipient ExcipientGroup Condition DosageForm

Agent trace

Intake · *validate_prescription*
Gabapentin 200 mg, 3x/day for 30 days (oral) for Aisha Rahman.

History · *load_profile*
Aisha Rahman, 7.0 y, 22.0 kg. Conditions: Hereditary fructose intolerance, Dysphagia (difficulty swallowing), Epilepsy. Allergies: none. Current meds: none.

Formulation · *choose_form*
Patient needs a liquid because of: Dysphagia (difficulty swallowing).

Formulation · *screen_bases*
3 candidate base(s); 1 excluded. Suspending vehicle + sucrose syrup (1:1): Contains Sorbitol: Sucrose and sorbitol are metabolised to fructose. (patient has Hereditary fructose intolerance).

Formulation · *propose_formulation*
Gabapentin 100 mg/mL oral suspension in Starch-based sugar-free suspending base (paraben-free) (USP <795> default BUD, BUD 35 days). 200 mg = 2 mL three times daily. Make 185 mL.

Safety · *safety_review*
0 blocking, 1 warning, 1 info finding(s).

Coverage · *check_coverage*
Acme Health PPO: 1 covered option(s), 1 denied or unsuitable. Recommend: compounded Gabapentin 100 mg/mL oral suspension.

Generated by Compounder (FalkorDB + agents). Demo only, not for clinical use. All patients and insurance plans are synthetic.