Sildenafil for Robert Hale

Order ord_b8fb29f8 · AWAITING_REVIEW · prescribed by Dr. Erik Lindqvist

Rx: 20 mg, 3×/day, 30 days, oral | 68.0 y · 82.0 kg | Silver Star Medicare Part D

Conditions

- Dysphagia (difficulty swallowing)
- Pulmonary arterial hypertension
- Coronary artery disease
- Older adult (65+)

Allergies / avoids

None.

Current medicines

- Isosorbide mononitrate

Proposed formulation

Strength	Make	Beyond-use date
2.5 mg/mL	725 mL	90 days

Oral suspension in **Suspending vehicle + sucrose syrup (1:1)** · 20 mg = 8 mL three times daily

Label: Give 8 mL by mouth three times daily. Shake well before use. Store at room temperature.

Beyond-use date source: Published stability study, 2.5 mg/mL in 1:1 suspending vehicle

Insurance coverage

Silver Star Medicare Part D · member SSD-771-03 · synthetic demo plan

Recommended	Patient copay	Prior authorization
compounded Sildenafil 2.5 mg/mL oral suspension	$47	Needed

Covered options

- compounded Sildenafil 2.5 mg/mL oral suspension: $47 copay, prior auth
- Sildenafil oral suspension: $95 copay, prior auth (Sildenafil (ANI Pharmaceuticals, Inc.), Sildenafil (Actavis Pharma, Inc.))

Denied or unsuitable

None.

Message to prescriber

```
SAFETY HOLD: 1 blocking safety finding(s) must be resolved with the prescriber before this
is filled.

Dr. Erik Lindqvist: no change needed for Robert Hale. We will prepare compounded
Sildenafil 2.5 mg/mL oral suspension and request prior authorization.
```

Prior authorization request

```
Prior authorization request: compounded Sildenafil 2.5 mg/mL oral suspension for Robert
Hale (member ID SSD-771-03, Silver Star Medicare Part D).
Prescribed by Dr. Erik Lindqvist: Sildenafil 20 mg, 3x/day.
Not covered or unsuitable: none.
Covered commercial alternatives that are suitable: Sildenafil oral suspension (Sildenafil
(ANI Pharmaceuticals, Inc.), Sildenafil (Actavis Pharma, Inc.)) at $95 copay with prior
auth. The compound is requested as the lower-cost option ($47 copay).
Plan rule: Part D pays for a compound only for ingredients that are themselves Part D
drugs; bulk powders and inactive bases are not covered. PA required.
```

Compounding procedure

Ingredients

- 91 × Sildenafil 20 mg tablets (1820 mg)
- Suspending vehicle + sucrose syrup (1:1) q.s. to 728 mL

Equipment

- Mortar and pestle
- Graduated cylinder
- Amber plastic bottle
- Oral syringes

Steps

1. Calculate: 2.5 mg/mL × 728 mL = 1820 mg Sildenafil. Batch is 728 mL so whole tablets give exactly 2.5 mg/mL; dispense 725 mL.
2. Gather 91 × Sildenafil 20 mg tablets (1820 mg).
3. Place the tablets in the mortar and crush to a fine, uniform powder.
4. Add a small amount of Suspending vehicle + sucrose syrup (1:1) and levigate into a smooth, lump-free paste.
5. Add more vehicle in portions (geometric dilution), mixing well after each addition.
6. Transfer to a calibrated amber bottle, rinse the mortar with vehicle, add the rinse, then add vehicle to a final volume of 728 mL (q.s.).
7. Cap and shake well for 1 minute.
8. Label and store: room temperature.

Quality checks

- Uniform appearance, no clumps

- Final volume checked
- Re-disperses easily on shaking
- Second person verifies calculation

Label text

- Give 8 mL by mouth three times daily. Shake well before use. Store at room temperature.
- Discard 90 days after the compounding date (beyond-use date).
- Compounded medication. Keep out of reach of children.

Demo only. A licensed pharmacist must verify every step.

Safety findings

BLOCK · interaction — Sildenafil + Isosorbide mononitrate: Severe, potentially fatal hypotension. Concomitant use is contraindicated.

`Sildenafil is a PDE5 inhibitor; Isosorbide mononitrate is a Nitrate vasodilator`

WARN · regulatory — 10 commercial product(s) look suitable for this patient: Sildenafil (ANI Pharmaceuticals, Inc., oral suspension); Sildenafil (Actavis Pharma, Inc., oral suspension); sildenafil citrate (Novadoz Pharmaceuticals LLC, oral suspension). Under FDA section 503A, document the clinical reason a compounded version is needed.

`openFDA drug label set_id 083da718-e934-4941-b083-a19b4ebe3935`
`openFDA drug label set_id 0e6428c0-e0e9-4fc0-8615-6a9678d2286c`
`openFDA drug label set_id 18b327c1-19c9-4e33-ae02-de7cc900149c`


INFO · dose — Dose is within the adult range.

`20 mg × 3/day = 60 mg/day`

INFO · coverage — Best covered option on Silver Star Medicare Part D: compounded Sildenafil 2.5 mg/mL oral suspension at $47 copay (prior auth needed).

Evidence graph

What the agents looked at in FalkorDB.



Patient Drug DrugClass Base Excluded base Excipient ExcipientGroup Condition DosageForm

Agent trace

Intake · *validate_prescription*
Sildenafil 20 mg, 3x/day for 30 days (oral) for Robert Hale.

History · *derive_facts*
Age 68.0 y: added derived condition(s) older_adult.

History · *load_profile*
Robert Hale, 68.0 y, 82.0 kg. Conditions: Dysphagia (difficulty swallowing), Pulmonary arterial hypertension, Coronary artery disease, Older adult (65+). Allergies: none. Current meds: Isosorbide mononitrate.

Formulation · *choose_form*
Patient needs a liquid because of: Dysphagia (difficulty swallowing).

Formulation · *screen_bases*
2 candidate base(s); 0 excluded.

Formulation · *propose_formulation*
Sildenafil 2.5 mg/mL oral suspension in Suspending vehicle + sucrose syrup (1:1) (stability study, BUD 90 days). 20 mg = 8 mL three times daily. Make 725 mL.

Safety · *safety_review*
1 blocking, 1 warning, 1 info finding(s).

Coverage · *check_coverage*
Silver Star Medicare Part D: 2 covered option(s), 0 denied or unsuitable. Recommend: compounded Sildenafil 2.5 mg/mL oral suspension.

Generated by Compounder (FalkorDB + agents). Demo only, not for clinical use. All patients and insurance plans are synthetic.