Amlodipine for Maya Chen

Order ord_3e18ce80 · AWAITING_REVIEW · prescribed by Dr. Ada Okafor

Rx: 1.5 mg, 1×/day, 30 days, oral | 4.0 y · 16.0 kg | Acme Health PPO

Conditions

- Hypertension
- Young child (< 6 years)

Allergies / avoids

- Azo dye

Current medicines

None.

Proposed formulation

Strength	Make	Beyond-use date
1 mg/mL	50 mL	90 days

Oral suspension in **Suspending vehicle + sucrose syrup (1:1)** · 1.5 mg = 1.5 mL once daily

Label: Give 1.5 mL by mouth once daily. Shake well before use. Keep in the refrigerator.

Beyond-use date source: Published stability study, 1 mg/mL in 1:1 suspending vehicle

Insurance coverage

Acme Health PPO · member ACM-104-22 · synthetic demo plan

Recommended	Patient copay	Prior authorization
Amlodipine oral suspension	$15	Not needed

Covered options

- Amlodipine oral suspension: $15 copay (Katerzia (Azurity Pharmaceuticals, Inc.))
- compounded Amlodipine 1 mg/mL oral suspension: $30 copay, prior auth

Denied or unsuitable

- Amlodipine oral solution: not covered. Non-formulary. Plan will reimburse the oral suspension instead.

Message to prescriber

```
Dr. Ada Okafor, about Maya Chen (member ID ACM-104-22, Acme Health PPO):
You prescribed Amlodipine 1.5 mg, 1x/day.
Acme Health PPO covers Amlodipine oral suspension (Katerzia (Azurity Pharmaceuticals,
Inc.)) at $15 copay, no prior auth. Katerzia is the preferred liquid.
Please send a new prescription specifying Amlodipine oral suspension, 1.5 mg 1x/day, so
the claim is not denied.
Not covered or unsuitable:
  - Amlodipine oral solution: not covered. Non-formulary. Plan will reimburse the oral
suspension instead.
I checked these products against the patient's allergies and conditions.
```

Compounding procedure

Ingredients

- 10 × Amlodipine 5 mg tablets (50 mg; 50 mg needed)
- Suspending vehicle + sucrose syrup (1:1) q.s. to 50 mL

Equipment

- Mortar and pestle
- Graduated cylinder
- Amber plastic bottle
- Oral syringes

Steps

1. Calculate: 1 mg/mL × 50 mL = 50 mg Amlodipine.
2. Gather 10 × Amlodipine 5 mg tablets (50 mg; 50 mg needed).
3. Place the tablets in the mortar and crush to a fine, uniform powder.
4. Add a small amount of Suspending vehicle + sucrose syrup (1:1) and levigate into a smooth, lump-free paste.
5. Add more vehicle in portions (geometric dilution), mixing well after each addition.
6. Transfer to a calibrated amber bottle, rinse the mortar with vehicle, add the rinse, then add vehicle to a final volume of 50 mL (q.s.).
7. Cap and shake well for 1 minute.
8. Label and store: refrigerate.

Quality checks

- Uniform appearance, no clumps
- Final volume checked
- Re-disperses easily on shaking
- Second person verifies calculation

Label text

- Give 1.5 mL by mouth once daily. Shake well before use. Keep in the refrigerator.
- Discard 90 days after the compounding date (beyond-use date).
- Compounded medication. Keep out of reach of children.

Demo only. A licensed pharmacist must verify every step.

Safety findings

WARN · regulatory — 2 commercial product(s) look suitable for this patient: Katerzia (Azurity Pharmaceuticals, Inc., oral suspension); NORLIQVA (CMP Pharma, Inc., oral solution). Under FDA section 503A, document the clinical reason a compounded version is needed.

```
openFDA drug label set_id df673a4d-acb8-444c-a472-c87ab8cbd366
openFDA drug label set_id 614d974f-51c7-4b18-8171-39eb6e8d4c03
```

WARN · coverage — Best covered option on Acme Health PPO: Amlodipine oral suspension at $15 copay, no prior auth.


```
Amlodipine oral solution: not covered. Non-formulary. Plan will reimburse the oral suspension instead.
```

INFO · dose — Dose is within the pediatric range.

```
1.5 mg × 1/day = 1.5 mg/day
1.5 mg ÷ 16 kg = 0.09 mg/kg/day
```

Evidence graph

What the agents looked at in FalkorDB.



Patient · Drug · DrugClass · Base · Excluded base · Excipient · ExcipientGroup · Condition · DosageForm

Agent trace

Intake · *validate_prescription*
Amlodipine 1.5 mg, 1x/day for 30 days (oral) for Maya Chen.

History · *derive_facts*
Age 4.0 y: added derived condition(s) young_child.

History · *load_profile*
Maya Chen, 4.0 y, 16.0 kg. Conditions: Hypertension, Young child (< 6 years). Allergies: Azo dye. Current meds: none.

Formulation · *choose_form*
Patient needs a liquid because of: Young child (< 6 years).

Formulation · *screen_bases*
3 candidate base(s); 0 excluded.

Formulation · *propose_formulation*
Amlodipine 1 mg/mL oral suspension in Suspending vehicle + sucrose syrup (1:1) (stability study, BUD 90 days). 1.5 mg = 1.5 mL once daily. Make 50 mL.

Safety · *safety_review*
0 blocking, 1 warning, 1 info finding(s).

Coverage · *check_coverage*
Acme Health PPO: 2 covered option(s), 1 denied or unsuitable. Recommend: Amlodipine oral suspension.

Generated by Compounder (FalkorDB + agents). Demo only, not for clinical use. All patients and insurance plans are synthetic.