

WEEK-1 SKILL

WSL INSTALLATION

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\WINDOWS\system32> wsl --version
WSL version: 2.7.11.0
Kernel version: 6.18.33.2-2
WSLg version: 1.0.73.2
MSRDC version: 1.2.7214
Direct3D version: 1.611.1-81528511
DXCore version: 10.0.26100.1-240331-1435.ge-release
Windows version: 10.0.26200.8875
PS C:\WINDOWS\system32>
```

Report: Firstly installed WSL. After checked installation using wsl-version command i.e wsl --version

SIMPLE COMMANDS

```
akhil@DESKTOP-HL1VUUS:~$ pwd
/home/akhil
akhil@DESKTOP-HL1VUUS:~$ |
```

1. Pwd:

Report: After executing pwd command it is showing in way that the above one

2. Clear:

```
PS C:\WINDOWS\system32>
```

Report: After running the command clear whole terminal clears and appears to be empty

```
akhil@DESKTOP-HL1VUUS:~$ history
1  ubuntu config --default-user akhil
2  whoami
3  date
4  hostname
5  exit
6  history
7  pwd
8  history
akhil@DESKTOP-HL1VUUS:~$ |
```

3. History:

Report: After running the command history it shows the history of the wsl powershell like the previous commands we have run.

4.whoami:

```
akhil@DESKTOP-HL1VUUS:~$ whoami
akhil
akhil@DESKTOP-HL1VUUS:~$ |
```

Report:the whoami command shows username

5.Date:

```
8 history
akhil@DESKTOP-HL1VUUS:~$ date
Wed Aug 12 08:29:48 UTC 2026
akhil@DESKTOP-HL1VUUS:~$ |
```

Report: the date command shows the date and time

6.Hostname:

```
akhil@DESKTOP-HL1VUUS:~$ hostname
DESKTOP-HL1VUUS
akhil@DESKTOP-HL1VUUS:~$ |
```

Report: The command hostname displays host name here the host name is Akhil

7.Uname -a

```
akhil@DESKTOP-HL1VUUS:~$ uname -a
Linux DESKTOP-HL1VUUS 6.18.33.2-microsoft-standard-WSL2 #1 SMP PREEMPT_DYNAMIC Thu Jun 18 21:54:43 UTC 2026 x86_64 x86_64
4 x86_64 GNU/Linux
akhil@DESKTOP-HL1VUUS:~$ |
```

Report: The command uname -a shows the Linux Akhil

8.ls:

```
PS C:\Users\Akhil Yadav> ls

Directory: C:\Users\Akhil Yadav

Mode                LastWriteTime         Length Name
----                -
d-----         10-03-2026         09:01         .antigravity
d-----         25-07-2026         08:51         .arduinoIDE
d-----         29-07-2026         14:11         .copilot
d-----         10-03-2026         09:01         .gemini
d-----         04-06-2026         10:47         .local
d-----         08-09-2025         13:28         .ms-ad
d-----         15-10-2025         09:40         .vscode
d-----         19-05-2026         12:59         .vscode-shared
d-----         15-11-2025         12:57         ansel
d-r-----        17-08-2025         20:08         Contacts
d-r-----        08-09-2025         12:33         Documents
d-r-----        12-08-2026         12:03         Downloads
d-r-----        17-08-2025         20:08         Favorites
d-r-----        17-08-2025         20:08         Links
d-r-----        17-08-2025         20:08         Music
d-r-----        12-08-2026         13:35         OneDrive
d-r-----        17-08-2025         20:08         Saved Games
d-r-----        17-08-2025         20:36         Searches
d-r-----        21-12-2025         12:05         Videos
-a-----         22-05-2026         09:23         0 .node_repl_history
-a-----         04-06-2026         10:48         2118 class Node.java

PS C:\Users\Akhil Yadav> |
```

Report: The command ls displays folders available in my wsl like OOSP,

9.ls -l:

```
akhil@DESKTOP-HL1VUUS:~$ ls -l
total 0
akhil@DESKTOP-HL1VUUS:~$ |
```

Report: The command `ls -l` command displayed detailed information about the files and folders, including permissions, owner name, size, and date.

10.Kill

Report: The `kill` command is used to stop running programs or processes in Linux. It helps close programs that are not responding or are no longer needed, making the system run smoothly.

11.wc

```
akhil@DESKTOP-HL1VUUS:~$ wc
wc
1 1 3
```

Report: The `less` command opened **test.txt**. When I tried searching incorrectly, it showed a message because no previous search pattern was available.

12.nano



Report: The screen switched to the nano interface showing shortcut controls at the bottom, where I was able to edit and save my C code

13.vi

```
VIM - Vi IMproved

        version 9.1.697
        by Bram Moolenaar et al.
    Modified by team+vim@tracker.debian.org
    Vim is open source and freely distributable


    Sponsor Vim development!
type  :help sponsor<Enter>    for information

type  :q<Enter>                to exit
type  :help<Enter> or <F1>    for on-line help
type  :help version9<Enter>  for version info
```

Report: The screen switched to the nano interface showing shortcut controls at the bottom, where I was able to edit and save my C code

14.ps

```
akhil@DESKTOP-HL1VUUS:~$ ps
  PID TTY          TIME CMD
  848 pts/0        00:00:00 bash
  865 pts/0        00:00:00 ps
akhil@DESKTOP-HL1VUUS:~$ |
```

Report: The ps command displayed the processes running in my current terminal, such as bash and the ps command itself.

15.ps-ef

```
akhil@DESKTOP-HL1VUUS:~$ ps -ef
UID          PID    PPID  C STIME TTY          TIME CMD
root           1        0  0  08:25 ?        00:00:00 /sbin/init
root           2        1  0  08:25 hvc0     00:00:00 /init
root           6        2  0  08:25 hvc0     00:00:00 plan9 --control-socket 7 --log-level 4 --server-fd 8 --pipe-fd 10 --
root          49        1  0  08:25 ?        00:00:00 /usr/lib/systemd/systemd-journald
root          97        1  0  08:25 ?        00:00:00 /usr/lib/systemd/systemd-udevd
systemd+     171        1  0  08:25 ?        00:00:00 /usr/lib/systemd/systemd-resolved
systemd+     172        1  0  08:25 ?        00:00:00 /usr/lib/systemd/systemd-timesyncd
root         178        1  0  08:25 ?        00:00:00 /usr/sbin/cron -f -P
message+     179        1  0  08:25 ?        00:00:00 @dbus-daemon --system --address=systemd: --nofork --nopidfile --syst
root         186        1  0  08:25 ?        00:00:00 /usr/lib/systemd/systemd-logind
root         188        1  0  08:25 ?        00:00:00 /usr/libexec/wsl-pro-service -vv
syslog       205        1  0  08:25 ?        00:00:00 /usr/sbin/rsyslogd -n -iNONE
root         212        1  0  08:25 tty1     00:00:00 /sbin/agetty -o -p -- \u --noclear - linux
root         224        1  0  08:25 ?        00:00:00 /usr/bin/python3 /usr/share/unattended-upgrades/unattended-upgrade-s
root         303        2  0  08:25 pts/1    00:00:00 /bin/login -f
akhil        346        1  0  08:25 ?        00:00:00 /usr/lib/systemd/systemd --user
akhil        347       346  0  08:25 ?        00:00:00 (sd-pam)
akhil        371       303  0  08:25 pts/1    00:00:00 -bash
root         846        2  0  09:19 ?        00:00:00 /init
root         847       846  0  09:19 ?        00:00:00 /init
akhil        848       847  0  09:19 pts/0    00:00:00 -bash
root         866        97  0  09:19 ?        00:00:00 (udev-worker)
root         867        97  0  09:19 ?        00:00:00 (udev-worker)
akhil        868       848  0  09:19 pts/0    00:00:00 ps -ef
akhil@DESKTOP-HL1VUUS:~$ |
```

Report: The ps -ef command displayed all the running processes in the system along with their process IDs and user details.

16.top:

```
top - 17:16:52 up 1:09, 1 user, load average: 0.00, 0.03, 0.00
Tasks: 22 total, 1 running, 21 sleeping, 0 stopped, 0 zombie
%Cpu(s): 0.0 us, 0.0 sy, 0.0 ni, 100.0 id, 0.0 wa, 0.0 hi, 0.0 si,
MiB Mem : 7784.6 total, 7234.8 free, 519.3 used, 180.9 buff/c
MiB Swap: 2048.0 total, 2048.0 free, 0.0 used, 7265.3 avail
```

PID	USER	PR	NI	VIRT	RES	SHR	S	%CPU	%MEM	TIME+
1	root	20	0	21660	13020	9688	S	0.0	0.2	0:01.56
2	root	20	0	3180	2200	2072	S	0.0	0.0	0:00.02
6	root	20	0	3196	2124	2008	S	0.0	0.0	0:00.01
58	root	19	-1	34056	12540	11468	S	0.0	0.2	0:00.41
108	root	20	0	25192	6640	5180	S	0.0	0.1	0:00.63
123	systemd+	20	0	21344	13172	11044	S	0.0	0.2	0:00.30
124	systemd+	20	0	91036	7964	6996	S	0.0	0.1	0:00.20
187	root	20	0	4244	2684	2432	S	0.0	0.0	0:00.02
188	message+	20	0	9540	5416	4724	S	0.0	0.1	0:00.12
195	root	20	0	17976	8788	7748	S	0.0	0.1	0:00.16
197	root	20	0	1756628	12920	10500	S	0.0	0.2	0:00.25
202	syslog	20	0	222516	5628	4596	S	0.0	0.1	0:00.14
218	root	20	0	3124	1976	1836	S	0.0	0.0	0:00.01
219	root	20	0	107036	23260	13808	S	0.0	0.3	0:00.32
324	root	20	0	6672	4508	3740	S	0.0	0.1	0:00.02
371	root	20	0	20116	11392	9456	S	0.0	0.1	0:00.15
372	root	20	0	21176	3500	1784	S	0.0	0.0	0:00.00
396	root	20	0	6080	5288	3664	S	0.0	0.1	0:00.02
502	root	20	0	3184	1112	980	S	0.0	0.0	0:00.00
504	root	20	0	3200	1252	1108	S	0.0	0.0	0:00.01
507	root	20	0	6076	5344	3664	S	0.0	0.1	0:00.05
538	root	20	0	9300	5692	3508	R	0.0	0.1	0:00.01

Report: The top command showed the live status of the system. I could see the CPU usage, memory usage, and the list of running processes updating continuously.

17.kill

```
akhil@DESKTOP-HL1VUUS:~$ kill
kill: usage: kill [-s sigspec | -n signum | -sigspec] pid | jobspec ... or kill -l [sigspec]
akhil@DESKTOP-HL1VUUS:~$
```

Report: I used the kill command to stop a running process. The terminal displayed the command usage because a process ID was not provided.

18.kill -9

```
akhil@DESKTOP-HL1VUUS:~$ kill
kill: usage: kill [-s sigspec | -n signum | -sigspec] pid | jobspec ... or kill -l [sigspec]
akhil@DESKTOP-HL1VUUS:~$
```

Report: I executed the kill -9 command without giving a process ID. The terminal showed the usage message, indicating that a valid process ID is required.

19.bg:

```
akhil@DESKTOP-HL1VUUS:~$ bg
-bash: bg: current: no such job
akhil@DESKTOP-HL1VUUS:~$
```

Report: After stopping the sleep process, I used the bg command to continue running it in the background

20.&

```
-bash: syntax error near unexpected token '&'
```

21.ln

```
akhil@DESKTOP-HL1VUUS:~$ ln
ln: missing file operand
Try 'ln --help' for more information.
```

22.df -h

```
akhil@DESKTOP-HL1VUUS:~$ df -h
Filesystem      Size  Used Avail Use% Mounted on
none            3.9G   0    3.9G   0% /usr/lib/modules/6.18.33.2-microsoft-standard-WSL2
none            3.9G  4.0K   3.9G   1% /mnt/wsl
drivers         453G  180G  274G  40% /usr/lib/wsl/drivers
/dev/sdd        1007G  2.0G  954G   1% /
none            3.9G   44K   3.9G   1% /mnt/wslg
none            3.9G   0    3.9G   0% /usr/lib/wsl/lib
rootfs          3.8G  2.8M   3.8G   1% /init
none            3.9G  540K   3.9G   1% /run
none            3.9G   0    3.9G   0% /run/lock
none            3.9G   0    3.9G   0% /run/shm
none            3.9G   80K   3.9G   1% /mnt/wslg/versions.txt
none            3.9G   80K   3.9G   1% /mnt/wslg/doc
C:\             453G  180G  274G  40% /mnt/c
tmpfs           779M   20K   779M   1% /run/user/1000
akhil@DESKTOP-HL1VUUS:~$ |
```

23.su -sh

```
akhil@DESKTOP-HL1VUUS:~$ su-sh
Command 'su-sh' not found, did you mean:
  command 'lu-sh' from deb licenseutils (0.0.9-7)
Try: sudo apt install <deb name>
akhil@DESKTOP-HL1VUUS:~$ |
```

Report: checked the size of my home directory using du -sh ~. The command displayed the total space used by the directory.

24.free -h

```
akhil@DESKTOP-HL1VUUS:~$ free -h
              total        used          free        shared  buff/cache       available
Mem:           7.6Gi         567Mi         7.0Gi          3.5Mi          249Mi          7.0Gi
Swap:          2.0Gi           0B          2.0Gi
```

Report: : The free -h command displayed the total, used, and available system memory along with the swap memory information

25.id

```
akhil@DESKTOP-HL1VUUS:~$ id
uid=1000(akhil) gid=1000(akhil) groups=1000(akhil),27(sudo),100(users)
akhil@DESKTOP-HL1VUUS:~$ |
```

Report: : th idcommand displayed the total, used, and available system memory along with the swap memory information

