

CERT Skills

New for 2020-2021

Competitor orientation deleted from ILC.

Guidelines have been aligned with new CERT Training Materials.

Changes have been made to the supplies the competitor must provide.

Event Summary

CERT Skills provides members with the opportunity to gain knowledge and skills required for disaster preparedness and response. This competitive event consists of 2 rounds and each team consists of 2 people. Round One is a written, multiple choice test and the top scoring teams will advance to Round Two for the skills assessment. This event aims to inspire members to be proactive future health professionals and respond efficiently to complex community hazards in the absence of emergency services.

Dress Code

Competitors shall wear proper business attire or official HOSA uniform, or attire appropriate to the occupational area, during both rounds. Bonus points will be awarded for proper dress.

General Rules

- Competitors in this event must be active members of HOSA and in good standing.
- Secondary and Postsecondary / Collegiate divisions are eligible to compete in this event.
- 3. Competitors must be familiar with and adhere to the <u>"General Rules and Regulations of the HOSA Competitive Events Program (GRR)."</u>
- 4. All competitors shall report to the site of the event at the time designated for each round of competition. At ILC, competitor's photo.ID must be presented prior to ALL competition rounds.
- 5. Competitors should compete in skill events at the highest level of training. An example would be students enrolled in an Emergency Medical Technician course should compete in the Emergency Medical Technician event and NOT in the CERT or CPR/First Aid event.

Official References

- 6. All official references are used in the development of the written test. The specific references selected for each skill are from the CERT Curriculum.
 - CERT Training Materials (as posted as of September, 2020): <u>Community</u>
 Emergency Response Team Training Participant Manual
 - CERT Online Training Course (as posted as of September 1, 2020): https://www.ready.gov/cert

7. Competitors at the HOSA International Leadership Conference should have completed a classroom-based FEMA CERT basic training course. For information about CERT training in your state or starting a CERT chapter, go to ready.gov/citizencorp. Those who do not have access to a classroom-based training course can access one online via https://www.ready.gov/cert

Round One Test

- 8. <u>Test Instructions:</u> The written test will consist of fifty 50 multiple choice items in a maximum of 60 minutes.
- 9. **Time Remaining Announcements:** There will be a verbal announcement when there are 30 minutes, 15 minutes, 5 minutes, and 1 minute remaining to complete the test.
- 10. Written Test Plan

Disaster Preparedness	14%
CERT Organization	6%
Treating Life Threatening Conditions	20%
Disaster Medical Operations	24%
Disaster Psychology	6%
Fire Safety & Utility Controls	8%
Light Search & Rescue Operations	12%
CERT &Terrorism	10%

 The average test score from Round One will be used to qualify the team for Round Two.

12. Sample Test Questions

- 1. What law protects volunteers who provide care in a prudent and reasonable manner?
 - A. American Health Care Benefit Act
 - B. First Aid Responsibility Law
 - C. Good Samaritan Law
 - D. US Disaster Recovery Act CERT pp 1-25
- 2. What kind of permission does a CERT volunteer need to treat an unconscious patient?
 - A. Contact nearest family member to get permission.
 - B. An unconscious patient is assumed to have given implied consent.
 - C. An EMT must give permission to treat an unconscious patient.
 - D. Contact the patient's physician for permission and instructions. CERT pp 3-2
- 3. What is the best way for a CERT volunteer to maintain personal hygiene and prevent the spread of disease among patients?
 - A. Change outer clothing frequently.
 - B. Wash hands frequently using soap and water.
 - C. Keep the treatment area free of bacteria by using a disinfectant.
 - D. Sterilize all utensils used in the treatment of patients. CERT pp 4-11

Round Two Skills

13. Round Two is the performance of a selected skill(s). The Round Two skills approved for this event are:

Skill I A&B: Treating Life-Threatening Conditions
Skill II: Head-to-Toe Assessment
(5 minutes)
Skill III: Lifts and Carries
(8 minutes)
Skill IV: Splinting a Closed Fracture
(5 minutes)

- 14. The selected skill(s) will be presented to competitors as a written scenario at the beginning of the round. The scenario will be the same for each team and will include a challenging component that will require the competitors to apply critical thinking skills. A sample scenario can be found here.
- 15. Timing will begin when the scenario is presented to the team. and competitors will be stopped at the end of the time allowed.
- 16. The scenario is a secret topic. Competitors MAY NOT discuss or reveal the secret topic until after the event has concluded or will face penalties per the GRRs.
- 17. Judges will provide information to competitors as directed by the rating sheets. Competitors may ask questions of the judges while performing skills if the questions relate to patient physiology and will be included in the scenario.

Final Scoring

- 18. Teams must earn a score of 70% or higher on the combined skill(s) of the event (excluding the test) in order to be recognized as an award winner at the ILC.
- 19. Final rank is determined by adding the averaged round one test score plus round two skill score. In case of a tie, the highest averaged test score will be used to determine final placement.

Round Two Watch with second hand (optional-Round Two only) Photo ID Disaster Kit with the following items: Supply bag Barrier supplies for each competitor: 10 pairs of exam gloves (non-latex) per competitor Goggles or safety glasses 2 dust masks (student to verbalize N95 Mask would be used) Helmet (may be simulated/verbalized) Sturdy shoes or Boots (may be simulated/verbalized) Bleeding Control/Bandage Materials (team's choice) Scissors Plain paper (or note cards) and pen or marker for documentation and labeling treatment areas if needed Clip board and spiral notebook (optional)	Competitors Must Provide Round One Two #2 lead pencils with eraser Photo ID	
	 □ Watch with second hand (optional-Round Two only) □ Photo ID Disaster Kit with the following items: □ Supply bag □ Barrier supplies for each competitor: ○ 10 pairs of exam gloves (non-latex) per competitor ○ Goggles or safety glasses ○ 2 dust masks (student to verbalize N95 Mask would be used) □ Helmet (may be simulated/verbalized) □ Sturdy shoes or Boots (may be simulated/verbalized) □ Bleeding Control/Bandage Materials (team's choice) □ Scissors □ Plain paper (or note cards) and pen or marker for documentation and labeling treatment areas if needed 	t

Team #:	Section #:	Judge's Signature:

Skill	IA: Treating Life-Threatening Conditions: Opening the Airway (Rescuer 1)** (5 minutes)	Possible	Awarded
1.	Donned safety equipment: helmet, goggles, gloves (work & non-latex) dust N95 mask, and sturdy shoes or boots. Helmet, boots and N95 mask equipment may be verbalized.	1 0	
2.	Surveyed the scene by doing a thorough size-up.	2 0	
3.	Identified an unconscious patient (manikin).	1 0	
4.	At arm's distance, shake the patient by touching the shoulder and shouting "Can you hear me?" ~ Judge states, "No response."	2 0	
5.	Verbalized that an airway obstruction is suspected.	1 0	
6.	Performed a jaw-thrust maneuver:	-	
	a. Kneeled at the patient's head	1 0	
	 Placed one hand on each side of the patient's head with the thumbs near the corners of the mouth pointed toward the chin, using the elbows for support. 	2 0	
	 c. Slid the fingers into position under the angles of the patient's jawbone without moving the head or neck. ~ Judge states, "Attempt to open airway successful." 	2 0	
7.	Placed patient in recovery position:	-	
	a. Laid body on side.	1 0	
	b. Bottom arm reached outward.	1 0	
	c. Top arm placed on the bicep of the bottom arm.	1 0	
	d. Head rested on the hand.	1 0	
	e. Bent legs slightly.	1 0	
	f. Chin raised forward.	1 0	
	g. Mouth pointed downward.	1 0	
8.	Appropriate verbal and nonverbal communication with patient and other personnel.	2 0	
	AL POINTS SKILL IA (Rescuer 1) Mastery for Skill IA (Rescuer 1) = 14.7	21	

^{**}If a competitor jeopardizes the patient's or his/her own safety and does not take immediate action to correct the error, the total points for the skill or specific subpart(s) of the skill will be deducted.

Team #:	Section #:	Judge's Signature:	

Skill	IB: Treating Life-Threatening Conditions: Controlling Bleeding (Rescuer 2) (5 minutes)	Poir Pos	nts sible	Points Awarded
1.	Donned safety equipment: helmet, goggles, gloves (work & non-latex) dust N95 mask, and sturdy shoes or boots. Helmet, boots and N95 mask equipment may be verbalized.	1	0	
2.	Surveyed the scene by doing a thorough size-up.	2	0	
3.	Identified a patient with uncontrolled bleeding.	1	0	
4.	Made sure the patient could see you as you approach.	1	0	
5.	Identified self by providing name and organization.	1	0	
6.	Requested permission to treat individual.	2	0	
7.	Identified the source of the bleeding (arm or leg per scenario).	1	0	
8.	Applied firm, steady pressure using 4 x 4 gauze directly on the source of the bleeding (pushing hard even if patient complains of pain).	2	0	
9.	 Judge states, "Wound is still bleeding and EMS has been delayed". Applied tourniquet (use of manikin arm or pool noodle to demonstrate application of tourniquet). 			
	a. Obtained commercial tourniquet from supply bag.	2	0	
	 Placed tourniquet as high as possible on the injured limb (closest to torso) over clothing. 	3	0	
	c. Pulled the strap through the buckle.	2	0	
	 Reassured patient that tightening may be painful but is necessary to stop the bleeding. 	2	0	
	e. Twisted the rod tightly until bleeding stops or slows significantly.	3	0	
	f. Secured the rod.	2	0	
	g. Tourniquet remained in place until EMS arrived.	2	0	
10.	Assessed for signs of shock:		-	
	 Verbalized if rapid, shallow breathing is present. Judge states, "Rapid, shallow breathing is present OR Rapid, shallow breathing is not present". 	2	0	
	b. Assessed capillary refill. ~Judge states, "Capillary refill is greater than 2 seconds OR Capillary refill is less than 2 seconds".	2	0	
	 c. Assessed patient's ability to follow simple commands by instructing patient to squeeze your hand. ~ Patient responds appropriately or does not respond per patient instructions". 	2	0	
	If symptoms of shock are present move to Step #11. If no symptoms of shock, move to Step #12.		-	

Items Evaluated	Points Possible	Points Awarded
11. Maintained body temperature.	-	
a. Verbalized removing wet clothing (if indicated in the scenario).	1 0	
 Placed something that provides separation from the patient & the ground (cardboard, jacket or blanket). 	1 0	
c. Wrapped the injured patient with dry layers (coat, blanket).	1 0	
d. Shielded the patient from wind with your body or surrounding objects.	1 0	
 Appropriate verbal and nonverbal communication with patient and other personnel. 	2 0	
TOTAL POINTS SKILL IB (Rescuer 2)		
Without signs of shock	35	
With signs of shock	39	
70% Mastery for Skill IB (Rescuer 2) =		
Without signs of shock = 24.5		
With signs of shock = 27.3		

^{**}If a competitor jeopardizes the patient's or his/her own safety and does not take immediate action to correct the error, the total points for the skill or specific subpart(s) of the skill will be deducted.

Team #:		S	Section #: _	 Judge's	Si	gna	ture	e:				
Rescuer	□ 1	2										

There will be two	patients to assess, one per rescuer.	Use a duplicate rating	sheet for each rescuer.

Skill	II: Head-to-Toe Assessment** (5 minutes)	Possible	Awarded
1.	Donned safety equipment: helmet, goggles, gloves (work & non-latex) dust N95 mask, and sturdy shoes or boots. Helmet, boots and N95 mask equipment may be verbalized.	1 0	
2.	Identified a patient to assess.	1 0	
3.	Assessed location and verbalized level of safety. If not in safe or lightly damaged building, moved patient to safe zone.	1 0	
4.	Asked "How were you hurt?" if patient responsive and able to communicate.	1 0	
5.	If conscious, asked permission to conduct assessment.	1 0	
6.	If responsive, asked patient about injuries, pain, bleeding or other symptoms, and checked for medical ID emblems on bracelet or necklace.	1 0	
7.	Checked body parts from the top to the bottom for continuity of bones and soft tissue injuries (DCAP-BTLS) and pulse, movement, sensation in all extremities, in the following order: a. Evaluated head and verbalized observations.	1 0	
	b. Evaluated neck and verbalized observations.	1 0	
	c. Evaluated shoulders and verbalized observations.	1 0	
	d. Evaluated chest and verbalized observations.	1 0	
	e. Evaluated arms and verbalized observations.	1 0	
	f. Evaluated abdomen and verbalized observations.	1 0	
	g. Evaluated pelvis and verbalized observations.	1 0	
	h. Evaluated legs and verbalized observations.	1 0	
8.	Checked own hands for patient bleeding throughout assessment.	1 0	
9.	Checked pulse in all extremities and verbalized observations.	2 0	
10.	Talked to patient throughout assessment to reduce anxiety.	1 0	
11.	Minimized movement of the head and spine during assessment.	1 0	
12.	Verbalized the type of treatment that is needed.	3 0	
13.	Correctly documented injuries CERT Victim Treatment Area Record.	3 0	
14.	Appropriate verbal and nonverbal communication with patient and other personnel.	2 0	
_	L POINTS – SKILL II lastery for Skill II = 18.9	27	

^{**}If a competitor jeopardizes the patient's or his/her own safety and does not take immediate action to correct the error, the total points for the skill or specific subpart(s) of the skill will be deducted for the skill or specific subpart(s) of the skill will be deducted.

CERT Victim Treatment Area Record

Form 2.14: CERT Victim Treatment Area Record

VICTIM	TREATMENT AREA RECORD	CERT	DATE		
TREATME	ENT AREA LOCATION	L			
TIME IN	NAME OR DESCRIPTION		N/TREATMENT as needed)	MOVED TO	TIME OUT
SCRIBE(S	5)	L		PAGE	OF

August 2019 Page 2-32

Team #: S	Section #:	Judge's Signature:
-----------	------------	--------------------

The purpose of Skill **III-A** is to demonstrate the ability to perform lifts and carries. The skill performance is done in a classroom or meeting room setting, and the judge directs the competitors to perform the lifts. In lifts #1 and #4, team members demonstrate the lift on each other. In #2 and #3, the lift is demonstrated on a volunteer who is small in stature.

Note to judges: You will use the sequence below for each lift to instruct the competitors on the lifts to be completed.

Skill	l III-A:	Lifts and Carries – Demonstration (8 minutes)	Possible	Awarded		
instr pers **Fo	Judge instructs one team member where to sit to assume the role patient, and instructs the other team member to move the patient to safety using the one-person pack-strap carry. **For this lift, competitors should verbalize and simulate the lift WITHOUT actually lifting the other person.					
1.		Person Pack-Strap Carry	1 0			
	a.	Verbalized to patient "I'm going to carry you to safety."				
	b.	Stood with his/her back to the patient.	1 0			
	C.	Placed the patient's arms over the rescuer's shoulders and grabbed the hands in front of the rescuer's chest.	1 0			
	d.	Hoisted the patient by bending forward slightly, until patient's feet just cleared the floor.	1 0			
	e.	Carried patient to safe area and gently lowered patient to chair/ground, keeping the back straight and using the legs.	1 0			
to m	ove the y.	patient to safety (a very short distance) using the two-person	1 0			
2.	I wo- a.	Person Carry Verbalized to patient "We are going to carry you to safety."				
	b.	Rescuer 1 squatted at the patient 's head and grasped the patient from behind the midsection, then reached under the arms and grasped the patient 's left wrist with his/her right hand, and vice versa.	1 0			
	C.	Rescuer 2 squatted between the patient's knees, facing either toward or away from the patient, and grasped the outside of the patient's legs at the knees.	1 0			
	d.	Both rescuers rose to a standing position, keeping backs straight and lifting with legs.	1 0			
	e.	Carried patient to safe area and gently lowered patient to chair/ground, keeping the back straight and using the legs.	1 0			
	f.	Rescuers communicated with each other and coordinated their movements throughout the lift.	1 0			

Items Evaluated				sible ts	Points Awarded
Judge instructs volunteer patient where to sit and instructs the rescuers to move the patient to safety (a very short distance) using the chair carry.					
3.	Chair	Carry	1	0	
	a.	Verbalized to patient "We are going to carry you to safety."			
	b.	Rescuer 1 crossed the patient's arms in his or her lap, and faced the back of the chair and grasped the back uprights.	1	0	
	C.	Rescuer 2 grasped the two front legs of the chair. * Either facing the patient or facing away from the patient, whichever is more comfortable for the rescuer.	1	0	
	d.	Both rescuers tilted the chair back and lifted simultaneously.	1	0	
	e.	Carried patient to safe area and gently set the chair down.	1	0	
	f.	Rescuers communicated with each other and coordinated their movements throughout the lift.	2	0	
** F o		, competitors should <u>verbalize</u> and <u>simulate</u> the lift WITHOUT gging the blanket.			
4.	Blanl		1	0	
	a.	ket Drag			
	b.	ket Drag Assessed location and verbalized to the judge that there is no debris that would cause additional injury.			
	D.	Assessed location and verbalized to the judge that there is no	1	0	
	C.	Assessed location and verbalized to the judge that there is no debris that would cause additional injury. Verbalized to patient "I'm going to wrap you in a blanket and	1	0	
		Assessed location and verbalized to the judge that there is no debris that would cause additional injury. Verbalized to patient "I'm going to wrap you in a blanket and move you to safety."			
	C.	Assessed location and verbalized to the judge that there is no debris that would cause additional injury. Verbalized to patient "I'm going to wrap you in a blanket and move you to safety." Wrapped the patient in a blanket. Squatted at the patient's head and grasped the blanket behind	1	0	
5.	c. d. e.	Assessed location and verbalized to the judge that there is no debris that would cause additional injury. Verbalized to patient "I'm going to wrap you in a blanket and move you to safety." Wrapped the patient in a blanket. Squatted at the patient's head and grasped the blanket behind the victim's head.	1	0	
5. 6.	c. d. e. Reso	Assessed location and verbalized to the judge that there is no debris that would cause additional injury. Verbalized to patient "I'm going to wrap you in a blanket and move you to safety." Wrapped the patient in a blanket. Squatted at the patient's head and grasped the blanket behind the victim's head. Dragged the patient clear of the hazard. cuer 1 appropriate verbal and nonverbal communication with patient	1 1 1	0 0	
6.	c. d. e. Reso	Assessed location and verbalized to the judge that there is no debris that would cause additional injury. Verbalized to patient "I'm going to wrap you in a blanket and move you to safety." Wrapped the patient in a blanket. Squatted at the patient's head and grasped the blanket behind the victim's head. Dragged the patient clear of the hazard. cuer 1 appropriate verbal and nonverbal communication with patient and other personnel throughout all skills.	1 1 2 2	0 0 0	

^{**}If a competitor jeopardizes the patient's or his/her own safety and does not take immediate action to correct the error, the total points for the skill or specific subpart(s) of the skill will be deducted.

Team #: Section #:	Judge's Signature:
--------------------	--------------------

The purpose of Skill **III-B** is to demonstrate the ability to perform lifts and carries. The skill performance is done in a simulated disaster setting. There will be 4 victims (volunteer persons or manikins) with tags that identify their condition and lift to be used to remove them to safety.

Note to judges and event personnel: Competitor and Volunteer Victim safety must be the primary consideration during the demonstration of each lift. If the performance of any lift or carry could be considered unsafe, please have the competitors demonstrate and verbalize the lift without actually lifting the patient.

Skill III-B: Lifts and Carries – Scenarios (6 minutes)		Possible		Awarded	
1.	N95	ed safety equipment: helmet, goggles, gloves (work & non-latex) dust mask, and sturdy shoes or boots. Helmet, boots and N95 mask ment may be verbalized.	1	0	
2.	Surv	eyed the scene by doing a thorough size-up.	1	0	
3.		uickly verbalized consideration of their safety, capability, and mitations, and decided if they should approach the situation and how.		0	
Resc	cuer 1				
		t, the competitor should <u>verbalize</u> and <u>simulate</u> the lift ctually lifting the other person.			
4.	One-	Person Pack-Strap Carry	1	0	
	a.	Verbalized to patient "I'm going to carry you to safety."			
	b.	Stood with his/her back to the patient.	1	0	
	C.	Placed the patient's arms over the rescuer's shoulders and grabbed the hands in front of the rescuer's chest.	1	0	
	d.	Hoisted the patient by bending forward slightly, until patient's feet just cleared the floor.	1	0	
	e.	Carried patient to safe area and gently lowered patient to chair/ground, keeping the back straight and using the legs.	1	0	
**Fo		t, competitors should <u>verbalize</u> and <u>simulate</u> the lift WITHOUT gging the blanket.			
5.	Blank	et Drag	1	0	
	a.	Assessed location and verbalized to the judge that there is no			
		debris that would cause additional injury.			
	b.		1	0	
	b.	debris that would cause additional injury. Verbalized to patient "I'm going to wrap you in a blanket and move	1	0	
		debris that would cause additional injury. Verbalized to patient "I'm going to wrap you in a blanket and move you to safety.			

Items Evaluated			Pos Poi	sible nts	Points Awarded
Both	n Rescuer	rs			
6.	Two-	Person Carry	1	0	
	a.	Verbalized to patient "We are going to carry you to safety."	'	· ·	
	b.	Rescuer 1 squatted at the patient's head and grasped the patient from behind the midsection, then reached under the arms and grasped the patient's left wrist with his/her right hand, and vice versa.	1	0	
	C.	Rescuer 2 squatted between the patient's knees, facing either toward or away from the patient, and grasped the outside of the patient's legs at the knees.	1	0	
	d.	Both rescuers rose to a standing position, keeping backs straight and lifting with legs.	1	0	
	e.	Carried patient to safe area and gently lowered patient to chair/ground, keeping the back straight and using the legs.	1	0	
	f.	Rescuers communicated with each other and coordinated their movements throughout the lift.	2	0	
Both	n Rescuer	rs			
7.	Chaiı	r Carry	1	0	
	a.	Verbalized to patient "We are going to carry you to safety."	•		
	b.	Rescuer 1 crossed the patient's arms in his or her lap, and faced the back of the chair and grasped the back uprights.	1	0	
	C.	Rescuer 2 grasped the two front legs of the chair. * Either facing the patient or facing away from the patient, whichever is more comfortable for the rescuer.	1	0	
	d.	Both rescuers tilted the chair back and lifted simultaneously.	1	0	
	e.	Carried patient to safe area and gently set the chair down.	1	0	
	f.	Rescuers communicated with each other and coordinated their movements throughout the lift.	2	0	
5.	Reso	cuer 1 appropriate verbal and nonverbal communication with patient and other personnel throughout all skills.	2	0	
6.	Reso	cuer 2 appropriate verbal and nonverbal communication with patient and other personnel throughout all skills.	2	0	
		INTS SKILL III-B ry for Skill III-A = 23.1		33	
10/	u iviasie	I Y I O O O O O O O O O O O O O O O O O	1		<u> </u>

^{**}If a competitor jeopardizes the patient's or his/her own safety and does not take immediate action to correct the error, the total points for the skill or specific subpart(s) of the skill will be deducted.

Team #: Section #:	Judge's Signature:
--------------------	--------------------

*Rescuers will work together while performing this skill. A single rating sheet will be used to evaluate both competitors.

Skill	IV: Splinting a Closed Fracture (5 minutes)	Poss	sible	Awarded
1.	Donned safety equipment: helmet, goggles, gloves (work & non-latex) dust N95 mask, and sturdy shoes or boots. Helmet, boots and N95 mask equipment may be verbalized.	1	0	
2.	Surveyed the scene by doing a thorough size-up.	2	0	
3.	Identified a conscious patient with a closed injury to an extremity.	1	0	
4.	Verbalized a suspected fracture, dislocation, sprain or strain, and the decision to treat the injury as a fracture.	1	0	
5.	Assessed PMS in the affected limb before splinting.	2	0	
6.	Looked around for and identified splinting materials. *Competitors may use materials they brought with them or found in the immediate vicinity of the scenario.	2	0	
7.	Supported the injured area above and below the site of the injury.	1	0	
8.	Removed restrictive clothing, shoes and jewelry if necessary.	1	0	
9.	Applied the splint to the injury in the position in which it was found without trying to realign the bones or joints.	3	0	
10.	Secured the splint with available ties to effectively hold the splint in place, and without compromising circulation.	1	0	
11.	Filled any voids to further stabilize and immobilize the injury.	1	0	
12.	Immobilized the joints above and below the injury. (As appropriate.)	1	0	
13.	Reassessed PMS and evaluated against initial PMS assessment. Verbalized findings to judge.	2	0	
14.	Rescuer 1 appropriate verbal and nonverbal communication with patient and other personnel throughout all skills.	2	0	
15.	Rescuer 2 appropriate verbal and nonverbal communication with patient and other personnel throughout all skills.	2	0	
_	L POINTS SKILL IV Mastery for Skill IV = 16.1	2	23	

^{**}If a competitor jeopardizes the patient's or his/her own safety and does not take immediate action to correct the error, the total points for the skill or specific subpart(s) of the skill will be deducted.