

Firefly_PiggyBank

Execution Environment

Host name	Admin - DESKTOP-6SCQDHL.mshome.net
Local OS	Windows 10 64bit
Katalon version	9.0.0.212
Browser	Chrome 120.0.0.0

Summary

ID	Test Suites/Firefly_PiggyBank		
Description			
Total	10		
Passed	8	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	2024-01-09 16:50:30	End	2024-01-09 17:03:14
Elapsed	12m - 43.675s		

#	ID	Description	Status
1	Test Cases/TC1_Create new piggy bank		PASSED
2	Test Cases/TC2_Create new piggy bank with blank name field		PASSED
3	Test Cases/TC3_Create new piggy bank with Target amount field greater than 1000000000		PASSED
4	Test Cases/TC4_Create new piggy bank with Target date field not a valid date		FAILED
5	Test Cases/TC5_Create new piggy bank with Name field greater than 255 characters		FAILED
6	Test Cases/TC6_Create new piggy bank with Group field greater than 255 characters		PASSED
7	Test Cases/TC7_Delete a piggy bank		PASSED
8	Test Cases/TC8_Add money to piggy bank		PASSED
9	Test Cases/TC9_Remove money from piggy bank		PASSED
10	Test Cases/TC10_Update piggy bank		PASSED

TC1_Create new piggy bank

Information

ID	Test Cases/TC1_Create new piggy bank		
Description			
Tag			
Start	2024-01-09 16:51:45	End	2024-01-09 16:52:14
Elapsed	29.011s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	3.046s	PASSED
2	navigateToUrl("http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com/login") Navigate to 'http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com/login' successfully	3.464s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phunganhkhoa12345@gmail.com") Text 'phunganhkhoa12345@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	5.000s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "QBaYa1hmvGu0qm+2Ttlriu3oOofCPYgzT7HSS7+32Ck=") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.745s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	2.702s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	1.668s	PASSED

TC1_Create new piggy bank

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	1.606s	PASSED
8	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_name"), "Iphone 13") Text 'Iphone 13' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_name'	0.962s	PASSED
9	selectOptionByValue(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ACB BankChecking AccountSavings Acco_f60ddf"), "29", true) All options with value '29' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ACB BankChecking AccountSavings Acco_f60ddf' using regular expression	1.287s	PASSED
10	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_targetamount"), "450") Text '450' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_targetamount'	0.913s	PASSED
11	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_notes"), "Buying a new iphone 13") Text 'Buying a new iphone 13' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_notes'	1.429s	PASSED
12	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_object_group"), "By Khoa") Text 'By Khoa' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_object_group'	1.014s	PASSED
13	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank' is clicked on	3.729s	PASSED

TC1_Create new piggy bank

#	Description	Elapsed	Status
14	verifyElementPresent(findTestObject("Object Repository/Page_Piggy banks Firefly III/div_Close Success _223a67"), 0) Object 'Object Repository/Page_Piggy banks Firefly III/div_Close _223a67' is present Success	0.594s	PASSED
15	closeBrowser() Browser is closed	0.637s	PASSED

TC2_Create new piggy bank with blank name field

Information

ID	Test Cases/TC2_Create new piggy bank with blank name field		
Description			
Tag			
Start	2024-01-09 16:52:14	End	2024-01-09 16:52:41
Elapsed	27.078s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.111s	PASSED
2	navigateToUrl("http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com") Navigate to 'http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com' successfully	3.434s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phunganhkhoa12345@gmail.com") Text 'phunganhkhoa12345@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	5.611s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "QBaYa1hmvGu0qm+2Ttlriu3oOofCPYgzT7HSS7+32Ck=") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.677s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	2.824s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	1.442s	PASSED

TC2_Create new piggy bank with blank name field

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	1.247s	PASSED
8	selectOptionByValue(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ACB BankChecking AccountSavings Acco_f60ddf"), "29", true) All options with value '29' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ACB BankChecking AccountSavings Acco_f60ddf' using regular expression	1.359s	PASSED
9	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_targetamount"), "450") Text '450' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_targetamount'	0.869s	PASSED
10	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_notes"), "Buying a new iphone 13") Text 'Buying a new iphone 13' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_notes'	1.014s	PASSED
11	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_object_group"), "By Khoa") Text 'By Khoa' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_object_group'	1.126s	PASSED
12	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/div_Mandatory fields _afd734")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/div_Mandatory fields _afd734' is clicked on	1.230s	PASSED
13	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank' is clicked on	2.764s	PASSED

TC2_Create new piggy bank with blank name field

#	Description	Elapsed	Status
14	verifyElementPresent(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The name field is required"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The name field is required' is present	0.459s	PASSED
15	closeBrowser() Browser is closed	0.598s	PASSED

TC3_Create new piggy bank with Target amount field greater than 1000000000

Information

ID	Test Cases/TC3_Create new piggy bank with Target amount field greater than 1000000000		
Description			
Tag			
Start	2024-01-09 16:52:41	End	2024-01-09 16:53:06
Elapsed	25.406s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.169s	PASSED
2	navigateToUrl("http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com") Navigate to 'http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com' successfully	3.330s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phunganhkhoa12345@gmail.com") Text 'phunganhkhoa12345@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	4.393s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "QBaYa1hmvGu0qm+2TtIriu3oOofCPYgzT7HSS7+32Ck=") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.688s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	2.126s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/span_Piggy banks' is clicked on	1.889s	PASSED

TC3_Create new piggy bank with Target amount field greater than 1000000000

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	1.204s	PASSED
8	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_name"), "Iphone 13") Text 'Iphone 13' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_name'	0.998s	PASSED
9	selectOptionByValue(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ACB BankChecking AccountSavings Acco_f60ddf"), "29", true) All options with value '29' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ACB BankChecking AccountSavings Acco_f60ddf' using regular expression	1.265s	PASSED
10	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_targetamount"), "50000000000000000000000000000000") Text '50000000000000000000000000000000' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_targetamount'	0.989s	PASSED
11	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_notes"), "Buying a new iphone 13") Text 'Buying a new iphone 13' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_notes'	1.052s	PASSED
12	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_object_group"), "By Khoa") Text 'By Khoa' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_object_group'	1.187s	PASSED
13	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank' is clicked on	2.037s	PASSED

TC3_Create new piggy bank with Target amount field greater than 1000000000

#	Description	Elapsed	Status
14	verifyElementPresent(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The target amount may not be greater than_578370"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The target amount may not be greater than_578370' is present	0.528s	PASSED
15	closeBrowser() Browser is closed	1.115s	PASSED

TC4_Create new piggy bank with Target date field not a valid date

Information

ID	Test Cases/TC4_Create new piggy bank with Target date field not a valid date		
Description			
Tag			
Start	2024-01-09 16:54:31	End	2024-01-09 16:54:56
Elapsed	24.553s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	3.043s	PASSED
2	navigateToUrl("http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com") Navigate to 'http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com' successfully	3.395s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phunganhkhoa12345@gmail.com") Text 'phunganhkhoa12345@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	2.179s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "QBaYa1hmvGu0qm+2TtIriu3oOofCPYgzT7HSS7+32Ck=") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.652s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	2.282s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/span_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/span_Piggy banks' is clicked on	1.548s	PASSED

TC4_Create new piggy bank with Target date field not a valid date

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	1.208s	PASSED
8	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_name"), "Iphone 13") Text 'Iphone 13' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_name'	0.969s	PASSED
9	selectOptionByValue(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ACB BankChecking AccountSavings Acco_f60ddf"), "29", true) All options with value '29' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ACB BankChecking AccountSavings Acco_f60ddf' using regular expression	1.358s	PASSED
10	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_targetamount"), "450") Text '450' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_targetamount'	0.951s	PASSED
11	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_notes"), "Buying a new iphone") Text 'Buying a new iphone' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_notes'	0.885s	PASSED
12	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_object_group"), "By Khoa") Text 'By Khoa' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_object_group'	0.972s	PASSED
13	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank' is clicked on	2.089s	PASSED

TC4_Create new piggy bank with Target date field not a valid date

#	Description	Elapsed	Status
---	-------------	---------	--------

TC4_Create new piggy bank with Target date field not a valid date

#	Description	Elapsed	Status
14	<p>verifyElementPresent(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The targetdate is not a valid date"), 0)</p> <p>Unable to verify object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The targetdate is not a valid date' is present (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to verify object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The targetdate is not a valid date' is present at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.verifyElementPresent(VerifyElementPresentKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin.VerifyElementPresentKeyword.execute(VerifyElementPresentKeyword.groovy:68) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.verifyElementPresent(WebUiBuiltInKeywords.groovy:1464) at TC4_Create new piggy bank with Target date field not a valid date.run (TC4_Create new piggy bank with Target date field not a valid date:47) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at TempTestSuite1704793810256.run(TempTestSuite1704793810256.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: com.kms.katalon.core.exception.StepFailedException: com.kms.katalon.core.webui.exception.WebElementNotFoundException: Web element with id: 'Object</p>	2.950s	FAILED

TC4_Create new piggy bank with Target date field not a valid date

#	Description	Elapsed	Status
	<div>Repository/Page_New piggy bank Piggy banks Firefly III/p_The targetdate is not a valid date' located by '//div[@id='targetdate_holder']/div/p' not found at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.doCall (VerifyElementPresentKeyword.groovy:85) at com.kms.katalon.core.webui.keyword.builtin. VerifyElementPresentKeyword\$_verifyElementPresent_closure1.call (VerifyElementPresentKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) ... 23 more)</div>		

TC5_Create new piggy bank with Name field greater than 255 characters

Information

ID	Test Cases/TC5_Create new piggy bank with Name field greater than 255 characters		
Description			
Tag			
Start	2024-01-09 16:56:35	End	2024-01-09 16:57:40
Elapsed	1m - 4.873s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.709s	PASSED
2	navigateToUrl("http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com") Navigate to 'http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com' successfully	3.739s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phunganhkhoa12345@gmail.com") Text 'phunganhkhoa12345@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	10.115s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "QBaYa1hmvGu0qm+2TtIriu3oOofCPYgzT7HSS7+32Ck=") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.813s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	23.412s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	10.815s	PASSED

TC5_Create new piggy bank with Name field greater than 255 characters

#	Description	Elapsed	Status
7	<code>click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank"))</code> Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	8.490s	PASSED
8	<code>setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_name"), "Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniamLorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniamLorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam")</code> Text 'Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniamLorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniamLorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_name'	2.530s	PASSED
9	<code>selectOptionByValue(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ACB BankChecking AccountSavings Acco_f60ddf"), "29", true)</code> All options with value '29' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ACB BankChecking AccountSavings Acco_f60ddf' using regular expression	1.218s	PASSED

TC5_Create new piggy bank with Name field greater than 255 characters

#	Description	Elapsed	Status
10	<p>selectOptionByValue(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ACB BankACB Bank savings accountCash wallet"), "4", true)</p> <p>Unable to select option by value '4' of object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ACB BankACB Bank savings accountCash wallet' using regular expression (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to select option by value '4' of object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ACB BankACB Bank savings accountCash wallet' using regular expression at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26) at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.selectOptionByValue(SelectOptionByValueKeyword.groovy:99) at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword.execute(SelectOptionByValueKeyword.groovy:71) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.selectOptionByValue(WebUiBuiltInKeywords.groovy:1168) at TC5_Create new piggy bank with Name field greater than 255 characters.run (TC5_Create new piggy bank with Name field greater than 255 characters:39) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:65) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:148) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:187) at TempTestSuite1704793810256.run(TempTestSuite1704793810256.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p>	0.924s	FAILED

TC5_Create new piggy bank with Name field greater than 255 characters

#	Description	Elapsed	Status
	<div>Caused by: com.kms.katalon.core.exception.StepFailedException: No option matched. at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy:51) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy:23) at com.kms.katalon.core.webui.keyword.builtin. SelectOptionByValueKeyword\$_selectOptionByValue_closure1.doCall (SelectOptionByValueKeyword.groovy:92) at com.kms.katalon.core.webui.keyword.builtin. SelectOptionByValueKeyword\$_selectOptionByValue_closure1.call (SelectOptionByValueKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword. selectOptionByValue(SelectOptionByValueKeyword.groovy:99) at com.kms.katalon.core.webui.keyword.builtin.SelectOptionByValueKeyword. execute(SelectOptionByValueKeyword.groovy:71) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords. selectOptionByValue(WebUiBuiltInKeywords.groovy:1168) at Script1704090054349.run(Script1704090054349.groovy:39) ... 18 more)</div> <div><div><div>FireflyIII</div><div>January 1st, 2024 - January 31st, 2024</div><div>phunganhkhoa12345@gmail.com</div></div><div><div>Search...</div><div>Dashboard</div><div>FINANCIAL CONTROL</div><div>Budgets</div><div>Bills</div><div>Piggy banks</div><div>ACCOUNTING</div><div>Transactions</div><div>Automation</div><div>OTHERS</div><div>Accounts</div><div>Classification</div></div><div><div>© Piggy banks + New piggy bank</div><div>Home > Piggy banks > Create a new piggy bank</div><div><div>Mandatory fields</div><div><div>Name</div><div>Target amount</div><div>Save on account</div></div><div><div>Optional fields</div><div><div>Target date</div><div>Notes</div><div>Attachments</div><div>Group</div></div></div><div>Options</div></div></div></div>		

TC6_Create new piggy bank with Group field greater than 255 characters

Information

ID	Test Cases/TC6_Create new piggy bank with Group field greater than 255 characters		
Description			
Tag			
Start	2024-01-09 16:57:40	End	2024-01-09 16:59:00
Elapsed	1m - 19.954s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	3.384s	PASSED
2	navigateToUrl("http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com") Navigate to 'http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com' successfully	21.585s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phunganhkhoa12345@gmail.com") Text 'phunganhkhoa12345@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	3.802s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "QBaYa1hmvGu0qm+2TtIriu3oOofCPYgzT7HSS7+32Ck=") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.735s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	25.422s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	13.087s	PASSED

TC6_Create new piggy bank with Group field greater than 255 characters

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_Create new piggy bank' is clicked on	1.702s	PASSED
8	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_name"), "Iphone 13") Text 'Iphone 13' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_name'	0.942s	PASSED
9	selectOptionByValue(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ACB BankChecking AccountSavings Acco_f60ddf"), "29", true) All options with value '29' are selected in object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/select_ACB BankChecking AccountSavings Acco_f60ddf' using regular expression	1.242s	PASSED
10	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_targetamount"), "450") Text '450' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_targetamount'	0.855s	PASSED
11	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_notes"), "Buying a new iphone 13") Text 'Buying a new iphone 13' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/textarea_notes'	0.942s	PASSED
12	setText(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/input_object_group"), "Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniamLorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniamLorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam") Text 'Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniamLorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniamLorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam' is set on object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/input_object_group'	3.128s	PASSED

TC6_Create new piggy bank with Group field greater than 255 characters

#	Description	Elapsed	Status
13	click(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank")) Object: 'Object Repository/Page_New piggy bank Piggy banks Firefly III/button_Store new piggy bank' is clicked on	1.650s	PASSED
14	verifyElementPresent(findTestObject("Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The object group may not be greater than _ecee2"), 0) Object 'Object Repository/Page_New piggy bank Piggy banks Firefly III/p_The object group may not be greater than _ecee2' is present	0.455s	PASSED
15	closeBrowser() Browser is closed	0.675s	PASSED

TC7_Delete a piggy bank

Information

ID	Test Cases/TC7_Delete a piggy bank		
Description			
Tag			
Start	2024-01-09 16:59:00	End	2024-01-09 16:59:25
Elapsed	25.127s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	<div>openBrowser("")</div> <div>Browser is opened with url: "</div>	2.360s	PASSED
2	<div>navigateToUrl("http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com/login")</div> <div>Navigate to 'http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com/login' successfully</div>	3.383s	PASSED
3	<div>setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phunganhkhoa12345@gmail.com")</div> <div>Text 'phunganhkhoa12345@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'</div>	3.294s	PASSED
4	<div>setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "QBaYa1hmvGu0qm+2Ttlriu3oOofCPYgzT7HSS7+32Ck=")</div> <div>Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'</div>	0.770s	PASSED
5	<div>click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))</div> <div>Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on</div>	4.616s	PASSED
6	<div>click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks"))</div> <div>Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on</div>	2.152s	PASSED

TC7_Delete a piggy bank

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_btn btn-danger btn-xs")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_btn btn-danger btn-xs' is clicked on	5.114s	PASSED
8	click(findTestObject("Object Repository/Page_Delete piggy bank Flower Piggy banks _694390/input_submit")) Object: 'Object Repository/Page_Delete piggy bank Flower Piggy banks _694390/input_submit' is clicked on	1.885s	PASSED
9	verifyElementPresent(findTestObject("Object Repository/Page_Piggy banks Firefly III/div_Close Success _c387ea"), 0) Object 'Object Repository/Page_Piggy banks Firefly III/div_Close Success _c387ea' is present	0.436s	PASSED
10	closeBrowser() Browser is closed	0.891s	PASSED

TC8_Add money to piggy bank

Information

ID	Test Cases/TC8_Add money to piggy bank		
Description			
Tag			
Start	2024-01-09 17:00:23	End	2024-01-09 17:00:55
Elapsed	32.585s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.496s	PASSED
2	navigateToUrl("http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com/login") Navigate to 'http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com/login' successfully	3.317s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phunganhkhoa12345@gmail.com") Text 'phunganhkhoa12345@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	6.486s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "QBaYa1hmvGu0qm+2Ttlriu3oOofCPYgzT7HSS7+32Ck=") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.851s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	6.730s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	4.000s	PASSED

TC8_Add money to piggy bank

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_btn btn-default btn-xs addMoney")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_btn btn-default btn-xs addMoney' is clicked on	0.525s	PASSED
8	setText(findTestObject("Object Repository/Page_Piggy banks Firefly III/input_amount"), "20") Text '20' is set on object 'Object Repository/Page_Piggy banks Firefly III/input_amount'	1.979s	PASSED
9	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/button_Add")) Object: 'Object Repository/Page_Piggy banks Firefly III/button_Add' is clicked on	3.951s	PASSED
10	verifyElementPresent(findTestObject("Object Repository/Page_Piggy banks Firefly III/div_Close Success _0547b3"), 0) Object 'Object Repository/Page_Piggy banks Firefly III/div_Close Success _0547b3' is present	0.494s	PASSED
11	closeBrowser() Browser is closed	1.694s	PASSED

TC9_Remove money from piggy bank

Information

ID	Test Cases/TC9_Remove money from piggy bank		
Description			
Tag			
Start	2024-01-09 17:00:55	End	2024-01-09 17:01:28
Elapsed	32.744s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	2.320s	PASSED
2	navigateToUrl("http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com/login") Navigate to 'http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com/login' successfully	8.413s	PASSED
3	setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phunganhkhoa12345@gmail.com") Text 'phunganhkhoa12345@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'	1.178s	PASSED
4	setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "QBaYa1hmvGu0qm+2Ttlriu3oOofCPYgzT7HSS7+32Ck=") Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'	0.756s	PASSED
5	click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in")) Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on	13.056s	PASSED
6	click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks")) Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on	1.721s	PASSED

TC9_Remove money from piggy bank

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_btn btn-default btn-xs removeMoney")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_btn btn-default btn-xs removeMoney' is clicked on	0.659s	PASSED
8	setText(findTestObject("Object Repository/Page_Piggy banks Firefly III/input_amount"), "5") Text '5' is set on object 'Object Repository/Page_Piggy banks Firefly III/input_amount'	1.412s	PASSED
9	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/button_Remove")) Object: 'Object Repository/Page_Piggy banks Firefly III/button_Remove' is clicked on	1.575s	PASSED
10	verifyElementPresent(findTestObject("Object Repository/Page_Piggy banks Firefly III/div_Close Success _46f27d"), 0) Object 'Object Repository/Page_Piggy banks Firefly III/div_Close Success _46f27d' is present	0.587s	PASSED
11	closeBrowser() Browser is closed	0.848s	PASSED

TC10_Update piggy bank

Information

ID	Test Cases/TC10_Update piggy bank		
Description			
Tag			
Start	2024-01-09 17:01:28	End	2024-01-09 17:03:10
Elapsed	1m - 41.897s		
Status	PASSED		

Details

#	Description	Elapsed	Status
1	<div>openBrowser("")</div> <div>Browser is opened with url: "</div>	2.205s	PASSED
2	<div>navigateToUrl("http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com/login")</div> <div>Navigate to 'http://ec2-3-26-8-206.ap-southeast-2.compute.amazonaws.com/login' successfully</div>	8.406s	PASSED
3	<div>setText(findTestObject("Object Repository/Page_Login to Firefly III/input_email"), "phunganhkhoa12345@gmail.com")</div> <div>Text 'phunganhkhoa12345@gmail.com' is set on object 'Object Repository/Page_Login to Firefly III/input_email'</div>	1.041s	PASSED
4	<div>setEncryptedText(findTestObject("Object Repository/Page_Login to Firefly III/input_password"), "QBaYa1hmvGu0qm+2Ttlriu3oOofCPYgzT7HSS7+32Ck=")</div> <div>Text ***** has been set on object 'Object Repository/Page_Login to Firefly III/input_password'</div>	0.785s	PASSED
5	<div>click(findTestObject("Object Repository/Page_Login to Firefly III/button_Sign in"))</div> <div>Object: 'Object Repository/Page_Login to Firefly III/button_Sign in' is clicked on</div>	5.982s	PASSED
6	<div>click(findTestObject("Object Repository/Page_Whats playing Firefly III/a_Piggy banks"))</div> <div>Object: 'Object Repository/Page_Whats playing Firefly III/a_Piggy banks' is clicked on</div>	5.810s	PASSED

TC10_Update piggy bank

#	Description	Elapsed	Status
7	click(findTestObject("Object Repository/Page_Piggy banks Firefly III/a_btn btn-default btn-xs")) Object: 'Object Repository/Page_Piggy banks Firefly III/a_btn btn-default btn-xs' is clicked on	9.179s	PASSED
8	setText(findTestObject("Object Repository/Page_Update piggy bank Flower Piggy banks _674488/textarea_notes"), "Mua 2 bông hoa") Text 'Mua 2 bông hoa' is set on object 'Object Repository/Page_Update piggy bank Flower Piggy banks _674488/textarea_notes'	1.805s	PASSED
9	click(findTestObject("Object Repository/Page_Update piggy bank Flower Piggy banks _674488/button_Update piggy bank")) Object: 'Object Repository/Page_Update piggy bank Flower Piggy banks _674488/button_Update piggy bank' is clicked on	1m - 5.250s	PASSED
10	verifyElementPresent(findTestObject("Object Repository/Page_Piggy banks Firefly III/div_Close Success _e0df8b"), 0) Object 'Object Repository/Page_Piggy banks Firefly III/div_Close Success _e0df8b' is present	0.428s	PASSED
11	closeBrowser() Browser is closed	0.776s	PASSED