

FOR DISCUSSION · CRASHFREE INDIA × TRAFFICURE · GOOGLE MAPS PLATFORM

The safety layer

Traffic data already manages congestion.
Together it can start preventing crashes.



TrafficCure has proved the traffic layer: Pune from 20 to 26.8 km/h, 964 roads live



RMI's May 2026 feeds carry safety signals: harsh braking, vehicle counts, incidents



We bring the safety products and the government seats to put them to work

Crashfree India School Safety Index DELHI NCR PILDT - METHOD v0.1 Rankings Methodology

**How safe is the road outside the school gate?
We grade it, school by school, in public.**

Each school's road frontage is assessed from dated Google Street View imagery against the visible requirements of IRC SP-32:2023 — India's school-zone road standard — scored by an AI auditor, independently verified, and published with the exact evidence images. Lowest grades first: they are the priority list.


3,814 schools identified across Delhi NCR	90% have Street View imagery	54% imagery from 2024 or newer	5 audits published (verified)	5 graded C or D — priority sites
---	---------------------------------	-----------------------------------	----------------------------------	-------------------------------------

Rankings — worst first

#	GRADE	SCHOOL	SCORE	IMAGERY DATE	STATUS
1	D	Tiksha Modern Public School F-3528, Hanuman Mandir Road, Block F, Sadaspur, Karawal Nagar, New Delhi, Delhi, 110090, India	03/00	2026-04	VERIFIED
2	D	Sona Modern Public School - Best CBSE School in Kharpur, Delhi A-3/4, Devi Rd, Kharpur Village, Kharpur, New Delhi, Delhi 110080, India	01/00	2026-04	VERIFIED
3	D	Raghubir Singh modern school 126, Road No. 7, Rajan Enclave, Vikas Nagar, Dimgal Vihar, Uttam Nagar, Delhi, 110059, India	10/100	2022-04, 2025-11	VERIFIED
4	D	Ganga International School, Rohini pocket 8, Sector 21, Rohini, New Delhi, Delhi, 110088, India	15/100	2026-04	VERIFIED
5	D	Rookford Convent Sr Sec School Shanti Park Colony, Sector 10A, Gurgaon, Haryana 122001, India	30/100	2026-04	VERIFIED

Grades reflect visible infrastructure on the imagery date only — see the [methodology](#) for scope, limits and the correction process. Scores within ±5 points are equivalent. A low grade is a demand on the road-owning authority, not a criticism of the school. Audits are published in small verified batches; this table grows continuously.

School Safety Index, Delhi NCR prototype, live.



Road-Infrastructure Defect Repository, live.

Three facts that were not true **six months ago**

Our read of the moment, stated plainly so it can be corrected.



TRAFFICURE PROVED THE TRAFFIC LAYER

Pune, Jan 2026: 964 roads watched every 2 minutes, no hardware. **20 → 26.8 km/h** average speed, measured by the police. Data became a ranked junction list and an engineering brief to the municipal corporation. Fixes got built.



RMI NOW CARRIES SAFETY SIGNALS

May 2026, experimental: hourly vehicle counts, harsh-braking events at intersection scale, and user-reported incidents. “The safety signal nobody else has... the first proxy for road-design risk at network scale.” — TrafficCure's own RMI guide



NOBODY HAS BUILT THE SAFETY PRODUCT

Congestion has a product. Safety does not, yet. Turning these signals into safer school zones, junctions and corridors needs safety method, field verification and standing inside government. **That is what we do all day.**

The shape we see: TrafficCure proves time saved. Together, the same feed can prove lives saved — two products, one pipeline, and a wider government door for both.

Mostly ideas, **each one pressure-tested**

1



The idea we lead with

School Safety Index × speed data: prototype built, launch with government planned.

04 – 05

2



Three more to shape together

The near-miss map, proving every fix, and SATARK deployment intelligence.

06 – 08

3



Further out on the shelf

Three smaller directions, each with its own caveat attached.

09

4



What each side brings

The partnership shape, and the government doors we can open together.

10

5



About us · SATARK · the plan

Who we are, SATARK in the field, a 90-day plan with a decision gate, and our questions.

11 – 14

School Safety Index: the prototype is already built

A public 0–100 grade for the road outside every school gate, anchored to IRC:SP:32, India's school-zone standard.



Delhi NCR prototype, live

3,814 schools mapped via the Places API; 90% with usable Street View imagery; pilot report cards published with pinned photo evidence.



Method before scale

AI desk audit against a 44-check IRC:SP:32 rubric, independently verified before anything is published. It grades the road, never the school.



Launch with government, planned


We are preparing the public launch with a government partner: our four District Road Safety Committee seats carry the worst-graded zones into the statutory forum, and student teams field-verify them.




The next city is ready

Jaipur: 1,572 schools mapped, 361 GPS-located blackspot crashes from police records, corridors already defined on our Google Cloud project.

What it cannot see today: the speed of traffic past the gate. A photograph never shows it.



The index, worst grades first.



A school's report card, evidence pinned.

Add the one input a photograph cannot give: **speed past the gate**

Imagery shows the missing crossing. TraffiCure's feed shows the danger moving through it, hour by hour, school-run by school-run.



Speed-exposure per school zone

Share of school-run hours with traffic above safe speed at the gate, from RMI segment speeds; harsh-braking points near gates as the risk flag.



One ranking, by measured danger

Imagery grade × measured speed × vehicle counts as exposure: every school ranked by danger, not by anecdote — and re-measured after a district builds the fix.



How we would split it

We hold method, verification, the public index and the DRSC seats. TraffiCure holds the feed and corridor tooling. The launch names both.

A first for India: no one has published measured speed outside school gates at city scale. The index gives that number a public home and a government audience.

PRESSURE TEST



Must be true

RMI segments resolve the short streets outside gates, and school-run-hour slices are supported; terms allow a nonprofit public index to cite the data with attribution.



Where it breaks

If segments are too coarse for 30-metre gate zones, or the experimental feeds are thin in Delhi and Jaipur, the speed layer stays anecdote. And a public index must survive a school district challenging its grade.



How we find out fast

One working session on 10 gate corridors we have already defined. Pull real segments, check granularity and density against our field audits of the same gates. A week, not a quarter.

Harsh braking: the near-miss map, validated against real crashes

Crash data arrives after the funeral. Braking data arrives every day. The question worth answering: does one predict the other on Indian roads?



What we hold

361 GPS-located crashes at Jaipur's notified blackspots (police e-DAR, via our DRSC seat), 96 mapped clusters, and a live national defect repository with 500+ locations.



What the feed adds

Anonymised harsh-braking points at intersection scale — TraffiCure calls it the safety signal nobody else has. Overlaid on known crash sites, it can be tested, not assumed.



What it becomes

An India-first validation study: where braking predicts crashes, authorities get a risk-ranked corridor list before the next fatality — and Google gets published, citable evidence from India.

Worst case, we learn the feed's limits. Best case, **India's road-risk maps stop waiting for people to die first.**

PRESSURE TEST



Must be true

Braking events are dense enough per junction to be statistically usable, and the anonymisation thresholds still leave signal on two-wheeler-heavy Indian streets.



Where it breaks

Braking correlates with congestion, not danger — chaos that never crashes. If the correlation with e-DAR crash sites is weak, this is a research note, not a product.



How we find out fast

A 4-week overlay on Jaipur's 96 clusters: braking density at crash sites vs matched control junctions. Clear threshold agreed up front — publish either way.

Prove every fix: **before-and-after for road safety spending**

Pune used the feed to prove a decongestion plan worked. The same instrument can prove safety works — nobody has pointed it there.



The pipeline exists

15 Rakshak sites are in implementation now and 75+ implementations are targeted this year — speed humps, crossings, junction geometry, each with a known build date.



The measurement is one subscription away

Corridor speeds and counts before the fix, after the fix, against control corridors. Today India evaluates road-safety works by inspection photos; this gives them a measured outcome.



Where it lands

Every before-after goes to the District Road Safety Committee in the statutory record, onto our public dashboard — and into TrafficCure's case-study shelf as the first safety deployments.

This is the cheapest idea in the deck, and the fastest to show working: the fixes are being built either way.

PRESSURE TEST



Must be true

Corridors can be subscribed before construction starts (baseline needs weeks of history), and speed changes at fixed sites clear the noise of seasons, weather and traffic growth.



Where it breaks

Attribution: speeds move for many reasons. Without control corridors and honest stats, a sceptical engineer dismisses it — and one over-claimed result poisons the method.



How we find out fast

Pick 2 sites entering construction this quarter, subscribe now, pre-register the analysis with control corridors. First honest result inside 90 days of the build.

SATARK × the feed: enforcement standing where the risk is

An early idea, listed honestly. It builds only on assets we already run with police partners, and carries no commitments.



What already runs

SATARK screens vehicles for police in Jaipur, Bengaluru and Gurugram: 3,00,000+ screened, 350+ intercepted, challan billboards live. MoUs govern all of it.



What the feed could add

A weekly view of where and when speeding concentrates near people — so patrols, camera vans, billboards and SATARK sites stand where the risk is, corridor-hour by corridor-hour.



How we keep it honest

Success measured as speeds before and after a deployment, never as challan counts. RMI stays aggregate — no plates, no individual vehicles. Any pilot starts small, inside an existing MoU.

Everything named here is ours or the police's. No third party is required for a first version.

PRESSURE TEST



Must be true

Police continue to pull this — the MoUs and three years of working trust are the asset — and the speeding-concentration view is granular enough to move a patrol roster.



Where it breaks

Optics: 'Google data guiding enforcement' can be misread as surveillance. The aggregate-only line must hold absolutely, and the police must own every decision.



How we find out fast

One city, four weeks: hand Jaipur Traffic Police a weekly speeding-concentration map for existing patrol corridors. If rosters change, it works. If not, we shelve it.

Three more on the shelf, each with its caveat attached

Not proposals yet. Listed so the conversation can pick anything up, or put it down.



Incident feed × the under-reporting gap

Maps users report crashes police never record. Compare the incident feed against FIR and e-DAR records in our districts to size India's crash under-reporting, a number policy people cite for a decade.

Caveat: incident reports are noisy and unverified; needs careful matching before any claim.



Safe-route research for two-wheelers

Join our audit and crash data with speed layers to ask whether a marginally slower route is materially safer, starting with the delivery riders we already study.

Caveat: research first; a consumer nudge is Google's call, never ours.



School-run advisories

Where the index and speed data agree a gate is dangerous at 8 am, that knowledge could reach parents and schools through channels Google already owns.

Caveat: only after the index and speed layer are validated; advisories without method invite panic.

A partnerships channel into government, and a clean split

Cities buy operations software. Safety products stay public and free. The pilots that prove both run through doors we already hold open.

WHAT WE BRING



Standing inside government: seats on 4 District Road Safety Committees, MoUs with Jaipur and Gurugram police, 25+ written authority approvals across six states, Eols before NRSB working groups.



Safety method that survives review: IRC and MoRTH-anchored audits, adversarial verification, student field teams in 18 cities.



Public products and credibility: live index and repository, national press coverage, MS Dhoni as Goodwill Ambassador.

WHAT TRAFFICURE + GOOGLE BRING



The data layer nothing else matches: every road, every 2 minutes, plus the May 2026 safety feeds — no hardware, weeks to deploy.



A working product and playbook: TrafficCure live with Pune City Traffic Police, corridors measured in four cities, activation in 4–8 weeks.



Reach and legitimacy: a Premier Partner network and the Google name, which opens rooms and closes doubts.

The clean split: no money needs to move between us. Cities subscribe to TrafficCure for operations; our safety products stay public, free and attributed; joint district pilots become the reference deployments that open the next city for everyone.

Six lines of work, one connected system


A nonprofit registered as the Vision Zero Trust · Co-founded by Cars24 and the Indian Road Safety Council · 18 cities · everything below is live.



Project Rakshak

Student-led road audits, fixed with authorities

31 sites · 15 in implementation



SATARK enforcement

AI support that helps police find high-risk vehicles


3,00,000+ vehicles screened



Victim support

Aasha chatbot, calculator, hospital helpdesks


100+ victims helped in first 4 days



Open public data

Four self-updating data platforms, free to use

36 states & 50 cities covered



School Safety Index

Public grading of school-zone road safety

3,814 Delhi NCR schools mapped



Youth & policy

NextMile ideathon and national dialogue series


2,000+ participants engaged

SATARK: AI that helps police stop the right vehicle

Built with Cars24 engineers. Reads number plates, checks government records, and alerts officers to repeat offenders, in real time.



Rambagh Circle, Jaipur, live plate, pending challans and dues on a public billboard.



Officer view, challans, RC & compliance status.

3,00,000+

vehicles screened

₹30 Cr+

pending challan value identified

350+

high-risk vehicles intercepted

70,019

vehicles found with pending challans

LIVE · Jaipur & Bengaluru

NEW · Gurugram

Bengaluru's Trinity Circle billboard was India's first, covered by Deccan Herald and national press. Pune and Ahmedabad are next.



Ninety days, with a decision gate at the end

Small, funded on our side, and honest: each idea carries its own kill-test. What survives, scales.

1

WEEKS 1 – 2

The technical session

Lepton + Maps + CFI at one table, on real data: 10 school-gate corridors and Jaipur's 96 crash clusters, already defined on our configured cloud project. Granularity and density answered in the room.

2

WEEKS 3 – 8

Two pressure tests run

The SSI speed layer scored on ~100 school zones in one city, and the harsh-braking overlay against Jaipur's crash sites — thresholds agreed up front, results shared either way.

3

WEEKS 9 – 13

Into the statutory record

Surviving results go to the District Road Safety Committees and into the public index; before-after subscriptions start on 2 Rakshak sites entering construction; the government launch of the index is scoped with a named partner.

Day 90, the gate: each idea is scaled, reshaped, or shelved — in writing. Our side runs at no cost to Google. The one ask: feed access for public-good use, with attribution on everything we publish.

Four questions **we bring to the table**

Held loosely. The ranking of ideas is ours to lose; the starting point is yours to shape.



Access and terms

Can a nonprofit safety layer sit on the feed — harsh braking and counts included — with terms that allow a public, attributed index? What does that take, and through whom: Google, Lepton, or both?



The granularity truth

On the short urban streets outside school gates, what segment resolution and experimental-feed density should we honestly expect in Delhi and Jaipur?



Which doors matter to you

Which cities and stories help TrafficCure and RMI most in the next two quarters? Our committee seats, police MoUs and NRSB engagement work best when pointed somewhere specific.



The working session

Can we fix a date for the Lepton + Maps + CFI technical session? Our corridors, zones and cloud project are ready this week.

Traffic data already runs the daily commute. Together it can start preventing the crash.

Every idea in this deck is offered with its own kill-test attached. We would rather shelve three honestly than overclaim one.

Akhtar Hussain

Mission Lead · akhtar@crashfreeindia.org

Deepanshu Gupta

Trustee · deepanshu@crashfreeindia.org

Gajendra Jangid

Trustee · gajendra@crashfreeindia.org