Tel: 020 8921 5222

Mr Philip Dunphy
Causeway Planning
86-90 Paul Street
London
EC2A 4NE

Directorate of Place and Growth
The Woolwich Centre, 2nd Floor
35 Wellington Street
London, SE18 6HQ

24/3095/F

07 April 2025

DECISION NOTICE - PLANNING PERMISSION GRANTED

Dear Mr Dunphy,

Town & Country Planning Act 1990 (As Amended)
Town & Country Planning (Development Management Procedure)(England) Order 2015
Planning (Listed Buildings and Conservation Areas) Act 1990 (As Amended)
Planning (Listed Buildings and Conservation Areas) Regulations 1990 (As Amended)

Site:	**Land adjacent 81-88 Beresford Street, Woolwich, SE18 6BG**
Applicant:	**RA Student Limited**
Proposal:	**Construction of a new building comprising purpose-built student accommodation and associated amenity space (Sui Generis) as an extension of the purpose built student accommodation at 81-88 Beresford Street, together with ancillary plant and servicing; and associated enabling works.**

Drawings

Drawings
22262-A0-00-DR-A-09-202 Rev P01 – Proposed Site Plan; 22262-HCD-A0-00-DR-A-04-200 GA Rev P02 – Proposed Ground Floor Plan (Level 00); 22262-HCD-A0-00-DR-A-04-201 GA Rev P01 – Proposed Typical Upper Floor Plan Type 1 (Level 01 to 06); 22262-HCD-A0-00-DR-A-04-202 GA Rev P01 - Proposed Typical Upper Floor Plan Type 1 (Level 07 to 09); 22262-HCD-A0-00-DR-A-04-203 GA Rev P01 – Proposed Level 10 Floor Plan; 22262-HCD-A0-00-DR-A-04-204 GA Rev P01 - Proposed Roof Plan (Level 11); 22262-HCD-A0-00-DR-A-04-205 GA Rev P01 – Proposed Roof Plan; 22262-HCD-A0-00-DR-A-04-207 GA Rev P02 – Proposed Roof Landscaping Plan; 22262-HCD-A0-00-DR-A-05-200 Rev P01 – Proposed South West Elevation;

22262-HCD-A0-00-DR-A-00-201 Rev P01 – Proposed North West Elevation; 22262-HCD-A0-00-DR-A-05-202 Rev P01 – Proposed North East Elevation; 22262-HCD-A0-00-DR-A-06-201 Rev P01 - Proposed Section A-A; 22262-HCD-A0-00-DR-A-06-202 Rev P01 - Proposed Section B-B; 22262-HCD-A0-00-DR-A-06-203 Rev P01 - Proposed Section C-C.

Documents

22262-Area Schedule Rev P03 – prepared by Hadfield Cawkwell Davidson – 18 September 2024; 22262-Room Schedule Rev P03 – prepared by Hadfield Cawkwell Davidson – 18 September 2024; Air Quality Assessment – prepared by IDOM – 16 September 2024; Archaeological Desk Based Assessment – prepared by RPS – 17 September 2024; Biodiversity Net Gain Assessment Memo – prepared by Tim Moya Associates – 21 August 2024; BREEAM Technical Note and Pre-Assessment – prepared by Hodkinson – 18 September 2024; Circular Economy Statement – prepared by Scotch Partners – 20 September 2024; Daylight and Sunlight Report – prepared by EB7 – 19 September 2024; Delivery and Servicing Plan – prepared by RPS – 18 September 2024; Design and Access Statement – prepared by Hadfield Cawkwell Davidson – September 2024; Draft Construction Management Plan and Construction Logistics Plan – prepared by CField Construction – 13 September 2024; Energy and Sustainable Assessment – prepared by Applied Energy – 22 October 2024; Flood Risk Assessment, SUDS and Drainage Strategy – prepared by IDOM – 18 September 2024; Gateway 1 Fire Statement – prepared by Clarke Banks – 23 September 2024; Geoenvironmental and Geotechnical Assessment – prepared by IDOM – 12 September 2024; Health Impact Assessment – prepared by Greengage – August 2024; (Built) Heritage, Townscape and Visual Impact Assessment – prepared by Montagu Evans - September 2024; Operational Waste Management Strategy – prepared by RPS – 17 September 2024; Purpose Built Student Accommodation (PBSA) Needs Assessment – prepared by Savills – 02 September 2024; Planning Statement – prepared by Causeway Planning – 23 September 2024; Preliminary Ecological Appraisal – prepared by Greengage – September 2024; Stage 2 Acoustic Design Strategy – prepared by Sol Acoustics – 13 September 2024; Statement of Community Involvement – prepared by Lowick – September 2024; Healthy Streets Transport Assessment – prepared by RPS – 18 September 2024;
Travel Plan – prepared by RPS – 18 September 2024; Urban Greening Factor Report – prepared by Greengage – September 2024; Utility Assessment Report – prepared by Applied Energy – 16 September 2024; Whole Life Carbon Assessment – prepared by Scotch Partners – 20 September 2024.

The Royal Borough of Greenwich as Local Planning Authority grants planning permission for the development described above and referred to in your application dated 25 September 2024.

There are 42 further conditions which are set out within this decision notice.

Yours faithfully



Assistant Director

Notes

The Council in assessing the merits of this application have taken into consideration the provisions of the National Planning Policy Framework

You are reminded that you may also require approval under the Building Regulations. Advice and application forms can be obtained from Building Control at this address, by telephone on 020 8921 5413 or by emailing building.control@royalgreenwich.gov.uk

SCHEDULE OF CONDITIONS, REASONS and INFORMATIVES
Application Reference: 24/3095/F
At: Land adjacent 81-88 Beresford Street, Woolwich, SE18 6BG

Condition 1
Time Limit
The development to which this permission relates must be begun not later than the expiration of three (3) years beginning with the date on which the permission is granted.

Reason 1
As required by Section 91 of the Town and Country Planning Act 1990.

Condition 2
Approved Drawings/Documents
The development shall be carried out strictly in accordance with the application plans, drawings and documents hereby approved and as detailed below:

- 22262-A0-00-DR-A-09-202 Rev P01 – Proposed Site Plan
- 22262-HCD-A0-00-DR-A-04-200 GA Rev P02 – Proposed Ground Floor Plan (Level 00)
- 22262-HCD-A0-00-DR-A-04-201 GA Rev P01 – Proposed Typical Upper Floor Plan Type 1 (Level 01 to 06)
- 22262-HCD-A0-00-DR-A-04-202 GA Rev P01 - Proposed Typical Upper Floor Plan Type 1 (Level 07 to 09)
- 22262-HCD-A0-00-DR-A-04-203 GA Rev P01 – Proposed Level 10 Floor Plan
- 22262-HCD-A0-00-DR-A-04-204 GA Rev P01 - Proposed Roof Plan (Level 11)
- 22262-HCD-A0-00-DR-A-04-205 GA Rev P01 – Proposed Roof Plan
- 22262-HCD-A0-00-DR-A-04-207 GA Rev P02 – Proposed Roof Landscaping Plan
- 22262-HCD-A0-00-DR-A-05-200 Rev P01 – Proposed South West Elevation
- 22262-HCD-A0-00-DR-A-05-201 Rev P01 – Proposed North West Elevation
- 22262-HCD-A0-00-DR-A-05-202 Rev P01 – Proposed North East Elevation
- 22262-HCD-A0-00-DR-A-06-201 Rev P01 - Proposed Section A-A
- 22262-HCD-A0-00-DR-A-06-202 Rev P01 - Proposed Section B-B
- 22262-HCD-A0-00-DR-A-06-203 Rev P01 - Proposed Section C-C

<u>Documents</u>

- 22262-Area Schedule Rev P03 – prepared by Hadfield Cawkwell Davidson – 18 September 2024
- 22262-Room Schedule Rev P03 – prepared by Hadfield Cawkwell Davidson – 18 September 2024
- Air Quality Assessment – prepared by IDOM – 16 September 2024
- Archaeological Desk Based Assessment – prepared by RPS – 17 September 2024
- Biodiversity Net Gain Assessment Memo – prepared by Tim Moya Associates –

21 August 2024
- BREEAM Technical Note and Pre-Assessment – prepared by Hodkinson – 18 September 2024
- Circular Economy Statement – prepared by Scotch Partners – 20 September 2024
- Daylight and Sunlight Report – prepared by EB7 – 19 September 2024
- Delivery and Servicing Plan – prepared by RPS – 18 September 2024
- Design and Access Statement – prepared by Hadfield Cawkwell Davidson – September 2024
- Draft Construction Management Plan and Construction Logistics Plan – prepared by CField Construction – 13 September 2024
- Energy and Sustainable Assessment – prepared by Applied Energy – 22 October 2024
- Flood Risk Assessment, SUDS and Drainage Strategy – prepared by IDOM – 18 September 2024
- Gateway 1 Fire Statement – prepared by Clarke Banks – 23 September 2024
- Geoenvironmental and Geotechnical Assessment – prepared by IDOM – 12 September 2024
- Health Impact Assessment – prepared by Greengage – August 2024
- (Built) Heritage, Townscape and Visual Impact Assessment – prepared by Montagu Evans - September 2024
- Operational Waste Management Strategy – prepared by RPS – 17 September 2024
- Purpose Built Student Accommodation (PBSA) Needs Assessment – prepared by Savills – 02 September 2024
- Planning Statement – prepared by Causeway Planning – 23 September 2024
- Preliminary Ecological Appraisal – prepared by Greengage – September 2024
- Stage 2 Acoustic Design Strategy – prepared by Sol Acoustics – 13 September 2024
- Statement of Community Involvement – prepared by Lowick – September 2024
- Healthy Streets Transport Assessment – prepared by RPS – 18 September 2024
- Travel Plan – prepared by RPS – 18 September 2024
- Urban Greening Factor Report – prepared by Greengage – September 2024
- Utility Assessment Report – prepared by Applied Energy – 16 September 2024
- Whole Life Carbon Assessment – prepared by Scotch Partners – 20 September 2024

Reason 2

In the interests of good planning and to ensure that the development is carried out in accordance with the approved documents, plans and drawings submitted with the application and is acceptable to the local planning authority.

Condition 3

Construction Management & Logistics Plan

Prior to the commencement of construction (including ground works and storage of

construction materials on site) for the development hereby approved, a Construction Logistics Plan (CLP) and a Construction Management Plan (CMP) shall be submitted, to and approved in writing by, the Local Planning Authority, in conjunction with Transport for London, to minimise impacts to the local highway network and to control noise, vibration and air pollutants generated as a result of the construction process.

The documents to be submitted shall be prepared in accordance with the London Freight Plan, 'The control of dust and emissions from construction and demolition' Supplementary Planning Guidance, the council's Construction Site Noise Code of Practice (http://www.royalgreenwich.gov.uk/downloads/file/470/noise_from_major_construction_sites _leaflet), BRE Pollution Control Guides 'Controlling particles and noise pollution from construction sites' and 'Controlling particles, vapour and noise pollution from construction sites'. The CLP and CMP shall include details of (but shall not be limited to):

- loading and unloading of plant and materials;
- storage of plant and materials;
- programme of works;
- measures for traffic management and encouragement of sustainable modes of transport for workers;
- details of a vehicle booking system
- provision of boundary hoarding and visibility zones of construction traffic routing;
- hours of operation;
- means to prevent deposition of mud on the highway;
- likely noise levels to be generated from plant and construction works;
- a dust risk assessment;
- means to monitor and control dust, noise and vibrations;
- haulage routes;
- a site plan identifying location of site entrance, exit, wheel washing, hard standing hoarding (distinguishing between solid hoarding and other barriers such as heras and monarflex sheeting), stock piles, dust suppression, location of water supplies and location of nearest neighbouring receptors;
- bonfire policy;
- confirmation that a mobile crusher will/won't be used on site and if so, a copy of the permit and intended dates of operation; and
- confirmation that a photographic survey of the condition of the highway around the site will be undertaken and retained and made available to the Local Planning Authority upon request;

The development shall be constructed in full accordance with the approved details.

Reason 3

To ensure that the proposed development does not interfere with the free flow of traffic and conditions of safety on the public highway, and to ensure the development process does not have a significant adverse impact on the amenities of nearby residential properties in accordance with Policies D14, SI 1, T3, T4, T7 of the London Plan (2021),

Policies IM6, DH(b) and E(d) of the Royal Greenwich Local Plan: Core Strategy with Detailed Policies (2014) and the Greener Greenwich SPD.

Condition 4
Archaeology

A. Prior to the commencement of any intrusive excavations (including for the retaining wall or those that may be required for decontamination) of the development hereby approved a Stage 1 written scheme of investigation (WSI) shall be submitted to and approved in writing by the local planning authority. For land that is included within the WSI, no intrusive excavations or ground works shall take place other than in accordance with the agreed WSI, the programme and methodology of site evaluation and the nomination of a competent person(s) or organisation to undertake the agreed works.

B. If heritage assets of archaeological interest are identified by Stage 1, then for those parts of the site which have archaeological interest, a Stage 2 WSI shall be submitted to and approved by the local planning authority in writing. For land that is included within the stage 2 WSI, no intrusive excavations or ground works shall take place other than in accordance with the agreed Stage 2 WSI which shall include:

The statement of significance and research objectives, the programme and methodology of site investigation and recording and the nomination of a competent person(s) or organisation to undertake the agreed works, and the programme for post-investigation assessment and subsequent analysis, publication & dissemination and deposition of resulting material.
The development shall be constructed in accordance with the approved details.

Reason 4
To protect assets of archaeological interest on-site in accordance with Policy HC1 of the London Plan (2021) and Policy DH(m) of the Royal Greenwich Local Plan: Core Strategy with Detailed Policies (2014).

Condition 5
Contaminated Land: Remediation Strategy
Prior to the commencement of development hereby approved, the following components of a scheme to deal with the risks associated with contamination of the site shall each be submitted to and approved, in writing by, the Local Planning Authority:

1. A preliminary risk assessment which has identified:
    - all previous uses;
    - potential contaminants associated with those uses;
    - a conceptual model of the site indicating sources, pathways and receptors;
    - potentially unacceptable risks arising from contamination at the site.

    Should the preliminary risk assessment identify the need for further

investigation.

2. A site investigation scheme, based on (1) to provide information for a detailed assessment of the risk to all receptors that may be affected, including those off site.

3. The results of the site investigation and the detailed risk assessment referred to in (2) and, based on these, an options appraisal and remediation strategy giving full details of the remediation measures required and how they are to be undertaken.

4. A verification plan providing details of the data that will be collected in order to demonstrate that the works set out in the remediation strategy in (3) are complete and identifying any requirements for longer-term monitoring of pollutant linkages, maintenance and arrangements for contingency action. Any changes to these components require the express written consent of the Local Planning Authority. The development (other than the approved remediation works) shall not be commenced until the scheme has been fully implemented as approved.

Reason 5

Potential sources of contamination associated with historical uses of the site should be further investigated to ensure that there is not an unacceptable risk to health and controlled waters in line with the aims of the National Planning Policy Framework (NPPF 2023); and with Policy (E) of the Royal Borough of Greenwich Local Plan: Core Strategy with Detailed Policies (2014).

Condition 6

Contaminated Land: Verification Report

Within 2 months of the completion of the works set out in the approved remediation strategy, a verification report demonstrating completion of the works set out in the approved remediation strategy and the effectiveness of the remediation shall be submitted to the Local Planning Authority for approval. The development shall not be occupied until the Local Planning Authority's written approval of the verification report has been obtained.

The report shall include results of sampling and monitoring carried out in accordance with the approved verification plan to demonstrate that the site remediation criteria have been met. It shall also include any plan (a long-term monitoring and maintenance plan) for longer-term monitoring of pollutant linkages, maintenance and arrangements for contingency action, as identified in the verification plan, and for the reporting of this to the Local Planning Authority.

Reason 6

Should remediation be deemed necessary, the applicant should demonstrate that any work has been carried out effectively and the environmental and health risks have been satisfactorily managed so that the site is deemed suitable for use; in accordance with the aims of the National Planning Policy Framework (NPPF 2023); and with Policy (E) of the Royal Borough of Greenwich Local Plan: Core Strategy with Detailed Policies

(2014).

Condition 7
Contaminated Land: Unexpected Contamination
If, during development, contamination not previously identified is found to be present at the site then no further development (unless otherwise agreed in writing with the Local Planning Authority) shall be carried out until the developer has submitted a remediation strategy to the Local Planning Authority detailing how this unsuspected contamination shall be dealt with and obtained written approval from the Local Planning Authority of that remediation strategy. The remediation strategy shall be fully implemented as approved.

Reason 7
To ensure that environmental and health risks have been satisfactorily managed so that the site is deemed suitable for use; in accordance with the aims of the National Planning Policy Framework (NPPF 2023); and with Policy (E) of the Royal Borough of Greenwich Local Plan: Core Strategy with Detailed Policies (2014).

Condition 8
Piling Method Statement
Piling or any other foundation designs using penetrative methods shall not be permitted other than with the express written consent of the Local Planning Authority, which may be given for those parts of the site where it has been demonstrated that there is no resultant unacceptable risk to groundwater. The development shall be carried out in full accordance with the approved details.

No piling shall take place until a Piling Method Statement (detailing the depth and type of piling to be undertaken and the methodology by which such piling will be carried out, including measures to prevent and minimise the potential for damage to subsurface sewerage infrastructure, and the programme for the works) has been submitted to, and approved in writing by, the Local Planning Authority in consultation with Thames Water and the Environment Agency. Any piling must be undertaken in full accordance with the terms of the approved piling method statement.

Reason 8
To ensure piling works taking place in made ground or contaminated areas do not present a risk to groundwater within the underlying aquifers. To minimise disturbance of any existing contamination and the protection of groundwater in the underlying Aquifers; and to ensure underground water and sewerage utility infrastructure are not damaged; and to ensure compliance with Policy E(e) of the Royal Greenwich Local Plan: Core Strategy with Detailed Policies (2014).

Condition 9
Unexploded Ordnance
1. Prior to the commencement of development hereby approved, a Preliminary

Risk Assessment to identify the risks associated with unexploded ordnance (UXO) threat of the site shall be submitted to, and approved in writing, by the Local Planning Authority. Any Preliminary Risk Assessment of UXO hazards must be undertaken in compliance with current guidance for managing UXO risks (e.g.C681). The investigation shall include, but not be limited to:

- Home Office WWII Bomb Census Maps;
- WWII and post-WWII aerial photography;
- Official Abandoned Bomb Register;
- LCC Bomb Damage maps;
- Information gathered from the National Archives at Kew;
- Historic UXO information.

2. Should the preliminary risk assessment identify the need for further investigation, the following shall be submitted to, and approved in writing, by the Local Planning Authority prior to the commencement of the development:
    - A Detailed Risk Assessment and Intrusive UXO Survey, based on (1) to characterise the site and; provide information for a detailed assessment of the risk to all receptors that may be affected, including those off site.
    - Following the results and outcomes of the Preliminary and Detailed Risk Assessments, a Risk Mitigation Plan giving full details of the mitigation measures required and how they are to be undertaken. This requires the provision of both a Mitigation Implementation and Verification Plan.
    - Details attaining to Operational UXO Emergency Response Plan; and UXO Safety & Awareness Briefings – must also be provided.
    - The identified mitigation must be carried out in accordance with the approved details prior to the development (other than these works) being commenced.
3. On completion of the above (2) a final Verification Report is required to be submitted to and approved in writing by the local planning authority to demonstrate that the works set out in (2) have been completed as required above, along with any requirements for longer-term monitoring of risks, maintenance and arrangements for contingency action.

Reason 9

To ensure that appropriate arrangements are in place in the event of the discovery of UXO and to ensure that environmental and health risks have been satisfactorily managed so that the site is deemed suitable for use; in accordance with the aims of the National Planning Policy Framework (NPPF 2023); and with Policy (E) of the Royal Borough of Greenwich Local Plan: Core Strategy with Detailed Policies (2014).

Condition 10

Construction Plant and Machinery (*Non-Road Mobile Machinery*)

Prior to the commencement of the construction hereby approved, details of all plant and machinery to be used at the construction phases have been submitted to, and approved

in writing by, the Local Planning Authority.

Evidence submitted shall demonstrate that all NRMM used shall meet Stage IIIA of EU Directive 97/68/ EC for both NOx and PM. All Non-Road Mobile Machinery (NRMM) and plant to be used on the site of net power between 37kW and 560 kW has been registered at http://nrmm.london/. Satisfactory proof of registration must be submitted to the Local Planning Authority prior to the commencement of any works on site.

The NRMM approved above, must be used during the construction phases in full accordance with the approved details.
An inventory of all Non-Road Mobile Machinery (NRMM) must be kept on site during the course of the site preparation and construction phases. All machinery should be regularly serviced and service logs kept on site for inspection. Records should be kept on site which details proof of emission limits for all equipment. This documentation should be made available to local authority officers as required until development completion.

Reason 10
To safeguard the amenities of neighbouring properties and the area generally and to ensure compliance with Policies SI 1 and D14 of the London Plan (2021) and Policy DH(k) of the Royal Greenwich Local Plan: Core Strategy with Detailed Policies (2014).

Condition 11
External Materials
Prior to the installation of the relevant works for the development hereby approved, full details including physical samples and images of all facing materials and finishes, to be used on the development shall be submitted to, and approved in writing by, the Local Planning Authority and the scheme shall thereafter be implemented in accordance with the approved details.

The use of brick slips or similar products shall not be used on any part of the development, all brick elements of the building shall be full bricks.

Reason 11
In order that the Council may be satisfied with the external appearance of the building and ensure compliance with Policies D3 and D4 of the London Plan (2021), Policy DH1of the Royal Greenwich Local Plan: Core Strategy with Detailed Policies (2014).

Condition 12
Architectural Details
Notwithstanding the details hereby approved, prior to the installation of the relevant works for the development hereby approved, shall commence until detailed plans and sections at a scale of either 1:5 or 1:10, as well as physical samples as may be necessary, showing the following elements of the development have been submitted to, and approved in writing by, the Local Planning Authority:

- windows, window glazing bars, depth of window reveals, doors and entrances;
- joints between different materials and features;
- Soffits and coping;
- Balustrades;

The development shall be constructed and retained for the lifetime of the development in full accordance with the approved details.

Reason 12
In order to safeguard the special architectural or historic interest of the heritage asset in accordance with Policies, D3, D4 and D9 the London Plan (2021) and policy DH1 of the Royal Greenwich Local Plan: Core Strategy with Detailed Policies (2014).

Condition 13
Landscape Strategy
Prior to the first occupation of the development hereby approved, a Landscaping Strategy for all the hard and soft landscaping of any part of the site not occupied by buildings shall be submitted to, and approved in writing by, the Local Planning Authority. Details shall include:

- Permeability of all hard surfaces
- Appearance of all materials
- Planting

All hard and soft landscaping works which form part of the approved scheme shall be completed prior to occupation of the development.

All planting, seeding or turfing comprised in the approved landscaping scheme shall be carried out in the first planting and seeding seasons following the occupation of the buildings or the completion of the development. Any trees or plants which within a period of 5 years from the completion of the development die, are removed or become seriously damaged or diseased, shall be replaced in the next planting season with others of similar size and species.

Reason 13
In order that the local planning authority may be satisfied as to the details of the proposal and to comply with Policies G7, D3 and D4 of the London Plan (2021) and Policies DH1 and OS(f) of the Royal Greenwich Local Plan: Core Strategy with Detailed Policies (2014).

Condition 14
BREEAM

a) The non-residential element of the development shall be registered with Building Research Establishment (BRE) and achieve BREEAM Rating “Excellent” (based on the latest BREEAM NC Technical guidance).
b) The development shall implement the measures identified in the BREEAM pre-assessment report produced by Hodkinson in September 2024 (v2) and achieve a BREEAM “Excellent” rating (based on the latest BREEAM NC Technical guidance).
c) Within 3 months of completion of each non-residential element of the development, Interim BREEAM NC Assessment and related Certification verified by the BRE shall be submitted and approved in writing by the Local planning Authority;
d) Within 3 months from the date of first occupation of each non-residential element of the development, BREEAM 'Post Construction Stage' Assessment and related Certification verified by the BRE should be submitted to and approved in writing by the Local Planning Authority confirming the BREEAM standard and measures have been implemented.
e) Following any approval of a 'Post Construction Stage' assessment and certification of the development, the approved measures and technologies to achieve the BREEAM “Excellent” rating shall be retained in working order in perpetuity.

Reason 14
In the interest of addressing climate change and to secure sustainable development in accordance with policies SI2 and SI3 of the London Plan (2021), and the relevant guidance notes in the GLA Energy Assessment Guidance 2020, Policy E1 of the Royal Greenwich Local Plan: Core Strategy with Detailed Policies (July 2014), Royal Borough of Greenwich, Greener Greenwich SPD (2014)

Condition 15
Energy Strategy
a) Prior to construction completion and occupation, the Development shall implement and maintain, and in the case of energy generation equipment confirm as operational, the approved measures to achieve an overall sitewide reduction in regulated CO_2 emissions of at least 36.55% (equating to 3.96 tonnes of CO_2 per year) beyond Building Regulations Part L 2021 and using SAP10.2 emission factors. These CO_2 savings shall be achieved through the Lean, Clean, Green Energy Hierarchy as detailed in the approved Energy Statement prepared by Applied Energy in September 2024 (v1) including:
    i. Lean, energy efficiency design measures to achieve an annual reduction of at least 15.2% equating to at least 1.65 tonnes in regulated carbon dioxide (CO_2) emissions over BR Part L 2021 (using SAP10.2 conversion factors).
    ii. Green, renewable energy equipment including the incorporation of photovoltaic panels with a combined total capacity of at least 8.45 kWp, and Air Source Heat Pumps to achieve an annual reduction of at least

21.06%, equating to 2.04 tonnes, in regulated carbon dioxide (CO_2) emissions over Part L 2021 (using SAP10.2 emission factors).

iii. Seen, heat and electric meters installed to monitor the performance of the PV and the carbon efficiency (SCOP) of the heat pump system (including the heat generation and the electrical parasitic loads of the heat pumps), in line with the Council's monitoring requirements.

b) Prior to Installation of any renewable energy equipment, details of the proposed renewable energy equipment, and associated monitoring devices required to identify their performance, shall be submitted to the Council for approval and approved in writing by the Council. The details shall include the communal heat distribution network schematics, the exact number of heat pumps, the heat pump thermal kilowatt output, the predicted seasonal efficiency (SCOP) of the heat pump system, the heat output pipe diameter(s), parasitic load supply schematics, monthly energy demand profile, and the exact number of PV arrays, the kWp capacity of each array, the orientation, pitch and mounting of the panels, and the make and model of the panels. The name and contact details of the renewable energy installation contractor(s), and if different, the commissioning electrical or plumbing contractor, should be submitted to the Council prior to installation.

c) On completion of the installation of the renewable energy equipment copies of the MCS certificates and all relevant commissioning documentation shall be submitted to the Council and approved in writing by the Council.

d) The development shall incorporate the overheating mitigation measures detailed in the dynamic Overheating Analysis by Applied Energy in October 2024 (energy strategy appendix E). Any later stage version shall be compliant with CIBSE guidance Part O (TM59/Guide A), and/or TM52, and modelled against the TM49 DSY1 (average summer) weather data files, and the more extreme weather DSY2 (2003) and DYS3 (1976) files for TM59 criteria (a) and (b).

e) Within three months of the occupation/first-use of the development a two-page summary report prepared by a professionally accredited person comparing the "as built stage" TER to BER/DER figures against those in the final energy strategy along with the relevant Energy Performance Certificate(s) (EPC) and/or the Display Energy Certificate(s) (DEC's) shall be submitted to and approved in writing by the Local Planning Authority.

Reason 15

In the interest of addressing climate change and to secure environmentally sustainable development in accordance with policies SI2 and SI3 of the London Plan (2021), and the relevant guidance notes in the GLA Energy Assessment Guidance 2020, Policy E1 of the Royal Greenwich Local Plan: Core Strategy with Detailed Policies (July 2014), Royal Borough of Greenwich, Greener Greenwich SPD (2014)

Condition 16

Post Construction energy use monitoring ("Be Seen")

In order to demonstrate compliance with the 'be seen' post-construction monitoring requirement of Policy SI2 of the London Plan, the legal Owner shall at all times and all in all respects comply with the energy monitoring requirements set out in points a, b and c

below. In the case of non-compliance the legal Owner shall upon written notice from the Local Planning Authority immediately take all steps reasonably required to remedy non-compliance.

a) Within twelve weeks of planning permission being issued by the Local Planning Authority, the Owner is required to submit to the GLA accurate and verified estimates of the 'be seen' energy performance indicators, as outlined in Chapter 3 'Planning stage' of the GLA 'Be seen' energy monitoring guidance document, for the consented development. This should be submitted to the GLA's monitoring portal in accordance with the 'Be seen' energy monitoring guidance.
b) Once the as-built design has been completed (upon commencement of RIBA Stage 6) and prior to the building(s) being occupied (or handed over to a new legal owner, if applicable), the legal Owner is required to provide updated accurate and verified estimates of the 'be seen' energy performance indicators for each reportable unit of the development, as per the methodology outlined in Chapter 4 'As-built stage' of the GLA 'Be seen' energy monitoring guidance. All data and supporting evidence should be uploaded to the GLA's monitoring portal. In consultation with the Council and/or their chosen Automated Energy Monitoring Platform the owner should also confirm that suitable monitoring devices have been installed and maintained for the monitoring of the in-use energy performance indicators, as outlined in Chapter 5 'In-use stage' of the GLA 'Be seen' energy monitoring guidance document.
c) Upon completion of the first year of occupation following the end of the defects liability period (DLP) and for the following four years, the legal Owner is required to provide accurate and verified annual in-use energy performance data for all relevant indicators under each reportable unit of the development as per the methodology outlined in Chapter 5 'In-use stage' of the GLA 'Be seen' energy monitoring guidance document. All data and supporting evidence should be uploaded to the GLA's monitoring portal. This condition will be satisfied after the legal Owner has reported on all relevant indicators included in Chapter 5 'In-use stage' of the GLA 'Be Seen' energy monitoring guidance document for at least five years.
d) In the event that the in-use evidence submitted shows that the as-built performance estimates have not been or are not being met, the legal Owner should use reasonable endeavours to investigate and identify the causes of underperformance and the potential mitigation measures and set these out in the relevant comment box of the 'be seen' spreadsheet. Where measures are identified, which it would be reasonably practicable to implement, an action plan comprising such measures should be prepared and agreed in writing with the Local Planning Authority. The measures approved by the Local Planning Authority should be implemented by the legal Owner as soon as reasonably practicable.

Reason 16

In order to ensure that actual operational energy performance is minimised and demonstrate compliance with the 'be seen' post-construction monitoring requirement of Policy SI2 of the London Plan.

Condition 17

Whole Life Carbon Assessment

a) Once the as-built design has been completed (upon commencement of RIBA Stage 6) and prior to the building(s) being occupied (or handed over to a new owner, if applicable), the legal owner(s) of the development should submit the post-construction Whole Life-Cycle Carbon (WLC) Assessment to the GLA at: ZeroCarbonPlanning@london.gov.uk. The owner should use the post construction tab of the GLA's WLC assessment template and this should be completed accurately and in its entirety, in line with the criteria set out in the GLA's WLC Assessment Guidance. The post-construction assessment should provide an update of the information submitted at planning submission stage (RIBA Stage 2/3), including the WLC carbon emission figures for all life-cycle modules based on the actual materials, products and systems used. The assessment should be submitted along with any supporting evidence as per the guidance and should be received three months post as-built design completion, unless otherwise agreed.

b) The Development shall fully implement the measures identified in the WLC Assessment prepared by Scotch Partners in September 2024 (v1). Modules A1-A5 should aim to achieve 616 $KgCO_2e/m^2$, and B1-C4 (excluding B6/B7) 390 $KgCO_2e/m^2$, with a total carbon emissions baseline scenario (over 60 years) of 1,004 $KgCO_2e/m^2$ (including sequestration benefits).

Reason 17

To ensure whole life-cycle carbon is calculated and reduced and to demonstrate compliance with Policy SI2(F) of the London Plan.

Condition 18

Circular Economy

a) Prior to completion of construction of the permitted development, a Circular Economy Statement Post Completion Report should be completed accurately and in its entirety in line with the GLA's Circular Economy Statement Guidance (or equivalent alternative Guidance as may be adopted). This should be submitted to the GLA at: CircularEconomyLPG@london.gov.uk, along with any supporting evidence as per the guidance. The Post Completion Report shall provide updated versions of Tables 1 and 2 of the Circular Economy Statement, the Recycling and Waste Reporting form and Bill of Materials. Confirmation of submission to the GLA shall be submitted to, and approved in writing by, the local planning authority, prior to occupation.

b) Specific commitments detailed in the Circular Economy statement produced by Scotch Partners in September 2024 (v1), or any later approved version, and accompanying Logistic Plans, should be implemented including; diverting 95% of construction waste from landfill, putting 95% of excavation materials to beneficial on-site use, using recycled content of 20%, and diverting the London Plan target

of 95% of Operational Waste from landfill by 2030.

Reason 18
In the interests of sustainable waste management and in order to maximise the appropriate re-use and recycling of materials in line with London Plan Policy D3 (Optimising site capacity), SI7 (Reducing waste), SI2 (Minimising greenhouse gas emissions).

Condition 19
Sustainable Design and Construction
Prior to occupation of the development hereby approved, the sustainability measures detailed in the final approved Sustainability Statement submitted by Energy and Sustainable Assessment – prepared by Applied Energy – 22 October 2024 shall be fully implemented and maintained for the lifetime of the development. The measures shall meet the requirements of local and regional planning policies and be in line with the Mayor's Sustainable Design and Construction SPG and Royal Borough of Greenwich, Greener Greenwich SPD.

Reason 19
In the interest of addressing climate change and to secure sustainable development in accordance with policies SI1, SI2 and SI 4 of the London Plan (2021), Policy DH1 Design of Royal Greenwich Local Plan: Core Strategy with Detailed Policies (July 2014) and Royal Borough of Greenwich, Greener Greenwich SPD (2014).

Condition 20
Plant noise
Prior to the installation of plant and equipment hereby permitted, an acoustic report detailing noise from fixed plant shall be submitted to, and approved in writing by, the Local Planning Authority. The acoustic report shall be prepared by a suitably qualified expert and shall include the following:

- Survey of existing background/ambient sound level;
- Manufacturers noise specification (Sound power/Sound pressure level, octave band spectral levels) of proposed plant and equipment such as air handling units, boilers, lifts, mechanical ventilation;
- The proposed operational hours of the plant;
- Proposed mitigation measures to ensure the existing background sound level will not increase when measured at one metre from the façade of the nearest noise sensitive premises. In order to achieve this, the plant shall be designed/selected, or the noise from the plant should be attenuated, so that it is 10dB below the existing background level (LA90 15min). The measurements and assessment shall be made in accordance with the latest British Standard 4142, and shall be submitted to and approved in writing by the Local Planning Authority.

The approved measures shall be fully implemented prior to occupation of the

development and shall be permanently maintained thereafter for the lifetime of the development.

Reason 20
In order to safeguard the amenities of residents and to ensure compliance with Policy D14 of the London Plan (2021) and Policy E(a) of the Royal Greenwich Local Plan: Core Strategy with Detailed Policies (2014).

Condition 21
Sound Insulation- Internal
Prior to the commencement of above ground works, details of the proposed sound insulation measures for all divisions (walls and floors) separating bedrooms and internal/external communal areas/facilities, shall be submitted to, and approved in writing by, the Local Planning Authority.

The scheme of noise insulation measures shall be prepared by a suitably qualified consultant/engineer and shall demonstrate that the proposed sound insulation will achieve a level of protection which is at least +10dB above the Approved Document E standard (Dwelling houses and flats) for airborne sound insulation and the details should include airborne and impact sound insulation. The approved scheme shall be installed prior to the first occupation of the residential parts of the development and shall be permanently maintained thereafter.

Reason 21
To ensure that the future residents of the development hereby approved experience a high standard of living in accordance with Policy H5 of the Royal Greenwich Local Plan: Core Strategy with Detailed Polices.

Condition 22
Sound Attenuation – Environmental / Transport Noise
Prior to the commencement of above ground works, details of the sound attenuation, to protect against externally generated (environmental) noise sources including road and aircraft traffic shall be submitted to, and approved in writing by, the Local Planning Authority. The development shall be carried out and retained for the lifetime of the development in full accordance the approved details.

Reason 22
To ensure that the future residents of the development hereby approved experience a high standard of living in accordance with Policy H5 of the Royal Greenwich Local Plan: Core Strategy with Detailed Polices

Condition 23
Air Quality Mitigation

All of the recommendations of the approved Air Quality Assessment – prepared by IDOM – 16 September 2024 shall be fully implemented prior to the first occupation of the development hereby approved, and these measures shall be maintained for the lifetime of the development.

Reason 23

To protect future residents from poor air quality local air quality, comply with Policy SI 1 of the London Plan (2021) and Policy E(a) and E(c) of the Royal Greenwich Local Plan: Core Strategy with Detailed Policies (2014).

Condition 24

Delivery and Servicing Plan

The development hereby approved shall not be occupied until a detailed Delivery and Servicing Plan (DSP) has been submitted to, and approved in writing by, the Local Planning Authority in consultation with Transport for London and the Council's Waste, Transport and Highway Services. The DSP shall endeavour to ensure that deliveries are carried out outside of peak hours and the approved DSP shall in all respects be implemented and complied with in accordance with the details approved pursuant to this condition for the lifetime of the development.

Reason 24

In order to safeguard residential amenity and pedestrian and traffic safety and ensure compliance with Policy T7 of the London Plan (2021) and Policies E(c) and IM4 of the Royal Greenwich Local Plan: Core Strategy with Detailed Policies (2014).

Condition 25

Secured by Design

A. The development hereby permitted shall incorporate security measures to minimise the risk of crime and to meet the specific security needs of the development in accordance with the principles and objectives of Secured by Design. Details of these measures shall be submitted to, and approved in writing by, the Local Planning Authority prior commencement of the relevant part of the development and shall be implemented in accordance with the approved details prior to occupation and thereafter retained for the lifetime of the development.
B. Prior to occupation, a satisfactory Secured by Design inspection must take place. The resulting Secured by Design certificate shall be submitted to, and approved in writing by, the Local Planning Authority.

Reason 25

To ensure that Secured by Design principles are implemented into the development in accordance with policies D11 of the London Plan (2021) and policy DH1 of the Royal Greenwich Local Plan: Core Strategy with Detailed Policies (2014).

Condition 26
Travel Plan

a) The development hereby approved shall not be occupied until such time as a detailed site specific Travel Plan for the student accommodation, in accordance with Transport for London's document 'Travel Planning for New Development in London' has been submitted to, and approved in writing by, the Local Planning Authority. The development shall operate in full accordance with all measures identified within the Travel Plan from first occupation.
b) The Travel Plan shall specify initiatives to be implemented by the development to promote and maximise the use of sustainable travel to and from the site by a variety of non-car means (including public transport, walking and cycling), shall set targets and shall specify a monitoring and review mechanism to ensure compliance with the Travel Plan objectives.
c) Within the timeframe specified by (a) and (b), evidence shall be submitted to the Local Planning Authority to demonstrate compliance with the monitoring and review mechanisms agreed under parts (a) and (b). The Travel Plan shall in all respects be implemented in accordance with the details approved pursuant to this condition.

Reason 26
In order to safeguard residential amenity and pedestrian and traffic safety and ensure compliance with Policy T6 and SI 1 of the London Plan (2021) and Policies E(c) and IM4 of the Royal Greenwich Local Plan: Core Strategy with Detailed Policies (2014).

Condition 27
Water Efficiency
Prior to the first occupation of the development hereby approved, a completed Water Efficiency Calculator for the residential development must be submitted to the Local Planning Authority and approved in writing to show that internal potable water consumption for each of the dwellings will be limited to 105 litres per person per day (l/p/d) based on the Government's national calculation method for water efficiency for the purpose of the Building Regulations. The Water Efficiency Calculator shall be accompanied by details of the location and type of all appliances or fittings that use water, the capacity or flow rate of any equipment and any rainwater or greywater collection systems incorporated as part of the development. The approved details shall be implemented prior to the first occupation of any part of the development hereby approved and thereafter permanently maintained as such.

Reason 27
To ensure the sustainable use of water, in accordance with the approved sustainability statement and policy SI 5 of London Plan (2021) and Policy DH1 Design of Royal Greenwich Local Plan: Core Strategy with Detailed Policies (2014) and Royal Borough of Greenwich, Greener Greenwich SPD (2014).

Condition 28
Inclusive Design
The purpose built student accommodation (PBSA) hereby approved shall comply with Building Regulations Approved Document M Volume 2: Buildings other than dwellings. The development must deliver at least six (6) wheelchair accessible units and at least six (6) wheelchair adaptable in accordance with Building Regulations Approved Document M Volume 2 category M1 and retained for the lifetime of the development.

Reason 28
To accord with Policy D7 of the London Plan (2021) and Policy H5 of the Royal Greenwich Local Plan: Core Strategy and Detailed Policies (2014).

Condition 29
Waste management
a) Details of waste management arrangements including movement of refuse to any collection point shall be submitted to, and approved in writing by, the Local Planning Authority. The storage and recycling facilities shall in all respects be constructed in accordance with the approved details, before the relevant part of the development is first occupied and maintained for the lifetime of the development.
b) Prior to the occupation of the development, waste and recycling provision for the development as detailed in the Operational Waste management Strategy prepared by RPS dated 17 September 2024 and shall be carried out to the specifications and adopted standards of the London Plan, and those of thereafter RBG and retained permanently.

Reason 29
In order that the Council may be satisfied with the details of the proposal and to ensure compliance with Policy DH1 of the Royal Greenwich Local Plan: Core Strategy with Detailed Policies (Adopted July 2014).

Condition 30
Cycle Parking
Prior to occupation of the development hereby approved, the cycle parking facilities as set out in the approved Healthy Streets Transport Assessment – prepared by RPS – 18 September 2024 shall be fully implemented and made available for use, and shall be maintained for the lifetime of the development.

The cycle parking should comply with the requirements of the London Plan and London Cycling Design Standards including providing 5% wider/adaptable spaces and 5% Sheffield stands at standard spacing.

Reason 30
To promote sustainable travel and to ensure compliance with Policy T5 of the London

Plan (2021) and Policies IM4, IM(b) and IM(c) of The Royal Borough of Greenwich Local Plan: Core Strategy with Detailed Policies (2014).

Condition 31
Water Network Upgrades
The development hereby approved shall not be occupied until satisfactory confirmation has been provided to the Council that either:

- all water network upgrades required to accommodate the additional demand to serve the development have been completed; or
- a development and infrastructure phasing plan has been agreed with Thames Water to allow development to be occupied. Where a development and infrastructure phasing plan is agreed no occupation shall take place other than in accordance with the agreed development and infrastructure phasing plan.

Reason 31
The development may lead to no / low water pressure and network reinforcement works are anticipated to be necessary to ensure that sufficient capacity is made available to accommodate additional demand anticipated from the new development.

Condition 32
Underground Strategic Water Main
No construction shall take place within 5m of the marked position of 600 mm DI trunk water main located along Beresford Street to the south. Information detailing how the developer intends to divert the asset / align the development, so as to prevent the potential for damage to subsurface potable water infrastructure, must be submitted to and approved in writing by the local planning authority in consultation with Thames Water prior to commencement of development. Any construction must be undertaken in accordance with the terms of the approved information. Unrestricted access must be available at all times for the maintenance and repair of the asset during and after the construction works. If the strategic asset falls within the 1mm ground settlement contour of the new structure a Thames Water Impact Assessment Study must be completed, before any on site works (demolition, construction, etc.) begin.
Reason: The proposed works will be in close proximity to underground strategic water main, utility infrastructure. The works has the potential to impact on local underground water utility infrastructure.

Reason 32
The proposed works will be in close proximity to underground strategic water main, utility infrastructure. The works has the potential to impact on local underground water utility infrastructure.

Condition 33
Flood Risk

Prior to commencement of the development (with the exception of site clearance), full details of the drainage and flood attenuation strategy shall be submitted to and approved in writing by the Local Planning Authority in consultation with Thames Water and the LLFA. The details shall seek to address the following matters:

- Provide full details of the Drainage Strategy and detailed design drawings, including a drainage layout which includes: the post- development peak runoff flow rate(s), location and dimensions of source control and proposed storage, pipe sizes and the invert levels of the piped network, the destination of runoff, conveyance, and exceedance routes and, the required attenuation volume
- Evidence that attenuation volume has been calculated using industry approved hydrological calculations and of permissions for the discharge rate and location have been provided
- Consideration for how exceedance would be managed
- Consideration of the potential for multifunctional benefits
- Evidence that properties are safeguarded from flooding
- Details of how the flood risk mitigation and drainage design will sufficiently address each phased area at all stages of the development
- Evidence of consultation with Thames Water and their approval of connection locations and discharge rates
- A SuDS management plan which details a management and maintenance schedule for the proposed SuDS and evidence that there will be adequate access for maintenance works.

Reason 33
To prevent the increased risk of flooding, to improve and protect water quality and ensure compliance with Policy SI 12 of the London Plan (2021) and Policy E2 of The Royal Borough of Greenwich Local Plan: Core Strategy with Detailed Policies (July 2014).

Condition 34
Biodiversity and Ecology

a) The Development shall fully implement the measures detailed in the Urban Greening Factor Report – prepared by Greengage – September 2024. The Impact Assessment should calculate the ecological value of the site both pre and post-development using the DEFRA metric 3.0 methodology. The metric should use Biodiversity Units as a way of assessing the ecological value to an area and assign them a 'Distinctiveness' and 'Condition' score.

b) Prior to the completion of the superstructure, an Ecological and Landscape Management Plan, including short and long-term design objectives, management responsibilities, maintenance schedules for the landscaped areas and measures to increase the Urban Greening Factor of the site, shall be submitted to and approved in writing by the Local Planning Authority. Proposed measures to increase the biodiversity of the site shall include investigation of

measures including biodiversity green roofs, wildlife friendly landscaping, bird-boxes, and invertebrate habitat features.

c) Prior to occupation of the development evidence under part a and b that the ecological measures have been installed in full accordance with the details above have been achieved should be submitted to and approved in writing by the local planning authority

Reason 34
To ensure the development provides the maximum possible provision towards creation of habitats and valuable areas for biodiversity in accordance with London Plan (2021) policy G6 and policy OS4 (Biodiversity) of the Royal Greenwich Core Strategy and Detailed Policies 2014.

Condition 35
***Hours of Operation* and Construction**
The earth removal, piling work and any mechanical building operations required to implement the development shall only be carried out between the hours of:

Monday to Friday 08:00 - 18:00
Saturdays 08:00 - 13:00
And not at all on Sunday and Public and Bank Holidays

Reason 35
To safeguard the amenities of neighbouring properties and the area generally and ensure compliance with Policy D14 of the London Plan (2021) and Policies E(a) and E(c) of the Royal Greenwich Local Plan: Core Strategy with Detailed Policies (adopted July 2014).

Condition 36
Student Accommodation Arrival and Departure Strategy
Prior to the occupation of the development hereby approved, details of the measures to manage and coordinate the arrival and departure of the student population resident within the development at the beginning and end of tenancy periods shall be submitted to and approved in writing by the Local Planning Authority.

Thereafter the development shall be fully implemented in accordance with the approved details for the lifetime of the development.

Reason 36
To ensure the continued safe and efficient operation of the highways network, and to comply with Policies T2, T4 and T7 of the London Plan (2021).

Condition 37
Fire Strategy

The development must be carried out in strict accordance with the provisions of the Fire Strategy Statement Gateway 1 Fire Statement – prepared by Clarke Banks – 23 September 2024 and HSE Response dated 4 November 2024 unless otherwise approved in writing by the Local Planning Authority.

Reason 37
To ensure that the development incorporates the necessary fire safety measures in accordance with Policy D12 of the London Plan (2021).

Condition 38
Use Class
The development hereby approved, shall be restricted to purpose built student accommodation (Sui Generis) and shall not be used for any other use class as specified by the Town and Country Planning (Use Classes) Order 1987 (as amended).

Reason 38
In order to ensure that the development is carried out in accordance with the approved plans and drawings

Condition 39
Quantum of development
The total quantum of the development hereby permitted shall not exceed 120 Student Accommodation bed spaces.

Reason 39
In the interests of good planning and to ensure that the development is carried out in accordance with the approved documents, plans and drawings submitted with the application and is acceptable to the local planning authority.

Condition 40
Operations Management Plan
Prior to the occupation of the development, an Operations Management Plan associated with the operation of the purpose built student accommodation shall be submitted to and approved in writing by the Local Planning Authority. Details shall include (but not be limited to):

- moving in and moving out arrangements at the beginning and end of the academic year
- how the building will be managed including 24-hour security arrangements and access arrangements
- detail of lift management for cyclists including staff assistance in the event one is out of service.

Any mitigation measures required shall be fully operational before first occupation.

Reason 40
To safeguard the amenities of future residents, neighbouring properties and the area generally and to ensure compliance with policy D3 and D14 of the London Plan (2021) and Policy E(a) of the Royal Greenwich Local Plan: Core Strategy with Detailed Policies (2014).

Condition 41
Foundation design and settlement
None of the development hereby permitted shall be commenced (with the exception of site clearance) until detailed design and construction method statements for all of the ground floor structures and foundations and for any other structures below ground level, including piling, any temporary works, and site investigations, have been submitted to and approved in writing by the Local Planning Authority which:-

(i) Accommodate the Elizabeth line infrastructure, including any temporary works associated with the Elizabeth line (formerly known as Crossrail),

(ii) Mitigate the effects on the Elizabeth line, of ground movement arising from the development.

The development shall be carried out in all respects in accordance with the approved design and method statements.

All structures and works comprised within the development hereby permitted which are required by paragraphs (i) and (ii) of this condition shall be completed, in their entirety, before any part of the building hereby permitted is occupied.

Reason 41
To ensure that Crossrail/Elizabeth line is not put at unacceptable risk from, or adversely affected by any works at the site below ground level in accordance with policy D10 of the London Plan (2021).

Condition 42
Concurrent working
None of the development hereby permitted shall be commenced until method statements have been submitted to, and approved in writing, by the Local Planning Authority to include arrangements to secure that, during any period when development construction is taking place and thereafter upon completion and occupation of the development, the planned Operation and Maintenance of the Elizabeth line shall not be disrupted.

Reason 42
To ensure the Crossrail/Elizabeth line is not put at unacceptable risk from, or adversely

affected by any works at the site below ground level in accordance with policy D10 of the London Plan (2021).

Informative(s)

. Due to the site being within 6km of London City Airport the crane operator is required to submit all crane details such as maximum height, operating radius, name and phone number of site manager along with installation and dismantling dates to the CAA Airspace Coordination and Obstacle Management Service (ACOMS) system to London City Airport for approval. No cranes should operate on site until a crane permit has been issued.