

Sustainable IoT Applications: Energy-Efficient Strategies and Green Computing Paradigms

Rahul Kumar Konduru¹, Naga Subrahmanyam Cherukupalle², Karthick Cherladine³, Aryendra Dalal⁴, Keshav Kaushik^{5,*}, Mukesh Soni⁶

¹Lead Data Engineer at FedEx Dataworks, USA
rahulk.de9@gmail.com

²Principal Architect, Catalyst Brands, United States
nagacherukupalle@outlook.com

³Sr. Solutions Architect & Engineering, MVNO Connect LLC, USA
ch.karthick@gmail.com

⁴Middle Georgia State University, Macon, GA, USA
aryendra@gmail.com

⁵Sharda School of Computer Science and Engineering, Sharda University, Greater Noida, Uttar Pradesh, India
officialkeshavkaushik@gmail.com

⁶Division of Research and Development, Lovely Professional University, Phagwara, India
mukesh.research24@gmail.com

Abstract. As IoT continues on its path to mass adoption, energy efficiency and environmental sustainability are growing concerns. Research on energy efficient high-performance computing (HPC) paradigms and green computing strategies For IoT There energy sustainable applications The review also touches upon optimization strategies such as AI-based power management, adaptive power scaling, federated learning, and blockchain-based energy trading. Datasets from the real world, including Google, IBM, and NREL, were used to model energy usage of IoT devices, the usage of renewable energy, and the efficiency of the communication protocol. It illustrates the considerable potential of IoT-enabled smart grids, artificial intelligence-based optimization, and green computing methods in lowering the carbon footprint and boosting energy efficiency. Our results yield practical guidance for the design of sustainable IoT ecosystems that optimize for computational performance while minimizing energy expenditure and environmental footprint.

Keywords: Sustainable IoT, Energy-efficient computing, Green computing, Federated learning, Smart grids, Renewable energy, Blockchain energy trading

1 Introduction

The Internet of Things (IoT) has transformed modern technology through a connected network of devices that process and share data to enhance processes in many areas of life. IoT has transformed many areas such as smart cities, healthcare, industrial automation, and environmental monitoring to improve efficiency and enable better decision-making [1]. But due to the increased energy requirements and eco-friendly impact, the question of sustainability has been raised as IoT networks increase. Billions of IoT devices have been deployed, many of which are used in resource-constrained environments, leading to huge amounts of energy consumption, e-waste production, and carbon emissions [2]. These challenges open a new horizon for sustainable IoT apps to contribute to green computing solutions enabling low carbon footprints through energy-aware IoT applications and architectures [3].

Sustainability in the context of IoT constitutes a widely bracketed spectrum — traversing hardware design, encompassing software optimization, communication protocols and holistic system architecture. Conventional Internet of Things devices are typically powered by batteries and are composed of an extensive configuration of edge devices and cloud infrastructures that constantly analyze a barrage of data, which results in high energy consumption and growing operational costs [4]. Low Power and Energy Efficient Design in IoT is a multi-dimensional approach that acts in the direction of power friendly device, using smart energy saving solutions in both device performance and storage, network and even communication systems [5]. The development of energy harvesting technologies, including solar, thermoelectric and kinetic energy conversion approaches, have introduced the opportunity to create self-powered IoT devices that significantly limit dependence on non-renewable energy sources [6]. Additionally, dynamic power scaling combined with energy-aware task scheduling algorithms can greatly prolong the lifetime of IoT systems, especially in the case of remote and unreachable areas napping [7].

Green computing in IoT refers not only to hardware efficiency but also to energy-aware computing frameworks and smart data management. The heavy data processing, transmission and storage operations in most of the cloud-based IoT infrastructures leads to their excessive energy consumption [8]. A greener solution would be to take advantage of edge and fog computing paradigms that demand processing at the data source, while transmitting minimal effective information to the cloud in order to reduce high-bandwidth communications energy overhead. Besides decreasing network congestion, Edge computing also enhances the real-time decision-making capability important for creating sustainable Internet of Things (IoT) ecosystems [9]. In addition, Federated Learning, as well as decentralized AI models, allow for collaboration between machine-learning models from IoT systems without the need to send original data to centralized centers, thus minimizing energy consumption and optimizing data confidentiality [10].

An applicable aspect in this case to support sustainable IoT applications is optimizing communication protocols [11]. In the conventional wireless communication technologies like Wi-Fi and cellular networks, there is a large power overhead especially for dense IoT applications where devices are sending information continuously. These emerging low-power communication protocols, including LoRaWAN,

NB-IoT, and Zigbee, provide energy-efficient alternatives that enable long-range communication with significantly lower energy consumption [12]. These protocols work to ensure efficient transmission of data, while minimizing energy overhead, to facilitate sustainable IoT deployment [19] in smart agriculture, smart environment, smart office, smart industry, and industrial automation. In addition, these approaches improve communication efficiency by optimizing the amount of data that is sent on the network using communication scheduling and duty-cycling [13].

The internet of things (IoT) applications also exist, with the concerns of security and privacy the primary concern that can lead to the sustainability of the IoT applications. Computer overhead caused by cryptographic encryption and authentication protocols of conventional security mechanisms increases energy consumption [14]. Therefore, sustainable IoT systems are required lightweight solutions for security providing a good interrelation between robustness and efficiency [15] [16].

2 Methodology

To analyze the performance and energy trade-offs in secure IoT networks, a systematic approach had been adopted, integrating cryptographic algorithm selection, simulation-based evaluation, and energy consumption analysis. The study had focused on comparing various security protocols to determine the optimal balance between computational complexity and energy efficiency.

Algorithm Selection and Justification

Several encryption algorithms had been selected based on their security strength and computational efficiency, considering the constraints of IoT devices. The selected algorithms included:

1. **AES (Advanced Encryption Standard)** – AES-128 and AES-256 had been chosen due to their symmetric encryption efficiency, offering a balance between security and low energy consumption.
2. **ECC (Elliptic Curve Cryptography)** – ECC-256 had been selected for its ability to provide high security with lower computational power compared to RSA.
3. **RSA (Rivest-Shamir-Adleman)** – RSA-2048 had been used as a benchmark for asymmetric encryption, despite its higher energy consumption.
4. **Post-Quantum Cryptography (PQC)** – A lattice-based PQC algorithm had been included to assess the potential energy costs of future quantum-resistant cryptographic techniques.

AES and ECC had been preferred for energy-efficient IoT applications, while RSA and PQC had been used to measure the impact of high-security demands on energy usage.

Steps of the Algorithm Implementation

- 1. **Dataset Preparation:** The encryption algorithms had been tested using simulated IoT data, representing sensor readings and control signals transmitted over the network. The dataset had included varying payload sizes to examine scalability.
- 2. **Cryptographic Operations:** Each encryption algorithm had been implemented and executed on a simulated IoT device environment. Encryption and decryption processes had been measured for computational time and power consumption.
- 3. **Energy Consumption Measurement:** The power usage of each cryptographic operation had been recorded based on processor utilization and energy profiling tools. The total energy consumption per operation had been computed to compare algorithms.
- 4. **Security-Performance Evaluation:** A security complexity index had been defined based on key length, encryption time, and computational requirements. The relationship between security complexity and energy usage had been analyzed for each algorithm.
- 5. **Comparison Across IoT Communication Protocols:** The impact of security algorithms had been assessed under different IoT communication protocols (LoRaWAN, NB-IoT, Wi-Fi, and 5G) to evaluate how transmission distance influenced energy costs.

3 Implementation




Figure 1. Energy Consumption Analysis of IoT Devices.




Figure 2. Impact of Energy Harvesting on IoT Sustainability




Figure 3. Communication Protocol Efficiency: Energy Consumption vs. Distance.




Figure 4. Edge vs. Cloud Computing Energy Trade-offs.




Figure 5. Impact of Federated Learning on Data Transmission and Energy Saving.

This plot (See Figure 1) compares the average energy consumed for every IoT device type. Sensors are very low-power, and edge devices are moderate power. IoT sensors consume each only a small amount of energy, while the consumption for a cloud server is orders of magnitude higher, stressing the need for low-power optimizations to improve energy efficiency in sustainable IoT architectures. The figure (See Figure 2) compares the sustainability of different methods of energy harvesting methods for Internet of Things (IoT). Solar energy has the maximum efficiency and is considered to be the most effective source. Whereas kinetic and thermal harvesters show moderate effectiveness in power production, RF energy harvesting proves to be the least efficient of all shown implementations, suggesting a multi-source approach in the direction of sustainable IoT-driven applications. Comparison of energy

consumption (See Figure 3) of different IoT communication protocols over various transmission distance. LoRaWAN and Zigbee have the least amount of energy consumption, so they are ideal for sustainable IoT [17][18]. 5G, although high-speed, has a power consumption much higher than NB-IoT and Wi-Fi, thus impairing long-term energy efficiency. This graph (See Figure 5) demonstrates federated learning, which limits the traffic to conferences (hence less energy is consumed). It also allows traditional ML models that demand large data transfers to consume a more considerable amount of energy. Conversely, federated learning operates on local data at the device level, thereby reducing transmission overhead and improving sustainability in IoT applications. shows power consumption (See Figure 4) for increasing workloads of computation for edge computing and cloud computing. Edge computing always saves power hence it is energy efficient while doing processing close to the data source. Cloud computing offers more scalability, albeit with an intensive energy cost, revealing a contradiction between sustainability and processing power issues for IoT applications. This graph (See Figure 6) stresses the comparative influence of various adaptive power scaling solutions on battery life for IoT devices. The most battery-lifespan-extending method is hybrid scaling, which is a combination of duty cycling and dynamic voltage scaling. Both duty cycling and voltage scaling improve efficiency, but the former alone cuts down energy considerably for any device lacking scaling. This graph (See Figure 7) illustrates the increasing efficiency of load balancing in grid optimization at different levels of demand for energy. Thanks to IoT, the efficiency of this goes up to 90%. In sustainable grid systems, IoT-enabled smart grids can achieve an energy efficiency of up to 95%, resulting in optimal power distribution and reduction of energy wastage. This chart (See Figure 8) helps us analyse the association between the use of renewable power sources and sustaining IoT system uptime. Data shows significant uptime improvement as renewable energy share is increased, indicating that fully green-powered IoT infrastructures are attainable. Uptime in the range of 99%, even down to near 100% renewable utilization means you get sustainable and interruption free IoT.




Figure 6. Adaptive Power Scaling in IoT Devices.




Figure 7. Sustainable Smart Grid Optimization.




Figure 8. Renewable-Powered IoT Infrastructure Efficiency.

4 Results

The findings from this study showcase the delicate trade-off between the level of security you can incorporate and the corresponding energy demands of IoT networks. Lightweight cryptographic algorithms like AES-128 and ECC-256 provide reasonable security with low energy overhead and are useful in resource-limited IoT devices. Conversely, more sophisticated algorithms such as RSA-2048 and post-quantum cryptographic algorithms demonstrate much larger energy requirements, emphasizing security versus energy trade-offs. The analysis shows that the security complexity does not scale linearly with energy consumption, thus strengthens the need for selecting the algorithm according to application specific conditions. Moreover, the results suggest that energy-efficient security protocols can be smartly deployed while maintaining the integrity and confidentiality of the data. So, it would help energy consumption to reduce the attack surface and further buffer against cyber threats, with hardware accelerated encryption and adaptive security protocols, AI supported anomaly detection, etc. The findings highlight the need to design security frameworks that complement IoT sustainability objectives.

5 Conclusion

This study emphasizes the lack of trade-offs between IoT network security complexity and energy efficiency. The findings reveal that although higher-level cryptographic techniques strengthen security, they also raise energy consumption levels considerably, making it difficult for resource-constrained IoT nodes. By adopting lightweight security measures and employing adaptive and AI-driven optimization techniques, it is possible to strike a balance between strong protection and energy sustainability. The results underscore the importance of a balanced strategy in developing secure IoT structures, as energy limitations must not arise to hinder cybersecurity. In the future, work should target creating energy-conscious encrypting algorithms and applying clever security recipes to reduce power consumption while ensuring maximum security. IoT systems must ensure not only security but also sustainable management of their operations to enable smart environments while contributing to a smaller environmental footprint. The future of digital ecosystems lies in sustainable, secured and qualified IoT networks.

References

1. Tupe, U. L., Babar, S. D., Kadam, S. P., & Mahalle, P. N. (2022). Research perspective on energy-efficient protocols in IoT: emerging development of green IoT. *International Journal of Pervasive Computing and Communications*, 18(2), 145-170.
2. Upadhyay, D., Tiwari, P., Mohd, N., & Pant, B. (2022, April). Capacity enhancement for cellular system using 5G technology, mmWave and higher order sectorization. In *2022 IEEE 11th International Conference on Communication Systems and Network Technologies (CSNT)* (pp. 422-427). IEEE.
3. K. Joshi, A. Kumar, H. Anandaram, A. Kumar, A. Aggarwal, and G. Chhabra, 'Incorporating AI and IoT for Smart Poultry Monitoring and Health Detection', in *2023 Second International Conference on Augmented Intelligence and Sustainable Systems (ICAISS)*, IEEE, 2023, pp. 76-81.
4. Reddy, R. (2024). Sustainable Computing: A Comprehensive Review of Energy-Efficient Algorithms and Systems. Authorea Preprints.
5. Anjum, S., Upadhyay, D., Singh, K., & Upadhyay, P. (2024, March). Machine learning-based resource allocation algorithms for 6G networks. In *2024 2nd International Conference on Disruptive Technologies (ICDT)* (pp. 1086-1091). IEEE.
6. V. Pachouri, S. Pandey, A. Gehlot, P. Negi, G. Chhabra, and K. Joshi, 'Agriculture 4.0: Inculcation of Big Data and Internet of Things in Sustainable Farming', in *2023 IEEE International Conference on Contemporary Computing and Communications (InC4)*, vol. 1, IEEE, 2023, pp. 1-4.
7. Thilakarathne, N. N., Kagita, M. K., & Priyashan, W. M. (2022). Green internet of things: The next generation energy efficient internet of things. In *Applied Information Processing Systems: Proceedings of ICCET 2021* (pp. 391-402). Springer Singapore.
8. Upadhyay, D., Gupta, A., Mohd, N., & Pant, B. (2023, June). A review of network slicing based 5G. In *AIP Conference Proceedings* (Vol. 2782, No. 1). AIP Publishing.
9. Albreem, M. A., Sheikh, A. M., Alsharif, M. H., Jusoh, M., & Yasin, M. N. M. (2021). Green Internet of Things (GloT): applications, practices, awareness, and challenges. *IEEE Access*, 9, 38833-38858.

10. Kumari, S., Gupta, D., & Bashir, A. K. (2024). Advanced Computing Technologies for Energy-Efficient and Secure IoT Network in Smart Cities: Green IoT Perspective. In *Emerging Technologies and the Application of WSN and IoT* (pp. 65-82). CRC Press.
11. Upadhyay, D., Sharma, K. B., Gupta, M., Upadhyay, A., & Venu, N. (2024, December). Transfer Learning Approaches for Channel State Prediction in Heterogeneous Fading Networks. In *2024 IEEE International Conference on Intelligent Signal Processing and Effective Communication Technologies (INSPECT)* (pp. 1-6). IEEE.
12. Lu, M., Fu, G., Osman, N. B., & Konbr, U. (2021). Green energy harvesting strategies on edge-based urban computing in sustainable internet of things. *Sustainable cities and society*, 75, 103349.
13. Benhamaid, S., Bouabdallah, A., & Lakhlef, H. (2022). Recent advances in energy management for Green-IoT: An up-to-date and comprehensive survey. *Journal of Network and Computer Applications*, 198, 103257.
14. Sikder, A. S., Ahmed, S., & Islam, J. (2023). Leveraging Information Technology for Green IT and Sustainable Development: An Analysis of Environmental Sustainability, Energy Efficiency, and Carbon Footprint Reduction Initiatives.: *IT for Green IT and Sustainable Development. International Journal of Imminent Science & Technology.*, 1(1), 48-63.
15. Albreem, M. A., Sheikh, A. M., Bashir, M. J., & El-Saleh, A. A. (2023). Towards green Internet of Things (IoT) for a sustainable future in Gulf Cooperation Council countries: Current practices, challenges and future prospective. *Wireless Networks*, 29(2), 539-567.
16. Kaushik, K., Dahiya, S., Dwivedi, A. D., & Aggarwal, S. (2023). Revolutionizing Healthcare Through Artificial Intelligence and Internet of Things Applications. *Revolutionizing Healthcare Through Artificial Intelligence and Internet of Things Applications*, 1–277. <https://doi.org/10.4018/978-1-6684-5422-0>
17. Kaushik, K., Dahiya, S., & Sharma, R. (2021). Internet of Things Advancements in Healthcare. *Internet of Things*, 19–32. <https://doi.org/10.1201/9781003140443-2>
18. Malik, R., Ur-Rehman, A., Razzaq, H., Bhatt, C., Kaushik, K., & Khan, I. U. (2024). Advancing Healthcare IoT: Blockchain and Federated Learning Integration for Enhanced Security and Insights. *Proceedings of International Conference on Communication, Computer Sciences and Engineering, IC3SE 2024*, 308–314. <https://doi.org/10.1109/IC3SE62002.2024.10593078>
19. Sharma, I., Kaushik, K., Pahuja, V., & Chhabra, G. (2023). Employing Convolutional Neural Network for IoT Healthcare Attack Detection in Intensive Care Unit. *2023 6th International Conference on Contemporary Computing and Informatics (IC3I)*, 798–803. <https://doi.org/10.1109/IC3I59117.2023.10398040>