




Opal Home Co., Ltd

Factory:

No. 129 Fushui Road, Chao'an District Chaozhou City,
Guangdong Province, China

www.opalmirror.com

contact@opalmirror.com



PRODUCTS
CATALOGUE
2025

ABOUT US

Since our establishment in 2013, OPAL has been at the forefront of the LED bathroom mirror industry with an expansive facility spanning an impressive 36,000 square meters. OPAL houses state-of-the-art production workshops for metalworking, glass mirror processing, electronic technology, assembly, testing, and product laboratories.

Upholding the utmost professionalism and striving for growth, OPAL has implemented several management systems, including ISO9001:2015 for quality management, ISO14001:2015 for environmental management, and BSCI.

OPAL takes pride in our extensive achievements, such as national patents and certifications from reputable organizations, including CE, ROHS, UL, and UTL, both domestically and internationally.

Elevate your self-care sanctuary with a captivating OPAL mirror. Our mirrors embody exceptional quality, reliability, and breathtaking beauty, ensuring a flawless experience within your personal oasis.



36,000

36,000 sqm, the surface of Opal's plant, 25,000 which are covered



300 +

People
(workers and employees)



100 +

Countries where our products are distributed



350 +

Products

The certification obtained by our product



OUR MISSION

OPAL's mission is to elevate your bathroom experience by offering you the finest LED bathroom mirrors available in the market. We are dedicated to providing products that seamlessly merge functionality and aesthetics, ensuring that each time you gaze at your reflection in the mirror, you feel confident, inspired, and ready to conquer the day.



Optimism:
We firmly believe in the power of optimism. Regardless of the challenges we face, we maintain a positive and hopeful attitude.



Positivity:
At the heart of all our endeavors is a mindset focused on positivity. We approach our work with enthusiasm and a can-do attitude, always seeking out solutions instead of dwelling on problems.



Activity:
We embody an active approach to our work. Taking initiative, we actively seek out opportunities, find innovative solutions, and ensure tasks are completed efficiently.



Loyalty:
Loyalty is a core principle that guides our actions. We are deeply committed to the goals, values, and success of the team. Through unwavering support and trust in one another, we foster a cooperative and collaborative environment.

COLORS FOR FRAMES

Here we show you our wide range of finishes available so you can customize your mirrors and combine them with your decoration spaces. All our colors have an impeccable and durable finish, which cannot be altered over time.

Brushed Anodized Finish



Electroplate Finish



CONTENTS

RF Rectangle Framed Mirror	IR Irregular Mirror
P. 07	P. 26
RL Rectangle Frameless Mirror	FL Full-length Mirror
P. 13	P. 35
CF Circular Framed Mirror	MC Mirror Cabinet
P. 19	P. 37
CL Circular Frameless Mirror	ST Smart Toilet
P. 23	P. 41

WHAT IS THE COLOUR RENDERING INDEX AND WHY IT IS IMPORTANT?

The effect of a light source on colour appearance is measured in the colour rendering index (CRI), on a scale of 0-100. Natural outdoor light has a CRI of 100 and is used as the standard of comparison for any other light source. The CRI of Opal LED lighting mirror is always higher than 90, close to natural light. With Opal LED mirrors, object's colours are reflected truly and naturally.



LED COLOR TEMPERATURE CHANGING 2700-6500K

Warm White - 2700K

For a soft, soothing glow, opt for Warm White. The mellow tones of this setting create a sense of calm for gentle relaxation. Perfect for unwinding in the bath or for your pre-bed routine.

Natural White - 4000K

Natural White is the best representation of natural daylight, for a truer, more accurate reflection. This neutral shade is ideal for tasks where precision is required, such as shaving, shaping your eyebrows and applying make-up.

Cool White - 6500K

The fresh, bright hue of Cool White is designed to invigorate and energise you. It's the perfect colour temperature for your morning routine, helping you wake up and prepare yourself for the day ahead.

IP44 /IP67 WATERPROOF POWER SUPPLY, WATERPROOF & FIREPROOF STORAGE BOX



DROPPING-RESISTANT AND SAFETY EXPLOSION-PROOF,DEG-FOGGING

5mm Copper free silver mirror with safety film back, protect you and your family safe.
With heating pad inside, never worry about the mist to blur your Opal Mirror.



NEXT LEVELINNOVATION

Wireless Rechargeable LED Mirror

- 10,000 mAh High Capacity Battery
- Running Time up to 15 hours, ONE MONTH worry-free use
- LED color temperature changing 2700-6500K
- Copper free mirror with safety film back
- Heating Pad
- IR Sensor Switch


Why to choose LED mirror instead of traditional bathroom mirror?

An LED lighted mirror is more than just traditional mirrors. They are a combination of technology and design, offering a myriad of advantages that set them apart from traditional mirrors. With its ability to combine functionality, beauty, and energy efficiency, LED mirrors are the pinnacle of contemporary bathroom design. We may anticipate seeing even more cutting-edge capabilities added to these mirrors as technology develops, significantly increasing the bathroom experience. Therefore, an LED mirror is unquestionably a must-have addition to your bathroom if you're trying to give it a contemporary makeover. It will elevate your space and provide you a glamorous and useful bathroom sanctuary.

What if you are willing to install an LED mirror and living in an old house with old Electrical Wiring which not support to install the LED mirror but need HIGH cost of rewiring circuits?

Wireless Rechargeable LED Mirror is your BEST choice!

- No electrical rewiring!
- Plug and Play!
Avoid the hassle of rewiring circuits!
- Easy to Charge!
High Capacity Lithium Battery Powered



RF SERIES

RECTANGLE FRAMED MIRROR



- Unique design, more brighter
- 2 key touch switch, defogging with heating pad

Item Code	Width	Height	Depth
RFMF5070D	500	700	30
RFMF8070D	800	700	30
RFMF1070D	1000	700	30



Item Code	Width	Height	Depth
RFMF5070E	500	700	30
RFMF8070E	800	700	30
RFMF1070E	1000	700	30

Rectangle Framed

FRONT SIDE




- Third-generation copper free mirror with safety film back
- Integrated magnifying mirror and digital time, temperature display
- Color changing 2700-6500K, CRI 90+

Item Code	Width	Height	Depth
RFMF8060A	800	600	40
RFMF1060A	1000	600	40
RFMF1260A	1200	600	40




Item Code	Width	Height	Depth
RFMF5070B	500	700	32
RFMF6080B	600	800	32
RFMF8080B	800	800	32
RFMF1080B	1000	800	32
RFMF1280B	1200	800	32
RFMF1480B	1400	800	32




- Sleek frosted LED strip illumination
- Aluminum frame available in anodized finish

Item Code	Width	Height	Depth
RFMF1170F	1100	700	40
RFMF1270F	1200	700	40
RFMF1380F	1300	800	40



Item Code	Width	Height	Depth
RFMF5070G	500	700	40
RFMF6070G	600	700	40
RFMF8070G	800	700	40
RFMF1070G	1000	700	40
RFMF1270G	1200	700	40
RFMF1470G	1400	700	40



- Third-generation copper free mirror with safety film back
- 2 key touch switch, dimming from 10%-100%

Item Code	Width	Height	Depth
RFMF5070C	500	700	38



- Stainless steel frame available in different finish
- One key touch switch, LED color temperature changing 2700-6500K

Item Code	Width	Height	Depth
RFMF6080H	600	800	112
RFMF8080H	800	800	112
RFMF1080H	1000	800	112
RFMF1280H	1200	800	112



Item Code	Width	Height	Depth
RFMF5070I	500	700	62
RFMF6080I	600	800	62
RFMF8080I	800	800	62
RFMF1080I	1000	800	62
RFMF1280I	1200	800	62



- One key touch switch, LED color temperature changing 2700-6500K
- High light led strip, IP44 waterproof

Item Code	Width	Height	Depth
RFMS5070B	500	700	43
RFMS6080B	600	800	43
RFMS8070B	800	700	43
RFMS1070B	1000	700	43
RFMS1270B	1200	700	43
RFMS1470B	1400	700	43




Item Code	Width	Height	Depth
RFMS5070C	500	700	43
RFMS6080C	600	800	43
RFMS8070C	800	700	43
RFMS1070C	1000	700	43
RFMS1270C	1200	700	43
RFMS1470C	1400	700	43



Item Code	Width	Height	Depth
RFMS6080H	600	800	42
RFMS8070H	800	700	42
RFMS1070H	1000	700	42
RFMS1270H	1200	700	42
RFMS1470H	1400	700	42




Item Code	Width	Height	Depth
RFMS8060I	800	600	140
RFMS7691I	760	910	140



- Ultra-narrow front frosted, soft LED strip illumination
- Cool Color Changing 2700-6500K, CRI 90+

Item Code	Width	Height	Depth
RFMS5070D	500	700	30
RFMS8060D	800	600	30
RFMS7691D	760	910	30



Item Code	Width	Height	Depth
RFMS5070E	500	700	30
RFMS8060E	800	600	30
RFMS7691E	760	910	30



Item Code	Width	Height	Depth
RFMB4575A	450	750	30
RFMB6075A	600	750	30
RFMB8075A	800	750	30
RFMB1075A	1000	750	30
RFMB1275A	1200	750	30
RFMB1475A	1400	750	30
RFMB1675A	1600	750	30



- Stainless steel frame available in different finish
- Fashionable design for any space

Item Code	Width	Height	Depth
RFMB6090B	600	900	40



Item Code	Width	Height	Depth
RFMS9060F	900	600	120




Item Code	Width	Height	Depth
RFMS6080G	600	800	45
RFMS8080G	800	800	45
RFMS1080G	1000	800	45
RFMS1280G	1200	800	45
RFMS1480G	1400	800	45



- Matt black stainless steel frame with holder
- One key touch switch, color changing 2700-6500K

Item Code	Width	Height	Depth
RFMB6080C	600	800	112
RFMB8080C	800	800	112
RFMB1080C	1000	800	112
RFMB1280C	1200	800	112



Item Code	Width	Height	Depth
RFMB6080D	600	800	32



- Stainless steel frame available in different finish
- Fashionable design for any space

Item Code	Width	Height	Depth
RFMB5090E	500	900	140
RFMB6010E	600	1000	140



Item Code	Width	Height	Depth
RFMM6016A	600	1600	40
RFMM7018A	700	1800	40



- Matt black frame with copper free mirror
- LED temperature changing 2700-6500K

Item Code	Width	Height	Depth
RFMM9161F	914	610	40
RFMM1261F	1219	610	40



- Luxury hotel design, with acrylic crystal bubble column
- Fast defogging with heating pad

Item Code	Width	Height	Depth
RFMM8012G	800	1200	40
RFMM1014G	1000	1400	40
RFMM1216G	1200	1600	40



- Low-iron glass with frosted design, softer and brighter glow

Item Code	Width	Height	Depth
RFMM9090B	900	900	42
RFMM1180B	1100	800	42
RFMM1285B	1250	850	42




- Modern hotel design, energy-efficient LED illumination
- Framed available in matt or brushed finish

Item Code	Width	Height	Depth
RFMM1170C	1100	700	42
RFMM1280C	1200	800	42
RFMM1490C	1400	900	42



Item Code	Width	Height	Depth
RFMC8060A	800	600	40
RFMC9070A	900	700	40
RFMC1080A	1000	800	40
RFMC1280A	1200	800	40



- Classic bronze frame with front frosted design
- 2 key touch switch, IP44 waterproof

Item Code	Width	Height	Depth
RFMC5070B	500	700	42
RFMC8060B	800	600	42



Item Code	Width	Height	Depth
RFMM7014D	700	1400	40
RFMM8012D	800	1200	40
RFMM8016D	800	1600	40



Item Code	Width	Height	Depth
RFMM8060E	800	600	40
RFMM9070E	900	700	40
RFMM1080E	1000	800	40
RFMM1290E	1200	900	40



Item Code	Width	Height	Depth
RFMC5070D	500	700	42
RFMC8070D	800	700	42
RFMC1070D	1000	700	42



- Hollywood styled brush frame with LED bulbs included
- Dimmer switch to adjust the brightness, built in heated demister pad

Item Code	Width	Height	Depth
RFMH5070A	500	700	42
RFMH8070A	800	700	42
RFMH1070A	1000	700	42

RL SERIES

RECTANGLE
FRAMELESS
MIRROR



BACK GLOW



- Copper-free silver mirror with acrylic diffused LED lighting, CRI 90+
- Integrated magnifying mirror, color changing 2700-6500K

Item Code	Width	Height	Depth
RLMB6070A	600	700	30
RLMB8070A	800	700	30
RLMB1070A	1000	700	30
RLMB1270A	1200	700	30
RLMB1470A	1400	700	30




Item Code	Width	Height	Depth
RLB4080A	400	800	30
RLB6080A	600	800	30
RLB8080A	800	800	30
RLB1080A	1000	800	30
RLB1280A	1200	800	30
RLB1480A	1400	800	30
RLB1680A	1600	800	30

FRONT SIDE



Item Code	Width	Height	Depth
RLMF6080A	600	800	30
RLMF1060A	1000	600	30
RLMF1260A	1200	600	30



- LED temperature changing 2700-6500K
- 3 key touch switch, fast anti-fog

Item Code	Width	Height	Depth
RLF5070B	500	700	30
RLF6080B	600	800	30
RLF1291B	1220	910	30



- HD anti-explosion copper-free mirror with front frosted illumination
- Stepless dimming from 10%-100%
- Horizontal or vertical mounted

Item Code	Width	Height	Depth
RLF9090A	900	900	30



Item Code	Width	Height	Depth
RLT5070A	500	700	34
RLT6070A	600	700	34
RLT8070A	800	700	34
RLT1070A	1000	700	34
RLT1270A	1200	700	34
RLT1470A	1400	700	34



Item Code	Width	Height	Depth
RLT5070B	500	700	30
RLT8070B	800	700	30
RLT1070B	1000	700	30



Item Code	Width	Height	Depth
RLT5272C	521	721	30
RLT6272C	621	721	30
RLT8272C	821	721	30
RLT1072C	1021	721	30
RLT1272C	1221	721	30



- Digital display-temperature,time and date, with bluetooth speakers
- HD anti-explosion copper-free mirror with front frosted illumination, fast anti-fog


Item Code	Width	Height	Depth
RLT5070D	500	700	55
RLT6080D	600	800	55
RLT8060D	800	600	55
RLT1260D	1200	600	55



Item Code	Width	Height	Depth
RLT1291E	1220	910	30
RLT5070E	500	700	30
RLT6080E	600	800	30



Item Code	Width	Height	Depth
RLT5070F	500	700	30 or 55
RLT6080F	600	800	30 or 55
RLT9070F	900	700	30 or 55
RLT1070F	1000	700	30 or 55
RLT1270F	1200	700	30 or 55
RLT1470F	1400	700	30 or 55
RLT1670F	1600	700	30 or 55
RLT1870F	1800	700	30 or 55



Item Code	Width	Height	Depth
RLT6080G	600	800	35
RLT1070G	1000	700	35



- RGB backlit and front-lighted design
- Anti-fog and built-in bluetooth speakers, dimmable with multiple light modes

Item Code	Width	Height	Depth
RLT5070H	500	700	30
RLT6080H	600	800	30
RLT1291H	1220	910	30





- Front and rear double light LED illumination
- Color changing 2700-6500K, built in heated demister pad

Item Code	Width	Height	Depth
RLT1375I	1300	750	32



SIDE GLOW



INNOVATE



- Copper-free silver mirror with safty film back
- LED color temperature changing 2700-6500K
- Acrylic diffused LED lighting, Heating pad

Item Code	Width	Height	Depth
RLI5070C	500	700	110
RLI6080C	600	800	110
RLI1280C	1200	800	110

CF SERIES

CIRCULAR
FRAMED
MIRROR




BACK GLOW



- Aluminum frame in powder coating finish or anodized finish
- Copper-free mirror with high light LED strip, CRI 90+
- LED color temperature changing 2700-6500K, dimming from 10%-100%

Item Code	Diameter	Depth
CFM6060B	600	43
CFM8080B	800	43
CFM9090B	900	43
CFM1010B	1000	43
CFM1212B	1200	43




Item Code	Diameter	Depth
CFM6060C	600	30
CFM8080C	800	30
CFM9090C	900	30
CFM1010C	1000	30
CFM1212C	1200	30

HANGING STRAP



Item Code	Diameter	Height	Depth
CFS6010A	600	1000	32
CFS8010A	800	1000	32

BACK GLOW




- Aluminum or stainless steel frame available in different finish
- Heating pad, touch switch, IP44 waterproof

Item Code	Diameter	Depth
CFM5050A	500	32
CFM6060A	600	32
CFM7070A	700	32
CFM8080A	800	32
CFM9090A	900	32
CFM1010A	1000	32
CFM1212A	1200	32




Item Code	Diameter	Depth
CFM6060E	600	30
CFM8080E	800	30



Item Code	Diameter	Depth
CFM5050F	500	32
CFM6060F	600	32
CFM7070F	700	32
CFM8080F	800	32
CFM9090F	900	32
CFM1010F	1000	32
CFM1212F	1200	32




Item Code	Diameter	Depth
CFA6060A	600	30
CFA7070A	700	30
CFA8080A	800	30
CFA9090A	900	30



- Acrylic framed with RGB side glow
- LED color temperature changing 2700-6500K
- 2 key touch switch, stepless dimming from 10%-100%

Item Code	Diameter	Depth
CFA5050C	500	42
CFA6060C	600	42
CFA7070C	700	42
CFA8080C	800	42



Item Code	Diameter	Depth
CFAC6060B	600	42
CFAC7070B	700	42
CFAC8080B	800	42
CFAC9090B	900	42



Item Code	Diameter	Depth
CFAC6060C	600	42
CFAC7070C	700	42
CFAC8080C	800	42
CFAC9090C	900	42



Item Code	Width	Height	Depth
CFH7011A	700	1100	30
CFH8012A	800	1200	30
CFH9014A	900	1400	30
CFS8010B	800	1000	32




Item Code	Diameter	Depth
CFAM6060A	600	30
CFAM7070A	700	30
CFAM8080A	800	30
CFAM9090A	900	30



Item Code	Diameter	Depth
CFA6060B	600	30
CFA7070B	700	30
CFA8080B	800	30
CFA9090B	900	30



Item Code	Diameter	Depth
CFAC7070A	700	50
CFAC8080A	800	50
CFAC1010A	1000	50




Item Code	Width	Height	Depth
CFT5070A	500	700	130
CFT6080A	600	800	130
CFT7090A	700	900	130
CFT8010A	800	1000	130

CL SERIES

CIRCULAR
FRAMELESS
MIRROR



ACRYLIC FRAME



Item Code	Diameter	Depth
CLAM6060A	600	30
CLAM9090A	900	30




Item Code	Diameter	Depth
CLM8080A	800	30

FRAMELESS



- Copper-free silver mirror with safty film back
- Unique acrylic framed with beveled edge cutting design
- LED color temperature changing 2700-6500K, dimming from 10%-100%
- Fast defogging with heating pad, IP44 waterproof

Item Code	Diameter	Depth
CLA6262A	621	30
CLA8282A	821	30
CLA1010A	1021	30
CLA1212A	1221	30




Item Code	Diameter	Depth
CL6060A	600	30
CL8080A	800	30
CL9090A	900	30



Item Code	Diameter	Depth
CL6060B	600	30
CL8080B	800	30
CL9090B	900	30
CL1010B	1000	30



Item Code	Diameter	Depth
CLA6060B	600	30
CLA7070B	700	30
CLA8080B	800	30
CLA9090B	900	30
CLA1010B	1000	30
CLA1212B	1200	30



Item Code	Diameter	Depth
CLA6060C	600	30
CLA7070C	700	30
CLA8080C	800	30
CLA9090C	900	30



Item Code	Diameter	Depth
CLA6060D	600	45
CLA8080D	800	45
CLA1010D	1000	45
CLA1212D	1200	45



- Copper-free silver mirror with safty film back
- Innovate edge cutting design with front frosted illuminated
- Fast defogging with heating pad, IP44 waterproof

Item Code	Diameter	Depth
CLi6060A	600	30
CLi7070A	700	30
CLi8080A	800	30
CLi9090A	900	30



Item Code	Diameter	Depth
CLi6060C	600	30
CLi8080C	800	30
CLi1010C	1000	30



- Copper free mirror with safety film back, unclue front frosted lighting
- LED color temperature changing 2700-6500K
- 2 key touch switch, fast anti-fog, IP44 Rating

Item Code	Diameter	Depth
CLi6060B	600	30
CLi9090B	900	30
CLi1010B	1000	30



Item Code	Diameter	Depth
CLi6060D	600	30
CLi7070D	700	30
CLi8080D	800	30
CLi1010D	1000	30
CLi1212D	1200	30



Item Code	Diameter	Depth
CLi6060E	600	50
CLi8080E	800	50


IR SERIES

IRREGULAR MIRROR

- Touch Sensor
- 3Adjustable Color Temperature
- Dimming Function
- Anti-Fog Function
- IP44 Waterproof



POLYGON



- Polygon type with innovate glass edge cutting design
- Copper free mirror with safety film back and backlit
- LED color temperature changing 2700-6500K, dimming from 10%-100%

Item Code	Width	Height	Depth
IRP6210A	620	1090	30



Item Code	Width	Height	Depth
IRP6011B	600	1100	30



Item Code	Diameter	Height	Depth
IRP7272C	720	720	30
IRP8080C	800	800	30
IRP9090C	900	900	30



Item Code	Width	Height	Depth
IRPF6011A	600	1100	35



Item Code	Diameter	Height	Depth
IRP6960D	693	600	30
IRP9280D	924	800	30
IRP1110D	1155	1000	30



Item Code	Diameter	Height	Depth
IRA5070C	500	700	30
IRA6080C	600	800	30
IRA8010C	800	1000	30



- Arch design with copper-free mirror, high light LED strip, CRI 90+
- Aluminum frame in powder coating finish or anodized finish
- LED color temperature changing 2700-6500K, dimming from 10%-100%

Item Code	Diameter	Height	Depth
IRA5080D	500	800	40
IRA6090D	600	900	40



Item Code	Diameter	Height	Depth
IRA5070A	500	700	116
IRA6080A	600	800	116
IRA6010A	600	1000	116
IRA6012A	600	1200	116



- Copper free mirror with safety film back and backlit
- 2 key touch switch, fast anti-fog, IP44 Rating

Item Code	Diameter	Height	Depth
IRA6090B	600	900	30




Item Code	Diameter	Height	Depth
IRA5090E	500	900	45
IRA6010E	600	1000	45



Item Code	Diameter	Height	Depth
IRA6080F	600	800	35
IRA6010F	600	1000	35
IRA6012F	600	1200	35



Item Code	Diameter	Height	Depth
IRRH5028C	500	2800	40
IRRH6028C	600	2800	40



Item Code	Width	Height	Depth
IRR5011A	500	1100	40
IRR6012A	600	1200	40
IRR7012A	700	1200	40



Item Code	Width	Height	Depth
IRR5090B	500	900	40
IRR6010B	600	1000	40



- Copper free mirror with safety film back and backlit
- 2 key touch switch, fast anti-fog, IP44 Rating

Item Code	Width	Height	Depth
IRR4080C	400	800	30



Item Code	Width	Height	Depth
IRRH6014A	600	1400	40
IRRH7015A	700	1500	40
IRRH8016A	800	1600	40



Item Code	Diameter	Height	Depth
IRRH5016B	500	1600	40
IRRH6020B	600	2000	40



Item Code	Diameter	Height	Depth
IRR5080E	500	800	30
IRR6080E	600	800	30
IRR6090E	600	900	30



Item Code	Diameter	Height	Depth
IRR4080F	400	800	30
IRR6080F	600	800	30
IRR1065F	1000	650	30
IRR1265F	1200	650	30



- Copper free mirror with safety film back, high light LED strip, CRI 90+
- Aluminum or stainless steel frame available in different finish
- Heating pad, IP44 rating

Item Code	Width	Height	Depth
IRR4080 G	400	800	43
IRR4590 G	450	900	43
IRR5010 G	500	1000	43



Item Code	Width	Height	Depth
IRR4080 I	400	800	32
IRR4590 I	450	900	32
IRR5010 I	500	1000	32



Item Code	Width	Height	Depth
IRR4080 H	400	800	43
IRR4590 H	450	900	43
IRR5010 H	500	1000	43



Item Code	Width	Height	Depth
IRR5090K	500	900	40
IRR6010K	600	1000	40

OVAL



Item Code	Width	Height	Depth
IRO5576A	550	760	30
IRO8060A	800	600	30
IRO9060A	900	600	30




Item Code	Width	Height	Depth
IRO5070C	500	700	30
IRO6080C	600	800	30
IRO6090C	600	900	30



Item Code	Width	Height	Depth
IRO5070D	500	700	30
IRO6090D	600	900	30



Item Code	Width	Height	Depth
IRO6080B	600	800	30



- Copper free mirror with safety film back, high light LED strip, CRI 90+
- Aluminum or stainless steel frame available in different finish
- Heating pad, IP44 rating

Item Code	Width	Height	Depth
IRO5576E	550	760	30
IRO8060E	800	600	30
IRO9060E	900	600	30



Item Code	Width	Height	Depth
IRI1070A	1000	700	30
IRI1280A	1200	800	30
IRI1390A	1300	900	30



Item Code	Width	Height	Depth
IRI8074B	800	746	30
IRI1093B	1000	933	30
IRI1211B	1200	1120	30



Item Code	Width	Height	Depth
IRI7016I	700	1600	40



Item Code	Width	Height	Depth
IRI5012J	500	1200	30
IRI5513J	550	1350	30
IRI6014J	600	1400	30




Item Code	Width	Height	Depth
IRI6012C	600	1200	30
IRI7014C	700	1400	30
IRI8016C	800	1600	30



Item Code	Width	Height	Depth
IRI4590D	450	900	40
IRI5010D	500	1000	40
IRI6012D	600	1200	40



Item Code	Width	Height	Depth
IRI1070K	1000	700	40
IRI1280K	1200	800	40
IRI1290K	1200	900	40




Item Code	Width	Height	Depth
IRI9580N	950	800	50
IRI1190N	1100	900	50
IRI1310N	1300	1000	50



Item Code	Width	Height	Depth
IRI5070F	500	700	30
IRI8060F	800	600	30



Item Code	Width	Height	Depth
IRI8055E	800	550	30
IRI1280E	1200	800	30



Item Code	Width	Height	Depth
IRI1070L	1000	700	30

FL SERIES

FULL-LENGTH MIRROR



Touch
Sensor



Adjustable Color
Temperature



Dimming
Function




Anti-Fog
Function




IP64
Waterproof



FRAMELESS




Item Code	Diameter	Height	Depth
FLL5014A	500	1400	30



Item Code	Width	Height	Depth
FLL4015B	400	1500	40
FLL5016B	500	1650	40
FLL5316B	530	1600	40

FRAMED




Item Code	Diameter	Height	Depth
FLF4015A	400	1500	32



- Copper free mirror with safety film back, high light LED strip, CRI 90+
- Motion Sensor, effortlessly activates within 1.5 meter
- LED color temperature changing 2700-6500K, dimming from 10%-100%
- Full body mirror with stand, hanging or leaning against wall

Item Code	Diameter	Height	Depth
FLF5016C	500	1600	30
FLF5516C	550	1600	30



Item Code	Width	Height	Depth
FLL5314C	533	1400	30
FLL5516C	559	1600	30

MORE SHAPES



- Copper free mirror with safety film back with front frosted lighting
- LED color temperature changing 2700-6500K, dimming from 10%-100%
- Aluminum or stainless steel frame available in different finish
- Sensor switch

Item Code	Diameter	Height	Depth
FLR4512A	450	1200	40
FLR6016A	600	1600	40

MC SERIES

MIRROR
CABINET



Item Code	Width	Height	Depth
MCR4067D	400	670	150



Item Code	Width	Height	Depth
MCR5070F	500	700	145

MORE SHAPES




Item Code	Width	Height	Depth
MCR5070A	500	700	117
MCR6070A	600	700	117
MCR8070A	800(L400R400)	700	117
MCR8071A	800(L495R305)	700	117
MCR1070A	1000(L500R500)	700	117
MCR1071A	1000(L618R382)	700	117



Item Code	Diameter	Height	Depth
MCR5070B	500	700	130
MCR8060B	800	600	130



Item Code	Width	Height	Depth
MCFR1090A	1000	900	135



Height	Depth	Height	Depth
MCDR8070A	800	700	145



Item Code	Width	Height	Depth
MCR6070C	600	700	135







Item Code	Width	Height	Depth
MCR6070E	600	700	126
MCR8070E	800	700	126
MCR1070E	1000	700	126
MCR1270E	1200	700	126
MCR1470E	1400	700	126
MCR1670E	1600	700	126




Item Code	Width	Height	Depth
MCR8070 H	800	700	145



Item Code	Width	Height	Depth
MCR5070 G	500	700	145
MCR8070 G	800	700	145




2025 NEW SERIES



Item Code	Diameter	Height	Depth
RFMF8060K	800	600	55
RFMF1280K	1200	800	55



Item Code	Width	Height	Depth
RFMS6060L	600	600	30




- 4mm copper-free mirror with safety film back
- LED temperature changing 2700-6500K
- Sensor switch
- Defogging with heating pad
- IP44 waterproof

Item Code	Diameter	Height	Depth
RFMF8060J	800	600	35
RFMF1080J	1000	800	35




- 4mm copper-free mirror with safety film back
- LED temperature changing 2700-6500K
- Sensor switch
- Defogging with heating pad
- IP44 waterproof

Item Code	Diameter	Height	Depth
RFMS8060J	800	600	60
RFMS1080J	1000	800	60



Item Code	Diameter	Height	Depth
RFMB6080F	600	800	35
RFMB1080F	1000	800	35
RFMB1280F	1200	800	35



Item Code	Diameter	Height	Depth
RFMF5070D	500	700	55
RFMF6080D	600	800	55



- Copper free mirror with safety film back with front frosted lighting
- LED color temperature changing 2700-6500K, dimming from 10%-100%
- Aluminum or stainless steel frame available in different finish
- Sensor switch

Item Code	Diameter	Height	Depth
RFMS6080L	600	800	30

