Complex Samples: Plan

[c25] C:\Users\akila\OneDrive\Documents\GitHub\cancer_care_ai\outputs\spss\cancer_2025.sav

Warnings

This procedure does not check the consistency of the working data file with the plan file. We recommend looking at the output table or the plan file to check consistency before performing selection or analysis.

Summary

			Stage 1
Design Variables	Stratification	1	Stratum: NSS region x sector (collapsed to >= 2 FSUs)
	Cluster	1	First-stage unit (FSU), cluster for complex samples
Analysis Information	Estimator Assumption		Sampling with replacement

Plan File: C:\Users\akila\OneDrive\Documents\GitHub\cancer_care_ai\outputs\spss\plan_2025.csaplan
Weight Variable: Survey weight
SRS Estimator: Sampling without replacement

Complex Samples: Descriptives

Univariate Statistics

		Estimate	Standard Error	95% Confidence Interval Lower	95% Confidence Interval Upper
Mean	OOPE per cancer hospitalization (Rs)	66311.3440	4352.22700	57775.1009	74847.5871
	Catastrophic health expenditure (CHE)	.5270	.02933	.4694	.5845

Univariate Statistics

		Unweighted Count
Mean	OOPE per cancer hospitalization (Rs)	3283
	Catastrophic health expenditure (CHE)	3283

Subpopulation Descriptives

Univariate Statistics

Type of medical institution			Estimate	Standard Error	95% ... Lower
Public	Mean	OOPE per cancer hospitalization (Rs)	21497.9777	2289.11232	17008.2258
		Catastrophic health expenditure (CHE)	.3219	.02949	.2640
Charitable/NGO	Mean	OOPE per cancer hospitalization (Rs)	69950.9119	26160.48672	18641.0250
		Catastrophic health expenditure (CHE)	.4348	.14279	.1548
Private	Mean	OOPE per cancer hospitalization (Rs)	93711.0304	6805.41298	80363.2294
		Catastrophic health expenditure (CHE)	.6680	.03939	.5908

Univariate Statistics

Type of medical institution			95% ... Upper	Unweighted Count
Public	Mean	OOPE per cancer hospitalization (Rs)	25987.7295	1232
		Catastrophic health expenditure (CHE)	.3797	1232
Charitable/NGO	Mean	OOPE per cancer hospitalization (Rs)	121260.7988	258
		Catastrophic health expenditure (CHE)	.7149	258
Private	Mean	OOPE per cancer hospitalization (Rs)	107058.8314	1793
		Catastrophic health expenditure (CHE)	.7453	1793

Complex Samples: Logistic Regression

Sample Design Information

		N
Unweighted Cases	Valid	2521
	Invalid	762
	Total	3283
Population Size		95620380.000
Stage 1	Strata	160
	Units	1479
Sampling Design Degrees of Freedom		1319

Categorical Variable Information

		Weighted Count	Weighted Percent
Catastrophic health expenditure (CHE)[a]	No[b]	46486728.000	48.6%
	Yes	49133652.000	51.4%
MPCE quintile (reference = Q1 poorest)	Q5 richest	23293697.000	24.4%
	Q4	18795622.000	19.7%
	Q3	18198257.000	19.0%
	Q2	19371453.000	20.3%
	Q1 poorest (ref)	15961351.000	16.7%
Social group (reference = Scheduled Tribe)	SC	12266869.000	12.8%
	OBC	40392889.000	42.2%
	Other	36655880.000	38.3%
	ST (ref)	6304742.000	6.6%
Population Size		95620380.000	100.0%

a. Dependent Variable

b. Reference Category

Covariate Information

	Mean
age	50.9367
female	.6038
sector_urban	.4156
Public hospital	.3320
ln(length of stay in days)	1.5145
surgery_received	.4295
outside_state	.1007
insured	.7485

Pseudo R Squares

Cox and Snell	.391
Nagelkerke	.521
McFadden	.358

Dependent Variable: Catastrophic health expenditure (CHE) (reference category = No)
Model: (Intercept), age, female, sector_urban, facility_public, log_stay, surgery_received, outside_state, insured, q_ref, social_ref

Tests of Model Effects

Source	df1	df2	Wald F	Sig.
(Corrected Model)	15.000	1305.000	14.864	<.001
(Intercept)	1.000	1319.000	.370	.543
age	1.000	1319.000	.028	.866
female	1.000	1319.000	.658	.417
sector_urban	1.000	1319.000	.012	.912
facility_public	1.000	1319.000	122.645	<.001
log_stay	1.000	1319.000	94.273	<.001
surgery_received	1.000	1319.000	19.652	<.001
outside_state	1.000	1319.000	12.583	<.001
insured	1.000	1319.000	14.754	<.001
q_ref	4.000	1316.000	3.113	.015
social_ref	3.000	1317.000	2.962	.031

Dependent Variable: Catastrophic health expenditure (CHE)
(reference category = No)
Model: (Intercept), age, female, sector_urban, facility_public, log_stay, surgery_received, outside_state, insured, q_ref, social_ref

Parameter Estimates

Catastrophic health expenditure (CHE)	Parameter	B	Std. Error	95% Confidence Interval	
				Lower	Upper
Yes	(Intercept)	-.428	.614	-1.633	.777
	age	-.001	.006	-.014	.012
	female	-.172	.212	-.589	.244
	sector_urban	-.026	.234	-.484	.433
	facility_public	-2.482	.224	-2.922	-2.042
	log_stay	1.130	.116	.902	1.359
	surgery_received	.916	.207	.511	1.321
	outside_state	1.556	.439	.695	2.416
	insured	-1.025	.267	-1.549	-.502
	[q_ref=1.00]	-1.142	.363	-1.855	-.430
	[q_ref=2.00]	-.634	.362	-1.343	.075
	[q_ref=3.00]	-.184	.304	-.779	.412
	[q_ref=4.00]	-.328	.329	-.973	.316
	[q_ref=5.00]	.000[a]	.	.	.
	[social_ref=2.00]	1.198	.474	.268	2.129
	[social_ref=3.00]	.409	.427	-.430	1.247
	[social_ref=9.00]	.715	.440	-.148	1.579
	[social_ref=10.00]	.000[a]	.	.	.

Parameter Estimates

Catastrophic health expenditure (CHE)	Parameter	Exp(B)	95% Confidence Interval for Exp (B)	
			Lower	Upper
Yes	(Intercept)	.652	.195	2.175
	age	.999	.986	1.012
	female	.842	.555	1.277
	sector_urban	.975	.616	1.542
	facility_public	.084	.054	.130
	log_stay	3.096	2.464	3.891
	surgery_received	2.500	1.666	3.749
	outside_state	4.739	2.004	11.202
	insured	.359	.212	.605
	[q_ref=1.00]	.319	.157	.651
	[q_ref=2.00]	.530	.261	1.078
	[q_ref=3.00]	.832	.459	1.510
	[q_ref=4.00]	.720	.378	1.372
	[q_ref=5.00]	1.000	.	.
	[social_ref=2.00]	3.314	1.307	8.404
	[social_ref=3.00]	1.505	.651	3.481
	[social_ref=9.00]	2.045	.863	4.849
	[social_ref=10.00]	1.000	.	.

Dependent Variable: Catastrophic health expenditure (CHE) (reference category = No)
Model: (Intercept), age, female, sector_urban, facility_public, log_stay, surgery_received, outside_state, insured, q_ref, social_ref

a. Set to zero because this parameter is redundant.

Complex Samples: Logistic Regression

Sample Design Information

		N
Unweighted Cases	Valid	2521
	Invalid	762
	Total	3283
Population Size		95620380.000
Stage 1	Strata	160
	Units	1479
Sampling Design Degrees of Freedom		1319

Categorical Variable Information

		Weighted Count	Weighted Percent
Catastrophic health expenditure (CHE)[a]	No[b]	46486728.000	48.6%
	Yes	49133652.000	51.4%
MPCE quintile (reference = Q1 poorest)	Q5 richest	23293697.000	24.4%
	Q4	18795622.000	19.7%
	Q3	18198257.000	19.0%
	Q2	19371453.000	20.3%
	Q1 poorest (ref)	15961351.000	16.7%
Social group (reference = Scheduled Tribe)	SC	12266869.000	12.8%
	OBC	40392889.000	42.2%
	Other	36655880.000	38.3%
	ST (ref)	6304742.000	6.6%
Population Size		95620380.000	100.0%

a. Dependent Variable

b. Reference Category

Covariate Information

	Mean
age	50.9367
female	.6038
sector_urban	.4156
Public hospital	.3320
stay_days	8.9302
surgery_received	.4295
outside_state	.1007
insured	.7485

Pseudo R Squares

Cox and Snell	.335
Nagelkerke	.447
McFadden	.294

Dependent Variable: Catastrophic health expenditure (CHE) (reference category = No)
Model: (Intercept), age, female, sector_urban, facility_public, stay_days, surgery_received, outside_state, insured, q_ref, social_ref

Tests of Model Effects

Source	df1	df2	Wald F	Sig.
(Corrected Model)	15.000	1305.000	12.254	<.001
(Intercept)	1.000	1319.000	.607	.436
age	1.000	1319.000	.001	.974
female	1.000	1319.000	1.476	.225
sector_urban	1.000	1319.000	.018	.894
facility_public	1.000	1319.000	109.324	<.001
stay_days	1.000	1319.000	23.352	<.001
surgery_received	1.000	1319.000	36.248	<.001
outside_state	1.000	1319.000	12.747	<.001
insured	1.000	1319.000	13.835	<.001
q_ref	4.000	1316.000	3.031	.017
social_ref	3.000	1317.000	2.235	.082

Dependent Variable: Catastrophic health expenditure (CHE) (reference category = No)
Model: (Intercept), age, female, sector_urban, facility_public, stay_days, surgery_received, outside_state, insured, q_ref, social_ref

Parameter Estimates

Catastrophic health expenditure (CHE)	Parameter	B	Std. Error	95% Confidence Interval	
				Lower	Upper
Yes	(Intercept)	.353	.622	-.867	1.573
	age	.000	.006	-.012	.012
	female	-.257	.212	-.673	.158
	sector_urban	.034	.257	-.470	.539
	facility_public	-2.115	.202	-2.512	-1.718
	stay_days	.090	.019	.053	.126
	surgery_received	1.270	.211	.856	1.683
	outside_state	1.615	.452	.728	2.503
	insured	-1.013	.272	-1.547	-.479
	[q_ref=1.00]	-1.167	.387	-1.926	-.409
	[q_ref=2.00]	-.540	.380	-1.286	.205
	[q_ref=3.00]	-.198	.326	-.837	.442
	[q_ref=4.00]	-.187	.341	-.856	.481
	[q_ref=5.00]	.000[a]	.	.	.
	[social_ref=2.00]	1.080	.484	.130	2.030
	[social_ref=3.00]	.275	.409	-.527	1.077
	[social_ref=9.00]	.511	.426	-.324	1.347
	[social_ref=10.00]	.000[a]	.	.	.

Parameter Estimates

Catastrophic health expenditure (CHE)	Parameter	Exp(B)	95% Confidence Interval for Exp (B)	
			Lower	Upper
Yes	(Intercept)	1.423	.420	4.822
	age	1.000	.988	1.012
	female	.773	.510	1.172
	sector_urban	1.035	.625	1.714
	facility_public	.121	.081	.179
	stay_days	1.094	1.055	1.134
	surgery_received	3.559	2.353	5.383
	outside_state	5.029	2.070	12.216
	insured	.363	.213	.620
	[q_ref=1.00]	.311	.146	.665
	[q_ref=2.00]	.583	.276	1.228
	[q_ref=3.00]	.821	.433	1.555
	[q_ref=4.00]	.829	.425	1.618
	[q_ref=5.00]	1.000	.	.
	[social_ref=2.00]	2.944	1.138	7.613
	[social_ref=3.00]	1.317	.591	2.936
	[social_ref=9.00]	1.668	.723	3.845
	[social_ref=10.00]	1.000	.	.

Dependent Variable: Catastrophic health expenditure (CHE) (reference category = No)
Model: (Intercept), age, female, sector_urban, facility_public, stay_days, surgery_received, outside_state, insured, q_ref, social_ref

a. Set to zero because this parameter is redundant.

Complex Samples: General Linear Model

Warnings

Subcommand EMMEANS: PAIRWISE is not a valid option for CONTRAST.
Execution of this command stops.

Complex Samples: Plan

```
[c1725] C:\Users\akila\OneDrive\Documents\GitHub\cancer_care_ai\outputs\spss\cancer_2017_
2025.sav
```

Warnings

This procedure does not check the consistency of the working data file with the plan file. We recommend looking at the output table or the plan file to check consistency before performing selection or analysis.

Summary

			Stage 1
Design Variables	Stratification	1	Stratum: NSS region x sector (collapsed to >= 2 FSUs)
	Cluster	1	First-stage unit (FSU), cluster for complex samples
Analysis Information	Estimator Assumption		Sampling with replacement

Plan File: C:\Users\akila\OneDrive\Documents\GitHub\cancer_care_ai\outputs\spss\plan_1725.csaplan
Weight Variable: Survey weight
SRS Estimator: Sampling without replacement

Complex Samples: Descriptives

Univariate Statistics

		Estimate	Standard Error	95% Confidence Interval Lower	95% Confidence Interval Upper	Unweighted Count
Mean	Catastrophic health expenditure (CHE)	.5276	.02917	.4703	.5848	4889

Subpopulation Descriptives

Univariate Statistics

Survey round			Estimate	Standard Error	95% ... Lower
2017-18 (NSS 75th)	Mean	Catastrophic health expenditure (CHE)	.6307	.03843	.5553
2025 (NSO 80th)	Mean	Catastrophic health expenditure (CHE)	.5270	.02933	.4694

Univariate Statistics

Survey round			95% ... Upper	Unweighted Count
2017-18 (NSS 75th)	Mean	Catastrophic health expenditure (CHE)	.7060	1606
2025 (NSO 80th)	Mean	Catastrophic health expenditure (CHE)	.5845	3283

Complex Samples: General Linear Model

Warnings

Subcommand EMMEANS: PAIRWISE is not a valid option for CONTRAST.
Execution of this command stops.

Complex Samples: Logistic Regression

Sample Design Information

		N
Unweighted Cases	Valid	4889
	Invalid	0
	Total	4889
Population Size		140186582.89
Stage 1	Strata	298
	Units	2943
Sampling Design Degrees of Freedom		2645

Categorical Variable Information

		Weighted Count	Weighted Percent
Catastrophic health expenditure (CHE)[a]	No[b]	66230946.910	47.2%
	Yes	73955635.975	52.8%
Survey round	2017-18 (NSS 75th)	811517.885	0.6%
	2025 (NSO 80th)	139375065.00	99.4%
q_ref	Q5 richest	34919210.490	24.9%
	Q4	27576625.915	19.7%
	Q3	27618743.540	19.7%
	Q2	25231066.080	18.0%
	Q1 poorest (ref)	24840936.860	17.7%
Population Size		140186582.89	100.0%

a. Dependent Variable

b. Reference Category

Covariate Information

	Mean
sector_urban	.3841
Public hospital	.3532

Pseudo R Squares

Cox and Snell	.108
Nagelkerke	.144
McFadden	.083

Dependent Variable: Catastrophic health expenditure (CHE) (reference category = No)
Model: (Intercept), survey_2025, q_ref, sector_urban, facility_public

Tests of Model Effects

Source	df1	df2	Wald F	Sig.
(Corrected Model)	7.000	2639.000	10.390	<.001
(Intercept)	1.000	2645.000	20.683	<.001
survey_2025	1.000	2645.000	11.354	<.001
q_ref	4.000	2642.000	2.387	.049
sector_urban	1.000	2645.000	.324	.570
facility_public	1.000	2645.000	45.212	<.001

Dependent Variable: Catastrophic health expenditure (CHE)
(reference category = No)
Model: (Intercept), survey_2025, q_ref, sector_urban, facility_public

Parameter Estimates

Catastrophic health expenditure (CHE)	Parameter	B	Std. Error	95% Confidence Interval Lower	95% Confidence Interval Upper
Yes	(Intercept)	1.133	.257	.629	1.638
	[survey_2025=.00]	.603	.179	.252	.954
	[survey_2025=1.00]	.000[a]	.	.	.
	[q_ref=1.00]	-.812	.383	-1.563	-.061
	[q_ref=2.00]	-.906	.324	-1.541	-.271
	[q_ref=3.00]	-.682	.436	-1.537	.173
	[q_ref=4.00]	-.372	.297	-.954	.211
	[q_ref=5.00]	.000[a]	.	.	.
	sector_urban	.146	.256	-.357	.648
	facility_public	-1.417	.211	-1.830	-1.004

Parameter Estimates

Catastrophic health expenditure (CHE)	Parameter	Exp(B)	95% Confidence Interval for Exp (B) Lower	95% Confidence Interval for Exp (B) Upper
Yes	(Intercept)	3.106	1.876	5.144
	[survey_2025=.00]	1.828	1.287	2.596
	[survey_2025=1.00]	1.000	.	.
	[q_ref=1.00]	.444	.209	.940
	[q_ref=2.00]	.404	.214	.762
	[q_ref=3.00]	.506	.215	1.189
	[q_ref=4.00]	.690	.385	1.235
	[q_ref=5.00]	1.000	.	.
	sector_urban	1.157	.700	1.912
	facility_public	.243	.160	.367

Dependent Variable: Catastrophic health expenditure (CHE) (reference category = No)
Model: (Intercept), survey_2025, q_ref, sector_urban, facility_public

a. Set to zero because this parameter is redundant.

Logistic Regression

Case Processing Summary

Unweighted Cases[a]		N	Percent
Selected Cases	Included in Analysis	4889	100.0
	Missing Cases	0	.0
	Total	4889	100.0
Unselected Cases		0	.0
Total		4889	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
No	0
Yes	1

Categorical Variables Codings[a]

			Parameter coding			
		Frequency	(1)	(2)	(3)	(4)
q_ref	Q5 richest	978	1.000	.000	.000	.000
	Q4	977	.000	1.000	.000	.000
	Q3	978	.000	.000	1.000	.000
	Q2	977	.000	.000	.000	1.000
	Q1 poorest (ref)	979	.000	.000	.000	.000

a. This coding results in indicator coefficients.

Block 0: Beginning Block

Classification Table[a,b]

			Predicted		
			Catastrophic health expenditure (CHE)		
	Observed		No	Yes	Percentage Correct
Step 0	Catastrophic health expenditure (CHE)	No	0	1809	.0
		Yes	0	3080	100.0
	Overall Percentage				63.0

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	.532	.030	322.735	1	<.001	1.703

Variables not in the Equation

			Score	df	Sig.
Step 0	Variables	Survey round	56.561	1	<.001
		q_ref	85.459	4	<.001
		q_ref(1)	47.554	1	<.001
		q_ref(2)	2.086	1	.149
		q_ref(3)	.457	1	.499
		q_ref(4)	2.779	1	.096
		sector_urban	6.877	1	.009
		Public hospital	345.287	1	<.001
	Overall Statistics		544.105	7	<.001

Block 1: Method = Enter

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	564.430	7	<.001
	Block	564.430	7	<.001
	Model	564.430	7	<.001

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	5878.913[a]	.109	.149

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

Classification Table[a]

			Predicted		
			Catastrophic health expenditure (CHE)		
	Observed		No	Yes	Percentage Correct
Step 1	Catastrophic health expenditure (CHE)	No	650	1159	35.9
		Yes	393	2687	87.2
	Overall Percentage				68.3

a. The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 1[a]	Survey round	-.587	.069	72.243	1	<.001	.556
	q_ref			128.437	4	<.001	
	q_ref(1)	-1.171	.108	118.161	1	<.001	.310
	q_ref(2)	-.769	.105	53.600	1	<.001	.463
	q_ref(3)	-.623	.104	35.834	1	<.001	.536
	q_ref(4)	-.378	.104	13.307	1	<.001	.685
	sector_urban	-.007	.067	.011	1	.915	.993
	Public hospital	-1.306	.066	396.291	1	<.001	.271
	Constant	2.086	.102	418.048	1	<.001	8.051

Variables in the Equation

		95% C.I.for EXP(B)	
		Lower	Upper
Step 1[a]	Survey round	.485	.636
	q_ref		
	q_ref(1)	.251	.383
	q_ref(2)	.377	.569
	q_ref(3)	.437	.658
	q_ref(4)	.559	.839
	sector_urban	.871	1.132
	Public hospital	.238	.308
	Constant		

a. Variable(s) entered on step 1: Survey round, q_ref, sector_urban, Public hospital.

```
>Warning # 67.  Command name: GET FILE
>The document is already in use by another user or process.  If you make
>changes to the document they may overwrite changes made by others or your
>changes may be overwritten by others.
>File opened C:\Users\akila\OneDrive\Documents\GitHub\cancer_care_ai\outputs\spss\cancer_
2025.sav
```

Dataset Name

Warnings

The active dataset will replace the existing dataset named c25.

Complex Samples: Plan

```
[c25]
```

Warnings

This procedure does not check the consistency of the working data file with the plan file. We recommend looking at the output table or the plan file to check consistency before performing selection or analysis.

Summary

			Stage 1
Design Variables	Stratification	1	Stratum: NSS region x sector (collapsed to >= 2 FSUs)
	Cluster	1	First-stage unit (FSU), cluster for complex samples
Analysis Information	Estimator Assumption		Sampling with replacement

Plan File: C:\Users\akila\OneDrive\Documents\GitHub\cancer_care_ai\outputs\spss\plan_2025.csaplan
Weight Variable: Survey weight
SRS Estimator: Sampling without replacement

Complex Samples: Descriptives

Univariate Statistics

		Estimate	Standard Error	95% Confidence Interval Lower	95% Confidence Interval Upper
Mean	OOPE per cancer hospitalization (Rs)	66311.3440	4352.22700	57775.1009	74847.5871
	Catastrophic health expenditure (CHE)	.5270	.02933	.4694	.5845

Univariate Statistics

		Unweighted Count
Mean	OOPE per cancer hospitalization (Rs)	3283
	Catastrophic health expenditure (CHE)	3283

Subpopulation Descriptives

Univariate Statistics

Type of medical institution			Estimate	Standard Error	95% ... Lower
Public	Mean	OOPE per cancer hospitalization (Rs)	21497.9777	2289.11232	17008.2258
		Catastrophic health expenditure (CHE)	.3219	.02949	.2640
Charitable/NGO	Mean	OOPE per cancer hospitalization (Rs)	69950.9119	26160.48672	18641.0250
		Catastrophic health expenditure (CHE)	.4348	.14279	.1548
Private	Mean	OOPE per cancer hospitalization (Rs)	93711.0304	6805.41298	80363.2294
		Catastrophic health expenditure (CHE)	.6680	.03939	.5908

Univariate Statistics

Type of medical institution			95% ... Upper	Unweighted Count
Public	Mean	OOPE per cancer hospitalization (Rs)	25987.7295	1232
		Catastrophic health expenditure (CHE)	.3797	1232
Charitable/NGO	Mean	OOPE per cancer hospitalization (Rs)	121260.7988	258
		Catastrophic health expenditure (CHE)	.7149	258
Private	Mean	OOPE per cancer hospitalization (Rs)	107058.8314	1793
		Catastrophic health expenditure (CHE)	.7453	1793

Complex Samples: Logistic Regression

Sample Design Information

		N
Unweighted Cases	Valid	2521
	Invalid	762
	Total	3283
Population Size		95620380.000
Stage 1	Strata	160
	Units	1479
Sampling Design Degrees of Freedom		1319

Categorical Variable Information

		Weighted Count	Weighted Percent
Catastrophic health expenditure (CHE)[a]	No[b]	46486728.000	48.6%
	Yes	49133652.000	51.4%
MPCE quintile (reference = Q1 poorest)	Q5 richest	23293697.000	24.4%
	Q4	18795622.000	19.7%
	Q3	18198257.000	19.0%
	Q2	19371453.000	20.3%
	Q1 poorest (ref)	15961351.000	16.7%
Social group (reference = Scheduled Tribe)	SC	12266869.000	12.8%
	OBC	40392889.000	42.2%
	Other	36655880.000	38.3%
	ST (ref)	6304742.000	6.6%
Population Size		95620380.000	100.0%

a. Dependent Variable

b. Reference Category

Covariate Information

	Mean
age	50.9367
female	.6038
sector_urban	.4156
Public hospital	.3320
ln(length of stay in days)	1.5145
surgery_received	.4295
outside_state	.1007
insured	.7485

Pseudo R Squares

Cox and Snell	.391
Nagelkerke	.521
McFadden	.358

Dependent Variable: Catastrophic health expenditure (CHE) (reference category = No)
Model: (Intercept), age, female, sector_urban, facility_public, log_stay, surgery_received, outside_state, insured, q_ref, social_ref

Tests of Model Effects

Source	df1	df2	Wald F	Sig.
(Corrected Model)	15.000	1305.000	14.864	<.001
(Intercept)	1.000	1319.000	.370	.543
age	1.000	1319.000	.028	.866
female	1.000	1319.000	.658	.417
sector_urban	1.000	1319.000	.012	.912
facility_public	1.000	1319.000	122.645	<.001
log_stay	1.000	1319.000	94.273	<.001
surgery_received	1.000	1319.000	19.652	<.001
outside_state	1.000	1319.000	12.583	<.001
insured	1.000	1319.000	14.754	<.001
q_ref	4.000	1316.000	3.113	.015
social_ref	3.000	1317.000	2.962	.031

Dependent Variable: Catastrophic health expenditure (CHE)
(reference category = No)
Model: (Intercept), age, female, sector_urban, facility_public, log_stay, surgery_received, outside_state, insured, q_ref, social_ref

Parameter Estimates

Catastrophic health expenditure (CHE)	Parameter	B	Std. Error	95% Confidence Interval	
				Lower	Upper
Yes	(Intercept)	-.428	.614	-1.633	.777
	age	-.001	.006	-.014	.012
	female	-.172	.212	-.589	.244
	sector_urban	-.026	.234	-.484	.433
	facility_public	-2.482	.224	-2.922	-2.042
	log_stay	1.130	.116	.902	1.359
	surgery_received	.916	.207	.511	1.321
	outside_state	1.556	.439	.695	2.416
	insured	-1.025	.267	-1.549	-.502
	[q_ref=1.00]	-1.142	.363	-1.855	-.430
	[q_ref=2.00]	-.634	.362	-1.343	.075
	[q_ref=3.00]	-.184	.304	-.779	.412
	[q_ref=4.00]	-.328	.329	-.973	.316
	[q_ref=5.00]	.000[a]	.	.	.
	[social_ref=2.00]	1.198	.474	.268	2.129
	[social_ref=3.00]	.409	.427	-.430	1.247
	[social_ref=9.00]	.715	.440	-.148	1.579
	[social_ref=10.00]	.000[a]	.	.	.

Parameter Estimates

Catastrophic health expenditure (CHE)	Parameter	Exp(B)	95% Confidence Interval for Exp (B)	
			Lower	Upper
Yes	(Intercept)	.652	.195	2.175
	age	.999	.986	1.012
	female	.842	.555	1.277
	sector_urban	.975	.616	1.542
	facility_public	.084	.054	.130
	log_stay	3.096	2.464	3.891
	surgery_received	2.500	1.666	3.749
	outside_state	4.739	2.004	11.202
	insured	.359	.212	.605
	[q_ref=1.00]	.319	.157	.651
	[q_ref=2.00]	.530	.261	1.078
	[q_ref=3.00]	.832	.459	1.510
	[q_ref=4.00]	.720	.378	1.372
	[q_ref=5.00]	1.000	.	.
	[social_ref=2.00]	3.314	1.307	8.404
	[social_ref=3.00]	1.505	.651	3.481
	[social_ref=9.00]	2.045	.863	4.849
	[social_ref=10.00]	1.000	.	.

Dependent Variable: Catastrophic health expenditure (CHE) (reference category = No)
Model: (Intercept), age, female, sector_urban, facility_public, log_stay, surgery_received, outside_state, insured, q_ref, social_ref

a. Set to zero because this parameter is redundant.

Complex Samples: Logistic Regression

Sample Design Information

		N
Unweighted Cases	Valid	2521
	Invalid	762
	Total	3283
Population Size		95620380.000
Stage 1	Strata	160
	Units	1479
Sampling Design Degrees of Freedom		1319

Categorical Variable Information

		Weighted Count	Weighted Percent
Catastrophic health expenditure (CHE)[a]	No[b]	46486728.000	48.6%
	Yes	49133652.000	51.4%
MPCE quintile (reference = Q1 poorest)	Q5 richest	23293697.000	24.4%
	Q4	18795622.000	19.7%
	Q3	18198257.000	19.0%
	Q2	19371453.000	20.3%
	Q1 poorest (ref)	15961351.000	16.7%
Social group (reference = Scheduled Tribe)	SC	12266869.000	12.8%
	OBC	40392889.000	42.2%
	Other	36655880.000	38.3%
	ST (ref)	6304742.000	6.6%
Population Size		95620380.000	100.0%

a. Dependent Variable

b. Reference Category

Covariate Information

	Mean
age	50.9367
female	.6038
sector_urban	.4156
Public hospital	.3320
stay_days	8.9302
surgery_received	.4295
outside_state	.1007
insured	.7485

Pseudo R Squares

Cox and Snell	.335
Nagelkerke	.447
McFadden	.294

Dependent Variable: Catastrophic health expenditure (CHE) (reference category = No)
Model: (Intercept), age, female, sector_urban, facility_public, stay_days, surgery_received, outside_state, insured, q_ref, social_ref

Tests of Model Effects

Source	df1	df2	Wald F	Sig.
(Corrected Model)	15.000	1305.000	12.254	<.001
(Intercept)	1.000	1319.000	.607	.436
age	1.000	1319.000	.001	.974
female	1.000	1319.000	1.476	.225
sector_urban	1.000	1319.000	.018	.894
facility_public	1.000	1319.000	109.324	<.001
stay_days	1.000	1319.000	23.352	<.001
surgery_received	1.000	1319.000	36.248	<.001
outside_state	1.000	1319.000	12.747	<.001
insured	1.000	1319.000	13.835	<.001
q_ref	4.000	1316.000	3.031	.017
social_ref	3.000	1317.000	2.235	.082

Dependent Variable: Catastrophic health expenditure (CHE) (reference category = No)
Model: (Intercept), age, female, sector_urban, facility_public, stay_days, surgery_received, outside_state, insured, q_ref, social_ref

Parameter Estimates

Catastrophic health expenditure (CHE)	Parameter	B	Std. Error	95% Confidence Interval	
				Lower	Upper
Yes	(Intercept)	.353	.622	-.867	1.573
	age	.000	.006	-.012	.012
	female	-.257	.212	-.673	.158
	sector_urban	.034	.257	-.470	.539
	facility_public	-2.115	.202	-2.512	-1.718
	stay_days	.090	.019	.053	.126
	surgery_received	1.270	.211	.856	1.683
	outside_state	1.615	.452	.728	2.503
	insured	-1.013	.272	-1.547	-.479
	[q_ref=1.00]	-1.167	.387	-1.926	-.409
	[q_ref=2.00]	-.540	.380	-1.286	.205
	[q_ref=3.00]	-.198	.326	-.837	.442
	[q_ref=4.00]	-.187	.341	-.856	.481
	[q_ref=5.00]	.000[a]	.	.	.
	[social_ref=2.00]	1.080	.484	.130	2.030
	[social_ref=3.00]	.275	.409	-.527	1.077
	[social_ref=9.00]	.511	.426	-.324	1.347
	[social_ref=10.00]	.000[a]	.	.	.

Parameter Estimates

Catastrophic health expenditure (CHE)	Parameter	Exp(B)	95% Confidence Interval for Exp (B)	
			Lower	Upper
Yes	(Intercept)	1.423	.420	4.822
	age	1.000	.988	1.012
	female	.773	.510	1.172
	sector_urban	1.035	.625	1.714
	facility_public	.121	.081	.179
	stay_days	1.094	1.055	1.134
	surgery_received	3.559	2.353	5.383
	outside_state	5.029	2.070	12.216
	insured	.363	.213	.620
	[q_ref=1.00]	.311	.146	.665
	[q_ref=2.00]	.583	.276	1.228
	[q_ref=3.00]	.821	.433	1.555
	[q_ref=4.00]	.829	.425	1.618
	[q_ref=5.00]	1.000	.	.
	[social_ref=2.00]	2.944	1.138	7.613
	[social_ref=3.00]	1.317	.591	2.936
	[social_ref=9.00]	1.668	.723	3.845
	[social_ref=10.00]	1.000	.	.

Dependent Variable: Catastrophic health expenditure (CHE) (reference category = No)
Model: (Intercept), age, female, sector_urban, facility_public, stay_days, surgery_received, outside_state, insured, q_ref, social_ref

a. Set to zero because this parameter is redundant.

Complex Samples: General Linear Model

Sample Design Information

		N
Unweighted Cases	Valid	3283
	Invalid	0
	Total	3283
Population Size		139375065.00
Stage 1	Strata	160
	Units	1872
Sampling Design Degrees of Freedom		1712

Variable Information

		Mean
Dependent Variable	ln(OOPE + 1)	8.5924

Factor Information

		Weighted Count	Weighted Percent
Type of medical institution	Public	49140112.000	35.3%
	Charitable/NGO	11375178.000	8.2%
	Private	78859775.000	56.6%
Population Size		139375065.00	100.0%

Model Summary[a]

R Square	.147

a. Model: ln (OOPE + 1) = (Intercept) + facility_type

Tests of Model Effects[a]

Source	df1	df2	Wald F	Sig.
(Corrected Model)	2.000	1711.000	27.773	<.001
(Intercept)	1.000	1712.000	610.608	<.001
facility_type	2.000	1711.000	27.773	<.001

a. Model: ln(OOPE + 1) = (Intercept) + facility_type

Parameter Estimates[a]

			95% Confidence Interval	
Parameter	Estimate	Std. Error	Lower	Upper
(Intercept)	9.856	.221	9.423	10.289
[facility_type=1.00]	-3.199	.432	-4.046	-2.352
[facility_type=2.00]	-1.662	.925	-3.477	.152
[facility_type=3.00]	.000[b]	.	.	.

a. Model: ln(OOPE + 1) = (Intercept) + facility_type

b. Set to zero because this parameter is redundant.

```
>Warning # 67.  Command name: GET FILE
>The document is already in use by another user or process.  If you make
```

```
>changes to the document they may overwrite changes made by others or your
>changes may be overwritten by others.
>File opened C:\Users\akila\OneDrive\Documents\GitHub\cancer_care_ai\outputs\spss\cancer_
2017_2025.sav
```

Dataset Name

Warnings

The active dataset will replace the existing dataset named c1725.

Complex Samples: Plan

```
[c1725]
```

Warnings

This procedure does not check the consistency of the working data file with the plan file. We recommend looking at the output table or the plan file to check consistency before performing selection or analysis.

Summary

			Stage 1
Design Variables	Stratification	1	Stratum: NSS region x sector (collapsed to >= 2 FSUs)
	Cluster	1	First-stage unit (FSU), cluster for complex samples
Analysis Information	Estimator Assumption		Sampling with replacement

Plan File: C:
\Users\akila\OneDrive\Documents\GitHub\cancer_care_ai\outputs\spss\
plan_1725.csaplan
Weight Variable: Survey weight
SRS Estimator: Sampling without replacement

Complex Samples: Descriptives

Univariate Statistics

		Estimate	Standard Error	95% Confidence Interval Lower	95% Confidence Interval Upper	Unweighted Count
Mean	Catastrophic health expenditure (CHE)	.5276	.02917	.4703	.5848	4889

Subpopulation Descriptives

Univariate Statistics

Survey round			Estimate	Standard Error	95% ... Lower
2017-18 (NSS 75th)	Mean	Catastrophic health expenditure (CHE)	.6307	.03843	.5553
2025 (NSO 80th)	Mean	Catastrophic health expenditure (CHE)	.5270	.02933	.4694

Univariate Statistics

Survey round			95% ... Upper	Unweighted Count
2017-18 (NSS 75th)	Mean	Catastrophic health expenditure (CHE)	.7060	1606
2025 (NSO 80th)	Mean	Catastrophic health expenditure (CHE)	.5845	3283

Complex Samples: General Linear Model

Sample Design Information

		N
Unweighted Cases	Valid	4889
	Invalid	0
	Total	4889
Population Size		140186582.89
Stage 1	Strata	298
	Units	2943
Sampling Design Degrees of Freedom		2645

Variable Information

		Mean
Dependent Variable	Catastrophic health expenditure (CHE)	.5276

Factor Information

		Weighted Count	Weighted Percent
Survey round	2017-18 (NSS 75th)	811517.885	0.6%
	2025 (NSO 80th)	139375065.00	99.4%
Population Size		140186582.89	100.0%

Model Summary[a]

R Square	.000

a. Model: Catastrophic health expenditure (CHE) = (Intercept) + survey_2025

Tests of Model Effects[a]

Source	df1	df2	Wald F	Sig.
(Corrected Model)	1.000	2645.000	4.604	.032
(Intercept)	1.000	2645.000	573.478	<.001
survey_2025	1.000	2645.000	4.604	.032

a. Model: Catastrophic health expenditure (CHE) = (Intercept) + survey_2025

Parameter Estimates[a]

Parameter	Estimate	Std. Error	95% Confidence Interval	
			Lower	Upper
(Intercept)	.527	.029	.469	.584
[survey_2025=.00]	.104	.048	.009	.199
[survey_2025=1.00]	.000[b]	.	.	.

a. Model: Catastrophic health expenditure (CHE) = (Intercept) + survey_2025

b. Set to zero because this parameter is redundant.

Complex Samples: Logistic Regression

Sample Design Information

		N
Unweighted Cases	Valid	4889
	Invalid	0
	Total	4889
Population Size		140186582.89
Stage 1	Strata	298
	Units	2943
Sampling Design Degrees of Freedom		2645

Categorical Variable Information

		Weighted Count	Weighted Percent
Catastrophic health expenditure (CHE)[a]	No[b]	66230946.910	47.2%
	Yes	73955635.975	52.8%
Survey round	2017-18 (NSS 75th)	811517.885	0.6%
	2025 (NSO 80th)	139375065.00	99.4%
q_ref	Q5 richest	34919210.490	24.9%
	Q4	27576625.915	19.7%
	Q3	27618743.540	19.7%
	Q2	25231066.080	18.0%
	Q1 poorest (ref)	24840936.860	17.7%
Population Size		140186582.89	100.0%

a. Dependent Variable

b. Reference Category

Covariate Information

	Mean
sector_urban	.3841
Public hospital	.3532

Pseudo R Squares

Cox and Snell	.108
Nagelkerke	.144
McFadden	.083

Dependent Variable: Catastrophic health expenditure (CHE) (reference category = No)
Model: (Intercept), survey_2025, q_ref, sector_urban, facility_public

Tests of Model Effects

Source	df1	df2	Wald F	Sig.
(Corrected Model)	7.000	2639.000	10.390	<.001
(Intercept)	1.000	2645.000	20.683	<.001
survey_2025	1.000	2645.000	11.354	<.001
q_ref	4.000	2642.000	2.387	.049
sector_urban	1.000	2645.000	.324	.570
facility_public	1.000	2645.000	45.212	<.001

Dependent Variable: Catastrophic health expenditure (CHE)
(reference category = No)
Model: (Intercept), survey_2025, q_ref, sector_urban, facility_public

Parameter Estimates

Catastrophic health expenditure (CHE)	Parameter	B	Std. Error	95% Confidence Interval Lower	95% Confidence Interval Upper
Yes	(Intercept)	1.133	.257	.629	1.638
	[survey_2025=.00]	.603	.179	.252	.954
	[survey_2025=1.00]	.000[a]	.	.	.
	[q_ref=1.00]	-.812	.383	-1.563	-.061
	[q_ref=2.00]	-.906	.324	-1.541	-.271
	[q_ref=3.00]	-.682	.436	-1.537	.173
	[q_ref=4.00]	-.372	.297	-.954	.211
	[q_ref=5.00]	.000[a]	.	.	.
	sector_urban	.146	.256	-.357	.648
	facility_public	-1.417	.211	-1.830	-1.004

Parameter Estimates

Catastrophic health expenditure (CHE)	Parameter	Exp(B)	95% Confidence Interval for Exp (B) Lower	95% Confidence Interval for Exp (B) Upper
Yes	(Intercept)	3.106	1.876	5.144
	[survey_2025=.00]	1.828	1.287	2.596
	[survey_2025=1.00]	1.000	.	.
	[q_ref=1.00]	.444	.209	.940
	[q_ref=2.00]	.404	.214	.762
	[q_ref=3.00]	.506	.215	1.189
	[q_ref=4.00]	.690	.385	1.235
	[q_ref=5.00]	1.000	.	.
	sector_urban	1.157	.700	1.912
	facility_public	.243	.160	.367

Dependent Variable: Catastrophic health expenditure (CHE) (reference category = No)
Model: (Intercept), survey_2025, q_ref, sector_urban, facility_public

a. Set to zero because this parameter is redundant.

Logistic Regression

Case Processing Summary

Unweighted Cases[a]		N	Percent
Selected Cases	Included in Analysis	4889	100.0
	Missing Cases	0	.0
	Total	4889	100.0
Unselected Cases		0	.0
Total		4889	100.0

a. If weight is in effect, see classification table for the total number of cases.

Dependent Variable Encoding

Original Value	Internal Value
No	0
Yes	1

Categorical Variables Codings[a]

			Parameter coding			
		Frequency	(1)	(2)	(3)	(4)
q_ref	Q5 richest	978	1.000	.000	.000	.000
	Q4	977	.000	1.000	.000	.000
	Q3	978	.000	.000	1.000	.000
	Q2	977	.000	.000	.000	1.000
	Q1 poorest (ref)	979	.000	.000	.000	.000

a. This coding results in indicator coefficients.

Block 0: Beginning Block

Classification Table[a,b]

Observed			Predicted: Catastrophic health expenditure (CHE) No	Predicted: Catastrophic health expenditure (CHE) Yes	Percentage Correct
Step 0	Catastrophic health expenditure (CHE)	No	0	1809	.0
		Yes	0	3080	100.0
	Overall Percentage				63.0

a. Constant is included in the model.

b. The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 0	Constant	.532	.030	322.735	1	<.001	1.703

Variables not in the Equation

			Score	df	Sig.
Step 0	Variables	Survey round	56.561	1	<.001
		q_ref	85.459	4	<.001
		q_ref(1)	47.554	1	<.001
		q_ref(2)	2.086	1	.149
		q_ref(3)	.457	1	.499
		q_ref(4)	2.779	1	.096
		sector_urban	6.877	1	.009
		Public hospital	345.287	1	<.001
	Overall Statistics		544.105	7	<.001

Block 1: Method = Enter

Omnibus Tests of Model Coefficients

		Chi-square	df	Sig.
Step 1	Step	564.430	7	<.001
	Block	564.430	7	<.001
	Model	564.430	7	<.001

Model Summary

Step	-2 Log likelihood	Cox & Snell R Square	Nagelkerke R Square
1	5878.913[a]	.109	.149

a. Estimation terminated at iteration number 4 because parameter estimates changed by less than .001.

Classification Table[a]

Observed		Predicted: Catastrophic health expenditure (CHE)		Percentage Correct
		No	Yes	
Step 1 Catastrophic health expenditure (CHE)	No	650	1159	35.9
	Yes	393	2687	87.2
Overall Percentage				68.3

a. The cut value is .500

Variables in the Equation

		B	S.E.	Wald	df	Sig.	Exp(B)
Step 1[a]	Survey round	-.587	.069	72.243	1	<.001	.556
	q_ref			128.437	4	<.001	
	q_ref(1)	-1.171	.108	118.161	1	<.001	.310
	q_ref(2)	-.769	.105	53.600	1	<.001	.463
	q_ref(3)	-.623	.104	35.834	1	<.001	.536
	q_ref(4)	-.378	.104	13.307	1	<.001	.685
	sector_urban	-.007	.067	.011	1	.915	.993
	Public hospital	-1.306	.066	396.291	1	<.001	.271
	Constant	2.086	.102	418.048	1	<.001	8.051

Variables in the Equation

		95% C.I.for EXP(B)	
		Lower	Upper
Step 1[a]	Survey round	.485	.636
	q_ref		
	q_ref(1)	.251	.383
	q_ref(2)	.377	.569
	q_ref(3)	.437	.658
	q_ref(4)	.559	.839
	sector_urban	.871	1.132
	Public hospital	.238	.308
	Constant		

a. Variable(s) entered on step 1: Survey round, q_ref, sector_urban, Public hospital.