## VRE::VRE_Window

- int mWidth
- int mHeight
- bool mFrameBufferResized
- const std::string mWindowName
- GLFWwindow * mWindow

+ VRE_Window(int width, int height, std::string name)
+ ~VRE_Window()
+ VRE_Window(const VRE_Window &)=delete
+ VRE_Window & operator=(const VRE_Window &)=delete
+ bool ShouldClose()
+ void CreateWindowSurface(VkInstance instance, VkSurfaceKHR *surface)
+ VkExtent2D GetExtent()
+ bool HasWindowResized()
+ void ResetWindowResizedFlag()
+ GLFWwindow * GetGLFWwindow() const
- void Init()
- static void FrameBufferResizedCallback(GLFWwindow *window, int width, int height)

-mWindow

## VRE::VRE_Device

+ const bool mEnableValidationLayers
+ VkPhysicalDeviceProperties mProperties
- VkInstance mInstance
- VkDebugUtilsMessengerEXT mDebugMessenger
- VkPhysicalDevice mPhysicalDevice
- VkCommandPool mCommandPool
- VkDevice mVkDevice
- VkSurfaceKHR mVkSurface
- VkQueue mGraphicsQueue
- VkQueue mPresentQueue
- const std::vector< const char * > mValidationLayers
- const std::vector< const char * > mDeviceExtensions

+ VRE_Device(VRE_Window &window)
+ ~VRE_Device()
+ VRE_Device(const VRE_Device &)=delete
+ VRE_Device & operator=(const VRE_Device &)=delete
+ VRE_Device(VRE_Device &&)=delete
+ VRE_Device & operator=(VRE_Device &&)=delete
+ VkCommandPool GetCommandPool()
+ VkDevice GetVkDevice()
+ VkPhysicalDevice GetPhysicalDevice()
+ VkSurfaceKHR Surface()
and 12 more...
- void CreateInstance()
- void SetupDebugMessenger()
- void CreateSurface()
- void PickPhysicalDevice()
- void CreateLogicalDevice()
- void CreateCommandPool()
- bool IsDeviceSuitable(VkPhysicalDevice device)
- std::vector< const char * > GetRequiredExtensions()
- bool CheckValidationLayerSupport()
- QueueFamilyIndices FindQueueFamilies(VkPhysicalDevice device)
- void PopulateDebugMessengerCreateInfo(VkDebugUtilsMessengerCreateInfoEXT &createInfo)
- void HasGflwRequiredInstanceExtensions()
- bool CheckDeviceExtensionSupport(VkPhysicalDevice device)
- SwapChainSupportDetails QuerySwapChainSupport(VkPhysicalDevice device)

-mWindow

-mDevice

## VRE::VRE_Renderer

- std::unique_ptr< VRE_SwapChain > mSwapChain
- std::vector< VkCommandBuffer > mCommandBuffers
- uint32_t mCurrentImageIndex
- int mCurrentFrameIndex
- bool mDrawStarted

+ VRE_Renderer(VRE_Window &window, VRE_Device &device)
+ ~VRE_Renderer()
+ VRE_Renderer(const VRE_Renderer &)=delete
+ VRE_Renderer & operator=(const VRE_Renderer &)=delete
+ VkCommandBuffer BeginDraw()
+ void EndDraw()
+ void BeginSwapChainRenderPass(VkCommandBuffer commandBuffer)
+ void EndSwapChainRenderPass(VkCommandBuffer commandBuffer)
+ bool IsDrawInProgress() const
+ VkRenderPass GetSwapChainRenderPass() const
+ float GetAspectRatio() const
+ VkCommandBuffer GetCurrentCommandBuffer() const
+ int GetFrameIndex() const
- void CreateCommandBuffers()
- void RecreateSwapChain()
- void FreeCommandBuffers()

+mDevice

+mRenderer

## VRE::VRE_SharedContext

+ std::shared_ptr< VRE_DescriptorSetLayout > mGlobalDescSetLayout
+ std::vector< std::unique_ptr< VRE_DescriptorPool > > mObjectDescPools
+ std::vector< VkDescriptorSet > mSceneDescriptorSets
+ std::vector< VRE_PointLight > mPointLights
+ VRE_GameObject::GameObjectsMap * mGameObjMap
+ VRE_SharedContext()