STATE SIGNAL I FROM REJECTION TO A CHECKED RESPONSE

One v5 assignment: the signal explains a failed check; it never authorizes a commit.

FIXED INPUT
same WorldState
same invalid proposal
same independent objective

SEVEN DETERMINISTIC CHECKS
action_policy, precondition, object_reachability
npc_knowledge, forbidden_disclosure, quest_stage
quest_stage_monotonicity

DETAILED SIGNAL
valid: false; len(checks_run): 7
errors: code, entity, reason, repair_hint
structured counterexample, not permission

GENERIC SIGNAL
valid: false
message: Action rejected.
no error code or repair hint

REQUESTED SELECTOR RETURNS ONE RESPONSE
one fresh ephemeral Codex session; prompt says no tools or network; no further model call

PARSE + ID CHECK
exact candidate fields
preserve IDs and type
reject unknown keys

REVALIDATE
same seven checks
repair budget 0
all must pass to commit

COMMIT
apply validated transition
record trace hash
then check the objective

INVALID RESPONSE
schema failure or ID change
no authorized transition
zero gate and goal success

REJECT / FALLBACK
prior state unchanged
goal missed
failure stays in denominator

INDEPENDENT GOAL
signal_restored in facts
a valid commit can miss it
gate is not goal success

Authored flow from the frozen collector; signal fields from results. No hidden-state or efficacy claim.