Traceability 보충자료

TABLE XIV
제안된 출처 기반 traceability dimension (미측정)

ID	필수 correspondence	단위 분자/분모
TR01	task, 정확한 artifact revision/digest, activity, actor 의 identity/activity binding	complete slot / required slot
TR02	request/input → rule version → evaluated check/result → decision	complete chain / inventoried decision
TR03	decision → 관측 state/artifact effect 와 before/after 근거	complete correspondence / outcome-required decision
TR04	triggering failure → corrective package → exact revalidation → result	complete repair chain / actual repair attempt
TR05	forward requirement → artifact → verification 및 reverse in-scope change mapping	forward/reverse 를 별도 보고
TR06	non-author 가 선언된 audit/replay target 을 독립 실행	exercised target / declared target

미측정 제안이며 score 수집 · 검증은 없다. Codebook/일차 출처: 데이터 및 코드 가용성.

I. 제안된 traceability instrument (미측정)

제안 construct 는 observable requirement/artifact/action/outcome 의 recoverable correspondence 이지 correctness/hidden reasoning/developer skill/player benefit 이 아니다. Neutral U_d/link $L_d(u)$ 를 동결하고 independent assessor 가 exact source/version, 모든 raw-evidence 관계 ·locator 를 확인할 때만 unit=1 이다. 가중 composite 없이 n_d/N_d, disagreement, seeded-corruption control 을 보고하며 불완전 inventory 는 indeterminate 다. Missing/inaccessible/stale/contradicted/unverified 는 이유와 함께 0 이다. 검증된 zero repair 만 N/A, 빈 log 는 zero 가 아니다. PASS, FAIL, NOT_RUN, STAGE_NOT_REACHED, OUT_OF_SCOPE, MISSING 을 구분하고 `stage_not_reached`≠ PASS 다.