

# Magic: The Gathering Database Documentation

John Kuroda  
Akil Marshall  
Israel Trusdell

March 27, 2020

# Contents

<b>1</b>	<b>Entity Relationship Diagram</b>	<b>3</b>
<b>2</b>	<b>Database Schema</b>	<b>3</b>
<b>3</b>	<b>Efforts of Normalization</b>	<b>3</b>
3.1	First Normal Form . . . . .	3
3.2	Second Normal Form . . . . .	4
3.3	Third Normal Form . . . . .	4
<b>4</b>	<b>Tables</b>	<b>5</b>
4.1	CARD . . . . .	5
4.2	SET . . . . .	6
4.3	FORMAT . . . . .	7
4.4	CONTAINS . . . . .	8
4.5	LIMITATION . . . . .	9
4.6	COLOR . . . . .	10
4.7	COLOR_COST . . . . .	10
4.8	COLOR_IDENTITY . . . . .	12
4.9	SUPERTYPE . . . . .	13
4.10	TYPE . . . . .	13
4.11	SUBTYPE . . . . .	14
<b>5</b>	<b>Entity Constraints</b>	<b>15</b>
5.1	Insertion . . . . .	15
5.2	Deletion . . . . .	16
<b>6</b>	<b>Domain Descriptions of Certain Attributes</b>	<b>16</b>
6.1	SET.set_type . . . . .	16
6.2	CONTAINS.rarity . . . . .	17
6.3	COLOR.color . . . . .	17
6.4	LIMITATION.limitation_type . . . . .	17
6.5	COLOR.color . . . . .	17
6.6	COLOR_COST.cost_string . . . . .	17
6.7	SUPERTYPE.supertype . . . . .	17
6.8	TYPE.type . . . . .	17
6.9	SUBTYPE.subtype . . . . .	18

# 1 Entity Relationship Diagram




Figure 1: Entity relationship diagram.

## 2 Database Schema

## 3 Efforts of Normalization

We took our database to the third normal form.

### 3.1 First Normal Form

From the text book,

First normal form (1NF) is now considered to be part of the formal definition of a relation in the basic (flat) relational model; historically, it was defined to disallow multivalued attributes, composite attributes, and their combinations. It states that the domain of an attribute must include only atomic (simple, indivisible) values and that the value of any attribute in a tuple must be a single value from the domain of that attribute. Hence, 1NF disallows having a set of values, a tuple of values, or a combination of both as an attribute value for a single tuple. In other words, 1NF disallows relations within relations or relations as attribute values within tuples.




Figure 2: Database table schema

The only attribute values permitted by 1NF are single atomic (or indivisible) values.

Our schema is in first normal form by design.

### 3.2 Second Normal Form

From the text book,

**Definition.** A relation schema  $R$  is in 2NF if every non-prime attribute  $A$  in  $R$  is fully functionally dependent on the primary key of  $R$ .

We previously had included set\_name in the primary key of CARD. This however violates the second normal form since the other attributes of CARD had no functional dependency on set\_name. We then removed set\_name from CARD to bring the schema to second normal form.

### 3.3 Third Normal Form

From the text book,

**Definition.** According to Codd's original definition, a relation schema  $R$  is in 3NF if it satisfies 2NF and no non-prime attribute of  $R$  is transitively dependent on the primary key.

Previously we had included much of the color information in the CARD table however attributes like converted\_cost were only transitively dependent on the primary key (card\_name). To address this we created the tables COLOR,

COLOR\_COST, and COLOR\_IDENTITY, moving the appropriate attributes to the correct tables. With this each attribute depends directly on the primary key of it's table, thus our schema is in the third normal form.

## 4 Tables

### 4.1 CARD

A CARD represents a real, physical, entity in Magic: The Gathering (MTG). CARDS have attributes (described below) that appear as printed images or text on the playing face of the CARD. These attributes give CARDS different playable characteristics in a game.

CARDS may or may not be grouped by these attributes. One example are all CARDS with they type creature, which represent all creature cards. Note that under these attributes, a CARD can be uniquely identified by its name, but a CARD may be reprinted in more than one SET. In other words, a CARD doesn't change between SETs and can be contained within one or more SETs.

#### 4.1.1 Attributes

- card\_name
  - **Description:** The name of the card.
  - **Data type:** String
  - **Domain:** Any valid card name.
  - **Is primary key:** Yes.
  - **Nullable:** No.
- text
  - **Description:** Everything in the text area of the card.
  - **Data type:** String
  - **Domain:** Any valid card text.
  - **Is primary key:** No.
  - **Nullable:** True
- power
  - **Description:** The card's power.
  - **Data type:** Integer
  - **Domain:** Any non-negative integer.
  - **Is primary key:** No.
  - **Nullable:** Yes.

- toughness
  - **Description:** The card's toughness.
  - **Data type:** Integer
  - **Domain:** Any non-negative integer.
  - **Is primary key:** No.
  - **Nullable:** Yes.
- loyalty
  - **Description:** The card's loyalty.
  - **Data type:** Integer
  - **Domain:** Any non-negative integer.
  - **Is primary key:** No.
  - **Nullable:** Yes.

## 4.2 SET

A SET represents a real, physical, collection of CARDS that are released together and designed for the same play environment. SETs are released throughout the year and each have a name, code (three character abbreviation) and a set symbol, which is not tracked.

### 4.2.1 Attributes

- set\_code
  - **Description:** The alphanumeric code associated with a set.
  - **Data type:** String
  - **Domain:** Combinations of letters and digits.
  - **Is primary key:** Yes.
  - **Nullable:** No.
- set\_name
  - **Description:** The name of the set.
  - **Data type:** String
  - **Domain:** Any valid set name.
  - **Is primary key:** No.
  - **Nullable:** No
- release\_date
  - **Description:** The date the set was released.

- **Data type:** String
- **Domain:** Any valid date.
- **Is primary key:** No.
- **Nullable:** No.
- **set\_type**
  - **Description:** The type of set it is (core, expansion, etc).
  - **Data type:** String
  - **Domain:** Any valid set type.
  - **Is primary key:** No.
  - **Nullable:** No.

## 4.3 FORMAT

A FORMAT is representation for a set of rules which determine gameplay. Some of these rules can be the SETs allowed or the number of CARDS in a deck. These restrictions define a FORMAT and each FORMAT has a unique name.

### 4.3.1 Attributes

- **format\_name**
  - **Description:** The name of the format.
  - **Data type:** String
  - **Domain:** Any valid format name.
  - **Is primary key:** Yes.
  - **Nullable:** No.
- **min\_deck\_size**
  - **Description:** The minimum number of cards allowed in a deck.
  - **Data type:** Integer
  - **Domain:** Any non-negative integer.
  - **Is primary key:** No.
  - **Nullable:** No.
- **max\_deck\_size**
  - **Description:** The maximum number of cards allowed in a deck.
  - **Data type:** Integer.
  - **Domain:** Any integer, negative integers are interpreted as infinity.
  - **Is primary key:** No.

- **Nullable:** No.
- `copies_allowed`
  - **Description:** The maximum number of copies of a card allowed in a deck.
  - **Data type:** Integer
  - **Domain:** Any non-negative integer.
  - **Is primary key:** No.
  - **Nullable:** No.
- `format_type`
  - **Description:** The type of the format (constructed, draft, etc)
  - **Data type:** String
  - **Domain:** Valid magic format types.
  - **Is primary key:** No.
  - **Nullable:** No.
- `multiplayer`
  - **Description:** If the format can be played by more than 2 people.
  - **Data type:** Boolean
  - **Domain:** Any valid boolean.
  - **Is primary key:** No.
  - **Nullable:** No.

## 4.4 CONTAINS

CONTAINS represents a many-to-many relationship between CARDS and SETs. A CARD can be released (or rereleased) in one or more SETs and each SET contains multiple CARDS. Note that while each SET can contain many CARDS, each SET can contain no duplicates of a CARD. Also, note that each CARD must be released (or rereleased) with the release of a SET. In other words, each CARD is part of at least one SET.

### 4.4.1 Attributes

- `set_code`
  - **Description:** A foreign key from SET.
  - **Data type:** String
  - **Domain:** Combinations of letters and digits.
  - **Is primary key:** Yes.



- **Nullable:** No.
- **card\_name**
  - **Description:** A foreign key from CARD.
  - **Data type:** String
  - **Domain:** Any valid card name.
  - **Is primary key:** Yes.
  - **Nullable:** No.
- **rarity**
  - **Description:** The rarity of the card (common, uncommon, etc).
  - **Data type:** String
  - **Domain:** Any valid magic card rarity.
  - **Is primary key:** No.
  - **Nullable:** No.

## 4.5 LIMITATION

A LIMITATION represents a many-to-many relationship between CARD and FORMAT. The limitation or restriction of a CARD to a particular FORMAT is determined by the particular rules of the FORMAT. FORMATS can deem particular CARDS banned (not allowed in gameplay), restricted (only one copy of CARD is allowed in a deck), or illegal (CARD is not allowed).

### 4.5.1 Attributes

- **format\_name**
  - **Description:** A foreign key from FORMAT.
  - **Data type:** String
  - **Domain:** Any valid format name.
  - **Is primary key:** Yes.
  - **Nullable:** No.
- **card\_name**
  - **Description:** A foreign key from CARD.
  - **Data type:** String
  - **Domain:** Any valid card name.
  - **Is primary key:** Yes.
  - **Nullable:** No.

- `limitation_type`
  - **Description:** The way in which a card is limited (banned, restricted, etc).
  - **Data type:** String
  - **Domain:** Any valid limitation.
  - **Is primary key:** No.
  - **Nullable:** No.

## 4.6 COLOR

Color is a basic property of cards in Magic: The Gathering, forming the core of the game’s mana system and overall strategy. Each color identifies a faction whose culture defines the style and gameplay of its cards.

The COLOR table serves two purposes. It encapsulates the one-to-many relationships between creatures and colors. Second, it describes a fundamental aspect of magic cards.

### 4.6.1 Attributes

- `card_name`
  - **Description:** A foreign key from CARD.
  - **Data type:** String
  - **Domain:** Any valid card name.
  - **Is primary key:** Yes.
  - **Nullable:** No.
- `color`
  - **Description:** The color a card is associated with, usually indicated by the physical color of the card.
  - **Data type:** String
  - **Domain:** Any valid magic card color.
  - **Is primary key:** No.
  - **Nullable:** No.

## 4.7 COLOR\_COST

COLOR\_COST represents symbols on a CARD indicating the cost of casting the CARD. On a physical CARD, this can be a combination of integers and symbols which represent color. Symbols are represented in this table with letters. R for red, U for blue, G for green, B for black, W for white. X represents variable

generic casting cost with no required color.  $\phi$  represents fixed generic value casting cost. Note that `converted_cost` depends on `cost_string`, which is not the primary key. This table solves that problem.

#### 4.7.1 Attributes

- `card_name`
  - **Description:** A foreign key from `CARD`.
  - **Data type:** String
  - **Domain:** Any valid card name.
  - **Is primary key:** Yes.
  - **Nullable:** No.
- `cost_string`
  - **Description:** An alphanumeric representation of a cards mana cost.
  - **Data type:** String
  - **Domain:** Strings over the alphabet  $\Sigma = \{R, U, G, B, W, X, \phi\}$  where  $\phi \in \mathbb{Z}_{>0}$  and each string that contains  $\phi$  begins with  $\phi$ .
  - **Is primary key:** No.
  - **Nullable:** Yes.
- `converted_cost`
  - **Description:** The sum over a cards mana cost. Each occurrence of

Table 1: How to sum a `cost_string`.

$\sum$	value
$R$	1
$U$	1
$G$	1
$B$	1
$W$	1
$X$	0
$\phi$	$\phi$

a character in a `cost_string` is summed according to the above table.

- **Data type:** Integer
- **Domain:** Any non-negative integer.
- **Is primary key:** No.
- **Nullable:** No.

## 4.8 COLOR\_IDENTITY

COLOR\_IDENTITY represents an association of a CARD with zero or more COLORS. A CARD gains the COLOR of each mana symbol that appears in the COLOR\_COST (casting cost) of the CARD. In addition a CARD can gain COLOR identity from text within that card. CARDS can have multiple COLOR\_IDENTITYs, or none (E.g. Artifacts).

### 4.8.1 Attributes

- card\_name
  - **Description:** A foreign key from CARD.
  - **Data type:** String
  - **Domain:** Any valid card name.
  - **Is primary key:** Yes.
  - **Nullable:** No.
- red
  - **Description:** A flag to indicate the cards alignment with red.
  - **Data type:** Boolean
  - **Domain:** Any valid boolean.
  - **Is primary key:** No.
  - **Nullable:** No.
- blue
  - **Description:** A flag to indicate the cards alignment with blue.
  - **Data type:** Boolean
  - **Domain:** Any valid boolean.
  - **Is primary key:** No.
  - **Nullable:** No.
- green
  - **Description:** A flag to indicate the cards alignment with green.
  - **Data type:** Boolean
  - **Domain:** Any valid boolean.
  - **Is primary key:** No.
  - **Nullable:** No.
- white

- **Description:** A flag to indicate the cards alignment with white.
  - **Data type:** Boolean
  - **Domain:** Any valid boolean.
  - **Is primary key:** No.
  - **Nullable:** No.
- black
    - **Description:** A flag to indicate the cards alignment with black.
    - **Data type:** Boolean
    - **Domain:** Any valid boolean.
    - **Is primary key:** No.
    - **Nullable:** No.

## 4.9 SUPERTYPE

A supertype is a key word that is associated with property that it all cards under that supertype must share. (May span multiple types) Magic cards may have one or more supertypes, this table implements that one-to-many relationship.

### 4.9.1 Attributes

- card\_name
  - **Description:** A foreign key from CARD.
  - **Data type:** String
  - **Domain:** Any valid card name.
  - **Is primary key:** Yes.
  - **Nullable:** No.
- supertype
  - **Description:** The supertype of the card (legendary, snow, etc).
  - **Data type:** String
  - **Domain:** Any valid magic card subtype.
  - **Is primary key:** No.
  - **Nullable:** No.

## 4.10 TYPE

Magic cards may have one or more types, this table implements that one-to-many relationship.

#### 4.10.1 Attributes

- card\_name
  - **Description:** A foreign key from CARD.
  - **Data type:** String
  - **Domain:** Any valid card name.
  - **Is primary key:** Yes.
  - **Nullable:** No.
- type
  - **Description:** The type of the card (creature, artifact, etc).
  - **Data type:** String
  - **Domain:** Any valid magic card type.
  - **Is primary key:** No.
  - **Nullable:** No.

#### 4.11 SUBTYPE

A subtype is a race/class/characteristic of a card that that falls under a card type that all cards under that subtype must share. (Can't span multiple types) Magic cards may have zero or more subtypes, this table implements that one-to-many relationship.

##### 4.11.1 Attributes

- card\_name
  - **Description:** A foreign key from CARD.
  - **Data type:** String
  - **Domain:** Any valid card name.
  - **Is primary key:** Yes.
  - **Nullable:** No.
- subtype
  - **Description:** The subtype of the card (equipment, curse, etc).
  - **Data type:** String
  - **Domain:** Any valid magic card subtype.
  - **Is primary key:** No.
  - **Nullable:** No.

## 5 Entity Constraints

In this section we describe the constraints on entities as far as insertion, deletion, and modification are concerned. However it must be understood that the users of this database will only be provided an interface that allows data to be read and not modified in any way. None the less we will have a discussion on how insertions, deletions, and modifications could be done with the proposed schema.

It should also be noted that because of the design of Magic: the Gathering some of the following operations could never occur.

### 5.1 Insertion

**Card** To add a new card entity you must ensure that the `card_name` is unique. However it is in the interest of the designer's of magic to ensure this is true thus you need not worry. In addition to the attributes in the `CARD` table each table that has `CARD.card_name` as a foreign key must also have one or more rows populated.

The following tables must be updated,

- LIMITATION
- COLOR\_COST
- COLOR
- CONTAINS
- TYPE
- SUBTYPE
- SUPERTYPE
- COLOR\_IDENTITY

**Format** To add a new format entity you must ensure that the format name is unique. However it is not very likely that a format will have the same name as a preexisting format. In addition to the attributes in the `FORMAT` table each table that has `TABLE.format_name` as a foreign key must also have one or more rows populated.

The following tables must be updated,

- LIMITATION

More specifically each card that is limited within the new format must be modified.

**Set** To add a new set entity you must ensure that the set name is unique. However the it is in the interest of the designers of magic that each set name is unique so this isn't a problem. In addition to the attributes within the `SET` table each table that has `SET.set_name` as a foreign key needs to be updated.

The following tables must be updated,

- CONTAINS

## 5.2 Deletion

**Card** Delete the entity within the CARD table and all tables that have the CARD.card\_name as a foreign key.

The following tables must be checked for deletion,

- |              |            |                  |
|--------------|------------|------------------|
| • LIMITATION | • CONTAINS | • SUPERTYPE      |
| • COLOR_COST | • TYPE     |                  |
| • COLOR      | • SUBTYPE  | • COLOR_IDENTITY |

**Format** Delete the entity within the FORMAT table and all tables that have the FORMAT.format\_name as a foreign key.

The following tables must be checked for deletion,

- LIMITATION

**Set** Delete the set entity within the SET table and all tables that have SET.set\_name as a foreign key.

The following tables must be checked for deletion,

- CONTAINS

## 6 Domain Descriptions of Certain Attributes

In this section we either completely list the entire domain or provide examples and further description.

### 6.1 SET.set\_type

- |                    |                  |                  |
|--------------------|------------------|------------------|
| • archenemy        | • from_the_vault | • promo          |
| • box              | • funny          | • spellbook      |
| • commander        | • masterpiece    | • starter        |
| • core             | • masters        | • token          |
| • draft_innovation | • memorabilia    | • treasure_chest |
| • duel_deck        | • planechase     |                  |
| • expansion        | • premium_deck   |                  |



## 6.2 CONTAINS.rarity

- common
- rare
- uncommon
- mythic

## 6.3 COLOR.color

- black
- colorless
- red
- blue
- green
- white

## 6.4 LIMITATION.limitation\_type

- none
- restricted
- banned

## 6.5 COLOR.color

- red
- blue
- black
- green
- white
- colorless

## 6.6 COLOR\_COST.cost\_string

We provide several examples of cards and their cost\_strings.

Table 2: Cards and their cost_string.	
Card Name	cost_string
<a href="#">Angrath, Captain of Chaos</a>	2B/R/R
<a href="#">Conclave Naturalists</a>	4G
<a href="#">Jace, Memory Adept</a>	3UU
<a href="#">Ajani Vengeant</a>	2RW
<a href="#">Chromanticore</a>	WUBRG

## 6.7 SUPERTYPE.supertype

- Basic
- Legendary
- World
- Host
- Snow

## 6.8 TYPE.type

- artifact
- creature
- enchantment
- land
- planeswalker
- instant
- sorcery

## 6.9 SUBTYPE.subtype

- Clue
- Contraption
- Equipment
- Food
- Fortification
- Gold
- Key
- Treasure
- Vehicle
- Advisor
- Aetherborn
- Ally
- Angel
- Antelope
- Ape
- Archer
- Archon
- Army
- Artificer
- Assassin
- Assembly-Worker
- Atog
- Aurochs
- Avatar
- Azra
- Badger
- Barbarian
- Basilisk
- Bat
- Bear
- Beast
- Beeble
- Berserker
- Bird
- Blinkmoth
- Boar
- Bringer
- Brushwagg
- Camarid
- Camel
- Caribou
- Carrier
- Cat
- Centaur
- Cephalid
- Chimera
- Citizen
- Cleric
- Cockatrice
- Construct
- Coward
- Crab
- Crocodile
- Cyclops
- Dauthi
- Demigod
- Demon
- Deserter
- Devil
- Dinosaur
- Djinn
- Dragon
- Drake
- Dreadnought
- Drone
- Druid
- Dryad
- Dwarf
- Efreet

- Egg
- Elder
- Eldrazi
- Elemental
- Elephant
- Elf
- Elk
- Eye
- Faerie
- Ferret
- Fish
- Flagbearer
- Fox
- Frog
- Fungus
- Gargoyle
- Germ
- Giant
- Gnome
- Goat
- Goblin
- God
- Golem
- Gorgon
- Graveborn
- Gremlin
- Griffin
- Hag
- Harpy
- Hellion
- Hippo
- Hippogriff
- Homarid
- Homunculus
- Horror
- Horse
- Hound
- Human
- Hydra
- Hyena
- Illusion
- Imp
- Incarnation
- Insect
- Jackal
- Jellyfish
- Juggernaut
- Kavv
- Kirin
- Kithkin
- Knight
- Kobold
- Kor
- Kraken
- Lamia
- Lammasu
- Leech
- Leviathan
- Lhurgoyf
- Lcid
- Lizard
- Manticore
- Masticore
- Mercenary
- Merfolk
- Metathran
- Minion
- Minotaur
- Mole
- Monger
- Mongoose
- Monk
- Monkey
- Moonfolk
- Mouse
- Mutant
- Myr
- Mystic
- Naga
- Nautilus
- Nephilim
- Nightmare
- Nightstalker
- Ninja
- Noble
- Noggle

- Nomad
- Nymph
- Octopus
- Ogre
- Ooze
- Orb
- Orc
- Orgg
- Ouphe
- Ox
- Oyster
- Pangolin
- Peasant
- Pegasus
- Pentavite
- Pest
- Phelddagrif
- Phoenix
- Pilot
- Pincher
- Pirate
- Plant
- Praetor
- Prism
- Processor
- Rabbit
- Rat
- Rebel
- Reflection
- Rhino
- Rigger
- Rogue
- Sable
- Salamander
- Samurai
- Sand
- Saproling
- Satyr
- Scarecrow
- Scion
- Scorpion
- Scout
- Sculpture
- Serf
- Serpent
- Servo
- Shade
- Shaman
- Shapeshifter
- Sheep
- Siren
- Skeleton
- Slith
- Sliver
- Slug
- Snake
- Soldier
- Soltari
- Spawn
- Specter
- Spellshaper
- Sphinx
- Spider
- Spike
- Spirit
- Splinter
- Sponge
- Squid
- Squirrel
- Starfish
- Surrakar
- Survivor
- Tentacle
- Tetravite
- Thalakos
- Thopter
- Thrull
- Treefolk
- Trilobite
- Triskelavite
- Troll
- Turtle
- Unicorn
- Vampire
- Vedalken
- Viashino

- Volver
- Wall
- Warlock
- Warrior
- Weird
- Werewolf
- Whale
- Wizard
- Wolf
- Wolverine
- Wombat
- Worm
- Wraith
- Wurm
- Yeti
- Zombie
- Zuberá
- Áura
- Carouche
- Curse
- Saga
- Shrine
- Plains
- Island
- Swamp
- Mountain
- Forest
- Desert
- Gate
- Lair
- Locus
- Urzá's
- Mine
- Power-Plant
- Tower
- Ajani
- Aminatou
- Angrath
- Arlinn
- Ashiok
- Bolas
- Chandra
- Dack
- Daretti
- Davriel
- Domri
- Dovin
- Elspeth
- Estrid
- Freyalise
- Garruk
- Gideon
- Huatli
- Jace
- Jaya
- Karn
- Kasmina
- Kaya
- Kiora
- Koth
- Liliana
- Nahiri
- Narset
- Nissa
- Nixilis
- Oko
- Ral
- Rowan
- Saheeli
- Samut
- Sarkhan
- Serra
- Sorin
- Tamiyo
- Teferi
- Teyo
- Tezzeret
- Tibalt
- Ugin
- Venser
- Vivien
- Vraska
- Will
- Windgrace
- Wrenn
- Xenagos
- Yanggu
- Yanling
- Adventure
- Arcane
- Trap
- Adventure
- Arcane