

Workshop RapidMiner & Python: Data Cleaning Supervised Learning



Elizabeth Savochkina | 6th June



We have historical data from patients and some

ID	Clump	UnifSize	UnifShape	MargAdh	SingEpiSize	BareNuc	BlandChrom	NormNucl	Mit	Class
1000025	5	1	1	1	2	1	3	1	1	benign
1002945	5	4	4	5	7	10	3	2	1	benign
1015425	3	1	1	1	2	2	3	1	1	malignant
1016277	6	8	8	1	3	4	3	7	1	benign
1017023	4	1	1	3	2	1	3	1	1	benign
1017122	8	10	10	8	7	10		7	1	malignant
1018099	1	1	1	1	2	10	3	1	1	benign
1018561	2	1	2	H	2	1	3	1	1	benign
1033078	2	1	1	1	2	1	1	1	5	benign
1033078	4	2	1	1	2	1	2	1	1	benign

labels




We know little about the data and the outcomes that are expected.

Customer Id	Age	Edu	Years Employed	Income	Card Debt	Other Debt	Address	DebtIncomeRatio
1	41	2	6	19	0.124	1.073	NBA001	6.3
2	47	1	26	100	4.582	8.218	NBA021	12.8
3	33	2	10	57	6.111	5.802	NBA013	20.9
4	29	2	4	19	0.681	0.516	NBA009	6.3
5	47	1	31	253	9.308	8.908	NBA008	7.2
6	40	1	23	81	0.998	7.831	NBA016	10.9
7	38	2	4	56	0.442	0.454	NBA013	1.6
8	42	3	0	64	0.279	3.945	NBA009	6.6
9	26	1	5	18	0.575	2.215	NBA006	15.5
10	47	3	23	115	0.653	3.947	NBA011	4
11	44	3	8	88	0.285	5.083	NBA010	6.1
12	34	2	9	40	0.374	0.266	NBA003	1.6

unlabeled



Clustering analysis:
Clustering/grouping datapoints
that somewhat similar in



Introduction

- Understanding AI methods requires both a theoretical and a practical approach.
- Many tools available to implement AI methods
- Two options in this course: RapidMiner and Python.
- Let's take a quick dive into both, and then you choose!

Overview of the Tools

 rapidminer	 python™
Easy to use	Powerful and flexible
Intuitive	Active community
Drag-and-drop building blocks	Huge number of resources
Has its limitations	Free and open source
	Involves coding

Recap: Data Cleaning


- Replace missing values with 'worst case' value e.g '0'
- Replace missing value with average of other values in the same column

Example 1: Data Cleansing

Let's go through this morning's example on data cleaning again, first with Python then with RapidMiner

Example 2: Supervised Learning

Iris flower classification



Training / test data

Features

Labels

Sepal length	Sepal width	Petal length	Petal width	Species
5.1	3.5	1.4	0.2	Iris setosa
4.9	3.0	1.4	0.2	Iris setosa
7.0	3.2	4.7	1.4	Iris versicolor
6.4	3.2	4.5	1.5	Iris versicolor
6.3	3.3	6.0	2.5	Iris virginica
5.8	3.3	6.0	2.5	Iris virginica